

# Philippa Anne Garety

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5094402/publications.pdf>

Version: 2024-02-01

201  
papers

17,738  
citations

15504

65  
h-index

14208

128  
g-index

209  
all docs

209  
docs citations

209  
times ranked

7097  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Identifying victimisation profiles in people with psychosis and a history of childhood trauma: a latent class analysis. <i>Psychosis</i> , 2023, 15, 66-76.   | 0.8  | 3         |
| 2  | The role of characterisation in everyday voice engagement and AVATAR therapy dialogue. <i>Psychological Medicine</i> , 2022, 52, 3846-3853.   | 4.5  | 6         |
| 3  | The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , 2022, 25, 191-202.   | 2.6  | 8         |
| 4  | SlowMo therapy, a new digital blended therapy for fear of harm from others: An account of therapy personalisation within a targeted intervention. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 423-446.   | 2.5  | 3         |
| 5  | The service user experience of SlowMo therapy: A co-produced thematic analysis of service users' subjective experience. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 680-700.   | 2.5  | 3         |
| 6  | The relationship between jumping to conclusions and social cognition in first-episode psychosis. <i>NPJ Schizophrenia</i> , 2022, 8, .  | 3.6  | 5         |
| 7  | Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. <i>JMIR Human Factors</i> , 2022, 9, e29725.  | 2.0  | 4         |
| 8  | Are there reliable and valid measures of anxiety for people with psychosis? A systematic review of psychometric properties. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 173-198.   | 2.5  | 17        |
| 9  | Need for care, adversity exposure and perceived stress in clinical and healthy voice-hearers. <i>Psychological Medicine</i> , 2021, 51, 1944-1950.  | 4.5  | 5         |
| 10 | Exploring the Development, Validity, and Utility of the Short-Form Version of the CHOICE of Outcome In Cbt for PsychosEs: A Patient-Reported Outcome Measure of Psychological Recovery. <i>Schizophrenia Bulletin</i> , 2021, 47, 653-661.  | 4.3  | 8         |
| 11 | Is there an association between caregiver antipathy and psychosis? A systematic review. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 798-821.   | 2.5  | 2         |
| 12 | The Early Youth Engagement in first episode psychosis (EYE-2) study: pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , 2021, 22, 272. | 1.6  | 5         |
| 13 | Virtual reality-based assessment and treatment of social functioning impairments in psychosis: a systematic review. <i>International Review of Psychiatry</i> , 2021, 33, 337-362.  | 2.8  | 15        |
| 14 | Relating behaviours and therapeutic actions during AVATAR therapy dialogue: An observational study. <i>British Journal of Clinical Psychology</i> , 2021, 60, 443-462.  | 3.5  | 2         |
| 15 | Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021, 22, 366.   | 1.6  | 21        |
| 16 | Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 714.  | 11.0 | 41        |
| 17 | Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-90.  | 0.7  | 4         |
| 18 | Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , 2021, 51, 2599-2609.   | 4.5  | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , 2021, 238, 188-198.  | 2.0 | 5         |
| 20 | Clinical and theoretical relevance of responses to analogues of psychotic experiences in people with psychotic experiences with and without a need-for-care: an experimental study. <i>Psychological Medicine</i> , 2020, 50, 761-770. | 4.5 | 5         |
| 21 | Beyond Belief – New Approaches to the Treatment of Paranoia. , 2020, , 591-613.  |     | 3         |
| 22 | Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .  | 1.7 | 6         |
| 23 | Subjective experience of paranoid ideation in a virtual reality social environment: A mixed methods cross-sectional study. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 337-345.   | 2.7 | 14        |
| 24 | The Role of Sense of Voice Presence and Anxiety Reduction in AVATAR Therapy. <i>Journal of Clinical Medicine</i> , 2020, 9, 2748.  | 2.4 | 11        |
| 25 | AVATAR Therapy for Distressing Voices: A Comprehensive Account of Therapeutic Targets. <i>Schizophrenia Bulletin</i> , 2020, 46, 1038-1044.  | 4.3 | 33        |
| 26 | The relationship between depressive symptoms and negative symptoms in people with non-affective psychosis: a meta-analysis. <i>Psychological Medicine</i> , 2019, 49, 2486-2498.   | 4.5 | 23        |
| 27 | Improving Access to psychological therapies for people with severe mental illness (IAPT-SMI): Lessons from the South London and Maudsley psychosis demonstration site. <i>Behaviour Research and Therapy</i> , 2019, 116, 104-110.     | 3.1 | 15        |
| 28 | Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019, 213, 32-39.   | 2.0 | 33        |
| 29 | Factors Affecting Sense of Presence in a Virtual Reality Social Environment: A Qualitative Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019, 22, 288-292.   | 3.9 | 48        |
| 30 | Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 871-882.   | 4.3 | 22        |
| 31 | Using Virtual Reality to Assess Associations Between Paranoid Ideation and Components of Social Performance: A Pilot Validation Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019, 22, 51-59.                      | 3.9 | 20        |
| 32 | Fast and slow thinking in distressing delusions: A review of the literature and implications for targeted therapy. <i>Schizophrenia Research</i> , 2019, 203, 80-87.   | 2.0 | 59        |
| 33 | Overgeneral autobiographical memory bias in clinical and non-clinical voice hearers. <i>Psychological Medicine</i> , 2019, 49, 113-120.  | 4.5 | 6         |
| 34 | OUP accepted manuscript. <i>Schizophrenia Bulletin</i> , 2018, 44, 126-136.  | 4.3 | 12        |
| 35 | Schematic beliefs and problem solving performance predict depression in people experiencing persecutory delusions. <i>Journal of Psychiatric Research</i> , 2018, 100, 5-7.  | 3.1 | 1         |
| 36 | Assessing the subjective experience of participating in a clinical trial (AVATAR). <i>Psychiatry Research</i> , 2018, 263, 82-87.  | 3.3 | 7         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Improving implementation of evidence based practice for people with psychosis through training the wider workforce: Results of the GOALS feasibility randomised controlled trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018, 59, 121-128.  | 1.2  | 11        |
| 38 | Training the Frontline Workforce to Deliver Evidence-Based Therapy to People With Psychosis: Challenges in the GOALS Study. <i>Psychiatric Services</i> , 2018, 69, 9-11.  | 2.0  | 12        |
| 39 | Interpersonal processes in paranoia: a systematic review. <i>Psychological Medicine</i> , 2018, 48, 2299-2312.   | 4.5  | 21        |
| 40 | AVATAR therapy for auditory verbal hallucinations in people with psychosis: a single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 31-40.  | 7.4  | 249       |
| 41 | The U&I study: study protocol for a feasibility randomised controlled trial of a pre-cognitive behavioural therapy digital "informed choice"™ intervention to improve attitudes towards uptake and implementation of CBT for psychosis. <i>Trials</i> , 2018, 19, 644.   | 1.6  | 10        |
| 42 | Moment-to-moment associations between negative affect, aberrant salience, and paranoia. <i>Cognitive Neuropsychiatry</i> , 2018, 23, 299-306.  | 1.3  | 30        |
| 43 | How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. <i>JMIR Mental Health</i> , 2018, 5, e11222.  | 3.3  | 44        |
| 44 | Impact of crime victimization on initial presentation to an early intervention for psychosis service and 18-month outcomes. <i>Microbial Biotechnology</i> , 2017, 11, 123-132.  | 1.7  | 7         |
| 45 | Experiences of outcome monitoring in service users with psychosis: Findings from an Improving Access to Psychological Therapies for people with Severe Mental Illness (IAPT-SMI) demonstration site. <i>British Journal of Clinical Psychology</i> , 2017, 56, 253-272.  | 3.5  | 26        |
| 46 | The clinical relevance of appraisals of psychotic experiences. <i>World Psychiatry</i> , 2017, 16, 140-141.  | 10.4 | 9         |
| 47 | Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 302-315.  | 4.3  | 63        |
| 48 | Identification of the delivery of cognitive behavioural therapy for psychosis (CBTp) using a cross-sectional sample from electronic health records and open-text information in a large UK-based mental health case register. <i>BMJ Open</i> , 2017, 7, e015297.  | 1.9  | 31        |
| 49 | Clinical relevance of appraisals of persistent psychotic experiences in people with and without a need for care: an experimental study. <i>Lancet Psychiatry</i> , 2017, 4, 927-936.   | 7.4  | 42        |
| 50 | SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 510.  | 1.6  | 44        |
| 51 | Coping with Unusual Experiences for 12-18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 586. | 1.6  | 12        |
| 52 | Targeting Recovery in Persistent Persecutory Delusions: A Proof of Principle Study of a New Translational Psychological Treatment (the Feeling Safe Programme). <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 539-552.  | 1.2  | 30        |
| 53 | "Jumping to conclusions" data-gathering bias in psychosis and other psychiatric disorders: Two meta-analyses of comparisons between patients and healthy individuals. <i>Clinical Psychology Review</i> , 2016, 46, 151-167.   | 11.4 | 86        |
| 54 | Psychological Mechanisms Mediating Effects Between Trauma and Psychotic Symptoms: The Role of Affect Regulation, Intrusive Trauma Memory, Beliefs, and Depression. <i>Schizophrenia Bulletin</i> , 2016, 42, S34-S43.  | 4.3  | 111       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Clinical, socio-demographic and psychological characteristics in individuals with persistent psychotic experiences with and without a "need for care". <i>World Psychiatry</i> , 2016, 15, 41-52.   | 10.4 | 119       |
| 56 | Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 712-722.   | 4.3  | 225       |
| 57 | Therapeutic advances for people with delusions will come from greater specification and empirical investigation. <i>World Psychiatry</i> , 2015, 14, 180-181.   | 10.4 | 7         |
| 58 | Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 82-89.   | 1.2  | 64        |
| 59 | Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 400-410.   | 4.3  | 102       |
| 60 | Training Frontline Mental Health Staff to Deliver "Low Intensity" Psychological Therapy for Psychosis: A Qualitative Analysis of Therapist and Service User Views on the Therapy and its Future Implementation. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 298-313.                         | 1.2  | 26        |
| 61 | The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015, 41, 971-979.   | 4.3  | 67        |
| 62 | The effects of an Audio Visual Assisted Therapy Aid for Refractory auditory hallucinations (AVATAR) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 1.6  | 29        |
| 63 | Acute mental health service use by patients with severe mental illness after discharge to primary care in South London. <i>Journal of Mental Health</i> , 2015, 24, 208-213.  | 1.9  | 4         |
| 64 | A Pilot Evaluation of Therapist Training in Cognitive Therapy for Psychosis: Therapy Quality and Clinical Outcomes. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 478-489.   | 1.2  | 10        |
| 65 | Changes in delusional dimensions and emotions over eight weeks of antipsychotic treatment in acute patients. <i>Psychiatry Research</i> , 2015, 228, 393-398.   | 3.3  | 4         |
| 66 | Urbanicity, Persecutory Delusions, and Clinical Intervention: The Development of a Brief CBT Module for Helping Patients with Persecutory Delusions Enter Social Urban Environments. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 42-51.  | 1.2  | 13        |
| 67 | Social defeat predicts paranoid appraisals in people at high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 168, 16-22.  | 2.0  | 48        |
| 68 | Opportunities and challenges in Improving Access to Psychological Therapies for people with Severe Mental Illness (IAPT-SMI): Evaluating the first operational year of the South London and Maudsley (SLaM) demonstration site for psychosis. <i>Behaviour Research and Therapy</i> , 2015, 64, 24-30.      | 3.1  | 67        |
| 69 | Confronting Auditory Hallucinations Using Virtual Reality: The Avatar Therapy. <i>Studies in Health Technology and Informatics</i> , 2015, 219, 192-6.  | 0.3  | 2         |
| 70 | Psychological flexibility and nonjudgemental acceptance in voice hearers: relationships with omnipotence and distress. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 1150-1162.   | 2.3  | 37        |
| 71 | The use of immersive virtual reality (VR) to predict the occurrence 6 months later of paranoid thinking and posttraumatic stress symptoms assessed by self-report and interviewer methods: A study of individuals who have been physically assaulted.. <i>Psychological Assessment</i> , 2014, 26, 841-847. | 1.5  | 31        |
| 72 | Appraisals and Responses to Experimental Symptom Analogues in Clinical and Nonclinical Individuals With Psychotic Experiences. <i>Schizophrenia Bulletin</i> , 2014, 40, 845-855.   | 4.3  | 33        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Negative Communication in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 829-832.  | 1.0 | 9         |
| 74 | Occupational functioning in early non-affective psychosis: the role of attributional biases, symptoms and executive functioning. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 71-84.   | 3.9 | 9         |
| 75 | Cognitive Biases Questionnaire for Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 300-313.   | 4.3 | 66        |
| 76 | A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 459-466.  | 1.2 | 14        |
| 77 | The effects of a brief CBT intervention, delivered by frontline mental health staff, to promote recovery in people with psychosis and comorbid anxiety or depression (the GOALS study): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 255. | 1.6 | 11        |
| 78 | Advances in understanding and treating persecutory delusions: a review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1179-1189.   | 3.1 | 275       |
| 79 | Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1051-1061.   | 3.1 | 18        |
| 80 | Changes in delusions in the early phase of antipsychotic treatment – An experience sampling study. <i>Psychiatry Research</i> , 2014, 215, 568-573.  | 3.3 | 42        |
| 81 | Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. <i>Psychiatry Research</i> , 2014, 219, 275-282.  | 3.3 | 27        |
| 82 | Caregiver Reports of Patient-Initiated Violence in Psychosis. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 376-384.   | 1.9 | 37        |
| 83 | Detecting improvements in acute psychotic symptoms using experience sampling methodology. <i>Psychiatry Research</i> , 2013, 210, 82-88.   | 3.3 | 36        |
| 84 | Cognitive factors maintaining persecutory delusions in psychosis: The contribution of depression.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 1121-1131.   | 1.9 | 86        |
| 85 | Neuropsychological functioning and jumping to conclusions in delusions. <i>Schizophrenia Research</i> , 2013, 150, 570-574.  | 2.0 | 106       |
| 86 | The role of safety-seeking behaviours in maintaining threat appraisals in psychosis. <i>Behaviour Research and Therapy</i> , 2013, 51, 75-81.  | 3.1 | 32        |
| 87 | Current Paranoid Thinking in Patients With Delusions: The Presence of Cognitive-Affective Biases. <i>Schizophrenia Bulletin</i> , 2013, 39, 1281-1287.   | 4.3 | 105       |
| 88 | Differences in Cognitive and Emotional Processes Between Persecutory and Grandiose Delusions. <i>Schizophrenia Bulletin</i> , 2013, 39, 629-639.   | 4.3 | 81        |
| 89 | Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 129-139.                 | 1.9 | 123       |
| 90 | Does Assertive Community Outreach Improve Social Support? Results From the Lambeth Study of Early-Episode Psychosis. <i>Psychiatric Services</i> , 2012, 63, 216-222.  | 2.0 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Understanding reduced activity in psychosis: the roles of stigma and illness appraisals. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1685-1693.  | 3.1 | 24        |
| 92  | Poster #182 CHANGE IN DELUSIONAL DIMENSIONS, REASONING BIASES AND EMOTIONS IN THE FIRST 8 WEEKS OF ANTIPSYCHOTIC TREATMENT. <i>Schizophrenia Research</i> , 2012, 136, S346.   | 2.0 | 1         |
| 93  | Negative Cognition, Depressed Mood, and Paranoia: A Longitudinal Pathway Analysis Using Structural Equation Modeling. <i>Schizophrenia Bulletin</i> , 2012, 38, 1063-1073.   | 4.3 | 154       |
| 94  | Increasing access to psychological therapies for people with psychosis: Predictors of successful training. <i>Behaviour Research and Therapy</i> , 2012, 50, 457-462.  | 3.1 | 30        |
| 95  | Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). <i>Journal of Experimental Psychopathology</i> , 2012, 3, 582-593.  | 0.8 | 17        |
| 96  | Targeting reasoning biases in delusions: A pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 414-421. | 1.2 | 104       |
| 97  | Coping Styles in Carers of People With Recent and Long-Term Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 423-424.  | 1.0 | 31        |
| 98  | Jumping to conclusions: the psychology of delusional reasoning. <i>Advances in Psychiatric Treatment</i> , 2011, 17, 332-339.  | 0.5 | 35        |
| 99  | A Randomized Experimental Investigation of Reasoning Training for People With Delusions. <i>Schizophrenia Bulletin</i> , 2011, 37, 324-333.  | 4.3 | 124       |
| 100 | Paranoid Explanations of Experience: A Novel Experimental Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 21-34.   | 1.2 | 20        |
| 101 | Do Antipsychotics Improve Reasoning Biases? A Review. <i>Psychosomatic Medicine</i> , 2010, 72, 681-693.   | 2.0 | 57        |
| 102 | Cost-effectiveness of an early intervention service for people with psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 377-382.  | 2.8 | 144       |
| 103 | Effect of early intervention on 5-year outcome in non-affective psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 372-376.  | 2.8 | 146       |
| 104 | The need for closure in caregivers of people with psychosis. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 159-167.   | 0.9 | 7         |
| 105 | Choice of Outcome In Cbt for psychosEs (CHOICE): The Development of a New Service Userâ€œLed Outcome Measure of CBT for Psychosis. <i>Schizophrenia Bulletin</i> , 2010, 36, 126-135.  | 4.3 | 107       |
| 106 | MISATTRIBUTING SPEECH AND JUMPING TO CONCLUSIONS: A PROSPECTIVE STUDY OF COGNITIVE BIASES AND OUTCOME IN PEOPLE WITH PRODROMAL SIGNS OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 446-447.   | 2.0 | 0         |
| 107 | Jumping to conclusions and perceptions in early psychosis: Relationship with delusional beliefs. <i>Cognitive Neuropsychiatry</i> , 2010, 15, 422-440.   | 1.3 | 23        |
| 108 | Family interventions in psychosis: a scale to measure therapist adherence. <i>Journal of Family Therapy</i> , 2009, 31, 270-283.   | 1.0 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Attributional biases in paranoia: The development and validation of the Achievement and Relationships Attributions Task (ARAT). <i>Cognitive Neuropsychiatry</i> , 2009, 14, 87-109.                                | 1.3 | 11        |
| 110 | Patient Perceptions of Caregiver Criticism in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 85-91.   | 1.0 | 35        |
| 111 | The psychological effect of an urban environment on individuals with persecutory delusions: The Camberwell walk study. <i>Schizophrenia Research</i> , 2008, 99, 77-84.   | 2.0 | 115       |
| 112 | A large-scale validation study of the Medication Adherence Rating Scale (MARS). <i>Schizophrenia Research</i> , 2008, 100, 53-59.   | 2.0 | 171       |
| 113 | Jumping to conclusions and persecutory delusions. <i>European Psychiatry</i> , 2008, 23, 457-459.   | 0.2 | 39        |
| 114 | Jumping to conclusions and paranoid ideation in the general population. <i>Schizophrenia Research</i> , 2008, 102, 254-260.   | 2.0 | 148       |
| 115 | Cognitive-behavioural therapy and family intervention for relapse prevention and symptom reduction in psychosis: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008, 192, 412-423.            | 2.8 | 251       |
| 116 | Impact of State Anxiety on the Jumping to Conclusions Delusion Bias. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 879-886.   | 2.3 | 34        |
| 117 | Virtual reality study of paranoid thinking in the general population. <i>British Journal of Psychiatry</i> , 2008, 192, 258-263.  | 2.8 | 226       |
| 118 | Measuring Adherence in CBT for Psychosis: A Psychometric Analysis of an Adherence Scale. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, 163-178.  | 1.2 | 34        |
| 119 | Caregiving and Illness Beliefs in the Course of Psychotic Illness. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 460-468.   | 1.9 | 47        |
| 120 | Theories of cognition, emotion and the social world: missing links in psychosis. , 2008, , 219-237.   |     | 7         |
| 121 | The Lambeth Early Onset Crisis Assessment Team Study: general practitioner education and access to an early detection team in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s133-s139. | 2.8 | 78        |
| 122 | Virtual reality and paranoid ideations in people with an "at-risk mental state"™ for psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s63-s68.  | 2.8 | 77        |
| 123 | Implications for neurobiological research of cognitive models of psychosis: a theoretical paper. <i>Psychological Medicine</i> , 2007, 37, 1377-1391.   | 4.5 | 290       |
| 124 | A Measure of State Persecutory Ideation for Experimental Studies. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 781-784.  | 1.0 | 77        |
| 125 | The Application of Cognitive-Behavioral Therapy for Psychosis in Clinical and Research Settings. <i>Psychiatric Services</i> , 2007, 58, 1297-1302.   | 2.0 | 15        |
| 126 | Acting on persecutory delusions: The importance of safety seeking. <i>Behaviour Research and Therapy</i> , 2007, 45, 89-99.   | 3.1 | 163       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Persecutory delusions and catastrophic worry in psychosis: Developing the understanding of delusion distress and persistence. <i>Behaviour Research and Therapy</i> , 2007, 45, 523-537.              | 3.1 | 155       |
| 128 | The multidimensional measurement of the positive symptoms of psychosis. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 88-96.  | 2.1 | 56        |
| 129 | Difficulties implementing a mental health guideline: an exploratory investigation using psychological theory. <i>Implementation Science</i> , 2007, 2, 8.   | 6.9 | 122       |
| 130 | Lambeth Early Onset (LEO) and Outreach & Support in South London (OASIS) service. <i>Microbial Biotechnology</i> , 2007, 1, 97-103.   | 1.7 | 42        |
| 131 | Discrepant illness perceptions, affect and expressed emotion in people with psychosis and their carers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 277-283.                    | 3.1 | 48        |
| 132 | Delusions. , 2006, , 205-213.   |     | 0         |
| 133 | A validation of a new measure of activity in psychosis. <i>Schizophrenia Research</i> , 2006, 85, 288-295.  | 2.0 | 69        |
| 134 | Emotion and psychosis: Links between depression, self-esteem, negative schematic beliefs and delusions and hallucinations. <i>Schizophrenia Research</i> , 2006, 86, 181-188.                         | 2.0 | 336       |
| 135 | Cognitive functioning in delusions: A longitudinal analysis. <i>Behaviour Research and Therapy</i> , 2006, 44, 481-514.   | 3.1 | 164       |
| 136 | Need for closure and anxiety in delusions: A longitudinal investigation in early psychosis. <i>Behaviour Research and Therapy</i> , 2006, 44, 1385-1396.  | 3.1 | 40        |
| 137 | Delusions and decision-making style: Use of the Need for Closure Scale. <i>Behaviour Research and Therapy</i> , 2006, 44, 1147-1158.  | 3.1 | 81        |
| 138 | Attributional style in psychosisâ€”The role of affect and belief type. <i>Behaviour Research and Therapy</i> , 2006, 44, 1597-1607.   | 3.1 | 61        |
| 139 | Remission and relapse in psychosis: operational definitions based on case-note data. <i>Psychological Medicine</i> , 2006, 36, 1551-1562.   | 4.5 | 50        |
| 140 | Content and affect in persecutory delusions. <i>British Journal of Clinical Psychology</i> , 2006, 45, 561-577.   | 3.5 | 48        |
| 141 | Helping patients with paranoid and suspicious thoughts: a cognitiveâ€”behavioural approach. <i>Advances in Psychiatric Treatment</i> , 2006, 12, 404-415.   | 0.5 | 33        |
| 142 | Specialised care for early psychosis: Symptoms, social functioning and patient satisfaction. <i>British Journal of Psychiatry</i> , 2006, 188, 37-45.   | 2.8 | 183       |
| 143 | Cognitive, Emotional, and Social Processes in Psychosis: Refining Cognitive Behavioral Therapy for Persistent Positive Symptoms. <i>Schizophrenia Bulletin</i> , 2006, 32, S24-S31.                   | 4.3 | 122       |
| 144 | The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. <i>Psychological Medicine</i> , 2006, 36, 749-759. | 4.5 | 340       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Delusions. , 2006, , 205-213.  |     | 0         |
| 146 | The Psychology of Persecutory Ideation I. Journal of Nervous and Mental Disease, 2005, 193, 302-308.   | 1.0 | 64        |
| 147 | The Psychology of Persecutory Ideation II. Journal of Nervous and Mental Disease, 2005, 193, 309-315.  | 1.0 | 115       |
| 148 | Trauma and Hallucinatory Experience in Psychosis. Journal of Nervous and Mental Disease, 2005, 193, 501-507.   | 1.0 | 186       |
| 149 | The prediction of hallucinatory predisposition in non-clinical individuals: Examining the contribution of emotion and reasoning. British Journal of Clinical Psychology, 2005, 44, 127-132.                  | 3.5 | 67        |
| 150 | Developing a theoretical understanding of therapy techniques: An illustrative analogue study. British Journal of Clinical Psychology, 2005, 44, 241-254.   | 3.5 | 12        |
| 151 | Bad me paranoia in early psychosis: A relatively rare phenomenon. British Journal of Clinical Psychology, 2005, 44, 521-528.   | 3.5 | 22        |
| 152 | Factors in outcome of cognitive-behavioural therapy for psychosis: Users' and clinicians' views. Psychology and Psychotherapy: Theory, Research and Practice, 2005, 78, 513-529.                             | 2.5 | 36        |
| 153 | A pilot validation study of a new measure of activity in psychosis. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 905-911.   | 3.1 | 17        |
| 154 | Predicting Recovery From Schizophrenia: A Retrospective Comparison of Characteristics at Onset of People With Single and Multiple Episodes. Schizophrenia Bulletin, 2005, 31, 735-750.                       | 4.3 | 70        |
| 155 | Psychological investigation of the structure of paranoia in a non-clinical population. British Journal of Psychiatry, 2005, 186, 427-435.  | 2.8 | 579       |
| 156 | Reasoning, Emotions, and Delusional Conviction in Psychosis.. Journal of Abnormal Psychology, 2005, 114, 373-384.  | 1.9 | 379       |
| 157 | The Case Study Guide to Cognitive Behaviour Therapy of Psychosis. D. Kingdon & D. Turkington (eds), Chichester: John Wiley & Sons, 2002, 240 pb. ISBN: 0-471-49861-0. Psychiatric Bulletin, 2004, 28, 69-69. | 0.3 | 0         |
| 158 | Measuring Delusional Ideation: The 21-Item Peters et al. Delusions Inventory (PDI). Schizophrenia Bulletin, 2004, 30, 1005-1022.   | 4.3 | 491       |
| 159 | The Lambeth Early Onset (LEO) Team: randomised controlled trial of the effectiveness of specialised care for early psychosis. BMJ: British Medical Journal, 2004, 329, 1067.                                 | 2.3 | 505       |
| 160 | Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation.. Journal of Consulting and Clinical Psychology, 2004, 72, 671-680.                | 2.0 | 183       |
| 161 | Insight and delusions: a cognitive psychological approach. , 2004, , 89-100.   |     | 3         |
| 162 | Connecting neurosis and psychosis: the direct influence of emotion on delusions and hallucinations. Behaviour Research and Therapy, 2003, 41, 923-947.   | 3.1 | 375       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | COGNITIVE THERAPY IN EARLY PSYCHOSIS: A PILOT RANDOMIZED CONTROLLED TRIAL. Behavioural and Cognitive Psychotherapy, 2003, 31, 473-478.  | 1.2 | 40        |
| 164 | Can Virtual Reality be Used to Investigate Persecutory Ideation?. Journal of Nervous and Mental Disease, 2003, 191, 509-514.  | 1.0 | 102       |
| 165 | Points of View: Stories of Psychopathology By James E. Mitchell. Philadelphia: Brunner-Routledge. 2001. 222 pp. £17.95 (pb). ISBN: 1-58391-005-0. Psychiatric Bulletin, 2002, 26, 360-360.  | 0.3 | 0         |
| 166 | A cognitive model of persecutory delusions. British Journal of Clinical Psychology, 2002, 41, 331-347.  | 3.5 | 669       |
| 167 | Understanding the Outcome Findings of Cognitive-Behavioral Therapy for Psychosis: A Cognitive Model and Its Clinical Implications. , 2002, , 352-366.   |     | 0         |
| 168 | Early psychosis in the inner city: a survey to inform service planning. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 537-544.  | 3.1 | 68        |
| 169 | Persecutory delusions: developing the understanding of belief maintenance and emotional distress. Psychological Medicine, 2001, 31, 1293-1306.  | 4.5 | 259       |
| 170 | A cognitive model of the positive symptoms of psychosis. Psychological Medicine, 2001, 31, 189-195.   | 4.5 | 1,240     |
| 171 | Early intervention in psychosis. Psychiatric Bulletin, 2000, 24, 321-323.   | 0.3 | 13        |
| 172 | Comments on the content of persecutory delusions: Does the definition need clarification?. British Journal of Clinical Psychology, 2000, 39, 407-414.   | 3.5 | 257       |
| 173 | An Examination of Hypervigilance for External Threat in Individuals with Generalized Anxiety Disorder and Individuals with Persecutory Delusions Using Visual Scan Paths. Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology, 2000, 53, 549-567. | 2.3 | 54        |
| 174 | WORRY, WORRY PROCESSES AND DIMENSIONS OF DELUSIONS: AN EXPLORATORY INVESTIGATION OF A ROLE FOR ANXIETY PROCESSES IN THE MAINTENANCE OF DELUSIONAL DISTRESS. Behavioural and Cognitive Psychotherapy, 1999, 27, 47-62.   | 1.2 | 173       |
| 175 | Measurement of Delusional Ideation in the Normal Population: Introducing the PDI (Peters et al.) Tj ETQq1 1 0.784314 rgBT /Overlock<br>4.3 660  |     |           |
| 176 | Cognitive approaches to delusions: A critical review of theories and evidence. British Journal of Clinical Psychology, 1999, 38, 113-154.   | 3.5 | 652       |
| 177 | Cognitive assessment of voices: Further developments in understanding the emotional impact of voices. British Journal of Clinical Psychology, 1998, 37, 173-188.  | 3.5 | 103       |
| 178 | The London-East Anglia randomized controlled trial of cognitive-behaviour therapy for psychosis IV: Self-esteem and persecutory delusions. British Journal of Clinical Psychology, 1998, 37, 415-430.   | 3.5 | 152       |
| 179 | Londonâ€œEast Anglia randomised controlled trial of cognitiveâ€œbehavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 420-426.   | 2.8 | 253       |
| 180 | Londonâ€œEast Anglia randomised controlled trial of cognitiveâ€œbehavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 319-327.   | 2.8 | 387       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | From preconscious to conscious processing-where does the abnormality lie in delusions?. Schizophrenia Research, 1997, 24, 120.  | 2.0 | 20        |
| 182 | Cognitive-Behavior Therapy of Schizophrenia. By D. G. Kingdon and D. Turkington. (Pp. 212.) Lawrence Erlbaum: Hove. 1994.. Psychological Medicine, 1995, 25, 652-653.   | 4.5 | 0         |
| 183 | Construction of "paranoia": Does Harper enable voices other than his own to be heard?. The British Journal of Medical Psychology, 1994, 67, 145-146.                    | 0.5 | 3         |
| 184 | Cognitive behavioural therapy for drug-resistant psychosis. The British Journal of Medical Psychology, 1994, 67, 259-271.   | 0.5 | 171       |
| 185 | The cognitive neuropsychology of schizophrenia. Personality and Individual Differences, 1993, 15, 608.  | 2.9 | 1         |
| 186 | Acting on Delusions. II: The Phenomenological Correlates of Acting on Delusions. British Journal of Psychiatry, 1993, 163, 77-81.                                       | 2.8 | 133       |
| 187 | Psychological aspects of psychosis: subjective meaning and longitudinal course. Current Opinion in Psychiatry, 1993, 6, 847-851.  | 6.3 | 2         |
| 188 | Making Sense of Delusions. Psychiatry (New York), 1992, 55, 282-291.  | 0.7 | 24        |
| 189 | Reconstructing schizophrenia. Behaviour Research and Therapy, 1991, 29, 381.  | 3.1 | 0         |
| 190 | Reasoning and Delusions. British Journal of Psychiatry, 1991, 159, 14-18.   | 2.8 | 92        |
| 191 | Sensory deception "A scientific analysis of hallucination. Behaviour Research and Therapy, 1990, 28, 255.   | 3.1 | 2         |
| 192 | Delusional beliefs. Behaviour Research and Therapy, 1990, 28, 99-100.   | 3.1 | 0         |
| 193 | The characteristics of delusions: A cluster analysis of deluded subjects. European Archives of Psychiatry and Neurological Sciences, 1988, 237, 112-114.                | 0.9 | 26        |
| 194 | Expressed emotion in families. Behaviour Research and Therapy, 1988, 26, 192.   | 3.1 | 0         |
| 195 | Probabilistic Judgements in Deluded and Non-Deluded Subjects. Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology, 1988, 40, 801-812. | 2.3 | 482       |
| 196 | Measuring delusional experiences: A method and its application. British Journal of Clinical Psychology, 1987, 26, 257-265.  | 3.5 | 143       |
| 197 | Placebo: Theory, research, and mechanisms. Behaviour Research and Therapy, 1987, 25, 73-74.   | 3.1 | 0         |
| 198 | Characteristics of delusional experience. European Archives of Psychiatry and Neurological Sciences, 1987, 236, 294-298.  | 0.9 | 122       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Delusions: Problems in definition and measurement. The British Journal of Medical Psychology, 1985, 58, 25-34.                         | 0.5 | 59        |
| 200 | A new unit for long-stay psychiatric patients: organization, attitudes and quality of care. Psychological Medicine, 1984, 14, 183-192. | 4.5 | 65        |
| 201 | Paranoia. , 0, , .   |     | 68        |