List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5095644/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Synthesis of haptens and gold-based immunochromatographic paper sensor for vitamin B6 in energy drinks and dietary supplements. Nano Research, 2022, 15, 2479-2488.	10.4	19
2	Haptically Quantifying Young's Modulus of Soft Materials Using a Self‣ocked Stretchable Strain Sensor. Advanced Materials, 2022, 34, e2104078.	21.0	39
3	Ratiometric FRET Encoded Hierarchical ZrMOF @ Au Cluster for Ultrasensitive Quantifying MicroRNA In Vivo. Advanced Materials, 2022, 34, e2107449.	21.0	21
4	Preparing monoclonal antibodies and developing immunochromatographic assay strips for the determination of propamocarb levels. Food Chemistry, 2022, 370, 131284.	8.2	24
5	Fluorescence-based immunochromatographic test strip for the detection of hyoscyamine. Analyst, The, 2022, 147, 293-302.	3.5	11
6	An Overview for the Nanoparticlesâ€Based Quantitative Lateral Flow Assay. Small Methods, 2022, 6, e2101143.	8.6	48
7	An immunochromatographic assay for the rapid detection of oxadixyl in cucumber, tomato and wine samples. Food Chemistry, 2022, 379, 132131.	8.2	19
8	A gold nanoparticle based colorimetric sensor for the rapid detection of <i>Yersinia enterocolitica</i> serotype O:8 in food samples. Journal of Materials Chemistry B, 2022, 10, 909-914.	5.8	12
9	Gold-based immunochromatographic strip for rapid ketoconazole detection. Microchemical Journal, 2022, 174, 107083.	4.5	11
10	Rapid and sensitive detection of clomazone in potato and pumpkin samples using a gold nanoparticle-based lateral-flow strip. Food Chemistry, 2022, 375, 131888.	8.2	19
11	Gold-based immunochromatographic strip assay for detecting dimethomorph in vegetables. New Journal of Chemistry, 2022, 46, 3882-3888.	2.8	6
12	Enantiomer-dependent immunological response to chiral nanoparticles. Nature, 2022, 601, 366-373.	27.8	243
13	Sex-Dependent Environmental Health Risk Analysis of Flupyradifurone. Environmental Science & Technology, 2022, 56, 1841-1853.	10.0	10
14	Immunochromatographic assays for ultrasensitive and high specific determination of enrofloxacin in milk, eggs, honey, and chicken meat. Journal of Dairy Science, 2022, 105, 1999-2010.	3.4	22
15	Ultrasmall Magneto-chiral Cobalt Hydroxide Nanoparticles Enable Dynamic Detection of Reactive Oxygen Species <i>in Vivo</i> . Journal of the American Chemical Society, 2022, 144, 1580-1588.	13.7	39
16	Ultrasensitive detection of phenolphthalein in slimming products by gold-based immunochromatographic paper. Journal of Pharmaceutical and Biomedical Analysis, 2022, 212, 114609.	2.8	7
17	Gold nanoparticle-based immunoassay for the detection of bifenthrin in vegetables. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2022, 39, 531-541.	2.3	7
18	An ultrasensitive colloidal gold immunosensor to simultaneously detect 12 beta (2)-adrenergic agonists. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1191, 123119.	2.3	4

#	Article	IF	CITATIONS
19	Secretory expression and purification of recombinant PLA2R epitopes for the detection of anti-PLA2R autoantibody in serum. Analyst, The, 2022, 147, 965-974.	3.5	3
20	Rapid colloidal gold immunochromatographic assay for the detection of SARS-CoV-2 total antibodies after vaccination. Journal of Materials Chemistry B, 2022, 10, 1786-1794.	5.8	21
21	A gold-based immunochromatographic strip for the detection of sirolimus in human whole blood. Analyst, The, 2022, 147, 1394-1402.	3.5	7
22	Chirality at nanoscale for bioscience. Chemical Science, 2022, 13, 3069-3081.	7.4	27
23	Sensitive immunochromatographic assay for the detection of the dimethachlone fungicide in tomatoes and lettuces. New Journal of Chemistry, 2022, 46, 8592-8600.	2.8	2
24	Rapid and sensitive detection of <i>tert</i> -butylhydroquinone in soybean oil using a gold-based paper sensor. Analyst, The, 2022, 147, 1906-1914.	3.5	13
25	Multiple detection of 15 triazine herbicides by gold nanoparticle based-paper sensor. Nano Research, 2022, 15, 5483-5491.	10.4	14
26	Polarization-sensitive optoionic membranes from chiral plasmonic nanoparticles. Nature Nanotechnology, 2022, 17, 408-416.	31.5	83
27	The Development of Chiral Nanoparticles to Target NK Cells and CD8 <sup>+</sup> T Cells for Cancer Immunotherapy. Advanced Materials, 2022, 34, e2109354.	21.0	41
28	Goldâ€based paper sensor for sensitive detection of procalcitonin in clinical samples. Chinese Journal of Analytical Chemistry, 2022, 50, 100062.	1.7	7
29	Profiles of Sterigmatocystin and Its Metabolites during Traditional Chinese Rice Wine Processing. Biosensors, 2022, 12, 212.	4.7	3
30	Highly Chiral Selective Resolution in Pillar[6]arenes Functionalized Microchannel Membranes. Analytical Chemistry, 2022, 94, 6065-6070.	6.5	9
31	Rapid, on-site quantitative determination of higenamine in functional food using a time-resolved fluorescence microsphere test strip. Food Chemistry, 2022, 387, 132859.	8.2	10
32	Quantitative and rapid detection of spinosad and spinetoram by a gold nanoparticle-based immunostrip. Analytical Methods, 2022, 14, 2026-2034.	2.7	8
33	Gold-based strip sensor for the rapid and sensitive detection of butralin in tomatoes and peppers. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2022, 39, 1255-1264.	2.3	5
34	A monoclonal antibody-based colloidal gold immunochromatographic strip for the analysis of novobiocin in beef and chicken. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2022, , 1-12.	2.3	1
35	Immunochromatographic assay for the rapid and sensitive detection of etoxazole in orange and grape samples. LWT - Food Science and Technology, 2022, 163, 113519.	5.2	4
36	Photoinduced elimination of senescent microglia cells <i>in vivo</i> by chiral gold nanoparticles. Chemical Science, 2022, 13, 6642-6654.	7.4	14

#	Article	IF	CITATIONS
37	Immunological quantitative detection of dicofol in medicinal materials. Analyst, The, 2022, 147, 3478-3485.	3.5	6
38	Gold nanoparticle-based lateral flow immunoassay for the rapid detection of flumetralin in orange. Analyst, The, 2022, 147, 3684-3691.	3.5	2
39	Development, optimization and validation of modified QuEChERS based UPLC-MS/MS for simultaneous determination of nine steroid hormones in milk powder and milk. New Journal of Chemistry, 2022, 46, 14597-14604.	2.8	1
40	Magnetic Field Tuning Ionic Current Generated by Chiromagnetic Nanofilms. ACS Nano, 2022, 16, 11066-11075.	14.6	9
41	Dual-Modal Fe <sub><i>x</i></sub> Cu <sub><i>y</i></sub> Se and Upconversion Nanoparticle Assemblies for Intracellular MicroRNA-21 Detection. ACS Applied Materials & Interfaces, 2021, 13, 41405-41413.	8.0	15
42	Fluorescence based immunochromatographic sensor for rapid and sensitive detection of tadalafil and comparison with a gold lateral flow immunoassay. Food Chemistry, 2021, 342, 128255.	8.2	35
43	Determination of robenidine in shrimp and chicken samples using the indirect competitive enzyme-linked immunosorbent assay and immunochromatographic strip assay. Analyst, The, 2021, 146, 721-729.	3.5	22
44	Nucleic Acids Analysis. Science China Chemistry, 2021, 64, 171-203.	8.2	88
45	Stimulation of neural stem cell differentiation by circularly polarized light transduced by chiral nanoassemblies. Nature Biomedical Engineering, 2021, 5, 103-113.	22.5	98
46	Development of a monoclonal antibody for the detection of xylazine in milk and its use in an immunochromatographic strip. New Journal of Chemistry, 2021, 45, 4658-4665.	2.8	4
47	A fluorescence based immunochromatographic sensor for monitoring chlorpheniramine and its comparison with a gold nanoparticle-based lateral-flow strip. Analyst, The, 2021, 146, 3589-3598.	3.5	5
48	Development of a monoclonal antibody-based immunochromatographic strip for the rapid detection of tigecycline in human serum. Analytical Methods, 2021, 13, 817-824.	2.7	8
49	Hapten synthesis and antibody production for the development of a paper immunosensor for lean meat powder zilpaterol. New Journal of Chemistry, 2021, 45, 5228-5239.	2.8	1
50	Development of a lateral-flow ICA strip for the detection of colchicine. Analytical Methods, 2021, 13, 3092-3100.	2.7	4
51	Metabolic profile of chiral cobalt oxide nanoparticles in vitro and in vivo. Nano Research, 2021, 14, 2451-2455.	10.4	13
52	Development of enzyme linked immunosorbent assay and lateral flow immunoassay for the rapid detection of dapsone in milk. New Journal of Chemistry, 2021, 45, 19097-19104.	2.8	5
53	Ultrasensitive immunochromatographic strip for the detection of cyhalothrin in foods. Analytical Methods, 2021, 13, 3040-3049.	2.7	3
54	Ultrasensitive immunochromatographic strip assay for the detection of diminazene. Analyst, The, 2021, 146, 4927-4933.	3.5	1

#	Article	IF	CITATIONS
55	Sensitive Lateral Flow Immunoassay for the Residues of Imidocarb in Milk and Beef Samples. ACS Omega, 2021, 6, 2559-2569.	3.5	8
56	A colloidal gold immunochromatographic strip for quantitative detection of azoxystrobin in vegetables. New Journal of Chemistry, 2021, 45, 9002-9009.	2.8	6
57	Simultaneous detection of phenacetin and paracetamol using ELISA and a gold nanoparticle-based immunochromatographic test strip. Analyst, The, 2021, 146, 6228-6238.	3.5	14
58	A fluorescent paper biosensor for the rapid and ultrasensitive detection of zearalenone in corn and wheat. Analytical Methods, 2021, 13, 3970-3977.	2.7	12
59	Development of immunochromatographic strips for the detection of dicofol. Analyst, The, 2021, 146, 2240-2247.	3.5	17
60	Integration of antibody-antigen and receptor-ligand reactions to establish a gold strip biosensor for detection of 33 β-lactam antibiotics. Science China Materials, 2021, 64, 2056-2066.	6.3	9
61	Ultrasensitive and simultaneous detection of 6 nonsteroidal anti-inflammatory drugs by colloidal gold strip sensor. Journal of Dairy Science, 2021, 104, 2529-2538.	3.4	7
62	Gold nanoparticle-based immunochromatographic assay for detection Pseudomonas aeruginosa in water and food samples. Food Chemistry: X, 2021, 9, 100117.	4.3	18
63	Carbon Deposition and Permeation on Nickel Surfaces in Operando Conditions: A Theoretical Study. Journal of Physical Chemistry C, 2021, 125, 7166-7177.	3.1	14
64	Aptamer-Gated Ion Channel for Ultrasensitive Mucin 1 Detection. Analytical Chemistry, 2021, 93, 4825-4831.	6.5	38
65	Dimensional Surfaceâ€Enhanced Raman Scattering Nanostructures for MicroRNA Profiling. Small Structures, 2021, 2, 2000150.	12.0	7
66	Recent Progress on Biomaterials Fighting against Viruses. Advanced Materials, 2021, 33, e2005424.	21.0	23
67	Ultrasmall Copper (I) Sulfide Nanoparticles Prevent Hepatitisâ€B Virus Infection. Angewandte Chemie - International Edition, 2021, 60, 13073-13080.	13.8	26
68	Potential Environmental Health Risk Analysis of Neonicotinoids and a Synergist. Environmental Science & Technology, 2021, 55, 7541-7550.	10.0	34
69	Fluorescent microsphere immunochromatographic sensor for ultrasensitive monitoring deoxynivalenol in agricultural products. Microchemical Journal, 2021, 164, 106024.	4.5	20
70	Ultrasmall Copper (I) Sulfide Nanoparticles Prevent Hepatitisâ€B Virus Infection. Angewandte Chemie, 2021, 133, 13183-13190.	2.0	0
71	Immunoassays for the rapid detection of pantothenic acid in pharmaceutical and food products. Food Chemistry, 2021, 348, 129114.	8.2	44
72	Chiral Plasmonic Triangular Nanorings with SERS Activity for Ultrasensitive Detection of Amyloid Proteins in Alzheimer's Disease. Advanced Materials, 2021, 33, e2102337.	21.0	68

#	Article	IF	CITATIONS
73	Improved Reactive Oxygen Species Generation by Chiral Co 3 O 4 Supraparticles under Electromagnetic Fields. Angewandte Chemie, 2021, 133, 18388-18394.	2.0	1
74	Singleâ€Molecule Binding Assay Using Nanopores and Dimeric NP Conjugates. Advanced Materials, 2021, 33, e2103067.	21.0	26
75	Improved Reactive Oxygen Species Generation by Chiral Co <sub>3</sub> O <sub>4</sub> Supraparticles under Electromagnetic Fields. Angewandte Chemie - International Edition, 2021, 60, 18240-18246.	13.8	22
76	Tailored Chiral Copper Selenide Nanochannels for Ultrasensitive Enantioselective Recognition and Detection. Angewandte Chemie - International Edition, 2021, 60, 24997-25004.	13.8	19
77	Tailored Chiral Copper Selenide Nanochannels for Ultrasensitive Enantioselective Recognition and Detection. Angewandte Chemie, 2021, 133, 25201-25208.	2.0	3
78	Lateral flow immunoassay for the simultaneous detection of fipronil and its metabolites in food samples. Food Chemistry, 2021, 356, 129710.	8.2	42
79	An immunochromatographic sensor for ultrasensitive and direct detection of histamine in fish. Journal of Hazardous Materials, 2021, 419, 126533.	12.4	35
80	A gold-based strip sensor for the detection of benzo[ <i>a</i> ]pyrene in edible oils. Analyst, The, 2021, 146, 3871-3879.	3.5	7
81	Electrochemical detection of heavy metal ions in water. Chemical Communications, 2021, 57, 7215-7231.	4.1	160
82	An ultrasensitive fluorescent paper sensor for fast screening of berberine. New Journal of Chemistry, 2021, 45, 13080-13087.	2.8	2
83	Self-limiting self-assembly of supraparticles for potential biological applications. Nanoscale, 2021, 13, 2302-2311.	5.6	8
84	Methods for quantifying phenolphthalein in slimming tea. Journal of Materials Chemistry B, 2021, 9, 3856-3862.	5.8	9
85	A paper-based sensor for rapid and ultrasensitive detection of ibuprofen in water and herbal tea. Analyst, The, 2021, 146, 6874-6882.	3.5	8
86	Chiral Selfâ€Assembled Film from Semiconductor Nanorods with Ultraâ€strong Circularly Polarized Luminescence. Angewandte Chemie, 2021, 133, 26480.	2.0	4
87	Facetâ€Dependent Biodegradable Mn <sub>3</sub> O <sub>4</sub> Nanoparticles for Ameliorating Parkinson's Disease. Advanced Healthcare Materials, 2021, 10, e2101316.	7.6	23
88	Chiral Selfâ€Assembled Film from Semiconductor Nanorods with Ultra‣trong Circularly Polarized Luminescence. Angewandte Chemie - International Edition, 2021, 60, 26276-26280.	13.8	28
89	Gold-based immunochromatographic assay strip for the detection of quinclorac in foods. Analyst, The, 2021, 146, 6831-6839.	3.5	8
90	Frontiers in circularly polarized luminescence: molecular design, self-assembly, nanomaterials, and applications. Science China Chemistry, 2021, 64, 2060-2104.	8.2	248

#	Article	IF	CITATIONS
91	A colloidal gold immunochromatographic strip assay for the rapid detection of <i>Shigella</i> in milk and meat products. New Journal of Chemistry, 2021, 46, 103-109.	2.8	3
92	Artificial Chiral Probes and Bioapplications. Advanced Materials, 2020, 32, e1802075.	21.0	99
93	Plasmonic Nanoparticles with Supramolecular Recognition. Advanced Functional Materials, 2020, 30, 1902082.	14.9	64
94	Gold Immunochromatography Assay for the Rapid Detection of Spiramycin in Milk and Beef Samples Based on a Monoclonal Antibody. Biotechnology Journal, 2020, 15, 1900224.	3.5	7
95	Present and Future of Surface-Enhanced Raman Scattering. ACS Nano, 2020, 14, 28-117.	14.6	2,153
96	Gold Immunochromatographic Assay for Rapid Onâ€ <b>s</b> ite Detection of Lincosamide Residues in Milk, Egg, Beef, and Honey Samples. Biotechnology Journal, 2020, 15, 1900174.	3.5	9
97	Gold immunochromatographic assay for simultaneous detection of sibutramine and sildenafil in slimming tea and coffee. Science China Materials, 2020, 63, 654-659.	6.3	27
98	Rapid and sensitive detection of diclazuril in chicken samples using a gold nanoparticle-based lateral-flow strip. Food Chemistry, 2020, 312, 126116.	8.2	70
99	Tetrahedron Probes for Ultrasensitive <i>In Situ</i> Detection of Telomerase and Surface Glycoprotein Activity in Living Cells. Analytical Chemistry, 2020, 92, 2310-2315.	6.5	35
100	Preparing monoclonal antibodies and developing immunochromatographic strips for paraquat determination in water. Food Chemistry, 2020, 311, 125897.	8.2	56
101	Chiromagnetic Plasmonic Nanoassemblies with Magnetic Field Modulated Chiral Activity. Small, 2020, 16, e1905734.	10.0	16
102	Detection of aminophylline in serum using an immunochromatographic strip test. Food and Agricultural Immunology, 2020, 31, 33-44.	1.4	16
103	Visible and ecoâ€friendly immunoassays for the detection of cyclopiazonic acid in maize and rice. Journal of Food Science, 2020, 85, 105-113.	3.1	15
104	Advances in immunoassays for organophosphorus and pyrethroid pesticides. TrAC - Trends in Analytical Chemistry, 2020, 131, 116022.	11.4	69
105	Europium nanosphere-based fluorescence strip sensor for ultrasensitive and quantitative determination of fumonisin B <sub>1</sub> . Analytical Methods, 2020, 12, 5229-5235.	2.7	9
106	Portable Foodâ€Freshness Prediction Platform Based on Colorimetric Barcode Combinatorics and Deep Convolutional Neural Networks. Advanced Materials, 2020, 32, e2004805.	21.0	131
107	Development of an ic-ELISA and Immunochromatographic Strip Assay for the Detection of Diacetoxyscirpenol in Rice. ACS Omega, 2020, 5, 17876-17882.	3.5	16
108	Immunochromatographic test strip for the rapid detection of tricaine in fish samples. Food and Agricultural Immunology, 2020, 31, 687-699.	1.4	20

#	Article	IF	CITATIONS
109	Development of an immunocolloidal strip for rapid detection of picoxystrobin. Food and Agricultural Immunology, 2020, 31, 711-722.	1.4	18
110	Rapid and Sensitive Immunochromatographic Method-Based Monoclonal Antibody for the Quantitative Detection of Metalaxyl in Tobacco. ACS Omega, 2020, 5, 18168-18175.	3.5	10
111	Rapid quantitative determination of fentanyl in human urine and serum using a gold-based immunochromatographic strip sensor. Journal of Materials Chemistry B, 2020, 8, 8573-8584.	5.8	40
112	Rapid detection of triazophos in cucumber using lateral flow immunochromatographic assay. Food and Agricultural Immunology, 2020, 31, 1051-1060.	1.4	13
113	Engineering of chiral nanomaterials for biomimetic catalysis. Chemical Science, 2020, 11, 12937-12954.	7.4	45
114	A portable fluorescent microsphere-based lateral flow immunosensor for the simultaneous detection of colistin and bacitracin in milk. Analyst, The, 2020, 145, 7884-7892.	3.5	25
115	Development and comparison of two nanomaterial label-based lateral flow immunoassays for the detection of five antibacterial synergists. New Journal of Chemistry, 2020, 44, 16501-16510.	2.8	11
116	Highly sensitive lateral flow test with indirect labelling for zearalenone in baby food. Food and Agricultural Immunology, 2020, 31, 653-666.	1.4	9
117	Rapid and sensitive detection of ochratoxin A in rice flour using a fluorescent microsphere immunochromatographic test strip assay. Food and Agricultural Immunology, 2020, 31, 563-574.	1.4	19
118	Rapid detection of rifampicin in fish using immunochromatographic strips. Food and Agricultural Immunology, 2020, 31, 700-710.	1.4	4
119	Development of a gold immunochromatographic strip for the rapid detection of 3-amino-5-morpholinomethyl-2-oxazolidinone (AMOZ) in catfish. Food and Agricultural Immunology, 2020, 31, 751-763.	1.4	15
120	Fast determination of citreoviridin residues in rice using a monoclonal antibody-based immunochromatographic strip assay. Food and Agricultural Immunology, 2020, 31, 893-906.	1.4	15
121	Development of a fluorescent quantification strip assay for the detection of lead. Food and Agricultural Immunology, 2020, 31, 642-652.	1.4	12
122	Gold nanoparticle-based lateral flow strips for rapid and sensitive detection of Virginiamycin M1. Food and Agricultural Immunology, 2020, 31, 764-777.	1.4	4
123	Immunoassays for rapid mycotoxin detection: state of the art. Analyst, The, 2020, 145, 7088-7102.	3.5	38
124	A Comparative Study of Approaches to Improve the Sensitivity of Lateral Flow Immunoassay of the Antibiotic Lincomycin. Biosensors, 2020, 10, 198.	4.7	8
125	DNAâ€Driven Two‣ayer Core–Satellite Gold Nanostructures for Ultrasensitive MicroRNA Detection in Living Cells. Small, 2020, 16, e2000003	10.0	47
126	Chiral Cu <sub><i>x</i></sub> Co <sub><i>y</i></sub> S Nanoparticles under Magnetic Field and NIR Light to Eliminate Senescent Cells. Angewandte Chemie - International Edition, 2020, 59, 13915-13922.	13.8	40

#	Article	IF	CITATIONS
127	Profiling and Identification of Biocatalyzed Transformation of Sulfoxaflor In Vivo. Angewandte Chemie - International Edition, 2020, 59, 16218-16224.	13.8	24
128	Chiral Cu <sub><i>x</i></sub> Co <sub><i>y</i></sub> S Nanoparticles under Magnetic Field and NIR Light to Eliminate Senescent Cells. Angewandte Chemie, 2020, 132, 14019-14026.	2.0	9
129	Rapid, ultrasensitive and highly specific biosensor for the diagnosis of SARS-CoV-2 in clinical blood samples. Materials Chemistry Frontiers, 2020, 4, 2000-2005.	5.9	60
130	Development of a gold nanoparticle-based lateral-flow strip for the detection of dinitolmide in chicken tissue. Analytical Methods, 2020, 12, 3210-3217.	2.7	16
131	Rapid detection of 21 β-lactams using an immunochromatographic assay based on the mutant BlaR-CTD protein from <i>Bacillus Licheniformis</i> . Analyst, The, 2020, 145, 3257-3265.	3.5	13
132	Ultrasensitive immunochromatographic strips for fast screening of the nicarbazin marker in chicken breast and liver samples based on monoclonal antibodies. Analytical Methods, 2020, 12, 2143-2151.	2.7	7
133	A colloidal gold immunochromatography test strip based on a monoclonal antibody for the rapid detection of triadimefon and triadimenol in foods. Food and Agricultural Immunology, 2020, 31, 447-462.	1.4	14
134	Mitochondriaâ€Targeting Plasmonic Spiky Nanorods Increase the Elimination of Aging Cells in Vivo. Angewandte Chemie, 2020, 132, 8776-8783.	2.0	10
135	DNAâ€Based Plasmonic Heterogeneous Nanostructures: Building, Optical Responses, and Bioapplications. Advanced Materials, 2020, 32, e1907880.	21.0	32
136	An NIRâ€Responsive DNAâ€Mediated Nanotetrahedron Enhances the Clearance of Senescent Cells. Advanced Materials, 2020, 32, e2000184.	21.0	49
137	Chiral AuCuAu Heterogeneous Nanorods with Tailored Optical Activity. Advanced Functional Materials, 2020, 30, 2000670.	14.9	36
138	Development of an ic-ELISA and colloidal gold strip for the detection of the beta-blocker carazolol. Food and Agricultural Immunology, 2020, 31, 217-230.	1.4	26
139	Development of an ic-ELISA and an immunochromatographic strip assay for the detection of aconitine. Food and Agricultural Immunology, 2020, 31, 243-254.	1.4	10
140	Development of a double immunochromatographic test system for simultaneous determination of lincomycin and tylosin antibiotics in foodstuffs. Food Chemistry, 2020, 318, 126510.	8.2	23
141	A gold nanoparticle-based lateral flow immunosensor for ultrasensitive detection of tetrodotoxin. Analyst, The, 2020, 145, 2143-2151.	3.5	36
142	Lightâ€Induced Chiral Iron Copper Selenide Nanoparticles Prevent βâ€Amyloidopathy Inâ€Vivo. Angewandte Chemie, 2020, 132, 7197-7204.	2.0	11
143	Lightâ€Induced Chiral Iron Copper Selenide Nanoparticles Prevent βâ€Amyloidopathy Inâ€Vivo. Angewandte Chemie - International Edition, 2020, 59, 7131-7138.	13.8	85
144	Colloidal Gold Immunochromatographic Strip Assay for the Detection of Azaperone in Pork and Pork Liver. ACS Omega, 2020, 5, 1346-1351.	3.5	11

#	Article	IF	CITATIONS
145	Development of a monoclonal antibody-based immunochromatographic assay for the detection of carbamazepine and carbamazepine-10, 11-epoxide. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1141, 122036.	2.3	22
146	Colloidal Gold Immunochromatographic Assay for Rapid Detection of Carbadox and Cyadox in Chicken Breast. ACS Omega, 2020, 5, 1422-1429.	3.5	16
147	Mitochondriaâ€Targeting Plasmonic Spiky Nanorods Increase the Elimination of Aging Cells in Vivo. Angewandte Chemie - International Edition, 2020, 59, 8698-8705.	13.8	29
148	An immunochromatographic test system for the determination of lincomycin in foodstuffs of animal origin. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1141, 122014.	2.3	16
149	Development of Indirect Competitive Enzyme-Linked Immunosorbent Assay and Lateral-Flow Immunochromatographic Strip for the Detection of Digoxin in Human Blood. ACS Omega, 2020, 5, 1371-1376.	3.5	10
150	DNA-Driven Nanoparticle Assemblies for Biosensing and Bioimaging. Topics in Current Chemistry, 2020, 378, 18.	5.8	15
151	Directing Arrowhead Nanorod Dimers for MicroRNA In Situ Raman Detection in Living Cells. Advanced Functional Materials, 2020, 30, 2001451.	14.9	26
152	Chiral Cu <i><sub>x</sub></i> OS@ZIFâ€8 Nanostructures for Ultrasensitive Quantification of Hydrogen Sulfide In Vivo. Advanced Materials, 2020, 32, e1906580.	21.0	59
153	A colloidal gold immunochromatography test strip based on a monoclonal antibody for the rapid detection of triadimefon and triadimenol in foods. Food and Agricultural Immunology, 2020, 31, 475-488.	1.4	16
154	Development of a fluorescent immunoassay strip for the rapid quantitative detection of cadmium in rice. Food and Agricultural Immunology, 2020, 31, 501-512.	1.4	22
155	Development of a gold nanoparticle-based strip assay for detection of clopidol in the chicken. Food and Agricultural Immunology, 2020, 31, 489-500.	1.4	10
156	Production of a monoclonal antibody for the detection of vitamin B <sub>1</sub> and its use in an indirect enzyme-linked immunosorbent assay and immunochromatographic strip. Journal of Materials Chemistry B, 2020, 8, 1935-1943.	5.8	44
157	Ultrasensitive and eco-friendly immunoassays based monoclonal antibody for detection of deoxynivalenol in cereal and feed samples. Food Chemistry, 2019, 270, 130-137.	8.2	71
158	Development of an immunochromatographic strip test for rapid detection of sodium nifurstyrenate in fish. Food and Agricultural Immunology, 2019, 30, 236-247.	1.4	21
159	IC-ELISA and immunochromatographic strip assay based monoclonal antibody for the rapid detection of bisphenol S. Food and Agricultural Immunology, 2019, 30, 633-646.	1.4	24
160	Tailoring Chiroptical Activity of Iron Disulfide Quantum Dot Hydrogels with Circularly Polarized Light. Advanced Materials, 2019, 31, e1903200.	21.0	65
161	Preparation of an antiâ€isoprocarb monoclonal antibody and its application in developing an immunochromatographic strip assay. Biomedical Chromatography, 2019, 33, e4660.	1.7	12
162	Porous Cu <sub><i>x</i></sub> Co <sub><i>y</i></sub> S Supraparticles for Inâ€Vivo Telomerase Imaging and Reactive Oxygen Species Generation. Angewandte Chemie - International Edition, 2019, 58, 19067-19072.	13.8	14

#	Article	IF	CITATIONS
163	Selfâ€Assembled Cold Arrays That Allow Rectification by Nanoscale Selectivity. Angewandte Chemie, 2019, 131, 17579-17585.	2.0	2
164	Porous Cu x Co y S Supraparticles for Inâ€Vivo Telomerase Imaging and Reactive Oxygen Species Generation. Angewandte Chemie, 2019, 131, 19243-19248.	2.0	2
165	Single- and multi-component chiral supraparticles as modular enantioselective catalysts. Nature Communications, 2019, 10, 4826.	12.8	93
166	Frontispiece: Circularly Polarized Light Triggers Biosensing Based on Chiral Assemblies. Chemistry - A European Journal, 2019, 25, .	3.3	0
167	Chiral Core–Shell Upconversion Nanoparticle@MOF Nanoassemblies for Quantification and Bioimaging of Reactive Oxygen Species <i>in Vivo</i> . Journal of the American Chemical Society, 2019, 141, 19373-19378.	13.7	139
168	Selfâ€Assembled Gold Arrays That Allow Rectification by Nanoscale Selectivity. Angewandte Chemie - International Edition, 2019, 58, 17418-17424.	13.8	14
169	Development of an immunochromatographic strip for the detection of rosiglitazone in functional foods based on monoclonal antibodies. Analytical Methods, 2019, 11, 4910-4916.	2.7	6
170	A paper-based colorimetric assay for rapid detection of four macrolides in milk. Materials Chemistry Frontiers, 2019, 3, 2175-2183.	5.9	14
171	Rapid detection of praziquantel using monoclonal antibody-based ic-ELISA and immunochromatographic strips. Food and Agricultural Immunology, 2019, 30, 913-923.	1.4	26
172	Development of an immunochromatography assay for salinomycin and methyl salinomycin in honey. Food and Agricultural Immunology, 2019, 30, 995-1006.	1.4	17
173	Nanoparticle-based sensors for food contaminants. TrAC - Trends in Analytical Chemistry, 2019, 113, 74-83.	11.4	130
174	Circular Polarized Light Activated Chiral Satellite Nanoprobes for the Imaging and Analysis of Multiple Metal Ions in Living Cells. Angewandte Chemie - International Edition, 2019, 58, 3913-3917.	13.8	87
175	Circular Polarized Light Activated Chiral Satellite Nanoprobes for the Imaging and Analysis of Multiple Metal Ions in Living Cells. Angewandte Chemie, 2019, 131, 3953-3957.	2.0	25
176	Circularly Polarized Light Triggers Biosensing Based on Chiral Assemblies. Chemistry - A European Journal, 2019, 25, 12235-12240.	3.3	29
177	A sensitive lateral flow immunoassay for the multiple residues of five adamantanes. Food and Agricultural Immunology, 2019, 30, 647-661.	1.4	11
178	Development of a lateral flow immunoassay for the simultaneous detection of four dipyrone metabolites in milk. Analytical Methods, 2019, 11, 3041-3052.	2.7	9
179	Au@gap@AuAg Nanorod Sideâ€byâ€6ide Assemblies for Ultrasensitive SERS Detection of Mercury and its Transformation. Small, 2019, 15, e1901958.	10.0	62
180	Development of a sandwich ELISA and immunochromatographic strip for the detection of shrimp tropomyosin. Food and Agricultural Immunology, 2019, 30, 606-619.	1.4	30

#	Article	IF	CITATIONS
181	Pt NPs catalyzed chemiluminescence method for Hg <sup>2+</sup> detection based on a flow injection system. Electrophoresis, 2019, 40, 2218-2226.	2.4	16
182	Development of monoclonal antibody-based colloidal gold immunochromatographic assay for analysis of halofuginone in milk. Food and Agricultural Immunology, 2019, 30, 112-122.	1.4	30
183	An immunochromatographic strip sensor for sildenafil and its analogues. Journal of Materials Chemistry B, 2019, 7, 6383-6389.	5.8	30
184	An Ultrasensitive Electrochemical Immunosensor for Nonylphenol Leachate from Instant Noodle Containers in Southeast Asia. Chemistry - A European Journal, 2019, 25, 7023-7030.	3.3	6
185	Chiral Semiconductor Nanoparticles for Protein Catalysis and Profiling. Angewandte Chemie - International Edition, 2019, 58, 7371-7374.	13.8	82
186	Chiral Semiconductor Nanoparticles for Protein Catalysis and Profiling. Angewandte Chemie, 2019, 131, 7449-7452.	2.0	28
187	Quantitative zeptomolar imaging of miRNA cancer markers with nanoparticle assemblies. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 3391-3400.	7.1	82
188	Development of ic-ELISA and an immunochromatographic strip assay for the detection of aristolochic acid â Food and Agricultural Immunology, 2019, 30, 140-149.	1.4	14
189	Development of an immunochromatographic strip assay based on a monoclonal antibody for detection of cimaterol. Food and Agricultural Immunology, 2019, 30, 1162-1173.	1.4	15
190	Gold immunochromatographic assay for kitasamycin and josamycin residues screening in milk and egg samples. Food and Agricultural Immunology, 2019, 30, 1189-1201.	1.4	25
191	Detection of triclabendazole and three metabolites in bovine muscle samples with a gold nanoparticle-based lateral flow immunoassay. Analytical Methods, 2019, 11, 5478-5486.	2.7	14
192	Development of immunocolloidal strip for rapid detection of pyrimethanil. Food and Agricultural Immunology, 2019, 30, 1239-1252.	1.4	23
193	Development of a colloidal gold immunoassay for the detection of four eugenol compounds in water. Food and Agricultural Immunology, 2019, 30, 1318-1331.	1.4	19
194	Chiralityâ€Based Biosensors. Advanced Functional Materials, 2019, 29, 1805512.	14.9	102
195	Chiral semiconductor nanorod heterostructures with high photocatalysis activity. Applied Catalysis B: Environmental, 2019, 245, 691-697.	20.2	32
196	Chiral Molecule-mediated Porous Cu <sub><i>x</i></sub> O Nanoparticle Clusters with Antioxidation Activity for Ameliorating Parkinson's Disease. Journal of the American Chemical Society, 2019, 141, 1091-1099.	13.7	264
197	A colorimetric paper-based sensor for toltrazuril and its metabolites in feed, chicken, and egg samples. Food Chemistry, 2019, 276, 707-713.	8.2	62
198	2D Chiroptical Nanostructures for Highâ€₽erformance Photooxidants. Advanced Functional Materials, 2018, 28, 1707237.	14.9	37

#	Article	IF	CITATIONS
199	Development of an indirect enzyme-linked immunosorbent assay and lateral-flow test strips for pefloxacin and its analogues in chicken muscle samples. Food and Agricultural Immunology, 2018, 29, 484-497.	1.4	26
200	Spiky Fe <sub>3</sub> O <sub>4</sub> @Au Supraparticles for Multimodal In Vivo Imaging. Advanced Functional Materials, 2018, 28, 1800310.	14.9	58
201	Rapid detection of clonidine and its cross-reactivity with apraclonidine in pig urine using an immunochromatographic test strip. Food and Agricultural Immunology, 2018, 29, 821-832.	1.4	16
202	Rapid detection of zearalenone and its metabolite in corn flour with the immunochromatographic test strip. Food and Agricultural Immunology, 2018, 29, 498-510.	1.4	34
203	Chiral Shell Core–Satellite Nanostructures for Ultrasensitive Detection of Mycotoxin. Small, 2018, 14, e1703931.	10.0	60
204	Development of an immunochromatographic strip for the rapid detection of maduramicin in chicken and egg samples. Food and Agricultural Immunology, 2018, 29, 458-469.	1.4	24
205	Biomimetic Nanocomposites: Waterâ€Rich Biomimetic Composites with Abiotic Selfâ€Organizing Nanofiber Network (Adv. Mater. 1/2018). Advanced Materials, 2018, 30, 1870007.	21.0	15
206	Development of an immunochromatographic assay for rapid detection of clorprenaline in pig urine. Food and Agricultural Immunology, 2018, 29, 536-547.	1.4	9
207	Gold Nanoparticleâ€Based Paper Sensor for Simultaneous Detection of 11 Benzimidazoles by One Monoclonal Antibody. Small, 2018, 14, 1701782.	10.0	73
208	Tuning of chiral construction, structural diversity, scale transformation and chiroptical applications. Materials Horizons, 2018, 5, 141-161.	12.2	50
209	Development of Indirect Competitive Enzyme-Linked Immunosorbent and Immunochromatographic Strip Assays for Tiamulin Detection in Chicken. ACS Omega, 2018, 3, 3581-3586.	3.5	15
210	Spiny Nanorod and Upconversion Nanoparticle Satellite Assemblies for Ultrasensitive Detection of Messenger RNA in Living Cells. Analytical Chemistry, 2018, 90, 5414-5421.	6.5	64
211	Colloidal gold-based immunochromatographic strip assay for the rapid detection of three natural estrogens in milk. Food Chemistry, 2018, 259, 122-129.	8.2	77
212	Development of an immunochromatographic test strip for the detection of ochratoxin A in red wine. Food and Agricultural Immunology, 2018, 29, 434-444.	1.4	33
213	Development of ic-ELISA and lateral-flow immunochromatographic strip for detection of vitamin B <sub>2</sub> inÂan energy drink and vitamin tablets. Food and Agricultural Immunology, 2018, 29, 121-132.	1.4	30
214	Development of IC-ELISA and immunochromatographic strip assay for the detection of flunixin meglumine in milk. Food and Agricultural Immunology, 2018, 29, 193-203.	1.4	21
215	Immunochromatographic strip for rapid detection of phenylethanolamine A. Food and Agricultural Immunology, 2018, 29, 182-192.	1.4	15
216	Rapid detection of tulathromycin in pure milk and honey with an immunochromatographic test strip. Food and Agricultural Immunology, 2018, 29, 358-368.	1.4	14

#	Article	IF	CITATIONS
217	Development of an ultrasensitive ic-ELISA and immunochromatographic strip assay for the simultaneous detection of florfenicol and thiamphenicol in eggs. Food and Agricultural Immunology, 2018, 29, 254-266.	1.4	35
218	Waterâ€Rich Biomimetic Composites with Abiotic Selfâ€Organizing Nanofiber Network. Advanced Materials, 2018, 30, 1703343.	21.0	149
219	Shell-encoded Au nanoparticles with tunable electroactivity for specific dual disease biomarkers detection. Biosensors and Bioelectronics, 2018, 99, 193-200.	10.1	49
220	Immunochromatographic paper sensor for ultrasensitive colorimetric detection of cadmium. Food and Agricultural Immunology, 2018, 29, 3-13.	1.4	20
221	Development of a gold nanoparticle immunochromatographic assay for the on-site analysis of 6-benzylaminopurine residues in bean sprouts. Food and Agricultural Immunology, 2018, 29, 14-26.	1.4	30
222	Rapid detection of penbutolol in pig urine using an immunochromatographic test strip. Food and Agricultural Immunology, 2018, 29, 1126-1136.	1.4	6
223	Development of an immunochromatographic strip assay for three major capsaicinoids based on an ultrasensitive monoclonal antibody. Food and Agricultural Immunology, 2018, 29, 930-940.	1.4	8
224	Ultrasensitive immunochromatographic strip for detection of cyproheptadine. Food and Agricultural Immunology, 2018, 29, 941-952.	1.4	14
225	Development of Immunochromatographic Assay for Determination of Tetracycline in Human Serum. Antibiotics, 2018, 7, 99.	3.7	11
226	Preparation of an anti-thiamethoxam monoclonal antibody for development of an indirect competitive enzyme-linked immunosorbent assay and a colloidal gold immunoassay. Food and Agricultural Immunology, 2018, 29, 1173-1183.	1.4	23
227	Preparation of an anti-4,4′-dinitrocarbanilide monoclonal antibody and its application in an immunochromatographic assay for anticoccidial drugs. Food and Agricultural Immunology, 2018, 29, 1162-1172.	1.4	10
228	Heterostructures of MOFs and Nanorods for Multimodal Imaging. Advanced Functional Materials, 2018, 28, 1805320.	14.9	47
229	Rapid immunochromatographic test strip detection of mabuterol and its cross-reactivity with mapenterol. Food and Agricultural Immunology, 2018, 29, 1028-1040.	1.4	6
230	Chiral Upconversion Heterodimers for Quantitative Analysis and Bioimaging of Antibioticâ€Resistant Bacteria In Vivo. Advanced Materials, 2018, 30, e1804241.	21.0	65
231	Direct observation of selective autophagy induction in cells and tissues by self-assembled chiral nanodevice. Nature Communications, 2018, 9, 4494.	12.8	67
232	Peptide Mediated Chiral Inorganic Nanomaterials for Combating Gramâ€Negative Bacteria. Advanced Functional Materials, 2018, 28, 1805112.	14.9	25
233	Chirality on Hierarchical Selfâ€Assembly of Au@AuAg Yolk–Shell Nanorods into Core–Satellite Superstructures for Biosensing in Human Cells. Advanced Functional Materials, 2018, 28, 1802372.	14.9	75
234	Ultrasensitive detection of seventeen chemicals simultaneously using paper-based sensors. Materials Chemistry Frontiers, 2018, 2, 1900-1910.	5.9	12

#	Article	IF	CITATIONS
235	A Rapid and Semi-Quantitative Gold Nanoparticles Based Strip Sensor for Polymyxin B Sulfate Residues. Nanomaterials, 2018, 8, 144.	4.1	34
236	Circular Dichroism-Active Interactions between Fipronil and Neuronal Cells. Environmental Science and Technology Letters, 2018, 5, 500-507.	8.7	14
237	Site-selective photoinduced cleavage and profiling of DNA by chiral semiconductor nanoparticles. Nature Chemistry, 2018, 10, 821-830.	13.6	189
238	Environmentally responsive plasmonic nanoassemblies for biosensing. Chemical Society Reviews, 2018, 47, 4677-4696.	38.1	116
239	Immunochromatographic strip for ultrasensitive detection of fumonisin B <sub>1</sub> . Food and Agricultural Immunology, 2018, 29, 699-710.	1.4	16
240	MicroRNAâ€Directed Intracellular Selfâ€Assembly of Chiral Nanorod Dimers. Angewandte Chemie, 2018, 130, 10704-10708.	2.0	22
241	MicroRNAâ€Directed Intracellular Selfâ€Assembly of Chiral Nanorod Dimers. Angewandte Chemie - International Edition, 2018, 57, 10544-10548.	13.8	127
242	Development of Sensitive, Rapid, and Effective Immunoassays for the Detection of Vitamin B12 in Fortified Food and Nutritional Supplements. Food Analytical Methods, 2017, 10, 10-18.	2.6	29
243	Development of a monoclonal antibody assay and a lateral flow strip test for the detection of paromomycin residues in food matrices. Food and Agricultural Immunology, 2017, 28, 355-373.	1.4	34
244	Hybrid Nanoparticle Pyramids for Intracellular Dual MicroRNAs Biosensing and Bioimaging. Advanced Materials, 2017, 29, 1606086.	21.0	105
245	A Singlet Oxygen Generating Agent by Chiralityâ€dependent Plasmonic Shell‣atellite Nanoassembly. Advanced Materials, 2017, 29, 1606864.	21.0	101
246	SERS- and luminescence-active Au–Au–UCNP trimers for attomolar detection of two cancer biomarkers. Nanoscale, 2017, 9, 3865-3872.	5.6	78
247	Rapid detection of aldicarb in cucumber with an immunochromatographic test strip. Food and Agricultural Immunology, 2017, 28, 427-438.	1.4	33
248	High-sensitivity immunochromatographic assay for fumonisin B1 based on indirect antibody labeling. Biotechnology Letters, 2017, 39, 751-758.	2.2	21
249	Biocompatible Cupâ€Shaped Nanocrystal with Ultrahigh Photothermal Efficiency as Tumor Therapeutic Agent. Advanced Functional Materials, 2017, 27, 1700605.	14.9	59
250	Chiral Inorganic Nanostructures. Chemical Reviews, 2017, 117, 8041-8093.	47.7	656
251	Development of an immunochromatographic strip for the rapid detection of 10 β-agonists based on an ultrasensitive monoclonal antibody. Food and Agricultural Immunology, 2017, 28, 625-638.	1.4	31
252	Development of ic-ELISA and lateral-flow immunochromatographic assay strip for the detection of vancomycin in raw milk and animal feed. Food and Agricultural Immunology, 2017, 28, 414-426.	1.4	51

#	Article	IF	CITATIONS
253	Development of indirect competitive enzyme-linked immunosorbent and immunochromatographic strip assays for carbofuran detection in fruits and vegetables. Food and Agricultural Immunology, 2017, 28, 639-651.	1.4	38
254	Identification and quantification of eight Listeria monocytogene serotypes from Listeria spp. using a gold nanoparticle-based lateral flow assay. Mikrochimica Acta, 2017, 184, 715-724.	5.0	58
255	Development of ic-ELISA and lateral-flow immunochromatographic assay strip for the detection of citrinin in cereals. Food and Agricultural Immunology, 2017, 28, 754-766.	1.4	24
256	Preparation of an anti-dexamethasone monoclonal antibody and its use in development of a colloidal gold immunoassay. Food and Agricultural Immunology, 2017, 28, 958-968.	1.4	19
257	Gold immunochromatographic sensor for the rapid detection of twenty-six sulfonamides in foods. Nano Research, 2017, 10, 2833-2844.	10.4	71
258	Development of ic-ELISA and lateral-flow immunochromatographic assay strip for the simultaneous detection of avermectin and ivermectin. Food and Agricultural Immunology, 2017, 28, 439-451.	1.4	21
259	Development of an immunochromatographic strip for detection of acetamiprid in cucumber and apple samples. Food and Agricultural Immunology, 2017, 28, 767-778.	1.4	17
260	Ultrasensitive Detection of Prostateâ€Specific Antigen and Thrombin Based on Goldâ€Upconversion Nanoparticle Assembled Pyramids. Small, 2017, 13, 1603944.	10.0	70
261	Development of an icELISA and Immunochromatographic Assay for Methyl-3-Quinoxaline-2-Carboxylic Acid Residues in Fish. Food Analytical Methods, 2017, 10, 3128-3136.	2.6	17
262	Rapid and ultrasensitive detection of 3-amino-2-oxazolidinone in catfish muscle with indirect competitive enzyme-linked immunosorbent and immunochromatographic assays. Food and Agricultural Immunology, 2017, 28, 463-475.	1.4	16
263	Development of an indirect competitive enzyme-linked immunosorbent assay and immunochromatographic assay forÂhydrocortisone residues in milk. Food and Agricultural Immunology, 2017, 28, 476-488.	1.4	34
264	Simultaneous screening for marbofloxacin and ofloxacin residues in animal-derived foods using an indirect competitive immunoassay. Food and Agricultural Immunology, 2017, 28, 489-499.	1.4	24
265	Development of indirect competitive ELISA and lateral-flow immunochromatographic assay strip for the detection of sterigmatocystin in cereal products. Food and Agricultural Immunology, 2017, 28, 260-273.	1.4	46
266	Development of an icELISA and immunochromatographic strip for detection of norfloxacin and its analogs in milk. Food and Agricultural Immunology, 2017, 28, 288-298.	1.4	49
267	A Chiralâ€Nanoassembliesâ€Enabled Strategy for Simultaneously Profiling Surface Clycoprotein and MicroRNA in Living Cells. Advanced Materials, 2017, 29, 1703410.	21.0	119
268	Photoactive Hybrid AuNRâ€₽t@Ag <sub>2</sub> S Core–Satellite Nanostructures for Nearâ€Infrared Quantitive Cell Imaging. Advanced Functional Materials, 2017, 27, 1703408.	14.9	58
269	Template-Free Hierarchical Self-Assembly of Iron Diselenide Nanoparticles into Mesoscale Hedgehogs. Journal of the American Chemical Society, 2017, 139, 16630-16639.	13.7	43
270	Ultrasensitive Immunochromatographic Strip for Fast Screening of 27 Sulfonamides in Honey and Pork Liver Samples Based on a Monoclonal Antibody. Journal of Agricultural and Food Chemistry, 2017, 65, 8248-8255.	5.2	105

#	Article	IF	CITATIONS
271	Dual Quantification of MicroRNAs and Telomerase in Living Cells. Journal of the American Chemical Society, 2017, 139, 11752-11759.	13.7	262
272	Tuning the interactions between chiral plasmonic films and livingÂcells. Nature Communications, 2017, 8, 2007.	12.8	102
273	Intracellular localization of nanoparticle dimers by chirality reversal. Nature Communications, 2017, 8, 1847.	12.8	93
274	Biological Molecules-Governed Plasmonic Nanoparticle Dimers with Tailored Optical Behaviors. Journal of Physical Chemistry Letters, 2017, 8, 5633-5642.	4.6	29
275	Rapid detection of tenuazonic acid in cereal and fruit juice using a lateral-flow immunochromatographic assay strip. Food and Agricultural Immunology, 2017, 28, 1293-1303.	1.4	16
276	Gold nanoparticle-based paper sensor for ultrasensitive and multiple detection of 32 (fluoro)quinolones by one monoclonal antibody. Nano Research, 2017, 10, 108-120.	10.4	97
277	Development of a specific monoclonal antibody assay and a rapid testing strip for the detection of apramycin residues in food samples. Food and Agricultural Immunology, 2017, 28, 49-66.	1.4	16
278	Regioselective plasmonic nano-assemblies for bimodal sub-femtomolar dopamine detection. Nanoscale, 2017, 9, 223-229.	5.6	44
279	Cell Imaging: Photoactive Hybrid AuNRâ€Pt@Ag <sub>2</sub> S Core–Satellite Nanostructures for Nearâ€Infrared Quantitive Cell Imaging (Adv. Funct. Mater. 46/2017). Advanced Functional Materials, 2017, 27, .	14.9	1
280	Establishment of a monoclonal antibody-based indirect enzyme-linked immunosorbent assay for the detection of trimethoprim residues in milk, honey, and fish samples. Food and Agricultural Immunology, 2016, 27, 830-840.	1.4	18
281	Propellerâ€Like Nanorodâ€Upconversion Nanoparticle Assemblies with Intense Chiroptical Activity and Luminescence Enhancement in Aqueous Phase. Advanced Materials, 2016, 28, 5907-5915.	21.0	132
282	Nanoshell-Enhanced Raman Spectroscopy on a Microplate for Staphylococcal Enterotoxin B Sensing. ACS Applied Materials & Interfaces, 2016, 8, 15591-15597.	8.0	60
283	Sandwich ELISA and immunochromatographic strip of Kunitz trypsin inhibitor using sensitive monoclonal antibodies. Food and Agricultural Immunology, 2016, 27, 772-782.	1.4	9
284	Gold nanoparticle-based strip sensor for multiple detection of twelve Salmonella strains with a genus-specific lipopolysaccharide antibody. Science China Materials, 2016, 59, 665-674.	6.3	33
285	Scissorâ€Like Chiral Metamolecules for Probing Intracellular Telomerase Activity. Advanced Functional Materials, 2016, 26, 7352-7358.	14.9	51
286	A self-assembled chiral-aptasensor for ATP activity detection. Nanoscale, 2016, 8, 15008-15015.	5.6	40
287	Multigaps Embedded Nanoassemblies Enhance In Situ Raman Spectroscopy for Intracellular Telomerase Activity Sensing. Advanced Functional Materials, 2016, 26, 1602-1608.	14.9	115
288	Hierarchical Plasmonic Nanorods and Upconversion Core–Satellite Nanoassemblies for Multimodal Imagingâ€Guided Combination Phototherapy. Advanced Materials, 2016, 28, 898-904.	21.0	240

#	Article	IF	CITATIONS
289	Self-assembled nanoparticle dimers with contemporarily relevant properties and emerging applications. Materials Today, 2016, 19, 595-606.	14.2	47
290	Development of a highly sensitive ELISA and immunochromatographic strip to detect pentachlorophenol. Food and Agricultural Immunology, 2016, 27, 689-699.	1.4	24
291	Development of ic-ELISA and lateral-flow immunochromatographic assay strip for the detection of folic acid in energy drinks and milk samples. Food and Agricultural Immunology, 2016, 27, 841-854.	1.4	31
292	Development of an immunochromatographic assay for hexestrol and diethylstilbestrol residues in milk. Food and Agricultural Immunology, 2016, 27, 855-869.	1.4	20
293	Goldâ€Quantum Dot Core–Satellite Assemblies for Lighting Up MicroRNA In Vitro and In Vivo. Small, 2016, 12, 4662-4668.	10.0	90
294	Multiplex lateral flow immunoassay for five antibiotics detection based on gold nanoparticle aggregations. RSC Advances, 2016, 6, 7798-7805.	3.6	65
295	Building SERS-active heteroassemblies for ultrasensitive Bisphenol A detection. Biosensors and Bioelectronics, 2016, 81, 138-142.	10.1	69
296	Determination of sarafloxacin and its analogues in milk using an enzyme-linked immunosorbent assay based on a monoclonal antibody. Analytical Methods, 2016, 8, 1626-1636.	2.7	25
297	Preparation of a monoclonal antibody against testosterone and its use in development of an immunochromatographic assay. Food and Agricultural Immunology, 2016, 27, 547-558.	1.4	27
298	A gold nanoparticle-based semi-quantitative and quantitative ultrasensitive paper sensor for the detection of twenty mycotoxins. Nanoscale, 2016, 8, 5245-5253.	5.6	160
299	Development of an immunochromatographic strip for the semi-quantitative and quantitative detection of biotin in milk and milk products. Analytical Methods, 2016, 8, 1595-1601.	2.7	17
300	Development of sensitive and fast immunoassays for amantadine detection. Food and Agricultural Immunology, 2016, 27, 678-688.	1.4	41
301	Orientational nanoparticle assemblies and biosensors. Biosensors and Bioelectronics, 2016, 79, 220-236.	10.1	34
302	A SERS-active sensor based on heterogeneous gold nanostar core–silver nanoparticle satellite assemblies for ultrasensitive detection of aflatoxinB1. Nanoscale, 2016, 8, 1873-1878.	5.6	139
303	Dual-Mode Ultrasensitive Quantification of MicroRNA in Living Cells by Chiroplasmonic Nanopyramids Self-Assembled from Gold and Upconversion Nanoparticles. Journal of the American Chemical Society, 2016, 138, 306-312.	13.7	399
304	Development of an immunochromatographic strip assay for ractopamine detection using an ultrasensitive monoclonal antibody. Food and Agricultural Immunology, 2016, 27, 471-483.	1.4	39
305	Simultaneous detection of tylosin and tilmicosin in honey using a novel immunoassay and immunochromatographic strip based on an innovative hapten. Food and Agricultural Immunology, 2016, 27, 314-328.	1.4	30
306	Rapid enzyme-linked immunosorbent assay and immunochromatographic strip for detecting ribavirin in chicken muscles. Food and Agricultural Immunology, 2016, 27, 449-459.	1.4	25

#	Article	IF	CITATIONS
307	Development of monoclonal antibody and lateral test strip for sensitive detection of clenbuterol and related β <sub>2</sub> -agonists in urine samples. Food and Agricultural Immunology, 2016, 27, 111-127.	1.4	30
308	SERS encoded nanoparticle heterodimers for the ultrasensitive detection of folic acid. Biosensors and Bioelectronics, 2016, 75, 55-58.	10.1	46
309	Development of an ELISA and Immunochromatographic Assay for Tetracycline, Oxytetracycline, and Chlortetracycline Residues in Milk and Honey Based on the Class-Specific Monoclonal Antibody. Food Analytical Methods, 2016, 9, 905-914.	2.6	110
310	Triple Raman Labelâ€Encoded Gold Nanoparticle Trimers for Simultaneous Heavy Metal Ion Detection. Small, 2015, 11, 3435-3439.	10.0	100
311	Unusual Circularly Polarized Photocatalytic Activity in Nanogapped Gold–Silver Chiroplasmonic Nanostructures. Advanced Functional Materials, 2015, 25, 5816-5822.	14.9	117
312	Chirality-based Au@Ag Nanorod Dimers Sensor for Ultrasensitive PSA Detection. ACS Applied Materials &	8.0	83
313	Development of an anti-chlorothalonil monoclonal antibody based on a novel designed hapten. Food and Agricultural Immunology, 2015, 26, 410-419.	1.4	28
314	Comparsion of an immunochromatographic strip with ELISA for simultaneous detection of thiamphenicol, florfenicol and chloramphenicol in food samples. Biomedical Chromatography, 2015, 29, 1432-1439.	1.7	54
315	Ultrasensitive SERS detection of VECF based on a self-assembled Ag ornamented–AU pyramid superstructure. Biosensors and Bioelectronics, 2015, 68, 593-597.	10.1	57
316	Gold Coreâ€ÐNA‧ilver Shell Nanoparticles with Intense Plasmonic Chiroptical Activities. Advanced Functional Materials, 2015, 25, 850-854.	14.9	70
317	Development of a monoclonal antibody-based immunochromatographic strip for cephalexin. Food and Agricultural Immunology, 2015, 26, 282-292.	1.4	56
318	An ultrasensitive immunochromatographic assay for non-pretreatment monitoring of chloramphenicol in raw milk. Food and Agricultural Immunology, 2015, 26, 635-644.	1.4	27
319	Development of an ELISA for nitrazepam based on a monoclonal antibody. Food and Agricultural Immunology, 2015, 26, 611-621.	1.4	25
320	SERS Encoded Silver Pyramids for Attomolar Detection of Multiplexed Disease Biomarkers. Advanced Materials, 2015, 27, 1706-1711.	21.0	276
321	An Ultrasensitive ELISA for Medroxyprogesterone Residues in Fish Tissues Based on a Structure-Specific Hapten. Food Analytical Methods, 2015, 8, 1382-1389.	2.6	22
322	Development of an Immunochromatographic Strip for Rapid Detection of Pantoea stewartii subsp. stewartii. Sensors, 2015, 15, 4291-4301.	3.8	36
323	Development of an enzyme-linked immunosorbent assay (ELISA) for natamycin residues in foods based on a specific monoclonal antibody. Analytical Methods, 2015, 7, 3559-3565.	2.7	19
324	Determination of quinoxaline antibiotics in fish feed by enzyme-linked immunosorbent assay using a monoclonal antibody. Analytical Methods, 2015, 7, 5204-5209.	2.7	28

#	Article	IF	CITATIONS
325	Mercury–DNA interaction based detection of mercury ions by DNA amplification with high sensitivity and selectivity. Food and Agricultural Immunology, 2015, 26, 512-520.	1.4	4
326	Development of an immunoassay for carbendazim based on a class-selective monoclonal antibody. Food and Agricultural Immunology, 2015, 26, 659-670.	1.4	46
327	SERS-active Au@Ag nanorod dimers for ultrasensitive dopamine detection. Biosensors and Bioelectronics, 2015, 71, 7-12.	10.1	186
328	Development of an immunochromatographic strip for the rapid detection of <i>Pseudomonas syringae pv. maculicola</i> in broccoli and radish seeds. Food and Agricultural Immunology, 2015, 26, 738-745.	1.4	28
329	Building An Aptamer/Graphene Oxide FRET Biosensor for One-Step Detection of Bisphenol A. ACS Applied Materials & Interfaces, 2015, 7, 7492-7496.	8.0	145
330	SERS-active Au NR oligomer sensor for ultrasensitive detection of mercury ions. RSC Advances, 2015, 5, 81802-81807.	3.6	20
331	A SERS active bimetallic core–satellite nanostructure for the ultrasensitive detection of Mucin-1. Chemical Communications, 2015, 51, 14761-14763.	4.1	89
332	SERS-active silver nanoparticle trimers for sub-attomolar detection of alpha fetoprotein. RSC Advances, 2015, 5, 73395-73398.	3.6	33
333	A gold immunochromatographic assay for the rapid and simultaneous detection of fifteen β-lactams. Nanoscale, 2015, 7, 16381-16388.	5.6	65
334	Building heterogeneous core–satellite chiral assemblies for ultrasensitive toxin detection. Biosensors and Bioelectronics, 2015, 66, 554-558.	10.1	32
335	Ultrasensitive immunochromatographic assay for the simultaneous detection of five chemicals in drinking water. Biosensors and Bioelectronics, 2015, 66, 445-453.	10.1	130
336	Ultrasensitive detection of lead ions based on a DNA-labelled DNAzyme sensor. Analytical Methods, 2015, 7, 662-666.	2.7	18
337	Ultrasensitive SERS detection of mercury based on the assembled gold nanochains. Biosensors and Bioelectronics, 2015, 67, 472-476.	10.1	112
338	SERS-active Ag@Au core–shell NP assemblies for DNA detection. RSC Advances, 2014, 4, 56052-56056.	3.6	24
339	A highly sensitive enzyme-linked immunosorbent assay for copper(II) determination in drinking water. Food and Agricultural Immunology, 2014, 25, 432-442.	1.4	31
340	Pyramidal Sensor Platform with Reversible Chiroptical Signals for DNA Detection. Small, 2014, 10, 4293-4297.	10.0	54
341	Development of an Immunochromatographic Strip Test for Rapid Detection of Ciprofloxacin in Milk Samples. Sensors, 2014, 14, 16785-16798.	3.8	75
342	Development of an ELISA and Immunochromatographic Strip for Highly Sensitive Detection of Microcystin-LR. Sensors, 2014, 14, 14672-14685.	3.8	64

#	Article	IF	CITATIONS
343	Upconversion luminescence nanoparticles-based lateral flow immunochromatographic assay for cephalexin detection. Journal of Materials Chemistry C, 2014, 2, 9637-9642.	5.5	48
344	Development of a monoclonal antibody-based sandwich ELISA for the detection of ovalbumin in foods. Food and Agricultural Immunology, 2014, 25, 1-8.	1.4	44
345	Asymmetric Plasmonic Aptasensor for Sensitive Detection of Bisphenol A. ACS Applied Materials & Interfaces, 2014, 6, 364-369.	8.0	66
346	Assembled Plasmonic Asymmetric Heterodimers with Tailorable Chiroptical Response. Small, 2014, 10, 1805-1812.	10.0	42
347	Development of a Broad Specific Monoclonal Antibody for Fluoroquinolone Analysis. Food Analytical Methods, 2014, 7, 2163-2168.	2.6	70
348	Fragment-based hapten design and screening of a highly sensitive and specific monoclonal antibody for ractopamine. Analytical Methods, 2014, 6, 229-234.	2.7	23
349	Ligation Chain Reaction based gold nanoparticle assembly for ultrasensitive DNA detection. Biosensors and Bioelectronics, 2014, 52, 8-12.	10.1	29
350	Dual Amplified Electrochemical Immunosensor for Highly Sensitive Detection of <i>Pantoea stewartii</i> sbusp. <i>stewartii</i> . ACS Applied Materials & Interfaces, 2014, 6, 21178-21183.	8.0	88
351	Chirality of self-assembled metal–semiconductor nanostructures. Journal of Materials Chemistry C, 2014, 2, 2702-2706.	5.5	19
352	Ultrasensitive aptamer-based SERS detection of PSAs by heterogeneous satellite nanoassemblies. Chemical Communications, 2014, 50, 9737-9740.	4.1	100
353	Self-Organization of Plasmonic and Excitonic Nanoparticles into Resonant Chiral Supraparticle Assemblies. Nano Letters, 2014, 14, 6799-6810.	9.1	61
354	Shellâ€Programmed Au Nanoparticle Heterodimers with Customized Chiroptical Activity. Small, 2014, 10, 4770-4777.	10.0	18
355	Shell-Engineered Chiroplasmonic Assemblies of Nanoparticles for Zeptomolar DNA Detection. Nano Letters, 2014, 14, 3908-3913.	9.1	169
356	General immunoassay for pyrethroids based on a monoclonal antibody. Food and Agricultural Immunology, 2014, 25, 341-349.	1.4	38
357	Structure-specific hapten design for the screening of highly sensitive and specific monoclonal antibody to salbutamol. Analytical Methods, 2014, 6, 4228-4233.	2.7	16
358	Attomolar DNA detection with chiral nanorod assemblies. Nature Communications, 2013, 4, 2689.	12.8	443
359	Immunochromatographic strip development for ultrasensitive analysis of aflatoxin M1. Analytical Methods, 2013, 5, 6567.	2.7	24
360	Unexpected Chirality of Nanoparticle Dimers and Ultrasensitive Chiroplasmonic Bioanalysis. Journal of the American Chemical Society, 2013, 135, 18629-18636.	13.7	274

#	Article	IF	CITATIONS
361	Rapid and sensitive detection of $\hat{l}^2$ -agonists using a portable fluorescence biosensor based on fluorescent nanosilica and a lateral flow test strip. Biosensors and Bioelectronics, 2013, 50, 62-65.	10.1	99
362	Highly selective recognition and ultrasensitive quantification of enantiomers. Journal of Materials Chemistry B, 2013, 1, 4478.	5.8	60
363	Immuno-driven plasmonic oligomer sensor for the ultrasensitive detection of antibiotics. RSC Advances, 2013, 3, 17294.	3.6	15
364	A strip-based immunoassay for rapid determination of fenpropathrin. Analytical Methods, 2013, 5, 6234.	2.7	23
365	Chiral supernanostructures for ultrasensitive endonuclease analysis. Journal of Materials Chemistry B, 2013, 1, 5539.	5.8	16
366	Development of an Enzyme-Linked Immunosorbent Assay for Cyhalothrin. Immunological Investigations, 2013, 42, 493-503.	2.0	13
367	Nanoparticle assemblies: dimensional transformation of nanomaterials and scalability. Chemical Society Reviews, 2013, 42, 3114.	38.1	216
368	Alternating Plasmonic Nanoparticle Heterochains Made by Polymerase Chain Reaction and Their Optical Properties. Journal of Physical Chemistry Letters, 2013, 4, 641-647.	4.6	72
369	A PCR based magnetic assembled sensor for ultrasensitive DNA detection. Chemical Communications, 2013, 49, 5369.	4.1	25
370	A SERS active gold nanostar dimer for mercury ion detection. Chemical Communications, 2013, 49, 4989.	4.1	205
371	Femtogram ultrasensitive aptasensor for the detection of OchratoxinA. Biosensors and Bioelectronics, 2013, 42, 545-549.	10.1	55
372	Plasmonic Core–Satellites Nanostructures with High Chirality and Bioproperty. Journal of Physical Chemistry Letters, 2013, 4, 2379-2384.	4.6	41
373	Nanoscale Superstructures Assembled by Polymerase Chain Reaction (PCR): Programmable Construction, Structural Diversity, and Emerging Applications. Accounts of Chemical Research, 2013, 46, 2341-2354.	15.6	38
374	Sensitive Detection of Silver Ions Based on Chiroplasmonic Assemblies of Nanoparticles. Advanced Optical Materials, 2013, 1, 626-630.	7.3	60
375	Development of an Enzyme-Linked Immunosorbent Assay for Dibutyl Phthalate in Liquor. Sensors, 2013, 13, 8331-8339.	3.8	39
376	A Sensitive DNAzyme-Based Chiral Sensor for Lead Detection. Materials, 2013, 6, 5038-5046.	2.9	16
377	Rapid and Highly Sensitive Detection of Lead Ions in Drinking Water Based on a Strip Immunosensor. Sensors, 2013, 13, 4214-4224.	3.8	131
378	Chiral plasmonics of self-assembled nanorod dimers. Scientific Reports, 2013, 3, 1934.	3.3	185

#	Article	IF	CITATIONS
379	Detection of aflatoxins in tea samples based on a classâ€specific monoclonal antibody. International Journal of Food Science and Technology, 2013, 48, 1269-1274.	2.7	31
380	A one-step homogeneous plasmonic circular dichroism detection of aqueous mercury ions using nucleic acid functionalized gold nanorods. Chemical Communications, 2012, 48, 11889.	4.1	90
381	Matrix-localization for fast analysis of arrayed microfluidic immunoassays. Analytical Methods, 2012, 4, 3466.	2.7	11
382	Self-Assembly of Chiral Nanoparticle Pyramids with Strong <i>R</i> / <i>S</i> Optical Activity. Journal of the American Chemical Society, 2012, 134, 15114-15121.	13.7	366
383	Gold nanorodassembly based approach to toxin detection by SERS. Journal of Materials Chemistry, 2012, 22, 2387-2391.	6.7	97
384	Regiospecific Plasmonic Assemblies for <i>in Situ</i> Raman Spectroscopy in Live Cells. Journal of the American Chemical Society, 2012, 134, 1699-1709.	13.7	259
385	Asymmetric and symmetric PCR of gold nanoparticles: A pathway to scaled-up self-assembly with tunable chirality. Journal of Materials Chemistry, 2012, 22, 5574.	6.7	35
386	Chirality based sensor for bisphenol A detection. Chemical Communications, 2012, 48, 5760.	4.1	75
387	Dynamic Nanoparticle Assemblies. Accounts of Chemical Research, 2012, 45, 1916-1926.	15.6	209
388	Rapid onâ€site determination of melamine in raw milk by an immunochromatographic strip. International Journal of Food Science and Technology, 2012, 47, 1505-1510.	2.7	31
389	Fluorescent strip sensor for rapid determination of toxins. Chemical Communications, 2011, 47, 1574-1576.	4.1	146
390	Wash-free magnetic oligonucleotide probes-based NMR sensor for detecting the Hg ion. Chemical Communications, 2011, 47, 12503.	4.1	30
391	Rapid DNA detection by interface PCR on nanoparticles. Biosensors and Bioelectronics, 2011, 26, 2495-2499.	10.1	27
392	Simple, rapid and sensitive detection of antibiotics based on the side-by-side assembly of gold nanorod probes. Biosensors and Bioelectronics, 2011, 26, 4387-4392.	10.1	45
393	Sideâ€byâ€Side and Endâ€ŧoâ€End Gold Nanorod Assemblies for Environmental Toxin Sensing. Angewandte Chemie - International Edition, 2010, 49, 5472-5475.	13.8	239
394	Multifunctional vectors system for cancer therapy using single-walled carbon nanotubes and antisense oligonucleotide-modified gold nanoparticles composite materials. , 2010, , .		0
395	Ultrasensitive signal amplified immunoassay of medroxyprogesterone acetate (MPA) using the atomic absorption of silver deposited on the surface of gold nanoparticles. Food and Agricultural Immunology, 2010, 21, 165-173.	1.4	6
396	Light-Controlled Self-Assembly of Semiconductor Nanoparticles into Twisted Ribbons. Science, 2010, 327, 1355-1359.	12.6	341

#	Article	IF	CITATIONS
397	A new development of measurement of 19-Nortestosterone by combining immunochromatographic strip assay and ImageJ software. Food and Agricultural Immunology, 2009, 20, 1-10.	1.4	17
398	Multi-residue detection of benzodiazepines by ELISA based on class selective antibodies. Food and Agricultural Immunology, 2009, 20, 281-293.	1.4	12
399	Simultaneous and sensitive determination of multiplex chemical residues based on multicolor quantum dot probes. Biosensors and Bioelectronics, 2009, 24, 3657-3662.	10.1	99
400	Synthesis of derivatives and production of antiserum for class specific detection of pyrethroids by indirect ELISA. International Journal of Environmental Analytical Chemistry, 2009, 89, 423-437.	3.3	16
401	Gold nanoparticle-based immunochromatographic assay for the detection of 7-aminoclonazepam in urine. International Journal of Environmental Analytical Chemistry, 2009, 89, 261-268.	3.3	12
402	Nanoparticle Superstructures Made by Polymerase Chain Reaction: Collective Interactions of Nanoparticles and a New Principle for Chiral Materials. Nano Letters, 2009, 9, 2153-2159.	9.1	228
403	Simple, Rapid, Sensitive, and Versatile SWNTâ <sup>~?</sup> Paper Sensor for Environmental Toxin Detection Competitive with ELISA. Nano Letters, 2009, 9, 4147-4152.	9.1	249
404	Magnetic Ni/SiO2composite microcapsules prepared by one-pot synthesis. Journal of Materials Chemistry, 2009, 19, 1245-1251.	6.7	15
405	Analytical Methods for the Detection of Corticosteroids-Residues in Animal-Derived Foodstuffs. Critical Reviews in Analytical Chemistry, 2008, 38, 227-241.	3.5	19
406	Production of new class-specific polyclonal antibody for determination of fluoroquinolones antibiotics by indirect competitive ELISA. Food and Agricultural Immunology, 2008, 19, 251-264.	1.4	41
407	A direct enzyme-linked immunosorbent assay for hexoestrol residues. Food and Agricultural Immunology, 2008, 19, 61-75.	1.4	11
408	Development and evaluation of a rapid lateral flow immunochromatographic strip assay for screening 19-nortestosterone. Biomedical Chromatography, 2007, 21, 861-866.	1.7	42
409	Immumochromatographic assay for determination of hexoestrol residues. European Food Research and Technology, 2007, 225, 743-747.	3.3	5
410	Development and optimization of an indirect enzyme-linked immunosorbent assay for the determination of Hexoestrol. Food and Agricultural Immunology, 2006, 17, 157-171.	1.4	4
411	Development of colloidal gold-based immunochromatographic assay for the rapid detection of medroxyprogesterone acetate residues. Food and Agricultural Immunology, 2006, 17, 183-190.	1.4	12
412	Determination of hexoestrol residues in animal tissues based on enzyme-linked immunosorbent assay and comparison with liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2006, 41, 1029-1036.	2.8	18
413	Comparison of enzyme-linked immunosorbent assay with liquid chromatography–tandem mass spectrometry for the determination of diethylstilbesterol residues in chicken and liver tissues. Biomedical Chromatography, 2006, 20, 1056-1064.	1.7	22
414	Separation and identification of synthetic antigens of hexoestrol residue in animal derived food by HPLC-MS. Food and Agricultural Immunology, 2006, 17, 21-27.	1.4	8

CHUANLAI XU

#	Article	IF	CITATIONS
415	Development and Optimization of an Indirect Enzymeâ€Linked Immunosorbent Assay for Thiamphenicol. Analytical Letters, 2006, 39, 1087-1100.	1.8	10
416	Polyamines induced by heat treatment before cold-storage reduce mealiness and decay in peach fruit. Journal of Horticultural Science and Biotechnology, 2005, 80, 557-560.	1.9	12
417	Self-Assembly of Earth-Abundant Supraparticles with Chiral Interstices for Enantioselective Photocatalysis. ACS Energy Letters, 0, , 1405-1412.	17.4	13
418	Development of an Immunochromatographic Strip for the Rapid and Ultrasensitive Detection of Gamithromycin. Food Analytical Methods, 0, , 1.	2.6	5