

Andrea Morelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/509585/publications.pdf>

Version: 2024-02-01

141
papers

7,412
citations

53751

45
h-index

56687

83
g-index

145
all docs

145
docs citations

145
times ranked

5604
citing authors

#	ARTICLE	IF	CITATIONS
1	Echocardiography findings in COVID-19 patients admitted to intensive care units: a multi-national observational study (the ECHO-COVID study). <i>Intensive Care Medicine</i> , 2022, 48, 667-678.	3.9	63
2	Sex-Related Differences in Oxidative, Platelet, and Vascular Function in Chronic Users of Heat-not-Burn vs. Traditional Combustion Cigarettes. <i>Antioxidants</i> , 2022, 11, 1237.	2.2	1
3	Association of weaning failure from mechanical ventilation with transthoracic echocardiography parameters: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2021, 126, 319-330.	1.5	52
4	The PRICES statement: an ESICM expert consensus on methodology for conducting and reporting critical care echocardiography research studies. <i>Intensive Care Medicine</i> , 2021, 47, 1-13.	3.9	72
5	Hemodynamic and anti-inflammatory effects of early esmolol use in hyperkinetic septic shock: a pilot study. <i>Critical Care</i> , 2021, 25, 21.	2.5	21
6	Current use of inotropes in circulatory shock. <i>Annals of Intensive Care</i> , 2021, 11, 21.	2.2	35
7	Impact of chronic use of heat-not-burn cigarettes on oxidative stress, endothelial dysfunction and platelet activation: the SUR-VAPES Chronic Study. <i>Thorax</i> , 2021, 76, 618-620.	2.7	22
8	Ultrashort-Acting β_2 -Blockers. <i>Chest</i> , 2021, 159, 2139-2140.	0.4	1
9	Assessment of ventriculo-arterial coupling from peripheral waveform analysis in septic shock. Reply to <i>Br J Anaesth</i> 2021; 126: e101-2. <i>British Journal of Anaesthesia</i> , 2021, 127, e17-e19.	1.5	0
10	Role of Oxidative Stress and Autophagy in Thoracic Aortic Aneurysms. <i>JACC Basic To Translational Science</i> , 2021, 6, 719-730.	1.9	11
11	A snapshot global survey on side effects of COVID-19 vaccines among healthcare professionals and armed forces with a focus on headache. <i>Panminerva Medica</i> , 2021, 63, 324-331.	0.2	8
12	Resuscitation with Hydroxyethyl Starch Maintains Hemodynamic Coherence in Ovine Hemorrhagic Shock. <i>Anesthesiology</i> , 2020, 132, 131-139.	1.3	17
13	Systolic-dicrotic notch pressure difference can identify tachycardic patients with septic shock at risk of cardiovascular decompensation following pharmacological heart rate reduction. <i>British Journal of Anaesthesia</i> , 2020, 125, 1018-1024.	1.5	20
14	Interplay between Nox2 Activity and Platelet Activation in Patients with Sepsis and Septic Shock: A Prospective Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-6.	1.9	4
15	β_2 -blockade in sepsis: regulation of persisting sepsis-related tachycardia. <i>Lancet Respiratory Medicine</i> , 2020, 8, 833-834.	5.2	2
16	Relationship between norepinephrine dose, tachycardia and outcome in septic shock: A multicentre evaluation. <i>Journal of Critical Care</i> , 2020, 57, 185-190.	1.0	30
17	Selepressin for Patients With Septic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 667.	3.8	1
18	Systematic review and literature appraisal on methodology of conducting and reporting critical-care echocardiography studies: a report from the European Society of Intensive Care Medicine PRICES expert panel. <i>Annals of Intensive Care</i> , 2020, 10, 49.	2.2	32

#	ARTICLE	IF	CITATIONS
19	Extracorporeal membrane oxygenation for critically ill patients with coronavirus-associated disease 2019: an updated perspective of the European experience. <i>Minerva Cardioangiologica</i> , 2020, 68, 368-372.	1.2	44
20	The Effect of Propofol and Dexmedetomidine Sedation on Norepinephrine Requirements in Septic Shock Patients: A Crossover Trial. <i>Critical Care Medicine</i> , 2019, 47, e89-e95.	0.4	70
21	Current use of vasopressors in septic shock. <i>Annals of Intensive Care</i> , 2019, 9, 20.	2.2	109
22	The authors reply. <i>Critical Care Medicine</i> , 2019, 47, e722-e723.	0.4	0
23	The authors reply. <i>Critical Care Medicine</i> , 2019, 47, e432-e433.	0.4	0
24	The authors reply. <i>Critical Care Medicine</i> , 2019, 47, e1041-e1042.	0.4	0
25	Differential Effects of Selective and Nonselective Potassium Channel Inhibitors in Ovine Endotoxemic Shock (Macrocirculation) and in a Rat Model of Septic Shock (Microcirculation). <i>Shock</i> , 2019, 51, 247-255.	1.0	4
26	Landiolol for managing atrial fibrillation in intensive care. <i>European Heart Journal Supplements</i> , 2018, 20, A15-A18.	0.0	11
27	Alternatives to the Swan-Ganz catheter. <i>Intensive Care Medicine</i> , 2018, 44, 730-741.	3.9	71
28	The ten principles behind arterial pressure. <i>Intensive Care Medicine</i> , 2018, 44, 911-914.	3.9	5
29	Landiolol in patients with septic shock resident in an intensive care unit (LANDI-SEP): study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 637.	0.7	12
30	A new complimentary web-based tool for manual analysis of microcirculation videos: Validation of the Capillary Mapper against the current gold standard <sc>AVA</sc> 3.2. <i>Microcirculation</i> , 2018, 25, e12505.	1.0	9
31	Effects of resuscitation with human albumin 5%, hydroxyethyl starch 130/0.4 6%, or crystalloid on kidney damage in an ovine model of septic shock. <i>British Journal of Anaesthesia</i> , 2018, 121, 581-587.	1.5	9
32	Comparison of first-line and second-line terlipressin versus sole norepinephrine in fulminant ovine septic shock. <i>Scientific Reports</i> , 2018, 8, 7105.	1.6	12
33	Sole causal therapy worsens outcome as compared to no therapy and combined causal and goal-directed supportive therapy in ovine septic shock. <i>Annals of Translational Medicine</i> , 2018, 6, 400-400.	0.7	1
34	Provision of physiological data and reference values in awake and anaesthetized female sheep aged 6-12 months. <i>Veterinary Anaesthesia and Analgesia</i> , 2017, 44, 518-528.	0.3	8
35	Extracorporeal carbon dioxide removal (ECCO2R) in patients with acute respiratory failure. <i>Intensive Care Medicine</i> , 2017, 43, 519-530.	3.9	84
36	Effects of Levosimendan on Cellular Metabolic Alterations in Patients With Septic Shock. <i>Shock</i> , 2017, 48, 307-312.	1.0	26

#	ARTICLE	IF	CITATIONS
37	Continuing chronic beta-blockade in the acute phase of severe sepsis and septic shock is associated with decreased mortality rates up to 90 days. <i>British Journal of Anaesthesia</i> , 2017, 119, 616-625.	1.5	37
38	Microcirculation First!â€”Esmolol, a Candidate for the Next Term of Office*. <i>Critical Care Medicine</i> , 2017, 45, 2115-2116.	0.4	0
39	Levosimendan for patients with severely reduced left ventricular systolic function and/or low cardiac output syndrome undergoing cardiac surgery: a systematic review and meta-analysis. <i>Critical Care</i> , 2017, 21, 252.	2.5	42
40	Comments on Morelli et al.: Extracorporeal carbon dioxide removal (ECCO2R) in patients with acute respiratory failure. <i>Intensive Care Medicine</i> , 2017, 43, 1171-1172.	3.9	0
41	Esmolol in septic shock: old pathophysiological concepts, an old drug, perhaps a new hemodynamic strategy in the right patient. <i>Journal of Thoracic Disease</i> , 2016, 8, 3059-3062.	0.6	6
42	Comparison Between Doppler-Echocardiography and Uncalibrated Pulse Contour Method for Cardiac Output Measurement: A Multicenter Observational Study*. <i>Critical Care Medicine</i> , 2016, 44, 1370-1379.	0.4	41
43	Heart rate reduction with esmolol is associated with improved arterial elastance in patients with septic shock: a prospective observational study. <i>Intensive Care Medicine</i> , 2016, 42, 1528-1534.	3.9	94
44	Effect of Conservative vs Conventional Oxygen Therapy on Mortality Among Patients in an Intensive Care Unit. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 1583.	3.8	523
45	Levosimendan beyond inotropy and acute heart failure: Evidence of pleiotropic effects on the heart and other organs: An expert panel position paper. <i>International Journal of Cardiology</i> , 2016, 222, 303-312.	0.8	103
46	Hemodynamic coherence in sepsis. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2016, 30, 453-463.	1.7	27
47	Comparison of an automatic analysis and a manual analysis of conjunctival microcirculation in a sheep model of haemorrhagic shock. <i>Intensive Care Medicine Experimental</i> , 2016, 4, 37.	0.9	17
48	Venovenous extracorporeal membrane oxygenation for acute respiratory failure. <i>Intensive Care Medicine</i> , 2016, 42, 712-724.	3.9	136
49	Predictors of outcome in ICU patients with septic shock caused by <i>Klebsiella pneumoniae</i> carbapenemaseâ€“producing <i>K. pneumoniae</i> . <i>Clinical Microbiology and Infection</i> , 2016, 22, 444-450.	2.8	112
50	Impact of human albumin infusion on organ function in orthotopic liver transplantation â€“ a retrospective matchedâ€“pair analysis. <i>Clinical Transplantation</i> , 2015, 29, 67-75.	0.8	12
51	Extracorporeal co2 removal in hypercapnic patients who fail noninvasive ventilation and refuse endotracheal intubation: a case series. <i>Intensive Care Medicine Experimental</i> , 2015, 3, .	0.9	7
52	A Bayesian network meta-analysis on the effect of inodilatory agents on mortality. <i>British Journal of Anaesthesia</i> , 2015, 114, 746-756.	1.5	58
53	Beta-blocker use in severe sepsis and septic shock: a systematic review. <i>Current Medical Research and Opinion</i> , 2015, 31, 1817-1825.	0.9	71
54	Tachycardia in Septic Shock: Pathophysiological Implications and Pharmacological Treatment. <i>Annual Update in Intensive Care and Emergency Medicine</i> , 2015, , 115-128.	0.1	7

#	ARTICLE	IF	CITATIONS
55	Tachycardia and Its Pathophysiological Implications in Septic Myocardial Dysfunction. , 2015, , 176-187.		0
56	Severe community onset healthcare-associated Clostridium difficile infection complicated by carbapenemase producing Klebsiella pneumoniae bloodstream infection. BMC Infectious Diseases, 2014, 14, 475.	1.3	4
57	Ventriculoarterial decoupling in human septic shock. Critical Care, 2014, 18, R80.	2.5	101
58	Short-Acting β -Blocker Administration in Patients With Septic Shockâ€”Reply. JAMA - Journal of the American Medical Association, 2014, 311, 737.	3.8	3
59	Infections, antibiotic treatment and mortality in patients admitted to ICUs in countries considered to have high levels of antibiotic resistance compared to those with low levels. BMC Infectious Diseases, 2014, 14, 513.	1.3	20
60	Presepsin as a potential marker for bacterial infection relapse in critical care patients. A preliminary study. Clinical Chemistry and Laboratory Medicine, 2014, 53, 567-73.	1.4	23
61	An efficacy and mechanism evaluation study of Levosimendan for the Prevention of Acute oRgan Dysfunction in Sepsis (LeoPARDS): protocol for a randomized controlled trial. Trials, 2014, 15, 199.	0.7	36
62	Effects of levosimendan on mitochondrial function in patients withâ€šepic shock: A randomized trial. Biochimie, 2014, 102, 166-173.	1.3	41
63	Heart rate reduction with esmolol in septic shock: effects on myocardial performance. Critical Care, 2014, 18, .	2.5	3
64	Inotropic Support in the Treatment of Septic Myocardial Dysfunction: Pathophysiological Implications Supporting the Use of Levosimendan. Annual Update in Intensive Care and Emergency Medicine, 2014, , 407-419.	0.1	3
65	Effect of Heart Rate Control With Esmolol on Hemodynamic and Clinical Outcomes in Patients With Septic Shock. JAMA - Journal of the American Medical Association, 2013, 310, 1683.	3.8	542
66	Reducing Mortality in Acute Kidney Injury Patients: Systematic Review and International Web-Based Survey. Journal of Cardiothoracic and Vascular Anesthesia, 2013, 27, 1384-1398.	0.6	71
67	Esmolol Administration in Patients With VV ECMO: Why Not?. Journal of Cardiothoracic and Vascular Anesthesia, 2013, 27, e40.	0.6	12
68	Renal Effects of Levosimendan: A Consensus Report. Cardiovascular Drugs and Therapy, 2013, 27, 581-590.	1.3	65
69	Microvascular Effects of Heart Rate Control With Esmolol in Patients With Septic Shock. Critical Care Medicine, 2013, 41, 2162-2168.	0.4	98
70	Effects of levosimendan on mortality and hospitalization. A meta-analysis of randomized controlled studies*. Critical Care Medicine, 2012, 40, 634-646.	0.4	734
71	Levosimendan: Molecular mechanisms and clinical implications. International Journal of Cardiology, 2012, 159, 82-87.	0.8	256
72	Randomized Evidence for Reduction of Perioperative Mortality. Journal of Cardiothoracic and Vascular Anesthesia, 2012, 26, 764-772.	0.6	116

#	ARTICLE	IF	CITATIONS
73	Effects of vasopressinergic receptor agonists on sublingual microcirculation in norepinephrine-dependent septic shock. <i>Critical Care</i> , 2011, 15, R217.	2.5	41
74	Role of selective V1a receptor agonism in ovine septic shock*. <i>Critical Care Medicine</i> , 2011, 39, 119-125.	0.4	64
75	Effects of balanced crystalloid vs. 0.9% saline-based vs. balanced 6% tetrastarch infusion on renal function and tubular integrity in ovine endotoxemic shock*. <i>Critical Care Medicine</i> , 2011, 39, 783-792.	0.4	52
76	Combined arginine vasopressin and levosimendan: A promising therapy for septic shock. <i>Critical Care Medicine</i> , 2011, 39, 921-922.	0.4	2
77	Combined arginine vasopressin and levosimendan: A promising therapy for septic shock. <i>Critical Care Medicine</i> , 2011, 39, 922.	0.4	0
78	Effects of two different dosing regimens of terlipressin on organ functions in ovine endotoxemia. <i>Inflammation Research</i> , 2011, 60, 429-437.	1.6	19
79	Short-term effects of terlipressin bolus infusion on sublingual microcirculatory blood flow during septic shock. <i>Intensive Care Medicine</i> , 2011, 37, 963-969.	3.9	28
80	Invasive Pulmonary Aspergillosis in Non-Neutropenic Patients: Analysis of a 14-Month Prospective Clinical Experience. <i>Journal of Chemotherapy</i> , 2011, 23, 290-294.	0.7	18
81	Effects of combined arginine vasopressin and levosimendan on organ function in ovine septic shock*. <i>Critical Care Medicine</i> , 2010, 38, 2016-2023.	0.4	65
82	Rescue treatment for noninvasive ventilation failure due to interface intolerance with remifentanyl analgo-sedation: a pilot study. <i>Intensive Care Medicine</i> , 2010, 36, 2060-2065.	3.9	73
83	Not Everything Labeled "Low-Dose" Vasopressin Is a Low Dose. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 181, 1012-1012.	2.5	0
84	Role of selective V2-receptor-antagonism in septic shock: a randomized, controlled, experimental study. <i>Critical Care</i> , 2010, 14, R200.	2.5	29
85	Levosimendan for resuscitating the microcirculation in patients with septic shock: a randomized controlled study. <i>Critical Care</i> , 2010, 14, R232.	2.5	132
86	Renal Effects of Saline-based 10% Pentastarch versus 6% Tetrastarch Infusion in Ovine Endotoxemic Shock. <i>Anesthesiology</i> , 2010, 112, 936-947.	1.3	59
87	Fenoldopam to prevent renal replacement therapy after cardiac surgery. Design of the FENO-HSR study. <i>HSR Proceedings in Intensive Care & Cardiovascular Anesthesia</i> , 2010, 2, 111-7.	0.6	1
88	Role of arginine vasopressin and terlipressin as first-line vasopressor agents in fulminant ovine septic shock. <i>Intensive Care Medicine</i> , 2009, 35, 1286-1296.	3.9	44
89	Clinical effects of laparotomy with perioperative continuous peritoneal lavage and postoperative hemofiltration in patients with severe acute pancreatitis. <i>World Journal of Emergency Surgery</i> , 2009, 4, 45.	2.1	14
90	Continuous terlipressin versus vasopressin infusion in septic shock (TERLIVAP): a randomized, controlled pilot study. <i>Critical Care</i> , 2009, 13, R130.	2.5	186

#	ARTICLE	IF	CITATIONS
91	Terlipressin: a promising vasoactive agent in hemodynamic support of septic shock. <i>Expert Opinion on Pharmacotherapy</i> , 2009, 10, 2569-2575.	0.9	21
92	Terlipressinâ€”More than just a prodrug of lysine vasopressin?*. <i>Critical Care Medicine</i> , 2009, 37, 1135-1136.	0.4	10
93	Reducing the Risk of Major Elective Non-cardiac Surgery: Is there a Role for Levosimendan in the Preoperative Optimization of Cardiac Function?. <i>Current Drug Targets</i> , 2009, 10, 863-871.	1.0	15
94	Cardiac protection by volatile anesthetics in non-cardiac surgery? A meta-analysis of randomized controlled studies on clinically relevant endpoints. <i>HSR Proceedings in Intensive Care & Cardiovascular Anesthesia</i> , 2009, 1, 34-43.	0.6	31
95	Current place of vasopressin analogues in the treatment of septic shock. <i>Current Infectious Disease Reports</i> , 2008, 10, 362-367.	1.3	5
96	Diagnostic accuracy of bedside ultrasonography in the ICU: feasibility of detecting pulmonary effusion and lung contusion in patients on respiratory support after severe blunt thoracic trauma. <i>Acta Anaesthesiologica Scandinavica</i> , 2008, 52, 776-784.	0.7	94
97	â€œTerlipressin in the treatment of septic shock: the earlier the better?â€• <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2008, 22, 317-321.	1.7	11
98	Role of vasopressinergic V1 receptor agonists in the treatment of perioperative catecholamine-refractory arterial hypotension. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2008, 22, 369-381.	1.7	21
99	Cardiac Protection With Volatile Anesthetics in Stenting Procedures. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 543-547.	0.6	29
100	Phenylephrine versus norepinephrine for initial hemodynamic support of patients with septic shock: a randomized, controlled trial. <i>Critical Care</i> , 2008, 12, R143.	2.5	126
101	Dobutamine and terlipressin in patients with septic shock. <i>British Journal of Anaesthesia</i> , 2008, 101, 125-126.	1.5	0
102	Effects of short-term simultaneous infusion of dobutamine and terlipressin in patients with septic shock: the DOBUPRESS study. <i>British Journal of Anaesthesia</i> , 2008, 100, 494-503.	1.5	101
103	SHORT-TERM EFFECTS OF PHENYLEPHRINE ON SYSTEMIC AND REGIONAL HEMODYNAMICS IN PATIENTS WITH SEPTIC SHOCK. <i>Shock</i> , 2008, 29, 446-451.	1.0	52
104	Calcium sensitizing in sepsis: Is levosimendan on the right path?*. <i>Critical Care Medicine</i> , 2008, 36, 1981-1982.	0.4	5
105	Levo is in the air: Take a deep breath!*. <i>Critical Care Medicine</i> , 2008, 36, 1979-1981.	0.4	4
106	Inhibition of potassium channels in critical illness. <i>Current Opinion in Anaesthesiology</i> , 2008, 21, 105-110.	0.9	15
107	Vasopressin and the kidney: Two false friends?*. <i>Critical Care Medicine</i> , 2008, 36, 3111-3112.	0.4	0
108	SOMATOSTATIN INFUSION INCREASES INTESTINAL ISCHEMIA AND DOES NOT IMPROVE VASOCONSTRICTOR RESPONSE TO NOREPINEPHRINE IN OVINE ENDOTOXEMIA. <i>Shock</i> , 2008, 30, 603-609.	1.0	2

#	ARTICLE	IF	CITATIONS
109	Prevention of Cardiac Surgery-Associated Acute Kidney Injury. International Journal of Artificial Organs, 2008, 31, 179-189.	0.7	49
110	EMPLOYING DOBUTAMINE AS A USEFUL AGENT TO REVERSE THE TERLIPRESSIN-LINKED IMPAIRMENTS IN CARDIOPULMONARY HEMODYNAMICS AND GLOBAL OXYGEN TRANSPORT IN HEALTHY AND ENDOTOXEMIC SHEEP. Shock, 2008, 29, 71-77.	1.0	12
111	Exogenous adrenomedullin prevents and reverses hypodynamic circulation and pulmonary hypertension in ovine endotoxaemia. British Journal of Anaesthesia, 2007, 99, 830-836.	1.5	23
112	Letter by Guarracino et al Regarding Article, "Direct Myocardial Effects of Levosimendan in Humans With Left Ventricular Dysfunction: Alteration of Force-Frequency and Relaxation-Frequency Relationships" Circulation, 2007, 116, e346; author reply e347.	1.6	1
113	Ten years of vasopressin research in septic shock: Constant dripping wears the stone*. Critical Care Medicine, 2007, 35, 2447-2448.	0.4	11
114	CONTINUOUSLY INFUSED GLIPIZIDE REVERSES THE HYPERDYNAMIC CIRCULATION IN OVINE ENDOTOXEMIA. Shock, 2007, 27, 701-706.	1.0	11
115	Dear levosimendan, the right ventricle will thank you!*. Critical Care Medicine, 2007, 35, 952-953.	0.4	33
116	ROLE OF ADENOSINE TRIPHOSPHATE-SENSITIVE POTASSIUM CHANNEL INHIBITION IN SHOCK STATES. Shock, 2007, 28, 394-400.	1.0	37
117	METHYLPREDNISOLONE REVERSES VASOPRESSIN HYPORESPONSIVENESS IN OVINE ENDOTOXEMIA. Shock, 2007, 27, 281-288.	1.0	47
118	Effects of vasopressin and terlipressin in ovine septic shock on mesenteric blood flow and survival. Critical Care, 2007, 11, P19.	2.5	3
119	Continuous terlipressin infusion in patients with septic shock: less may be best, and the earlier the better?. Intensive Care Medicine, 2007, 33, 1669-1670.	3.9	53
120	CONTINUOUS VERSUS BOLUS INFUSION OF TERLIPRESSIN IN OVINE ENDOTOXEMIA. Shock, 2007, 28, 623-629.	1.0	50
121	GLIBENCLAMIDE DOSE RESPONSE IN PATIENTS WITH SEPTIC SHOCK. Shock, 2007, 28, 530-535.	1.0	38
122	Dobutamine reverses the vasopressin-associated impairment in cardiac index and systemic oxygen supply in ovine endotoxemia. Critical Care, 2006, 10, R144.	2.5	13
123	Effects of levosimendan on right ventricular afterload in patients with acute respiratory distress syndrome: A pilot study*. Critical Care Medicine, 2006, 34, 2287-2293.	0.4	283
124	The calcium sensitizer levosimendan improves carbon monoxide poisoning related stunned myocardium: a cardiac magnetic resonance study. Acta Anaesthesiologica Scandinavica, 2006, 50, 897-898.	0.7	4
125	Effects of levosimendan on systemic and regional hemodynamics in septic myocardial depression. Intensive Care Medicine, 2006, 32, 791-792.	3.9	3
126	Preconditioning effects of levosimendan in coronary artery bypass grafting—a pilot study. British Journal of Anaesthesia, 2006, 96, 694-700.	1.5	103

#	ARTICLE	IF	CITATIONS
127	METHYLPREDNISOLONE REVERSES VASOPRESSIN HYPORESPONSIVENESS IN OVINE ENDOTOXEMIA.. Critical Care Medicine, 2006, 34, A147.	0.4	0
128	EXOGENOUS ADRENOMEDULLIN PREVENTS AND REVERSES THE SHIFT FROM HYPERDYNAMIC TO HYPO-DYNAMIC ENDOTOXEMIA IN SHEEP.. Critical Care Medicine, 2006, 34, A154.	0.4	0
129	Prophylactic fenoldopam for renal protection in sepsis: A randomized, double-blind, placebo-controlled pilot trial*. Critical Care Medicine, 2005, 33, 2451-2456.	0.4	116
130	Terlipressin versus Norepinephrine to Counteract Anesthesia-induced Hypotension in Patients Treated with Renin-Angiotensin System Inhibitors: Effects on Systemic and Regional Hemodynamics. Anesthesiology, 2005, 102, 12-19.	1.3	49
131	Effects of levosimendan on systemic and regional hemodynamics in septic myocardial depression. Intensive Care Medicine, 2005, 31, 638-644.	3.9	332
132	Noninvasive Ventilation by Helmet or Face Mask in Immunocompromised Patients. Chest, 2004, 126, 1508-1515.	0.4	112
133	Modeling Serum Creatinine in Septic ICU Patients. Cardiovascular Engineering (Dordrecht,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5	1.0	1
134	A comparative evaluation of thermodilution and partial CO2 rebreathing techniques for cardiac output assessment in critically ill patients during assisted ventilation. Intensive Care Medicine, 2004, 30, 82-87.	3.9	71
135	Effects of terlipressin on systemic and regional haemodynamics in catecholamine-treated hyperkinetic septic shock. Intensive Care Medicine, 2004, 30, 597-604.	3.9	154
136	Terlipressin in patients with septic shock: friend or foe?. Intensive Care Medicine, 2004, 30, 992-992.	3.9	8
137	Effects of Short-term Fenoldopam Infusion on Gastric Mucosal Blood Flow in Septic Shock. Anesthesiology, 2004, 101, 576-582.	1.3	17
138	Monitoring Renal Oxygen Supply in Critically-Ill Patients Using Urinary Oxygen Tension. Anesthesia and Analgesia, 2003, 97, 1764-1768.	1.1	24
139	Use of a lighted stylet for intubation via the laryngeal mask airway. Canadian Journal of Anaesthesia, 1998, 45, 556-560.	0.7	11
140	The intubating laryngeal maskClinical appraisal of ventilation and blind tracheal intubation in 110 patients. Anaesthesia, 1998, 53, 1084-1090.	1.8	57
141	Correspondence. Journal of Clinical Anesthesia, 1998, 10, 263-264.	0.7	9