

Ton G Van Leeuwen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5096787/publications.pdf>

Version: 2024-02-01

348
papers

14,721
citations

19657

61
h-index

24982

109
g-index

356
all docs

356
docs citations

356
times ranked

14638
citing authors

#	ARTICLE	IF	CITATIONS
1	Methodological Guidelines to Study Extracellular Vesicles. <i>Circulation Research</i> , 2017, 120, 1632-1648.	4.5	728
2	Particle size distribution of exosomes and microvesicles determined by transmission electron microscopy, flow cytometry, nanoparticle tracking analysis, and resistive pulse sensing. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 1182-1192.	3.8	698
3	Optical and non-optical methods for detection and characterization of microparticles and exosomes. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 2596-2607.	3.8	454
4	Single vs. swarm detection of microparticles and exosomes by flow cytometry. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 919-930.	3.8	334
5	A literature review and novel theoretical approach on the optical properties of whole blood. <i>Lasers in Medical Science</i> , 2014, 29, 453-479.	2.1	310
6	Recent developments in optical coherence tomography for imaging the retina. <i>Progress in Retinal and Eye Research</i> , 2007, 26, 57-77.	15.5	304
7	Review of laser speckle contrast techniques for visualizing tissue perfusion. <i>Lasers in Medical Science</i> , 2009, 24, 639-651.	2.1	296
8	Quantitative measurement of attenuation coefficients of weakly scattering media using optical coherence tomography. <i>Optics Express</i> , 2004, 12, 4353.	3.4	271
9	Initial results of in vivo non-invasive cancer imaging in the human breast using near-infrared photoacoustics. <i>Optics Express</i> , 2007, 15, 12277.	3.4	260
10	Review of methodological developments in laser Doppler flowmetry. <i>Lasers in Medical Science</i> , 2009, 24, 269-283.	2.1	228
11	Hyperspectral imaging for non-contact analysis of forensic traces. <i>Forensic Science International</i> , 2012, 223, 28-39.	2.2	223
12	Oxygen Saturation-Dependent Absorption and Scattering of Blood. <i>Physical Review Letters</i> , 2004, 93, 028102.	7.8	222
13	Serial noninvasive photoacoustic imaging of neovascularization in tumor angiogenesis. <i>Optics Express</i> , 2005, 13, 89.	3.4	219
14	The Twente Photoacoustic Mammoscope: system overview and performance. <i>Physics in Medicine and Biology</i> , 2005, 50, 2543-2557.	3.0	201
15	Temperature dependence of the absorption coefficient of water for midinfrared laser radiation. <i>Lasers in Surgery and Medicine</i> , 1994, 14, 258-268.	2.1	196
16	Visualizing breast cancer using the Twente photoacoustic mammoscope: What do we learn from twelve new patient measurements?. <i>Optics Express</i> , 2012, 20, 11582.	3.4	185
17	Refractive Index Determination of Nanoparticles in Suspension Using Nanoparticle Tracking Analysis. <i>Nano Letters</i> , 2014, 14, 6195-6201.	9.1	161
18	Intraluminal vapor bubble induced by excimer laser pulse causes microsecond arterial dilation and invagination leading to extensive wall damage in the rabbit.. <i>Circulation</i> , 1993, 87, 1258-1263.	1.6	152

#	ARTICLE	IF	CITATIONS
19	Light absorption of (oxy-)hemoglobin assessed by spectroscopic optical coherence tomography. Optics Letters, 2003, 28, 1436.	3.3	150
20	Mitochondrial PO ₂ measured by delayed fluorescence of endogenous protoporphyrin IX. Nature Methods, 2006, 3, 939-945.	19.0	148
21	Localized measurement of optical attenuation coefficients of atherosclerotic plaque constituents by quantitative optical coherence tomography. IEEE Transactions on Medical Imaging, 2005, 24, 1369-1376.	8.9	141
22	In vivo photoacoustic imaging of blood vessels with a pulsed laser diode. Lasers in Medical Science, 2006, 21, 134-139.	2.1	138
23	Origin of arterial wall dissections induced by pulsed excimer and mid-infrared laser ablation in the pig. Journal of the American College of Cardiology, 1992, 19, 1610-1618.	2.8	137
24	Blood clearance and tissue distribution of PEGylated and non-PEGylated gold nanorods after intravenous administration in rats. Nanomedicine, 2011, 6, 339-349.	3.3	136
25	<i>In vitro</i> toxicity studies of polymer-coated gold nanorods. Nanotechnology, 2010, 21, 145101.	2.6	134
26	Real-time in vivo photoacoustic and ultrasound imaging. Journal of Biomedical Optics, 2008, 13, 1.	2.6	133
27	Light Interactions with Gold Nanorods and Cells: Implications for Photothermal Nanotherapeutics. Nano Letters, 2011, 11, 1887-1894.	9.1	130
28	Standardization of extracellular vesicle measurements by flow cytometry through vesicle diameter approximation. Journal of Thrombosis and Haemostasis, 2018, 16, 1236-1245.	3.8	130
29	Noncontact tissue ablation by Holmium: YSGG laser pulses in blood. Lasers in Surgery and Medicine, 1991, 11, 26-34.	2.1	129
30	Measurement of the axial point spread function in scattering media using single-mode fiber-based optical coherence tomography. IEEE Journal of Selected Topics in Quantum Electronics, 2003, 9, 227-233.	2.9	129
31	Toward assessment of blood oxygen saturation by spectroscopic optical coherence tomography. Optics Letters, 2005, 30, 1015.	3.3	129
32	A New Generation of Optical Diagnostics for Bladder Cancer: Technology, Diagnostic Accuracy, and Future Applications. European Urology, 2009, 56, 287-297.	1.9	127
33	Reproducible extracellular vesicle size and concentration determination with tunable resistive pulse sensing. Journal of Extracellular Vesicles, 2014, 3, 25922.	12.2	126
34	Forensic quest for age determination of bloodstains. Forensic Science International, 2012, 216, 1-11.	2.2	120
35	Optical phantoms of varying geometry based on thin building blocks with controlled optical properties. Journal of Biomedical Optics, 2010, 15, 025001.	2.6	115
36	Photoacoustic image patterns of breast carcinoma and comparisons with Magnetic Resonance Imaging and vascular stained histopathology. Scientific Reports, 2015, 5, 11778.	3.3	111

#	ARTICLE	IF	CITATIONS
37	Speed-of-sound compensated photoacoustic tomography for accurate imaging. <i>Medical Physics</i> , 2012, 39, 7262-7271.	3.0	108
38	Synthesis and Bioconjugation of Gold Nanoparticles as Potential Molecular Probes for Light-Based Imaging Techniques. <i>International Journal of Biomedical Imaging</i> , 2007, 2007, 1-10.	3.9	105
39	Absolute sizing and label-free identification of extracellular vesicles by flow cytometry. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2018, 14, 801-810.	3.3	105
40	Combined Raman spectroscopy and optical coherence tomography device for tissue characterization. <i>Optics Letters</i> , 2008, 33, 1135.	3.3	104
41	Gold nanorods as molecular contrast agents in photoacoustic imaging: the promises and the caveats. <i>Contrast Media and Molecular Imaging</i> , 2011, 6, 389-400.	0.8	104
42	Velocity-estimation accuracy and frame-rate limitations in color Doppler optical coherence tomography. <i>Optics Letters</i> , 1998, 23, 1057.	3.3	101
43	Photoacoustic mammography laboratory prototype: imaging of breast tissue phantoms. <i>Journal of Biomedical Optics</i> , 2004, 9, 1172.	2.6	99
44	Age estimation of blood stains by hemoglobin derivative determination using reflectance spectroscopy. <i>Forensic Science International</i> , 2011, 206, 166-171.	2.2	98
45	Photoacoustic Imaging of the Breast Using the Twente Photoacoustic Mammoscope: Present Status and Future Perspectives. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2010, 16, 730-739.	2.9	94
46	Deep learning for automatic Gleason pattern classification for grade group determination of prostate biopsies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 77-83.	2.8	94
47	Hyperspectral imaging for the age estimation of blood stains at the crime scene. <i>Forensic Science International</i> , 2012, 223, 72-77.	2.2	93
48	Discrete dipole approximation simulations of gold nanorod optical properties: Choice of input parameters and comparison with experiment. <i>Journal of Applied Physics</i> , 2009, 105, .	2.5	84
49	Passive element enriched photoacoustic computed tomography (PER PACT) for simultaneous imaging of acoustic propagation properties and light absorption. <i>Optics Express</i> , 2011, 19, 2093.	3.4	84
50	Quantitative comparison of the OCT imaging depth at 1300 nm and 1600 nm. <i>Biomedical Optics Express</i> , 2010, 1, 176.	2.9	81
51	Identification and age estimation of blood stains on colored backgrounds by near infrared spectroscopy. <i>Forensic Science International</i> , 2012, 220, 239-244.	2.2	81
52	Photoacoustic determination of blood vessel diameter. <i>Physics in Medicine and Biology</i> , 2004, 49, 4745-4756.	3.0	79
53	Comparison of Generic Fluorescent Markers for Detection of Extracellular Vesicles by Flow Cytometry. <i>Clinical Chemistry</i> , 2018, 64, 680-689.	3.2	76
54	Imaging of tumor vasculature using Twente photoacoustic systems. <i>Journal of Biophotonics</i> , 2009, 2, 701-717.	2.3	73

#	ARTICLE	IF	CITATIONS
55	Iodide Impurities in Hexadecyltrimethylammonium Bromide (CTAB) Products: Lot-to-Lot Variations and Influence on Gold Nanorod Synthesis. <i>Langmuir</i> , 2010, 26, 5050-5055.	3.5	73
56	High-flow-velocity and shear-rate imaging by use of color Doppler optical coherence tomography. <i>Optics Letters</i> , 1999, 24, 1584.	3.3	67
57	Volumetric In-Vivo Visualization of Upper Urinary Tract Tumors Using Optical Coherence Tomography: A Pilot Study. <i>Journal of Urology</i> , 2013, 190, 2236-2242.	0.4	66
58	Concomitant speed-of-sound tomography in photoacoustic imaging. <i>Applied Physics Letters</i> , 2007, 91, .	3.3	64
59	Quantitative measurement of attenuation coefficients of bladder biopsies using optical coherence tomography for grading urothelial carcinoma of the bladder. <i>Journal of Biomedical Optics</i> , 2010, 15, 066013.	2.6	64
60	Determination of the scattering anisotropy with optical coherence tomography. <i>Optics Express</i> , 2011, 19, 6131.	3.4	64
61	Heartbeat-Induced Axial Motion Artifacts in Optical Coherence Tomography Measurements of the Retina. , 2011, 52, 3908.		63
62	Evaluation of superparamagnetic iron oxide nanoparticles (Endorem®) as a photoacoustic contrast agent for intra-operative nodal staging. <i>Contrast Media and Molecular Imaging</i> , 2013, 8, 83-91.	0.8	63
63	A clinical instrument for combined raman spectroscopy-optical coherence tomography of skin cancers. <i>Lasers in Surgery and Medicine</i> , 2011, 43, 143-151.	2.1	62
64	Differentiation between normal renal tissue and renal tumours using functional optical coherence tomography: a phase I in vivo human study. <i>BJU International</i> , 2012, 110, E415-20.	2.5	61
65	Limitations and Opportunities of Transcutaneous Bilirubin Measurements. <i>Pediatrics</i> , 2012, 129, 689-694.	2.1	60
66	Quantitative determination of localized tissue oxygen concentration in vivo by two-photon excitation phosphorescence lifetime measurements. <i>Journal of Applied Physiology</i> , 2004, 97, 1962-1969.	2.5	59
67	Biphasic Oxidation of Oxy-Hemoglobin in Bloodstains. <i>PLoS ONE</i> , 2011, 6, e21845.	2.5	59
68	Apoptosis- and necrosis-induced changes in light attenuation measured by optical coherence tomography. <i>Lasers in Medical Science</i> , 2010, 25, 259-267.	2.1	58
69	Quantitative blood flow velocity imaging using laser speckle flowmetry. <i>Scientific Reports</i> , 2016, 6, 25258.	3.3	58
70	Spectral domain optical coherence tomography imaging with an integrated optics spectrometer. <i>Optics Letters</i> , 2011, 36, 1293.	3.3	56
71	Twente Optical Perfusion Camera: system overview and performance for video rate laser Doppler perfusion imaging. <i>Optics Express</i> , 2009, 17, 3211.	3.4	55
72	Localized measurement of longitudinal and transverse flow velocities in colloidal suspensions using optical coherence tomography. <i>Physical Review E</i> , 2013, 88, 042312.	2.1	55

#	ARTICLE	IF	CITATIONS
73	Validation of quantitative attenuation and backscattering coefficient measurements by optical coherence tomography in the concentration-dependent and multiple scattering regime. <i>Journal of Biomedical Optics</i> , 2015, 20, 121314.	2.6	55
74	Multiple and dependent scattering effects in Doppler optical coherence tomography. <i>Optics Express</i> , 2010, 18, 3883.	3.4	54
75	Imaging Tumor Vascularization for Detection and Diagnosis of Breast Cancer. <i>Technology in Cancer Research and Treatment</i> , 2011, 10, 607-623.	1.9	53
76	Photoacoustic imaging of blood vessels with a double-ring sensor featuring a narrow angular aperture. <i>Journal of Biomedical Optics</i> , 2004, 9, 1327.	2.6	52
77	Quantitative optical coherence tomography of arterial wall components. <i>Lasers in Medical Science</i> , 2005, 20, 45-51.	2.1	52
78	Are quantitative attenuation measurements of blood by optical coherence tomography feasible?. <i>Optics Letters</i> , 2009, 34, 1435.	3.3	52
79	Detection of buried Barrett's glands after radiofrequency ablation with volumetric laser endomicroscopy. <i>Gastrointestinal Endoscopy</i> , 2016, 83, 80-88.	1.0	52
80	Integrated system for combined Raman spectroscopy and spectral domain optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2011, 16, 011007.	2.6	51
81	Dependent and multiple scattering in transmission and backscattering optical coherence tomography. <i>Optics Express</i> , 2013, 21, 29145.	3.4	51
82	Oxidation Monitoring by Fluorescence Spectroscopy Reveals the Age of Fingermarks. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 6272-6275.	13.8	51
83	Parametric imaging of attenuation by optical coherence tomography: review of models, methods, and clinical translation. <i>Journal of Biomedical Optics</i> , 2020, 25, 1.	2.6	51
84	Optical Diagnostics for Upper Urinary Tract Urothelial Cancer: Technology, Thresholds, and Clinical Applications. <i>Journal of Endourology</i> , 2015, 29, 113-123.	2.1	50
85	Poly(vinyl alcohol) gels as photoacoustic breast phantoms revisited. <i>Journal of Biomedical Optics</i> , 2011, 16, 075002.	2.6	49
86	Refractive index to evaluate staining specificity of extracellular vesicles by flow cytometry. <i>Journal of Extracellular Vesicles</i> , 2019, 8, 1643671.	12.2	48
87	Deriving Extracellular Vesicle Size From Scatter Intensities Measured by Flow Cytometry. <i>Current Protocols in Cytometry</i> , 2018, 86, e43.	3.7	47
88	Toward Spectral-Domain Optical Coherence Tomography on a Chip. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2012, 18, 1223-1233.	2.9	45
89	First experiences of photoacoustic imaging for detection of melanoma metastases in resected human lymph nodes. <i>Lasers in Surgery and Medicine</i> , 2012, 44, 541-549.	2.1	45
90	Initial results of imaging melanoma metastasis in resected human lymph nodes using photoacoustic computed tomography. <i>Journal of Biomedical Optics</i> , 2011, 16, 096021.	2.6	44

#	ARTICLE	IF	CITATIONS
91	Integrated-optics-based swept-source optical coherence tomography. <i>Optics Letters</i> , 2012, 37, 4820.	3.3	44
92	Intraoperative evaluation of perfusion in free flap surgery: A systematic review and meta-analysis. <i>Microsurgery</i> , 2018, 38, 804-818.	1.3	44
93	Hollow organosilica beads as reference particles for optical detection of extracellular vesicles. <i>Journal of Thrombosis and Haemostasis</i> , 2018, 16, 1646-1655.	3.8	44
94	Advanced Diagnostics in Renal Mass Using Optical Coherence Tomography: A Preliminary Report. <i>Journal of Endourology</i> , 2011, 25, 311-315.	2.1	43
95	Ultra-compact silicon photonic integrated interferometer for swept-source optical coherence tomography. <i>Optics Letters</i> , 2014, 39, 5228.	3.3	43
96	Techniques that acquire donor profiling information from fingermarks – A review. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2016, 56, 143-154.	2.1	43
97	Path-Length-Resolved Diffusive Particle Dynamics in Spectral-Domain Optical Coherence Tomography. <i>Physical Review Letters</i> , 2010, 105, 198302.	7.8	42
98	An optimized ultrasound detector for photoacoustic breast tomography. <i>Medical Physics</i> , 2013, 40, 032901.	3.0	41
99	Optical techniques for perfusion monitoring of the gastric tube after esophagectomy: a review of technologies and thresholds. <i>Ecological Management and Restoration</i> , 2018, 31, .	0.4	41
100	Excimer laser induced bubble: Dimensions, theory, and implications for laser angioplasty. , 1996, 18, 381-390.		40
101	Optical biopsy of epithelial cancers by optical coherence tomography (OCT). <i>Lasers in Medical Science</i> , 2013, 29, 1297-305.	2.1	40
102	Optical properties of neonatal skin measured in vivo as a function of age and skin pigmentation. <i>Journal of Biomedical Optics</i> , 2011, 16, 097003.	2.6	38
103	Irreversible electroporation of the porcine kidney: Temperature development and distribution. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 168.e1-168.e7.	1.6	38
104	Optical Coherence Tomography as a Tool for In-Vivo Staging and Grading of Upper Urinary Tract Urothelial Carcinoma: A Study of Diagnostic Accuracy. <i>Journal of Urology</i> , 2016, 196, 1749-1755.	0.4	38
105	Pilot feasibility study of in vivo intraoperative quantitative optical coherence tomography of human brain tissue during glioma resection. <i>Journal of Biophotonics</i> , 2019, 12, e201900037.	2.3	38
106	Partial vaporization model for pulsed mid-infrared laser ablation of water. <i>Journal of Applied Physics</i> , 1995, 78, 564-571.	2.5	37
107	Centrifugation affects the purity of liquid biopsy-based tumor biomarkers. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2018, 93, 1207-1212.	1.5	37
108	Label-free identification and chemical characterisation of single extracellular vesicles and lipoproteins by synchronous Rayleigh and Raman scattering. <i>Journal of Extracellular Vesicles</i> , 2020, 9, 1730134.	12.2	37

#	ARTICLE	IF	CITATIONS
109	Macular pigment optical density measurements: evaluation of a device using heterochromatic flicker photometry. <i>Eye</i> , 2011, 25, 105-112.	2.1	36
110	Design and evaluation of a laboratory prototype system for 3D photoacoustic full breast tomography. <i>Biomedical Optics Express</i> , 2013, 4, 2555.	2.9	36
111	Excimer laser ablation of soft tissue: a study of the content of rapidly expanding and collapsing bubbles. <i>IEEE Journal of Quantum Electronics</i> , 1994, 30, 1339-1345.	1.9	35
112	Optical coherence tomography in vulvar intraepithelial neoplasia. <i>Journal of Biomedical Optics</i> , 2012, 17, 116022.	2.6	35
113	Irreversible electroporation: Just another form of thermal therapy?. <i>Prostate</i> , 2015, 75, 332-335.	2.3	34
114	OCT Amplitude and Speckle Statistics of Discrete Random Media. <i>Scientific Reports</i> , 2017, 7, 14873.	3.3	34
115	Automated Detection and Grading of Non-Muscle-Invasive Urothelial Cell Carcinoma of the Bladder. <i>American Journal of Pathology</i> , 2020, 190, 1483-1490.	3.8	34
116	Comparative optical coherence tomography imaging of human esophagus: How accurate is localization of the muscularis mucosae?. <i>Gastrointestinal Endoscopy</i> , 2002, 56, 852-857.	1.0	34
117	Comparative optical coherence tomography imaging of human esophagus: How accurate is localization of the muscularis mucosae?. <i>Gastrointestinal Endoscopy</i> , 2002, 56, 852-857.	1.0	33
118	Photoacoustic imaging of portwine stains. <i>Lasers in Surgery and Medicine</i> , 2008, 40, 178-182.	2.1	33
119	Quantitative comparison of analysis methods for spectroscopic optical coherence tomography. <i>Biomedical Optics Express</i> , 2013, 4, 2570.	2.9	33
120	Quantitative measurements of absorption spectra in scattering media by low-coherence spectroscopy. <i>Optics Letters</i> , 2009, 34, 3746.	3.3	32
121	Measurements of wavelength dependent scattering and backscattering coefficients by low-coherence spectroscopy. <i>Journal of Biomedical Optics</i> , 2011, 16, 030503.	2.6	32
122	Simultaneous and localized measurement of diffusion and flow using optical coherence tomography. <i>Optics Express</i> , 2015, 23, 3448.	3.4	32
123	Speckles in laser Doppler perfusion imaging. <i>Optics Letters</i> , 2006, 31, 468.	3.3	31
124	Temperature-dependent optical properties of individual vascular wall components measured by optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2006, 11, 041120.	2.6	31
125	Surface Plasmon Resonance is an Analytically Sensitive Method for Antigen Profiling of Extracellular Vesicles. <i>Clinical Chemistry</i> , 2017, 63, 1633-1641.	3.2	31
126	Quantitative laser speckle flowmetry of the in vivo microcirculation using sidestream dark field microscopy. <i>Biomedical Optics Express</i> , 2013, 4, 2347.	2.9	30

#	ARTICLE	IF	CITATIONS
127	Dual excitation wavelength system for combined fingerprint and high wavenumber Raman spectroscopy. <i>Analyst, The</i> , 2018, 143, 6049-6060.	3.5	30
128	Prostate cancer diagnosis: the feasibility of needle-based optical coherence tomography. <i>Journal of Medical Imaging</i> , 2015, 2, 037501.	1.5	28
129	Path-length-resolved measurements of multiple scattered photons in static and dynamic turbid media using phase-modulated low-coherence interferometry. <i>Journal of Biomedical Optics</i> , 2007, 12, 024020.	2.6	27
130	Infrared Imaging of the Crime Scene: Possibilities and Pitfalls. <i>Journal of Forensic Sciences</i> , 2013, 58, 1156-1162.	1.6	27
131	Differential Pathlength Spectroscopy for the Quantitation of Optical Properties of Gold Nanoparticles. <i>ACS Nano</i> , 2010, 4, 4081-4089.	14.6	26
132	Validation of Confocal Laser Endomicroscopy Features of Bladder Cancer: The Next Step Towards Real-time Histologic Grading. <i>European Urology Focus</i> , 2020, 6, 81-87.	3.1	26
133	Quantification of optical Doppler broadening and optical path lengths of multiply scattered light by phase modulated low coherence interferometry. <i>Optics Express</i> , 2007, 15, 9157.	3.4	25
134	Identification and detection of protein markers to differentiate between forensically relevant body fluids. <i>Forensic Science International</i> , 2018, 290, 196-206.	2.2	25
135	Simultaneous labeling of multiple components in a single fingerprint. <i>Forensic Science International</i> , 2013, 232, 173-179.	2.2	24
136	Prostate cancer diagnosis by optical coherence tomography: First results from a needle based optical platform for tissue sampling. <i>Journal of Biophotonics</i> , 2016, 9, 490-498.	2.3	24
137	Some Laser-Tissue Interactions in 308 nm Excimer Laser Coronary Angioplasty. <i>Journal of Interventional Cardiology</i> , 1990, 3, 231-241.	1.2	23
138	Pulsed Laser Ablation of Soft Tissue. , 1995, , 709-763.		23
139	Diameter measurement from images of fluorescent cylinders embedded in tissue. <i>Medical and Biological Engineering and Computing</i> , 2008, 46, 589-596.	2.8	23
140	Senile retinoschisis versus retinal detachment, the additional value of peripheral retinal OCT scans (SL SCANâ€1, Topcon). <i>Acta Ophthalmologica</i> , 2014, 92, 221-227.	1.1	23
141	The efficacy and safety of irreversible electroporation for the ablation of renal masses: a prospective, human, in-vivo study protocol. <i>BMC Cancer</i> , 2015, 15, 165.	2.6	23
142	Visualization of Latent Blood Stains Using Visible Reflectance Hyperspectral Imaging and Chemometrics. <i>Journal of Forensic Sciences</i> , 2015, 60, S188-92.	1.6	23
143	On the autofluorescence of aged fingerprints. <i>Forensic Science International</i> , 2016, 258, 19-25.	2.2	23
144	Simple and robust calibration procedure for k-linearization and dispersion compensation in optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2019, 24, 1.	2.6	23

#	ARTICLE	IF	CITATIONS
145	3D finite compartment modeling of formation and healing of bruises may identify methods for age determination of bruises. <i>Medical and Biological Engineering and Computing</i> , 2010, 48, 911-921.	2.8	22
146	Volumetric laser endomicroscopy in Barrett's esophagus: a feasibility study on histological correlation. <i>Ecological Management and Restoration</i> , 2016, 29, 505-512.	0.4	22
147	Deep Learning-based Recurrence Prediction in Patients with Non-muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2022, 8, 165-172.	3.1	22
148	Optical coherence tomography of the Ex-PRESS miniature glaucoma implant. <i>Lasers in Medical Science</i> , 2005, 20, 41-44.	2.1	21
149	In vivo low-coherence spectroscopic measurements of local hemoglobin absorption spectra in human skin. <i>Journal of Biomedical Optics</i> , 2011, 16, 100504.	2.6	21
150	The Compatibility of Fingerprint Visualization Techniques with Immunolabeling. <i>Journal of Forensic Sciences</i> , 2013, 58, 999-1002.	1.6	21
151	Comparison of optical coherence tomography and histopathology in quantitative assessment of goat talus articular cartilage. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 257-263.	3.3	21
152	Refractive index measurement using single fiber reflectance spectroscopy. <i>Journal of Biophotonics</i> , 2019, 12, e201900019.	2.3	21
153	Synchronized Rayleigh and Raman scattering for the characterization of single optically trapped extracellular vesicles. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2020, 24, 102109.	3.3	21
154	Reflection mode photoacoustic measurement of speed of sound. <i>Optics Express</i> , 2007, 15, 3291.	3.4	20
155	Measurement of biofilm growth and local hydrodynamics using optical coherence tomography. <i>Biomedical Optics Express</i> , 2016, 7, 3508.	2.9	20
156	Cancer-ID: Toward Identification of Cancer by Tumor-Derived Extracellular Vesicles in Blood. <i>Frontiers in Oncology</i> , 2020, 10, 608.	2.8	20
157	Comparison of retinal nerve fiber layer thickness measurements by spectral-domain optical coherence tomography systems using a phantom eye model. <i>Journal of Biophotonics</i> , 2013, 6, 314-320.	2.3	19
158	Effects of absorption on coherence domain path length resolved dynamic light scattering in the diffuse regime. <i>Applied Physics Letters</i> , 2002, 81, 595-597.	3.3	18
159	Influence of tissue optical properties on laser Doppler perfusion imaging, accounting for photon penetration depth and the laser speckle phenomenon. <i>Journal of Biomedical Optics</i> , 2008, 13, 024001.	2.6	18
160	Feasibility of noncontact piezoelectric detection of photoacoustic signals in tissue-mimicking phantoms. <i>Journal of Biomedical Optics</i> , 2010, 15, 055011.	2.6	18
161	Acousto-optic-assisted diffuse optical tomography. <i>Optics Letters</i> , 2011, 36, 1539.	3.3	18
162	Three-dimensional histopathological reconstruction of bladder tumours. <i>Diagnostic Pathology</i> , 2019, 14, 25.	2.0	18

#	ARTICLE	IF	CITATIONS
163	A Systematic Approach to Improve Scatter Sensitivity of a Flow Cytometer for Detection of Extracellular Vesicles. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2020, 97, 582-591.	1.5	18
164	Irreversible Electroporation for the Ablation of Renal Cell Carcinoma: A Prospective, Human, In Vivo Study Protocol (IDEAL Phase 2b). <i>JMIR Research Protocols</i> , 2017, 6, e21.	1.0	18
165	In-situ imaging of articular cartilage of the first carpometacarpal joint using co-registered optical coherence tomography and computed tomography. <i>Journal of Biomedical Optics</i> , 2012, 17, 060501.	2.6	17
166	Modeling subdiffusive light scattering by incorporating the tissue phase function and detector numerical aperture. <i>Journal of Biomedical Optics</i> , 2017, 22, 050501.	2.6	17
167	Detection of extracellular vesicles in plasma and urine of prostate cancer patients by flow cytometry and surface plasmon resonance imaging. <i>PLoS ONE</i> , 2020, 15, e0233443.	2.5	17
168	Needle-based optical coherence tomography for the detection of prostate cancer: a visual and quantitative analysis in 20 patients. <i>Journal of Biomedical Optics</i> , 2018, 23, 1.	2.6	17
169	Compensatory Enlargement in Coronary and Femoral Arteries Is Related to Neither the Extent of Plaque-Free Vessel Wall Nor Lesion Eccentricity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2617-2621.	2.4	16
170	Multiple passive element enriched photoacoustic computed tomography. <i>Optics Letters</i> , 2011, 36, 2809.	3.3	16
171	Can color inhomogeneity of bruises be used to establish their age?. <i>Journal of Biophotonics</i> , 2011, 4, 759-767.	2.3	16
172	Multiple scattering effects in Doppler optical coherence tomography of flowing blood. <i>Physics in Medicine and Biology</i> , 2012, 57, 1907-1917.	3.0	16
173	Immunolabeling and the compatibility with a variety of fingermark development techniques. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2014, 54, 356-362.	2.1	15
174	Functional optical coherence tomography of pigmented lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 738-744.	2.4	15
175	Percutaneous Needle Based Optical Coherence Tomography for the Differentiation of Renal Masses: a Pilot Cohort. <i>Journal of Urology</i> , 2016, 195, 1578-1585.	0.4	15
176	Spectral domain detection in low-coherence spectroscopy. <i>Biomedical Optics Express</i> , 2012, 3, 2263.	2.9	14
177	Immunolabeling of fingermarks left on forensic relevant surfaces, including thermal paper. <i>Analytical Methods</i> , 2014, 6, 1051.	2.7	14
178	The Value of Optical Coherence Tomography in Determining Surgical Margins in Squamous Cell Carcinoma of the Vulva: A Single-Center Prospective Study. <i>International Journal of Gynecological Cancer</i> , 2015, 25, 112-118.	2.5	14
179	Photoacoustic imaging of valves in superficial veins. <i>Lasers in Surgery and Medicine</i> , 2006, 38, 740-744.	2.1	13
180	Customized Tool for the Validation of Optical Coherence Tomography in Differentiation of Prostate Cancer. <i>Technology in Cancer Research and Treatment</i> , 2017, 16, 57-65.	1.9	13

#	ARTICLE	IF	CITATIONS
181	Periocular CO ₂ laser resurfacing: severe ocular complications from multiple unintentional laser impacts on the protective metal eye shields. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 980-986.	2.1	13
182	Toward Automated <i>In Vivo</i> Bladder Tumor Stratification Using Confocal Laser Endomicroscopy. <i>Journal of Endourology</i> , 2019, 33, 930-937.	2.1	13
183	Grading upper tract urothelial carcinoma with the attenuation coefficient of <i>in vivo</i> optical coherence tomography. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 399-406.	2.1	13
184	Multiplex body fluid identification using surface plasmon resonance imaging with principal component analysis. <i>Sensors and Actuators B: Chemical</i> , 2019, 283, 355-362.	7.8	13
185	Single fiber reflectance spectroscopy calibration. <i>Journal of Biomedical Optics</i> , 2017, 22, 1.	2.6	13
186	Confocal Laser Endomicroscopy for the Diagnosis of Urothelial Carcinoma in the Bladder and the Upper Urinary Tract: Protocols for Two Prospective Exploratory Studies. <i>JMIR Research Protocols</i> , 2018, 7, e34.	1.0	13
187	Treatment of coronary bifurcation lesions with the Absorb bioresorbable vascular scaffold in combination with the Tryton dedicated coronary bifurcation stent: evaluation using two- and three-dimensional optical coherence tomography. <i>EuroIntervention</i> , 2015, 11, 877-884.	3.2	13
188	Saline flush during excimer laser angioplasty: Short and long term effects in the rabbit femoral artery. , 1998, 23, 128-140.		12
189	Imaging of acoustic attenuation and speed of sound maps using photoacoustic measurements. <i>Proceedings of SPIE</i> , 2008, , .	0.8	12
190	Fourier Domain Optical Coherence Tomography integrated into a slit lamp; a novel technique combining anterior and posterior segment OCT. <i>Eye</i> , 2010, 24, 980-984.	2.1	12
191	Applicability of quantitative optical imaging techniques for intraoperative perfusion diagnostics: a comparison of laser speckle contrast imaging, sidestream dark-field microscopy, and optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2017, 22, 1.	2.6	12
192	EDTA stabilizes the concentration of platelet-derived extracellular vesicles during blood collection and handling. <i>Platelets</i> , 2022, 33, 764-771.	2.3	12
193	Discrimination between Doppler-shifted and non-shifted light in coherence domain path length resolved measurements of multiply scattered light. <i>Optics Express</i> , 2007, 15, 13340.	3.4	11
194	Doppler calibration method for Spectral Domain OCT spectrometers. <i>Journal of Biophotonics</i> , 2009, 2, 407-415.	2.3	11
195	Cell viability studies of PEG-thiol treated gold nanorods as optoacoustic contrast agents. , 2009, , .		11
196	Burn imaging with a whole field laser Doppler perfusion imager based on a CMOS imaging array. <i>Burns</i> , 2010, 36, 389-396.	1.9	11
197	Scanning beyond the limits of standard OCT with a Fourier domain optical coherence tomography integrated into a slit lamp: the SL SCAN-1. <i>Eye</i> , 2011, 25, 97-104.	2.1	11
198	Raman and Fluorescence Spectral Imaging of Live Breast Cancer Cells Incubated with PEGylated Gold Nanorods. <i>Applied Spectroscopy</i> , 2012, 66, 66-74.	2.2	11

#	ARTICLE	IF	CITATIONS
199	On-chip Mach-Zehnder interferometer for OCT systems. <i>Advanced Optical Technologies</i> , 2018, 7, 103-106.	1.7	11
200	Feasibility of Optical Coherence Tomography (OCT) for Intra-Operative Detection of Blood Flow during Gastric Tube Reconstruction. <i>Sensors</i> , 2018, 18, 1331.	3.8	11
201	Estimation of microvascular perfusion after esophagectomy: a quantitative model of dynamic fluorescence imaging. <i>Medical and Biological Engineering and Computing</i> , 2019, 57, 1889-1900.	2.8	11
202	Decreasing the Size of a Spectral Domain Optical Coherence Tomography System With Cascaded Arrayed Waveguide Gratings in a Photonic Integrated Circuit. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2019, 25, 1-9.	2.9	11
203	UVB-activated Psoralen Reduces Luminal Narrowing After Balloon Dilation Because of Inhibition of Constrictive Remodeling. <i>Photochemistry and Photobiology</i> , 2002, 75, 68.	2.5	10
204	SiON Integrated Optics Elliptic Couplers for Fizeau-Based Optical Coherence Tomography. <i>Journal of Lightwave Technology</i> , 2010, 28, 2836-2842.	4.6	10
205	Optical mammography combined with fluorescence imaging: lesion detection using scatterplots. <i>Biomedical Optics Express</i> , 2011, 2, 1007.	2.9	10
206	Quantitative detection of gold nanoparticles on individual, unstained cancer cells by scanning electron microscopy. <i>Journal of Microscopy</i> , 2011, 244, 187-193.	1.8	10
207	The "nanobig rod" class of gold nanorods: optimized dimensions for improved <i>in vivo</i> therapeutic and imaging efficacy. <i>Nanotechnology</i> , 2013, 24, 215102.	2.6	10
208	<i>In Vivo</i> , Percutaneous, Needle Based, Optical Coherence Tomography of Renal Masses. <i>Journal of Visualized Experiments</i> , 2015, , .	0.3	10
209	Chip based common-path optical coherence tomography system with an on-chip microlens and multi-reference suppression algorithm. <i>Optics Express</i> , 2016, 24, 12635.	3.4	10
210	Visibility of fiducial markers used for image-guided radiation therapy on optical coherence tomography for registration with <i>CT</i> : An esophageal phantom study. <i>Medical Physics</i> , 2017, 44, 6570-6582.	3.0	10
211	One-to-one registration of <i>en face</i> optical coherence tomography attenuation coefficients with histology of a prostatectomy specimen. <i>Journal of Biophotonics</i> , 2019, 12, e201800274.	2.3	10
212	Prediction of DNA concentration in fingermarks using autofluorescence properties. <i>Forensic Science International</i> , 2019, 295, 128-136.	2.2	10
213	Quantitative attenuation analysis for identification of early Barrett's neoplasia in volumetric laser endomicroscopy. <i>Journal of Biomedical Optics</i> , 2017, 22, 086001.	2.6	10
214	Subdiffuse scattering model for single fiber reflectance spectroscopy. <i>Journal of Biomedical Optics</i> , 2020, 25, 1.	2.6	10
215	Analytical model for diffuse reflectance in single fiber reflectance spectroscopy. <i>Optics Letters</i> , 2020, 45, 2078.	3.3	10
216	Path-length-resolved optical Doppler perfusion monitoring. <i>Journal of Biomedical Optics</i> , 2007, 12, 060508.	2.6	9

#	ARTICLE	IF	CITATIONS
217	Region-of-interest breast images with the Twente Photoacoustic Mammoscope (PAM). , 2007, , .		9
218	Relation between the contrast in time integrated dynamic speckle patterns an the power spectral density of their temporal intensity fluctuations. Optics Express, 2010, 18, 21883.	3.4	9
219	Can we predict necrosis intra-operatively? Real-time optical quantitative perfusion imaging in surgery: study protocol for a prospective, observational, in vivo pilot study. Pilot and Feasibility Studies, 2017, 3, 65.	1.2	9
220	Effect of ephedrine on gastric conduit perfusion measured by laser speckle contrast imaging after esophagectomy: a prospective in vivo cohort study. Ecological Management and Restoration, 2018, 31, .	0.4	9
221	An In-vivo Prospective Study of the Diagnostic Yield and Accuracy of Optical Biopsy Compared with Conventional Renal Mass Biopsy for the Diagnosis of Renal Cell Carcinoma: The Interim Analysis. European Urology Focus, 2018, 4, 978-985.	3.1	9
222	The First <i>In Vivo</i> Needleâ€Based Optical Coherence Tomography in Human Prostate: A Safety and Feasibility Study. Lasers in Surgery and Medicine, 2019, 51, 390-398.	2.1	9
223	Estimating the Time of Deposition of Semen Traces using Fluorescence Proteinâ€Lipid Oxidation Signatures. Analytical Chemistry, 2019, 91, 3204-3208.	6.5	9
224	Multidiameter single-fiber reflectance spectroscopy of heavily pigmented skin: modeling the inhomogeneous distribution of melanin. Journal of Biomedical Optics, 2019, 24, 1.	2.6	9
225	Misinterpretation of solid sphere equivalent refractive index measurements and smallest detectable diameters of extracellular vesicles by flow cytometry. Scientific Reports, 2021, 11, 24151.	3.3	9
226	Remodeling of the atherosclerotic arterial wall. Coronary Artery Disease, 1997, 8, 415-422.	0.7	8
227	Function and Structure of Pressurized and Perfused Porcine Carotid Arteries. American Journal of Pathology, 2003, 163, 1743-1750.	3.8	8
228	Speckle size and decorrelation time; spaceâ€time correlation analysis of coherent light dynamically scattered from turbid media. Optics Communications, 2008, 281, 1755-1760.	2.1	8
229	Wavelength swept Ti:sapphire laser. Optics Communications, 2008, 281, 4975-4978.	2.1	8
230	Optimized endoscopic autofluorescence spectroscopy for the identification of premalignant lesions in Barrettâ€™s oesophagus. European Journal of Gastroenterology and Hepatology, 2013, 25, 1442-1449.	1.6	8
231	Assesment of apoptosis induced changes in scattering using optical coherence tomography. Journal of Biophotonics, 2016, 9, 913-923.	2.3	8
232	Quantitative change of perfusion in gastric tube reconstruction by sidestream dark field microscopy (SDF) after esophagectomy, a prospective in-vivo cohort study. European Journal of Surgical Oncology, 2021, 47, 1034-1041.	1.0	8
233	Subdiffuse scattering and absorption model for single fiber reflectance spectroscopy. Biomedical Optics Express, 2020, 11, 6620.	2.9	8
234	Arterial remodeling after balloon angioplasty of the coronary artery: An intravascular ultrasound study. American Heart Journal, 1997, 134, 680-684.	2.7	7

#	ARTICLE	IF	CITATIONS
235	Measurement of particle flux in a static matrix with suppressed influence of optical properties, using low coherence interferometry. <i>Optics Express</i> , 2010, 18, 2849.	3.4	7
236	Non-contact spectroscopic determination of large blood volume fractions in turbid media. <i>Biomedical Optics Express</i> , 2011, 2, 396.	2.9	7
237	Side branch healing patterns of the Tryton dedicated bifurcation stent: a 1-year optical coherence tomography follow-up study. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1445-1456.	1.5	7
238	Confocal Laser Endomicroscopy and Optical Coherence Tomography for the Diagnosis of Prostate Cancer: A Needle-Based, In Vivo Feasibility Study Protocol (IDEAL Phase 2A). <i>JMIR Research Protocols</i> , 2018, 7, e132.	1.0	7
239	Torsion measurement of catheters using polarized light in a single glass fibre. <i>Physics in Medicine and Biology</i> , 1998, 43, 1049-1057.	3.0	6
240	Evaluation of a multimode fiber optic low coherence interferometer for path length resolved Doppler measurements of diffuse light. <i>Review of Scientific Instruments</i> , 2007, 78, 126103.	1.3	6
241	Millimeter-resolution acousto-optic quantitative imaging in a tissue model system. <i>Journal of Biomedical Optics</i> , 2009, 14, 034031.	2.6	6
242	Time domain algorithm for accelerated determination of the first order moment of photo current fluctuations in high speed laser Doppler perfusion imaging. <i>Medical and Biological Engineering and Computing</i> , 2009, 47, 1103-9.	2.8	6
243	Learning curve and interobserver variance in quantification of the optical coherence tomography attenuation coefficient. <i>Journal of Biomedical Optics</i> , 2015, 20, 121313.	2.6	6
244	Sex determination from fingermarks using fluorescent <i>in situ</i> hybridization. <i>Analytical Methods</i> , 2018, 10, 1413-1419.	2.7	6
245	Quantification of Light Scattering Detection Efficiency and Background in Flow Cytometry. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2021, 99, 671-679.	1.5	6
246	Comparison of Optical Imaging Techniques to Quantitatively Assess the Perfusion of the Gastric Conduit during Oesophagectomy. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5522.	2.5	6
247	Bayesian analysis of depth resolved OCT attenuation coefficients. <i>Scientific Reports</i> , 2021, 11, 2263.	3.3	6
248	Experimental validation of a recently developed model for single-fiber reflectance spectroscopy. <i>Journal of Biomedical Optics</i> , 2021, 26, .	2.6	6
249	Optical coherence tomography accurately identifies patients with penile (pre) malignant lesions: A single center prospective study. <i>Urology Annals</i> , 2015, 7, 459.	0.6	6
250	Modified Fiber Tips for Laser Angioplasty: Mechanisms of Action. <i>Journal of Interventional Cardiology</i> , 1990, 3, 243-253.	1.2	5
251	NAOMI: nanoparticle assisted optical molecular imaging. , 2006, , .		5
252	Speed-of-sound imaging in a photoacoustic imager. , 2007, , .		5

#	ARTICLE	IF	CITATIONS
253	Doppler-based lateral motion tracking for optical coherence tomography. <i>Optics Letters</i> , 2012, 37, 2220.	3.3	5
254	Successful treatment of a long tapered lesion with two overlapping ABSORBÂ® bioresorbable vascular scaffolds of different diameters: Evaluation by three-dimensional optical coherence tomography. <i>International Journal of Cardiology</i> , 2013, 165, e26-e27.	1.7	5
255	Quantitative comparison of analysis methods for spectroscopic optical coherence tomography: reply to comment. <i>Biomedical Optics Express</i> , 2014, 5, 3034.	2.9	5
256	Optical coherence tomography to detect acute esophageal radiation-induced damage in mice: A validation study. <i>Journal of Biophotonics</i> , 2019, 12, e201800440.	2.3	5
257	Effect of probe pressure on skin tissue optical properties measurement using multi-diameter single fiber reflectance spectroscopy. <i>JPhys Photonics</i> , 2020, 2, 034008.	4.6	5
258	Feasibility of using optical coherence tomography to detect acute radiation-induced esophageal damage in small animal models. <i>Journal of Biomedical Optics</i> , 2018, 23, 1.	2.6	5
259	Psoralen and long wavelength ultraviolet radiation as an adjuvant therapy for prevention of intimal hyperplasia and constrictive remodeling after balloon dilation: A study in the rabbit iliac artery. , 1998, 23, 281-290.		4
260	Curve fitting for quantitative measurement of attenuation coefficients from OCT images. , 2005, , .		4
261	Laser Doppler Perfusion Imaging with a high-speed CMOS-camera. <i>Proceedings of SPIE</i> , 2007, , .	0.8	4
262	Acoustic property measurements in a photoacoustic imager. <i>Proceedings of SPIE</i> , 2007, , .	0.8	4
263	Quantification of spatial intensity correlations and photodetector intensity fluctuations of coherent light reflected from turbid particle suspensions. <i>Physical Review E</i> , 2007, 75, 060901.	2.1	4
264	High angle phase modulated low coherence interferometry for path length resolved Doppler measurements of multiply scattered light. <i>Optics Communications</i> , 2008, 281, 494-498.	2.1	4
265	Connecting laser Doppler perfusion imaging and laser speckle contrast analysis. , 2008, , .		4
266	Simultaneous imaging of ultrasound attenuation, speed of sound, and optical absorption in a photoacoustic setup. <i>Proceedings of SPIE</i> , 2009, , .	0.8	4
267	Enlarged acceptance angle of a finite size detector in photoacoustic imaging using acoustic lenses. <i>Proceedings of SPIE</i> , 2011, , .	0.8	4
268	Detection of early-stage age related macular degeneration with a compact rarebit test. <i>British Journal of Ophthalmology</i> , 2012, 96, 1354-1355.	3.9	4
269	How the blood pool properties at onset affect the temporal behavior of simulated bruises. <i>Medical and Biological Engineering and Computing</i> , 2012, 50, 165-171.	2.8	4
270	Fluorescence characteristics of human Barrett tissue specimens grafted on chick chorioallantoic membrane. <i>Lasers in Medical Science</i> , 2016, 31, 137-144.	2.1	4

#	ARTICLE	IF	CITATIONS
271	Autofluorescence imaging for improved visualization of joint structures during arthroscopic surgery. <i>Journal of Experimental Orthopaedics</i> , 2017, 4, 19.	1.8	4
272	Current position of diagnostics and surgical treatment for upper tract urothelial carcinoma. <i>Minerva Urology and Nephrology</i> , 2017, 69, 159-165.	2.5	4
273	Feasibility of using optical coherence tomography to detect radiation-induced fibrosis and residual cancer extent after neoadjuvant chemo-radiation therapy: an ex vivo study. <i>Biomedical Optics Express</i> , 2018, 9, 4196.	2.9	4
274	Toward improved endoscopic surveillance with multidiameter single fiber reflectance spectroscopy in patients with Barrett's esophagus. <i>Journal of Biophotonics</i> , 2021, 14, e202000351.	2.3	4
275	Oxygen saturation dependent absorption and scattering of whole blood. , 2004, , .		3
276	Characterization of a clinical prototype for photoacoustic mammography and some phantom studies. , 2005, , .		3
277	Breast imaging using the Twente photoacoustic mammoscope (PAM): new clinical measurements. , 2011, , .		3
278	Noninvasive fluence rate mapping in living tissues using magnetic resonance thermometry. <i>Journal of Biomedical Optics</i> , 2017, 22, 036001.	2.6	3
279	Weight velocity equations with 14â€“448â€“days time separated weights should not be used for infants under 3â€“ years of age. <i>Medical Hypotheses</i> , 2019, 129, 109234.	1.5	3
280	Limitations of Weight Velocity Analysis by Commercial Computer Program Growth Analyser Viewer Edition. <i>Annals of Biomedical Engineering</i> , 2019, 47, 297-305.	2.5	3
281	The compatibility of immunolabeling with STR profiling. <i>Forensic Science International: Genetics</i> , 2021, 52, 102485.	3.1	3
282	Ex-vivo study in nephroureterectomy specimens defining the role of 3-D upper urinary tract visualization using optical coherence tomography and endoluminal ultrasound. <i>Journal of Medical Imaging</i> , 2018, 5, 1.	1.5	3
283	Quantitative Fluorescence Imaging of Perfusionâ€“An Algorithm to Predict Anastomotic Leakage. <i>Life</i> , 2022, 12, 249.	2.4	3
284	Photoacoustic monitoring and imaging of blood vessel size in vivo. , 2003, , .		2
285	<title>Three-dimensional photoacoustic imaging of breast tissue phantoms</title>. , 2004, , .		2
286	First clinical trials of the Twente photoacoustic mammoscope (PAM). , 2007, , .		2
287	Effect of speckles on the depth sensitivity of laser Doppler perfusion imaging. <i>Optics Express</i> , 2007, 15, 10911.	3.4	2
288	Photoacoustic imaging of tumor angiogenesis. <i>Proceedings of SPIE</i> , 2008, , .	0.8	2

#	ARTICLE	IF	CITATIONS
289	Real-time photoacoustic and ultrasound imaging of human vasculature. Proceedings of SPIE, 2009, , .	0.8	2
290	In vivo optical path lengths and path length resolved doppler shifts of multiply scattered light. Lasers in Surgery and Medicine, 2010, 42, 852-860.	2.1	2
291	A clinical probe for combined Raman spectroscopy-optical coherence tomography (RS-OCT) of the skin cancers. , 2010, , .		2
292	Monte Carlo simulations shed light on Bathsheba's suspect breast. Journal of Biophotonics, 2014, 7, 323-331.	2.3	2
293	FA05.03: EFFECT OF EPHEDRINE ON GASTRIC CONDUIT PERFUSION MEASURED BY LASER SPECKLE CONTRAST IMAGING (LSCO) AFTER ESOPHAGECTOMY: A PROSPECTIVE IN-VIVO COHORT STUDY. Ecological Management and Restoration, 2018, 31, 10-10.	0.4	2
294	Pulsed Laser Tissue Interaction. , 2010, , 617-649.		2
295	Spectral domain, common path OCT in a handheld PIC based system. , 2018, , .		2
296	3D co-registration algorithm for catheter-based optical coherence tomography. OSA Continuum, 2020, 3, 2707.	1.8	2
297	Discrimination of atherosclerotic plaque constituents based on local measurements of optical attenuation coefficients by OCT. , 2005, 5686, 426.		1
298	Path length resolved Doppler measurements of multiple scattered photons in turbid media for various absorptions using phase modulated low-coherence interferometry. , 2006, , .		1
299	<title>Hematocrit-dependence of the scattering coefficient of blood determined by optical coherence tomography</title>. , 2006, , .		1
300	Imaging of venous valves with photoacoustics. , 2006, , .		1
301	NAOMI: nanoparticle-assisted optical molecular imaging. , 2007, , .		1
302	Blood oxygen saturation of frozen tissue determined by hyper spectral imaging. Proceedings of SPIE, 2008, , .	0.8	1
303	Spatial distributions of optical and acoustic properties and correlations with temperature in cyclically frozen-thawed poly(vinyl alcohol) gel breast phantoms. , 2011, , .		1
304	Absolute measurement of absorption coefficient by combining photoacoustics and acousto-optics. Proceedings of SPIE, 2011, , .	0.8	1
305	A custom-made linear array transducer for photoacoustic breast imaging. , 2012, , .		1
306	Design considerations for ultrasound detectors in photoacoustic breast imaging. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
307	Diffuse reflectance relations based on diffusion dipole theory for large absorption and reduced scattering. <i>Journal of Biomedical Optics</i> , 2013, 18, 087007.	2.6	1
308	Wound scabs protect regenerating tissue against harmful ultraviolet radiation. <i>Medical Hypotheses</i> , 2016, 96, 39-41.	1.5	1
309	Quantitative Assessment of Optical Properties in Healthy Cartilage and Repair Tissue by Optical Coherence Tomography and Histology. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2016, 22, 203-209.	2.9	1
310	PS01.186: QUANTITATIVE PERFUSION EVALUATION AFTER GASTRIC TUBE RECONSTRUCTION USING FLUORESCENCE IMAGING. <i>Ecological Management and Restoration</i> , 2018, 31, 102-103.	0.4	1
311	Computed Tomographyâ€“Mediated Registration of Trapeziometacarpal Articular Cartilage Using Intraarticular Optical Coherence Tomography and Cryomicrotome Imaging: A Cadaver Study. <i>Cartilage</i> , 2021, 13, 563S-570S.	2.7	1
312	Special Section Guest Editorial: Commemorating 25 Years of Optical Coherence Tomography: a Perspective on Biomedical Applications. <i>Journal of Biomedical Optics</i> , 2017, 22, 1.	2.6	1
313	Concentration Dependent Scattering Coefficients of Intralipid Measured with OCT. , 2010, , .		1
314	Pathlength distribution of (sub)diffusively reflected light. , 2019, , .		1
315	Notes on Past and Current Research at the Laser Centre in Amsterdam. <i>Medical Laser Application: International Journal for Laser Treatment and Research</i> , 2002, 17, 65-72.	0.3	0
316	Calculations of scattering by (de-)oxygenated whole blood. , 2004, , .		0
317	Photoacoustic imaging of blood vessels in the chorioallantoic membrane of a chicken embryo. , 2004, , .		0
318	Discrimination of atherosclerotic plaque constituents based on local measurements of optical attenuation coefficients by OCT. , 2005, , .		0
319	Temperature-dependent optical properties of individual vascular wall components measured by OCT. , 2006, 6078, 381.		0
320	Role of speckles in laser Doppler perfusion imaging: an investigation on particle suspensions. , 2006, , .		0
321	Depth sensitivity of laser Doppler perfusion imager: quantification based on experiments and Monte Carlo simulations on static and dynamic scattering phantoms. , 2007, , .		0
322	Photoacoustic imaging of port-wine stains. , 2007, , .		0
323	Quantification of Doppler broadening in path length resolved diffusive light scattering using phase modulated low-coherence interferometry. , 2007, , .		0
324	UVB-activated Psoralen Reduces Luminal Narrowing After Balloon Dilation Because of Inhibition of Constrictive Remodeling. <i>Photochemistry and Photobiology</i> , 2002, 75, 68-75.	2.5	0

#	ARTICLE	IF	CITATIONS
325	Time domain algorithm for whole field laser Doppler perfusion imaging. , 2009, , .		0
326	Path length resolved optical Doppler flowmetry. , 2009, , .		0
327	Structural and biochemical characterization of the rat retina with combined Raman spectroscopy-spectral domain optical coherence tomography (RS-SDOCT). Proceedings of SPIE, 2010, , .	0.8	0
328	Comparison of scanning beam and whole field laser Doppler perfusion imaging. , 2010, , .		0
329	Photoacoustic detection of iron oxide nanoparticles in resected rat lymph nodes. , 2012, , .		0
330	Adapted directivity approach for photoacoustic imaging reconstruction. Proceedings of SPIE, 2012, , .	0.8	0
331	Functional Optical Biopsy of epithelial tumors. , 2012, , .		0
332	Su1451 Endoscopic Multi-Wavelength Autofluorescence Spectroscopy Can Adequately Identify Premalignant Lesions in Barrett's Esophagus. Gastrointestinal Endoscopy, 2013, 77, AB328.	1.0	0
333	Su1723 Atlas of High-Quality Histological Correlations of Volumetric LASER Endomicroscopy Images of Barrett's Esophagus for Identification of Early Neoplasia. Gastrointestinal Endoscopy, 2015, 81, AB391-AB392.	1.0	0
334	Quantification of numerical aperture-dependence of the OCT attenuation coefficient (Conference) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50		
335	Detecting signs of retinal leakage in exudative AMD using Cirrus OCT versus SL SCAN-1, a novel integrated FD-OCT into a common slit lamp. Graefe's Archive for Clinical and Experimental Ophthalmology, 2016, 254, 37-41.	1.9	0
336	Integrated-optics based multi-beam imaging for speed improvement of OCT systems. Proceedings of SPIE, 2017, , .	0.8	0
337	VS03.01: QUANTITATIVE IMAGING OF CHANGE IN MICROCIRCULATION BY SIDESTREAM DARK FIELD MICROSCOPY (SDF) AFTER ESOPHAGECTOMY. Ecological Management and Restoration, 2018, 31, 47-48.	0.4	0
338	Enâ€face optical coherence tomography for the detection of cancer in prostatectomy specimens: Quantitative analysis in 20 patients. Journal of Biophotonics, 2020, 13, e201960105.	2.3	0
339	Low Coherence Spectroscopy (LCS) for depth resolved measurements of optical properties in tissue.. , 2004, , .		0
340	Apoptosis Induces Temporal Increase in Attenuation as Measured by Optical Coherence Tomography. , 2005, , .		0
341	Measurements of Wavelength Dependent Scattering Coefficients by Low Coherence Spectroscopy. , 2010, , .		0
342	FEM model based optimization of transducer geometry for photoacoustic imaging. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
343	Contribution of photothermal and photomechanical effects during tissue ablation by the XeCl-excimer laser. , 1994, , .		0
344	Adaptive STFT filtering to increase SNR in Color Doppler Optical Coherence Tomography. , 1999, , .		0
345	Improved forward scatter detection of a flow cytometer for detection of extracellular vesicles. , 2019, , .		0
346	Recurrence in Non-Muscle Invasive Bladder Cancer Patients: External Validation of the EORTC, CUETO and EAU Risk Tables and Towards a Non-Linear Survival Model. Bladder Cancer, 2020, 6, 277-284.	0.4	0
347	Limitations of Dutch Growth Research Foundation Commercial Software Weight Velocity for Age Standard Deviation Score. American Journal of Case Reports, 2020, 21, e925551.	0.8	0
348	Limitations of Dutch Growth Research Foundation Commercial Software Weight Velocity for Age Standard Deviation Score. American Journal of Case Reports, 2020, 21, e925551.	0.8	0