

Joanna Szpunar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5097865/publications.pdf>

Version: 2024-02-01

141
papers

7,328
citations

30070

54
h-index

62596

80
g-index

142
all docs

142
docs citations

142
times ranked

4400
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Advances in analytical methodology for bioinorganic speciation analysis: metallomics, metalloproteomics and heteroatom-tagged proteomics and metabolomics. <i>Analyst</i> , The, 2005, 130, 442. | 3.5 | 371 |
| 2 | Metallomics: the concept and methodology. <i>Chemical Society Reviews</i> , 2009, 38, 1119. | 38.1 | 309 |
| 3 | Bio-inorganic speciation analysis by hyphenated techniques. <i>Analyst</i> , The, 2000, 125, 963-988. | 3.5 | 271 |
| 4 | Metallomics: a new frontier in analytical chemistry. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 54-56. | 3.7 | 198 |
| 5 | Mass spectrometry in bioinorganic analytical chemistry. <i>Mass Spectrometry Reviews</i> , 2006, 25, 255-289. | 5.4 | 185 |
| 6 | Sample preparation and HPLC separation approaches to speciation analysis of selenium in yeast by ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 645-650. | 3.0 | 155 |
| 7 | Hyphenated Techniques for Elemental Speciation in Biological Systems. <i>Applied Spectroscopy</i> , 2003, 57, 102A-112A. | 2.2 | 144 |
| 8 | Identification of Water-Soluble Selenium-Containing Proteins in Selenized Yeast by Size-Exclusion-Reversed-Phase HPLC/ICPMS Followed by MALDI-TOF and Electrospray Q-TOF Mass Spectrometry. <i>Analytical Chemistry</i> , 2003, 75, 3765-3774. | 6.5 | 139 |
| 9 | Rapid speciation of butyltin compounds in sediments and biomaterials by capillary gas chromatography-microwave-induced plasma atomic emission spectrometry after microwave-assisted leaching/digestion. <i>Journal of Analytical Atomic Spectrometry</i> , 1996, 11, 193-199. | 3.0 | 119 |
| 10 | Speciation analysis of selenium in garlic by two-dimensional high-performance liquid chromatography with parallel inductively coupled plasma mass spectrometric and electrospray tandem mass spectrometric detection. <i>Analytica Chimica Acta</i> , 2000, 421, 147-153. | 5.4 | 115 |
| 11 | An approach to the identification of selenium species in yeast extracts using pneumatically-assisted electrospray tandem mass spectrometry. <i>Analytical Communications</i> , 1999, 36, 77-80. | 2.2 | 108 |
| 12 | Determination of selenocysteine and selenomethionine in edible animal tissues by 2D size-exclusion reversed-phase HPLC-ICP MS following carbamidomethylation and proteolytic extraction. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 1789-1798. | 3.7 | 108 |
| 13 | Gas chromatography with inductively coupled plasma mass spectrometric detection in speciation analysis. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2002, 57, 805-828. | 2.9 | 104 |
| 14 | The speciation of arsenic in biological tissues and the certification of reference materials for quality control. <i>TrAC - Trends in Analytical Chemistry</i> , 2003, 22, 191-209. | 11.4 | 102 |
| 15 | Investigation of metal-drug-protein interactions by size-exclusion chromatography coupled with inductively coupled plasma mass spectrometry (ICP-MS). <i>Analytica Chimica Acta</i> , 1999, 387, 135-144. | 5.4 | 99 |
| 16 | Discrimination of geographical origin of rice based on multi-element fingerprinting by high resolution inductively coupled plasma mass spectrometry. <i>Food Chemistry</i> , 2013, 141, 3504-3509. | 8.2 | 98 |
| 17 | Determination of rare earth elements in wine by inductively coupled plasma mass spectrometry using a microconcentric nebulizer. <i>Journal of Analytical Atomic Spectrometry</i> , 1996, 11, 713-721. | 3.0 | 97 |
| 18 | Multidimensional approaches in biochemical speciation analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2002, 373, 404-411. | 3.7 | 92 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Speciation analysis for iodine in milk by size-exclusion chromatography with inductively coupled plasma mass spectrometric detection (SEC-ICP MS). <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 1697-1702. | 3.0 | 89 |
| 20 | State of the art report of selenium speciation in biological samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2006, 21, 639-654. | 3.0 | 89 |
| 21 | Ultratrace determination of uranium and plutonium by nano-volume flow injection double-focusing sector field inductively coupled plasma mass spectrometry (nFI-ICP-SFMS). <i>Journal of Analytical Atomic Spectrometry</i> , 2005, 20, 17-21. | 3.0 | 88 |
| 22 | Characterization of Arsenic Species in Kidney of the Clam <i>Tridacnaderasaby</i> Multidimensional Liquid Chromatography-ICPMS and Electrospray Time-of-Flight Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2002, 74, 2370-2378. | 6.5 | 87 |
| 23 | Certification of a new selenized yeast reference material (SELM-1) for methionine, selenomethionine and total selenium content and its use in an intercomparison exercise for quantifying these analytes. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 385, 168-180. | 3.7 | 85 |
| 24 | Comprehensive speciation of selenium in selenium-rich yeast. <i>TrAC - Trends in Analytical Chemistry</i> , 2012, 41, 122-132. | 11.4 | 85 |
| 25 | Speciation of seleno compounds in yeast aqueous extracts by three-dimensional liquid chromatography with inductively coupled plasma mass spectrometric and electrospray mass spectrometric detection. <i>Analyst, The</i> , 2002, 127, 223-229. | 3.5 | 84 |
| 26 | A Novel Strategy for the Detection and Quantification of Nanoplastics by Single Particle Inductively Coupled Plasma Mass Spectrometry (ICP-MS). <i>Analytical Chemistry</i> , 2020, 92, 11664-11672. | 6.5 | 84 |
| 27 | Interfacing reversed-phase nanoHPLC with ICP-MS and on-line isotope dilution analysis for the accurate quantification of selenium-containing peptides in protein tryptic digests. <i>Journal of Analytical Atomic Spectrometry</i> , 2005, 20, 1101. | 3.0 | 79 |
| 28 | Methodological advances for selenium speciation analysis in yeast. <i>Analytica Chimica Acta</i> , 2003, 500, 171-183. | 5.4 | 78 |
| 29 | Speciation of arsenic in edible algae by bi-dimensional size-exclusion anion exchange HPLC with dual ICP-MS and electrospray MS/MS detection. <i>Journal of Analytical Atomic Spectrometry</i> , 2000, 15, 79-87. | 3.0 | 76 |
| 30 | Analysis for selenium speciation in selenized yeast extracts by two-dimensional liquid chromatography with ICP-MS and electrospray MS-MS detection. <i>Journal of Analytical Atomic Spectrometry</i> , 2001, 16, 68-73. | 3.0 | 76 |
| 31 | Development of a Nebulizer for a Sheathless Interfacing of NanoHPLC and ICPMS. <i>Analytical Chemistry</i> , 2006, 78, 965-971. | 6.5 | 76 |
| 32 | Single particle ICP-MS characterization of platinum nanoparticles uptake and bioaccumulation by <i>Lepidium sativum</i> and <i>Sinapis alba</i> plants. <i>Journal of Analytical Atomic Spectrometry</i> , 2016, 31, 2321-2329. | 3.0 | 75 |
| 33 | Biochemical speciation analysis by hyphenated techniques. <i>Analytica Chimica Acta</i> , 1999, 400, 321-332. | 5.4 | 72 |
| 34 | Identification of selenocompounds in yeast by electrospray quadrupole-time of flight mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2002, 17, 507-514. | 3.0 | 72 |
| 35 | Determination of selenomethionine, selenocysteine, and inorganic selenium in eggs by HPLC-inductively coupled plasma mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 731-741. | 3.7 | 72 |
| 36 | Speciation of cadmium in plant tissues by size-exclusion chromatography with ICP-MS detection. <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 1557-1566. | 3.0 | 70 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Investigation of arsenic speciation in oyster test reference material by multidimensional HPLC-ICP-MS and electrospray tandem mass spectrometry (ES-MS-MS). <i>Analyst, The</i> , 2001, 126, 1055-1062. | 3.5 | 70 |
| 38 | A systematic approach to selenium speciation in selenized yeast. <i>Journal of Analytical Atomic Spectrometry</i> , 2004, 19, 114-120. | 3.0 | 69 |
| 39 | Precolumn Isotope Dilution Analysis in nanoHPLC-ICPMS for Absolute Quantification of Sulfur-Containing Peptides. <i>Analytical Chemistry</i> , 2007, 79, 2859-2868. | 6.5 | 69 |
| 40 | Speciation Analysis for Organotin Compounds in Biomaterials after Integrated Dissolution, Extraction, and Derivatization in a Focused Microwave Field. <i>Analytical Chemistry</i> , 1996, 68, 4135-4140. | 6.5 | 67 |
| 41 | Analysis for metal complexes with metallothionein in rat liver by capillary zone electrophoresis using ICP double-focussing sector-field isotope dilution MS and electrospray MS detection. <i>Journal of Analytical Atomic Spectrometry</i> , 2002, 17, 908-912. | 3.0 | 67 |
| 42 | Multidimensional liquid chromatography with parallel ICP MS and electrospray MS/MS detection as a tool for the characterization of arsenic species in algae. <i>Analytical and Bioanalytical Chemistry</i> , 2002, 372, 457-466. | 3.7 | 67 |
| 43 | Trace element speciation analysis of biomaterials by high-performance liquid chromatography with inductively coupled plasma mass spectrometric detection. <i>TrAC - Trends in Analytical Chemistry</i> , 2000, 19, 127-137. | 11.4 | 64 |
| 44 | Speciation analysis for biomolecular complexes of lead in wine by size-exclusion high-performance liquid chromatography-inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1998, 13, 749-754. | 3.0 | 63 |
| 45 | Complementarity of MALDI and LA ICP mass spectrometry for platinum anticancer imaging in human tumor. <i>Metallomics</i> , 2014, 6, 1382-1386. | 2.4 | 63 |
| 46 | Identification of dimethylarsinoyl-riboside derivatives in seaweed by pneumatically assisted electrospray tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2000, 410, 71-84. | 5.4 | 62 |
| 47 | Complementarity of multidimensional HPLC-ICP-MS and electrospray MS-MS for speciation analysis of arsenic in algae. <i>Analytica Chimica Acta</i> , 2001, 440, 3-16. | 5.4 | 62 |
| 48 | An insight into silver nanoparticles bioavailability in rats. <i>Metallomics</i> , 2014, 6, 2242-2249. | 2.4 | 62 |
| 49 | Detection of selenocompounds in a tryptic digest of yeast selenoprotein by MALDI time-of-flight MS prior to their structural analysis by electrospray ionization triple quadrupole MS. <i>Analyst, The</i> , 2003, 128, 220-224. | 3.5 | 61 |
| 50 | Speciation analysis for organotin compounds in sediments by capillary gas chromatography with flame photometric detection after microwave-assisted acid leaching. <i>Analyst, The</i> , 1995, 120, 2665-2673. | 3.5 | 60 |
| 51 | Analysis of selenized yeast for selenium speciation by size-exclusion chromatography and capillary zone electrophoresis with inductively coupled plasma mass spectrometric detection (SEC-CZE-ICP-MS). <i>Journal of Analytical Atomic Spectrometry</i> , 2002, 17, 15-20. | 3.0 | 58 |
| 52 | Study of the uptake and bioaccumulation of palladium nanoparticles by <i>Sinapis alba</i> using single particle ICP-MS. <i>Science of the Total Environment</i> , 2018, 615, 1078-1085. | 8.0 | 58 |
| 53 | Investigation of metal complexes with metallothionein in rat tissues by hyphenated techniques. <i>Journal of Inorganic Biochemistry</i> , 2002, 88, 197-206. | 3.5 | 57 |
| 54 | Uptake, translocation, size characterization and localization of cerium oxide nanoparticles in radish (<i>Raphanus sativus</i> L.). <i>Science of the Total Environment</i> , 2019, 683, 284-292. | 8.0 | 56 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Microwave-accelerated speciation analysis for butyltin compounds in sediments and biomaterials by large volume injection capillary gas chromatography quartz furnace atomic absorption spectrometry. <i>Analytica Chimica Acta</i> , 1996, 332, 225-232. | 5.4 | 54 |
| 56 | Detection and characterization of biogenic selenium nanoparticles in selenium-rich yeast by single particle ICPMS. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 452-460. | 3.0 | 52 |
| 57 | Investigation of metal binding by recombinant and native metallothioneins by capillary zone electrophoresis (CZE) coupled with inductively coupled plasma mass spectrometry (ICP-MS) via a self-aspirating total consumption micronebulizer. <i>Journal of Analytical Atomic Spectrometry</i> , 2001, 16, 567-574. | 3.0 | 51 |
| 58 | Investigation of the recovery of selenomethionine from selenized yeast by two-dimensional LC-ICP MS. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 844-849. | 3.7 | 51 |
| 59 | Identification of selenosugars and other low-molecular weight selenium metabolites in high-selenium cereal crops. <i>Metallomics</i> , 2012, 4, 968. | 2.4 | 51 |
| 60 | Selenopeptide mapping in a selenium yeast protein digest by parallel nanoHPLC-ICP-MS and nanoHPLC-electrospray-MS/MS after on-line preconcentration. <i>Journal of Analytical Atomic Spectrometry</i> , 2006, 21, 26-32. | 3.0 | 50 |
| 61 | Elemental speciation and coupled techniques towards faster and reliable analyses. <i>Journal of Analytical Atomic Spectrometry</i> , 1998, 13, 859-867. | 3.0 | 47 |
| 62 | Bioavailability of cadmium and lead in cocoa: comparison of extraction procedures prior to size-exclusion fast-flow liquid chromatography with inductively coupled plasma mass spectrometric detection (SEC-ICP-MS). <i>Journal of Analytical Atomic Spectrometry</i> , 2002, 17, 880-886. | 3.0 | 46 |
| 63 | Speciation of metal-carbohydrate complexes in fruit and vegetable samples by size-exclusion HPLC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 639-644. | 3.0 | 45 |
| 64 | Gas and liquid chromatography with inductively coupled plasma mass spectrometry detection for environmental speciation analysis advances and limitations. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2000, 55, 779-793. | 2.9 | 43 |
| 65 | Study of the Se-containing metabolomes in Se-rich yeast by size-exclusion cation-exchange HPLC with the parallel ICP MS and electrospray orbital ion trap detection. <i>Metallomics</i> , 2010, 2, 535. | 2.4 | 42 |
| 66 | Speciation of mercury by ICP-MS after on-line capillary cryofocussing and ambient temperature multicapillary gas chromatography. <i>Analytical Communications</i> , 1998, 35, 331-335. | 2.2 | 41 |
| 67 | Comparative cytotoxicity of cadmium forms (CdCl ₂ , CdO, CdS micro- and nanoparticles) in renal cells. <i>Toxicology Research</i> , 2014, 3, 32-41. | 2.1 | 41 |
| 68 | Occurrence of Cerium-, Titanium-, and Silver-Bearing Nanoparticles in the BesÅs and Ebro Rivers. <i>Environmental Science & Technology</i> , 2020, 54, 3969-3978. | 10.0 | 39 |
| 69 | Privileged Incorporation of Selenium as Selenocysteine in <i>Lactobacillus reuteri</i> Proteins Demonstrated by Selenium-specific Imaging and Proteomics. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 2196-2204. | 3.8 | 38 |
| 70 | Identification of cadmium-bioinduced ligands in rat liver using parallel HPLC-ICP-MS and HPLC-electrospray MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2000, 15, 1363-1368. | 3.0 | 37 |
| 71 | Advances in electrospray mass spectrometry for the selenium speciation: Focus on Se-rich yeast. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 104, 87-94. | 11.4 | 36 |
| 72 | Elucidation of the fate of zinc in model plants using single particle ICP-MS and ESI tandem MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2019, 34, 683-693. | 3.0 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Species-selective determination of cobalamin analogues by reversed-phase HPLC with ICP-MS detection. <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 1323-1327. | 3.0 | 35 |
| 74 | A sequential extraction procedure for an insight into selenium speciation in garlic. <i>Talanta</i> , 2009, 77, 1877-1882. | 5.5 | 35 |
| 75 | Characterization of Selenium Incorporation into Wheat Proteins by Two-Dimensional Gel Electrophoresisâ€“Laser Ablation ICP MS followed by capillary HPLCâ€“ICP MS and Electro spray Linear Trap Quadrupole Orbitrap MS. <i>Analytical Chemistry</i> , 2013, 85, 2037-2043. | 6.5 | 35 |
| 76 | Specific determination of selenoaminoacids in whole milk by 2D size-exclusion-ion-pairing reversed phase high-performance liquid chromatographyâ€“inductively coupled plasma mass spectrometry (HPLCâ€“ICP MS). <i>Analytica Chimica Acta</i> , 2008, 624, 195-202. | 5.4 | 34 |
| 77 | Assessment of Selenium Bioavailability from High-Selenium Spirulina Subfractions in Selenium-Deficient Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 3867-3873. | 5.2 | 33 |
| 78 | Probing of bismuth antiulcer drug targets in <i>H. pylori</i> by laser ablation-inductively coupled plasma mass spectrometry. <i>Metallomics</i> , 2012, 4, 277. | 2.4 | 33 |
| 79 | Comprehensive speciation of low-molecular weight selenium metabolites in mustard seeds using HPLC â€“ electro spray linear trap/orbitrap tandem mass spectrometry. <i>Metallomics</i> , 2013, 5, 1294. | 2.4 | 33 |
| 80 | Simultaneous derivatization of selenocysteine and selenomethionine in animal blood prior to their specific determination by 2D size-exclusion ion-pairing reversed-phase HPLC-ICP MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2008, 23, 508. | 3.0 | 31 |
| 81 | A comparative study of element concentrations and binding in transgenic and non-transgenic soybean seeds. <i>Metallomics</i> , 2010, 2, 800. | 2.4 | 31 |
| 82 | Speciation in the environmental field - trends in Analytical Chemistry. <i>Fresenius' Journal of Analytical Chemistry</i> , 1999, 363, 550-557. | 1.5 | 30 |
| 83 | Identification and determination of selenohomolanthionine â€“ The major selenium compound in <i>Torula</i> yeast. <i>Food Chemistry</i> , 2017, 237, 1196-1201. | 8.2 | 30 |
| 84 | Characterization of TiO ₂ NPs in Radish (<i>Raphanus sativus</i> L.) by Single-Particle ICP-QQQ-MS. <i>Frontiers in Environmental Science</i> , 2020, 8, . | 3.3 | 30 |
| 85 | Does selenium fortification of kale and kohlrabi sprouts change significantly their biochemical and cytotoxic properties?. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020, 59, 126466. | 3.0 | 28 |
| 86 | Speciation analysis for trace levels of selenoproteins in cultured human cells. <i>Journal of Proteomics</i> , 2014, 108, 316-324. | 2.4 | 26 |
| 87 | Metabolic Response of the Yeast <i>Candida utilis</i> During Enrichment in Selenium. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5287. | 4.1 | 26 |
| 88 | Identification of Metallothionein Subisoforms in HPLC Using Accurate Mass and Online Sequencing by Electro spray Hybrid Linear Ion Trap-Orbital Ion Trap Mass Spectrometry. <i>Analytical Chemistry</i> , 2010, 82, 6947-6957. | 6.5 | 25 |
| 89 | Long-Term Evaluation of Gadolinium Retention in Rat Brain After Single Injection of a Clinically Relevant Dose of Gadolinium-Based Contrast Agents. <i>Investigative Radiology</i> , 2020, 55, 138-143. | 6.2 | 25 |
| 90 | Identification of non-peptide species in selenized yeast by MALDI mass spectrometry using post-source decay and orthogonal Q-TOF detection. <i>Analyst, The</i> , 2004, 129, 846-849. | 3.5 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Determination of phytochelatins by capillary zone electrophoresis with electrospray tandem mass spectrometry detection (CZE-ES MS/MS). <i>Analyst</i> , The, 2001, 126, 624-632. | 3.5 | 23 |
| 92 | Ultra-High Resolution Elemental/Isotopic Mass Spectrometry (m/l ^m > 1,000,000): Coupling of the Liquid Sampling-Atmospheric Pressure Glow Discharge with an Orbitrap Mass Spectrometer for Applications in Biological Chemistry and Environmental Analysis. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 1163-1168. | 2.8 | 23 |
| 93 | Towards the Removal of Antibiotics Detected in Wastewaters in the POCTEFA Territory: Occurrence and TiO ₂ Photocatalytic Pilot-Scale Plant Performance. <i>Water (Switzerland)</i> , 2020, 12, 1453. | 2.7 | 23 |
| 94 | <i>Paspalum urvillei</i> and <i>Setaria parviflora</i> , two grasses naturally adapted to extreme iron-rich environments. <i>Plant Physiology and Biochemistry</i> , 2020, 151, 144-156. | 5.8 | 23 |
| 95 | Bioaccessibility of Se from Se-enriched wheat and chicken meat. <i>Pure and Applied Chemistry</i> , 2010, 82, 461-471. | 1.9 | 22 |
| 96 | Trace element speciation in food: State of the art of analytical techniques and methods. <i>Pure and Applied Chemistry</i> , 2012, 84, 169-179. | 1.9 | 21 |
| 97 | Speciation of essential nutrient trace elements in coconut water. <i>Food Chemistry</i> , 2021, 339, 127680. | 8.2 | 20 |
| 98 | Speciation of Selenium in Selenium-Enriched Sunflower Oil by High-Performance Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometry/Electrospray-Orbitrap Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 4975-4981. | 5.2 | 18 |
| 99 | Speciation of technologically critical elements in the environment using chromatography with element and molecule specific detection. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 104, 42-53. | 11.4 | 18 |
| 100 | Processive Recoding and Metazoan Evolution of Selenoprotein P: Up to 132 UGAs in Molluscs. <i>Journal of Molecular Biology</i> , 2019, 431, 4381-4407. | 4.2 | 18 |
| 101 | Coupling of an atmospheric pressure microplasma ionization source with an Orbitrap Fusion Lumos Tribrid 1M mass analyzer for ultra-high resolution isotopic analysis of uranium. <i>Journal of Analytical Atomic Spectrometry</i> , 2019, 34, 1387-1395. | 3.0 | 18 |
| 102 | Characterization of binding and bioaccessibility of Cr in Cr-enriched yeast by sequential extraction followed by two-dimensional liquid chromatography with mass spectrometric detection. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 1355-1364. | 3.7 | 17 |
| 103 | Detection of selenoproteins in human cell extracts by laser ablation-ICP MS after separation by polyacrylamide gel electrophoresis and blotting. <i>Journal of Analytical Atomic Spectrometry</i> , 2012, 27, 25-32. | 3.0 | 17 |
| 104 | Large-scale speciation of selenium in rice proteins using ICP-MS assisted electrospray MS/MS proteomics. <i>Metallomics</i> , 2014, 6, 646. | 2.4 | 17 |
| 105 | To-Do and Not-To-Do in Model Studies of the Uptake, Fate and Metabolism of Metal-Containing Nanoparticles in Plants. <i>Nanomaterials</i> , 2020, 10, 1480. | 4.1 | 15 |
| 106 | Lanthanide polymer labels for multiplexed determination of biomarkers in human serum samples by means of size exclusion chromatography-inductively coupled plasma mass spectrometry. <i>Analytica Chimica Acta</i> , 2018, 1018, 7-15. | 5.4 | 14 |
| 107 | Identification and determination of selenocysteine, selenosugar, and other selenometabolites in turkey liver. <i>Metallomics</i> , 2020, 12, 758-766. | 2.4 | 14 |
| 108 | Characterization and Quantification of Selenoprotein P: Challenges to Mass Spectrometry. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6283. | 4.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Nanoplastic Labelling with Metal Probes: Analytical Strategies for Their Sensitive Detection and Quantification by ICP Mass Spectrometry. <i>Molecules</i> , 2021, 26, 7093. | 3.8 | 14 |
| 110 | New approach to the determination phosphorothioate oligonucleotides by ultra high performance liquid chromatography coupled with inductively coupled plasma mass spectrometry. <i>Analytica Chimica Acta</i> , 2015, 855, 13-20. | 5.4 | 13 |
| 111 | Investigation of the aluminium binding in Al(iii)-treated neuroblastoma cells. <i>Journal of Analytical Atomic Spectrometry</i> , 2004, 19, 41-45. | 3.0 | 12 |
| 112 | Immunomodulating Polysaccharide Fractions of <i>Menyanthes trifoliata</i> L.. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2004, 59, 485-493. | 1.4 | 12 |
| 113 | Screening for polybrominated diphenyl ethers in biological samples by reversed-phase fast HPLC-ICP MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 889. | 3.0 | 12 |
| 114 | New Frontiers of Metallomics: Elemental and Species-Specific Analysis and Imaging of Single Cells. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1055, 245-270. | 1.6 | 12 |
| 115 | An LC-MS/MS Method for a Comprehensive Determination of Metabolites of BTEX Anaerobic Degradation in Bacterial Cultures and Groundwater. <i>Water (Switzerland)</i> , 2020, 12, 1869. | 2.7 | 12 |
| 116 | Advances in mass spectrometry for iron speciation in plants. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 104, 77-86. | 11.4 | 11 |
| 117 | Direct screening of food packaging materials for post-polymerization residues, degradation products and additives by liquid extraction surface analysis nanoelectrospray mass spectrometry (LESA-nESI-MS). <i>Analytica Chimica Acta</i> , 2019, 1058, 117-126. | 5.4 | 11 |
| 118 | Varied effect of fortification of kale sprouts with novel organic selenium compounds on the synthesis of sulphur and phenolic compounds in relation to cytotoxic, antioxidant and anti-inflammatory activity. <i>Microchemical Journal</i> , 2022, 179, 107509. | 4.5 | 11 |
| 119 | Investigation of the response of wood-rotting fungi to copper stress by size-exclusion chromatography and capillary zone electrophoresis with ICP MS detection. <i>Analytical and Bioanalytical Chemistry</i> , 2002, 372, 453-456. | 3.7 | 10 |
| 120 | Sensitive simultaneous determination of 19 fluorobenzoic acids in saline waters by solid-phase extraction and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1417, 30-40. | 3.7 | 10 |
| 121 | A chemical speciation insight into the palladium(ii) uptake and metabolism by <i>Sinapis alba</i> . Exposure to Pd induces the synthesis of a Pd-histidine complex. <i>Metallomics</i> , 2019, 11, 1498-1505. | 2.4 | 10 |
| 122 | Heavy metal contents in soils and native flora inventory at mining environmental liabilities in the Peruvian Andes. <i>Journal of South American Earth Sciences</i> , 2021, 106, 103107. | 1.4 | 10 |
| 123 | Accumulation of As, Ag, Cd, Cu, Pb, and Zn by Native Plants Growing in Soils Contaminated by Mining Environmental Liabilities in the Peruvian Andes. <i>Plants</i> , 2021, 10, 241. | 3.5 | 10 |
| 124 | Speciation Analysis of Gadolinium in the Water-Insoluble Rat Brain Fraction After Administration of Gadolinium-Based Contrast Agents. <i>Investigative Radiology</i> , 2021, 56, 535-544. | 6.2 | 9 |
| 125 | Long-Term Study of Antibiotic Presence in Ebro River Basin (Spain): Identification of the Emission Sources. <i>Water (Switzerland)</i> , 2022, 14, 1033. | 2.7 | 9 |
| 126 | Speciation of metals in indigenous plants growing in post-mining areas: Dihydroxynicotianamine identified as the most abundant Cu and Zn ligand in <i>Hypericum laricifolium</i> . <i>Science of the Total Environment</i> , 2022, 809, 151090. | 8.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Analytical approaches for the characterization of nickel proteome. <i>Metallomics</i> , 2017, 9, 1014-1027. | 2.4 | 7 |
| 128 | Selenized Plant Oil Is an Efficient Source of Selenium for Selenoprotein Biosynthesis in Human Cell Lines. <i>Nutrients</i> , 2019, 11, 1524. | 4.1 | 7 |
| 129 | Nickel Nanoparticles Induce the Synthesis of a Tumor-Related Polypeptide in Human Epidermal Keratinocytes. <i>Nanomaterials</i> , 2020, 10, 992. | 4.1 | 7 |
| 130 | Resolving Severe Elemental Isobaric Interferences with a Combined Atomic and Molecular Ionization Source—Orbitrap Mass Spectrometry Approach: The ⁸⁷ Sr and ⁸⁷ Rb Geochronology Pair. <i>Analytical Chemistry</i> , 2021, 93, 11506-11514. | 6.5 | 7 |
| 131 | ICP-MS-assisted identification of selenium-containing proteins in 2D gels using a new capillary HPLC—ICP MS interface and Orbitrap tandem mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 288-292. | 3.0 | 6 |
| 132 | Rapid ion-exchange matrix removal for a decrease of detection limits in the analysis of salt-rich reservoir waters for fluorobenzoic acids by liquid chromatography coupled with tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 871-879. | 3.7 | 6 |
| 133 | In vitro digestion of selenium from selenium-enriched chicken. <i>Pure and Applied Chemistry</i> , 2012, 84, 249-258. | 1.9 | 5 |
| 134 | Potential of Fourier Transform Mass Spectrometry (Orbitrap and Ion Cyclotron Resonance) for Speciation of the Selenium Metabolome in Selenium-Rich Yeast. <i>Frontiers in Chemistry</i> , 2020, 8, 612387. | 3.6 | 5 |
| 135 | Methylselenol Produced In Vivo from Methylseleninic Acid or Dimethyl Diselenide Induces Toxic Protein Aggregation in <i>Saccharomyces cerevisiae</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 2241. | 4.1 | 4 |
| 136 | Investigation of the Occurrence of Cyanotoxins in Lake Karaoun (Lebanon) by Mass Spectrometry, Bioassays and Molecular Methods. <i>Toxins</i> , 2021, 13, 716. | 3.4 | 4 |
| 137 | Speciation Issue. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 22-22. | 3.0 | 3 |
| 138 | Mass spectrometry-based analytical developments to link iron speciation to iron bioavailability in maize. <i>Food Chemistry</i> , 2019, 294, 414-422. | 8.2 | 3 |
| 139 | Gas chromatography with inductively coupled plasma mass spectrometric detection (GC-ICP MS). <i>Advances in Chromatography</i> , 2003, 42, 107-37. | 1.0 | 2 |
| 140 | 2013 European Winter Conference on Plasma Spectrochemistry. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 1142. | 3.0 | 0 |
| 141 | Community Leaders: Ramon M. Barnes. <i>Journal of Analytical Atomic Spectrometry</i> , 2022, 37, 697-700. | 3.0 | 0 |