

# Brett D Thombs

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5098045/publications.pdf>

Version: 2024-02-01

407  
papers

17,277  
citations

18482

62  
h-index

22166

113  
g-index

427  
all docs

427  
docs citations

427  
times ranked

19243  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 388.	7.4	1,783
2	Accuracy of Patient Health Questionnaire-9 (PHQ-9) for screening to detect major depression: individual participant data meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1476.	2.3	822
3	Prevalence of depression in survivors of acute myocardial infarction. <i>Journal of General Internal Medicine</i> , 2006, 21, 30-38.	2.6	741
4	Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: a meta-analysis of 25 years of research. <i>General Hospital Psychiatry</i> , 2011, 33, 203-216.	2.4	415
5	Depression Screening and Patient Outcomes in Cardiovascular Care. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 2161.	7.4	409
6	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2020, 29, 2520-2537.	1.5	366
7	Accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for screening to detect major depression among pregnant and postpartum women: systematic review and meta-analysis of individual participant data. <i>BMJ, The</i> , 2020, 371, m4022.	6.0	298
8	Preferred reporting items for systematic review and meta-analysis of diagnostic test accuracy studies (PRISMA-DTA): explanation, elaboration, and checklist. <i>BMJ, The</i> , 2020, 370, m2632.	6.0	262
9	Burn Rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2006, 85, 383-413.	1.4	261
10	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	7.4	242
11	A validation study of the Dutch Childhood Trauma Questionnaire-Short Form: Factor structure, reliability, and known-groups validity. <i>Child Abuse and Neglect</i> , 2009, 33, 518-523.	2.6	218
12	The prevalence of anxiety and depression in adults with implantable cardioverter defibrillators: A systematic review. <i>Journal of Psychosomatic Research</i> , 2011, 71, 223-231.	2.6	218
13	The Effects of Preexisting Medical Comorbidities on Mortality and Length of Hospital Stay in Acute Burn Injury. <i>Annals of Surgery</i> , 2007, 245, 629-634.	4.2	204
14	Frequency and impact of symptoms experienced by patients with systemic sclerosis: results from a Canadian National Survey. <i>Rheumatology</i> , 2011, 50, 762-767.	1.9	188
15	Rethinking recommendations for screening for depression in primary care. <i>Cmaj</i> , 2012, 184, 413-418.	2.0	184
16	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	4.5	175
17	Using the Cultural Formulation to Resolve Uncertainty in Diagnoses of Psychosis Among Ethnically Diverse Patients. <i>Psychiatric Services</i> , 2012, 63, 147-153.	2.0	150
18	The PHQ-9 versus the PHQ-8 "Is item 9 useful for assessing suicide risk in coronary artery disease patients? Data from the Heart and Soul Study. <i>Journal of Psychosomatic Research</i> , 2012, 73, 163-168.	2.6	150

#	ARTICLE	IF	CITATIONS
19	Identifying depression with the PHQ-2: A diagnostic meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 203, 382-395.	4.1	144
20	Recommendations on screening for breast cancer in women aged 40â€“74 years who are not at increased risk for breast cancer. <i>Cmaj</i> , 2018, 190, E1441-E1451.	2.0	142
21	Addressing overestimation of the prevalence of depression based on self-report screening questionnaires. <i>Cmaj</i> , 2018, 190, E44-E49.	2.0	139
22	From survival to socialization: A longitudinal study of body image in survivors of severe burn injury. <i>Journal of Psychosomatic Research</i> , 2008, 64, 205-212.	2.6	133
23	Depression in patients with systemic sclerosis: A systematic review of the evidence. <i>Arthritis and Rheumatism</i> , 2007, 57, 1089-1097.	6.7	131
24	Health-related quality of life in systemic sclerosis: A systematic review. <i>Arthritis and Rheumatism</i> , 2009, 61, 1112-1120.	6.7	129
25	Reporting of Conflicts of Interest in Meta-analyses of Trials of Pharmacological Treatments. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1008.	7.4	121
26	Comparison of the PHQ-9 and CES-D depression scales in systemic sclerosis: internal consistency reliability, convergent validity and clinical correlates. <i>Rheumatology</i> , 2010, 49, 789-796.	1.9	118
27	Curating evidence on mental health during COVID-19: A living systematic review. <i>Journal of Psychosomatic Research</i> , 2020, 133, 110113.	2.6	117
28	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 115-128.e1.	5.0	113
29	Concordance and Discrepancy in Sexual Identity, Attraction, and Behavior Among Adolescents. <i>Journal of Adolescent Health</i> , 2009, 45, 602-608.	2.5	112
30	Effects of screening for psychological distress on patient outcomes in cancer: A systematic review. <i>Journal of Psychosomatic Research</i> , 2013, 75, 1-17.	2.6	111
31	Does Evidence Support the American Heart Association's Recommendation to Screen Patients for Depression in Cardiovascular Care? An Updated Systematic Review. <i>PLoS ONE</i> , 2013, 8, e52654.	2.5	109
32	Recommendations for reporting of systematic reviews and meta-analyses of diagnostic test accuracy: a systematic review. <i>Systematic Reviews</i> , 2017, 6, 194.	5.3	107
33	Perceived Discrimination and Its Association With Psychological Distress Among Newly Arrived Immigrants Before and After September 11, 2001. <i>American Journal of Public Health</i> , 2011, 101, 909-915.	2.7	105
34	The Scleroderma Patient-centered Intervention Network (SPIN) Cohort: protocol for a cohort multiple randomised controlled trial (cmRCT) design to support trials of psychosocial and rehabilitation interventions in a rare disease context. <i>BMJ Open</i> , 2013, 3, e003563.	1.9	104
35	The reliability and validity of the Perceived Stigmatization Questionnaire (PSQ) and the Social Comfort Questionnaire (SCQ) among an adult burn survivor sample.. <i>Psychological Assessment</i> , 2006, 18, 106-111.	1.5	95
36	Depression in survivors of burn injury: a systematic review. <i>General Hospital Psychiatry</i> , 2006, 28, 494-502.	2.4	92

#	ARTICLE	IF	CITATIONS
37	Optimizing Detection of Major Depression Among Patients with Coronary Artery Disease Using the Patient Health Questionnaire: Data from the Heart and Soul Study. <i>Journal of General Internal Medicine</i> , 2008, 23, 2014-2017.	2.6	91
38	Depression screening and patient outcomes in pregnancy or postpartum: A systematic review. <i>Journal of Psychosomatic Research</i> , 2014, 76, 433-446.	2.6	88
39	Prevalence and clinical correlates of symptoms of depression in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2008, 59, 504-509.	6.7	86
40	Empirically Supported Treatment: Recommendations for a New Model. <i>Clinical Psychology: Science and Practice</i> , 2015, 22, 317-338.	0.9	85
41	Depression in burn reconstruction patients: symptom prevalence and association with body image dissatisfaction and physical function. <i>General Hospital Psychiatry</i> , 2007, 29, 14-20.	2.4	84
42	Suicidal Ideation and Attempt Among Adolescents Reporting "Unsure" Sexual Identity or Heterosexual Identity Plus Same-Sex Attraction or Behavior: Forgotten Groups?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 104-113.	0.5	83
43	Mortality risk and length of stay associated with self-inflicted burn injury: Evidence from a national sample of 30,382 adult patients*. <i>Critical Care Medicine</i> , 2008, 36, 118-125.	0.9	81
44	There are no randomized controlled trials that support the United States Preventive Services Task Force guideline on screening for depression in primary care: a systematic review. <i>BMC Medicine</i> , 2014, 12, 13.	5.5	80
45	Reporting of Positive Results in Randomized Controlled Trials of Mindfulness-Based Mental Health Interventions. <i>PLoS ONE</i> , 2016, 11, e0153220.	2.5	80
46	Can Doctors and Nurses Recognize Depression in Patients Hospitalized With an Acute Myocardial Infarction in the Absence of Formal Screening?. <i>Psychosomatic Medicine</i> , 2005, 67, 393-397.	2.0	79
47	Psychological health and well-being in systemic sclerosis: State of the science and consensus research agenda. <i>Arthritis Care and Research</i> , 2010, 62, 1181-1189.	3.4	79
48	Pathways to independence: towards producing and using trustworthy evidence. <i>BMJ, The</i> , 2019, 367, l6576.	6.0	79
49	Routine Screening for Depression in Patients With Coronary Heart Disease. <i>Journal of the American College of Cardiology</i> , 2009, 54, 886-890.	2.8	78
50	Risk of bias from inclusion of patients who already have diagnosis of or are undergoing treatment for depression in diagnostic accuracy studies of screening tools for depression: systematic review. <i>BMJ: British Medical Journal</i> , 2011, 343, d4825-d4825.	2.3	78
51	An evaluation of the measurement equivalence of the Childhood Trauma Questionnaire"Short Form across gender and race in a sample of drug-abusing adults. <i>Journal of Psychosomatic Research</i> , 2007, 63, 391-398.	2.6	77
52	Reliability and validity of the center for epidemiologic studies depression scale in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2008, 59, 438-443.	6.7	77
53	Accuracy of the Hospital Anxiety and Depression Scale Depression subscale (HADS-D) to screen for major depression: systematic review and individual participant data meta-analysis. <i>BMJ, The</i> , 2021, 373, n972.	6.0	77
54	Recommendations on screening for cognitive impairment in older adults. <i>Cmaj</i> , 2016, 188, 37-46.	2.0	74

#	ARTICLE	IF	CITATIONS
55	Does depression screening improve depression outcomes in primary care?. <i>BMJ, The</i> , 2014, 348, g1253-g1253.	6.0	73
56	Isn't necessarily so: Review and critique of recent meta-analyses of behavioral medicine interventions in health psychology.. <i>Health Psychology</i> , 2010, 29, 107-116.	1.6	72
57	Somatic/affective symptoms, but not cognitive/affective symptoms, of depression after acute coronary syndrome are associated with 12-month all-cause mortality. <i>Journal of Affective Disorders</i> , 2011, 131, 158-163.	4.1	72
58	The diagnostic accuracy of the Patient Health Questionnaire-2 (PHQ-2), Patient Health Questionnaire-8 (PHQ-8), and Patient Health Questionnaire-9 (PHQ-9) for detecting major depression: protocol for a systematic review and individual patient data meta-analyses. <i>Systematic Reviews</i> , 2014, 3, 124.	5.3	71
59	Somatic symptom overlap in Beck Depression Inventory's scores following myocardial infarction. <i>British Journal of Psychiatry</i> , 2010, 197, 61-65.	2.8	70
60	Are Scores on English and French Versions of the PHQ-9 Comparable? An Assessment of Differential Item Functioning. <i>PLoS ONE</i> , 2012, 7, e52028.	2.5	70
61	Acute Pain at Discharge From Hospitalization is a Prospective Predictor of Long-Term Suicidal Ideation After Burn Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, S36-S42.	0.9	69
62	Prevalence, severity, and clinical correlates of pain in patients with systemic sclerosis. <i>Arthritis Care and Research</i> , 2010, 62, 409-417.	3.4	69
63	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	8.8	67
64	CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. <i>BMJ, The</i> , 2021, 373, n857.	6.0	65
65	A test of the moderating role of importance of appearance in the relationship between perceived scar severity and body-esteem among adult burn survivors. <i>Body Image</i> , 2006, 3, 101-111.	4.3	64
66	Patient and Injury Characteristics, Mortality Risk, and Length of Stay Related to Child Abuse by Burning. <i>Annals of Surgery</i> , 2008, 247, 519-523.	4.2	64
67	Quality of Life in Patients with Systemic Sclerosis Compared to the General Population and Patients with Other Chronic Conditions. <i>Journal of Rheumatology</i> , 2009, 36, 768-772.	2.0	64
68	Depression Screening and Patient Outcomes in Cancer: A Systematic Review. <i>PLoS ONE</i> , 2011, 6, e27181.	2.5	64
69	Comparison of depression prevalence estimates in meta-analyses based on screening tools and rating scales versus diagnostic interviews: a meta-research review. <i>BMC Medicine</i> , 2019, 17, 65.	5.5	64
70	Accuracy of the Patient Health Questionnaire-9 for screening to detect major depression: updated systematic review and individual participant data meta-analysis. <i>BMJ, The</i> , 2021, 375, n2183.	6.0	64
71	Recommendations on hepatitis C screening for adults. <i>Cmaj</i> , 2017, 189, E594-E604.	2.0	63
72	Evaluation of the 9-item Patient Health Questionnaire (PHQ-9) as an Assessment Instrument for Symptoms of Depression in Patients with Multiple Sclerosis. <i>Postgraduate Medicine</i> , 2012, 124, 69-77.	2.0	62

#	ARTICLE	IF	CITATIONS
73	Work Disability in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2009, 36, 2481-2486.	2.0	61
74	Sociodemographic, disease, and symptom correlates of fatigue in systemic sclerosis: Evidence from a sample of 659 Canadian Scleroderma Research Group Registry patients. <i>Arthritis and Rheumatism</i> , 2009, 61, 966-973.	6.7	59
75	Structural validation of the Self-Compassion Scale with a German general population sample. <i>PLoS ONE</i> , 2018, 13, e0190771.	2.5	59
76	Psychosocial Aspects of Scleroderma. <i>Rheumatic Disease Clinics of North America</i> , 2015, 41, 519-528.	1.9	58
77	Who attempts suicide by burning? An analysis of age patterns of mortality by self-inflicted burning in the United States. <i>General Hospital Psychiatry</i> , 2007, 29, 244-250.	2.4	56
78	A user's guide to inflated and manipulated impact factors. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13151.	3.4	56
79	Transparency of outcome reporting and trial registration of randomized controlled trials in top psychosomatic and behavioral health journals: A systematic review. <i>Journal of Psychosomatic Research</i> , 2011, 70, 205-217.	2.6	54
80	A Cluster Randomized-Controlled Trial of a Classroom-Based Drama Workshop Program to Improve Mental Health Outcomes among Immigrant and Refugee Youth in Special Classes. <i>PLoS ONE</i> , 2014, 9, e104704.	2.5	53
81	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	2.8	53
82	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. <i>Rheumatology</i> , 2018, 57, 1623-1631.	1.9	53
83	Symptoms of Depression Predict the Trajectory of Pain Among Patients with Early Inflammatory Arthritis: A Path Analysis Approach to Assessing Change. <i>Journal of Rheumatology</i> , 2009, 36, 231-239.	2.0	51
84	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. <i>Rheumatology</i> , 2017, 56, 1302-1311.	1.9	51
85	Perceived Benefits and Factors that Influence the Ability to Establish and Maintain Patient Support Groups in Rare Diseases: A Scoping Review. <i>Patient</i> , 2017, 10, 283-293.	2.7	51
86	An Evaluation of Screening Questions for Childhood Abuse in 2 Community Samples. <i>Archives of Internal Medicine</i> , 2006, 166, 2020.	3.8	49
87	A systematic comparison of fatigue levels in systemic sclerosis with general population, cancer and rheumatic disease samples. <i>Rheumatology</i> , 2008, 47, 1559-1563.	1.9	49
88	The association of single and double orphanhood with symptoms of depression among children and adolescents in Namibia. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 369-376.	4.7	49
89	The association of depression with adherence to antihypertensive medications: a systematic review. <i>Journal of Hypertension</i> , 2010, 28, 1785-1795.	0.5	49
90	Perceived stigmatization and social comfort: Validating the constructs and their measurement among pediatric burn survivors.. <i>Rehabilitation Psychology</i> , 2010, 55, 360-371.	1.3	49

#	ARTICLE	IF	CITATIONS
91	CHILDREN UNDER 4 YEARS ARE AT GREATER RISK OF MORTALITY FOLLOWING ACUTE BURN INJURY. Shock, 2006, 26, 348-352.	2.1	48
92	Clinical correlates of quality of life in systemic sclerosis measured with the World Health Organization Disability Assessment Schedule II. Arthritis and Rheumatism, 2008, 59, 279-284.	6.7	47
93	Onset and Recurrence of Depression as Predictors of Cardiovascular Prognosis in Depressed Acute Coronary Syndrome Patients: A Systematic Review. Psychotherapy and Psychosomatics, 2011, 80, 227-237.	8.8	47
94	Use of an Expanded Version of the DSM-IV Outline for Cultural Formulation on a Cultural Consultation Service. Psychiatric Services, 2008, 59, 683-686.	2.0	46
95	Reporting of conflicts of interest from drug trials in Cochrane reviews: cross sectional study. BMJ, The, 2012, 345, e5155-e5155.	6.0	46
96	Is Adult Attention-Deficit Hyperactivity Disorder Being Overdiagnosed?. Canadian Journal of Psychiatry, 2015, 60, 324-328.	1.9	46
97	Diagnostic accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for detecting major depression in pregnant and postnatal women: protocol for a systematic review and individual patient data meta-analyses. BMJ Open, 2015, 5, e009742.	1.9	46
98	Symptoms of depression predict change in physical health after burn injury. Burns, 2007, 33, 292-298.	1.9	45
99	Selective Cutoff Reporting in Studies of Diagnostic Test Accuracy: A Comparison of Conventional and Individual-Patient-Data Meta-Analyses of the Patient Health Questionnaire-9 Depression Screening Tool. American Journal of Epidemiology, 2017, 185, 954-964.	3.4	45
100	Suicidal Ideation and Attempt Among Adolescents Reporting "Unsure" Sexual Identity or Heterosexual Identity Plus Same-Sex Attraction or Behavior: Forgotten Groups?. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 104-113.	0.5	44
101	Sociodemographic and Disease Correlates of Body Image Distress among Patients with Systemic Sclerosis. PLoS ONE, 2012, 7, e33281.	2.5	44
102	The Effect of Massage on Acute Postoperative Pain in Critically and Acutely Ill Adults Post-thoracic Surgery: Systematic Review and Meta-analysis of Randomized Controlled Trials. Heart and Lung: Journal of Acute and Critical Care, 2017, 46, 339-346.	1.6	44
103	Revisiting Gender Differences in Somatic Symptoms of Depression: Much Ado about Nothing?. PLoS ONE, 2012, 7, e32490.	2.5	44
104	Association of pruritus with quality of life and disability in systemic sclerosis. Arthritis Care and Research, 2010, 62, 1489-1495.	3.4	43
105	Is Longer-Term Psychodynamic Psychotherapy More Effective than Shorter-Term Therapies? Review and Critique of the Evidence. Psychotherapy and Psychosomatics, 2010, 79, 208-216.	8.8	43
106	Prevalence and clinical correlates of pruritus in patients with systemic sclerosis: an updated analysis of 959 patients. Rheumatology, 2013, 52, 2056-2061.	1.9	43
107	Potentially coercive self-citation by peer reviewers: A cross-sectional study. Journal of Psychosomatic Research, 2015, 78, 1-6.	2.6	43
108	E-cigarettes and youth: Patterns of use, potential harms, and recommendations. Preventive Medicine, 2020, 133, 106009.	3.4	42



#	ARTICLE	IF	CITATIONS
109	A general factor model for the Beck Depression Inventory-II: Validation in a sample of patients hospitalized with acute myocardial infarction. <i>Journal of Psychosomatic Research</i> , 2008, 65, 115-121.	2.6	41
110	Recommendations on screening for asymptomatic bacteriuria in pregnancy. <i>Cmaj</i> , 2018, 190, E823-E830.	2.0	41
111	Depression Following Acute Myocardial Infarction: A Prospective Relationship With Ongoing Health and Function. <i>Psychosomatics</i> , 2005, 46, 355-361.	2.5	40
112	Selective Serotonin Reuptake Inhibitor Use by Patients with Acute Coronary Syndromes. <i>American Journal of Medicine</i> , 2007, 120, 525-530.	1.5	40
113	Sleep disturbances in systemic sclerosis: evidence for the role of gastrointestinal symptoms, pain and pruritus. <i>Rheumatology</i> , 2013, 52, 1715-1720.	1.9	39
114	Consistency and sources of divergence in recommendations on screening with questionnaires for presently experienced health problems or symptoms: a comparison of recommendations from the Canadian Task Force on Preventive Health Care, UK National Screening Committee, and US Preventive Services Task Force. <i>BMC Medicine</i> , 2017, 15, 150.	5.5	37
115	The relationship of dyspnoea to function and quality of life in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2007, 67, 644-650.	0.9	36
116	Performance Characteristics of Depression Screening Instruments in Survivors of Acute Myocardial Infarction: Review of the Evidence. <i>Psychosomatics</i> , 2007, 48, 185-194.	2.5	36
117	A brief two-item screener for detecting a history of physical or sexual abuse in childhood. <i>General Hospital Psychiatry</i> , 2007, 29, 8-13.	2.4	36
118	(Not) talking about sex: a systematic comparison of sexual impairment in women with systemic sclerosis and other chronic disease samples. <i>Rheumatology</i> , 2009, 48, 1300-1303.	1.9	36
119	Empirically supported treatment: Recommendations for a new model.. <i>Clinical Psychology: Science and Practice</i> , 2015, 22, 317-338.	0.9	36
120	Finding what is not there. <i>Cancer</i> , 2009, 115, 5612-5616.	4.1	35
121	Time to diagnosis in systemic sclerosis: Is sex a factor?. <i>Arthritis and Rheumatism</i> , 2009, 61, 274-278.	6.7	35
122	Development and validation of the brief satisfaction with appearance scale for systemic sclerosis. <i>Arthritis Care and Research</i> , 2010, 62, 1779-1786.	3.4	35
123	Effect of Depression on Late (8 years) Mortality After Myocardial Infarction. <i>American Journal of Cardiology</i> , 2008, 101, 602-606.	1.6	34
124	Utility of the Patient Health Questionnaire-9 to Assess Suicide Risk in Patients With Systemic Sclerosis. <i>Arthritis Care and Research</i> , 2013, 65, 753-758.	3.4	34
125	Accuracy of Depression Screening Tools to Detect Major Depression in Children and Adolescents: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 746-757.	1.9	34
126	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1803.	2.1	34



#	ARTICLE	IF	CITATIONS
127	Potential harms from legalization of recreational cannabis use in Canada. <i>Canadian Journal of Public Health</i> , 2019, 110, 222-226.	2.3	34
128	Barriers and facilitators of adherence to medical advice on skin self-examination during melanoma follow-up care. <i>BMC Dermatology</i> , 2013, 13, 3.	2.1	33
129	Completeness of Reporting of Systematic Reviews of Diagnostic Test Accuracy Based on the PRISMA-DTA Reporting Guideline. <i>Clinical Chemistry</i> , 2019, 65, 291-301.	3.2	33
130	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale "Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109892.	2.6	33
131	Usefulness of Persistent Symptoms of Depression to Predict Physical Health Status 12 Months After an Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2008, 101, 15-19.	1.6	32
132	Discordance between Patient and Physician Assessments of Disease Severity in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2010, 37, 2307-2312.	2.0	32
133	The Swiss Health Literacy Survey: development and psychometric properties of a multidimensional instrument to assess competencies for health. <i>Health Expectations</i> , 2014, 17, 396-417.	2.6	32
134	Prevalence and clinical correlates of pruritus in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2009, 61, 1765-1770.	6.7	31
135	Prevalence of current, 12-month and lifetime major depressive disorder among patients with systemic sclerosis. <i>Rheumatology</i> , 2013, 52, 669-675.	1.9	31
136	The Neighbourhood Built Environment and Trajectories of Depression Symptom Episodes in Adults: A Latent Class Growth Analysis. <i>PLoS ONE</i> , 2015, 10, e0133603.	2.5	31
137	Validation of the Self-Efficacy for Managing Chronic Disease Scale: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016, 68, 1195-1200.	3.4	31
138	Managing conflicts of interest in the development of health guidelines. <i>Cmaj</i> , 2021, 193, E49-E54.	2.0	31
139	Long-term Significance of Killip Class and Left Ventricular Systolic Dysfunction. <i>American Journal of Medicine</i> , 2008, 121, 1015-1018.	1.5	30
140	Screening for depression in women during pregnancy or the first year postpartum and in the general adult population: a protocol for two systematic reviews to update a guideline of the Canadian Task Force on Preventive Health Care. <i>Systematic Reviews</i> , 2019, 8, 27.	5.3	30
141	Conflict of interest as ethical shorthand: understanding the range and nature of "non-financial conflict of interest" in biomedicine. <i>Journal of Clinical Epidemiology</i> , 2020, 120, 1-7.	5.0	30
142	Depression prevalence based on the Edinburgh Postnatal Depression Scale compared to Structured Clinical Interview for DSM Disorders classification: Systematic review and individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1860.	2.1	30
143	Preferred reporting items for journal and conference abstracts of systematic reviews and meta-analyses of diagnostic test accuracy studies (PRISMA-DTA for Abstracts): checklist, explanation, and elaboration. <i>BMJ</i> , The, 2021, 372, n265.	6.0	30
144	Family participation in treatment, post-discharge appointment and medication adherence at a Nigerian psychiatric hospital. <i>British Journal of Psychiatry</i> , 2009, 194, 86-87.	2.8	29

#	ARTICLE	IF	CITATIONS
145	Are MEDLINE searches sufficient for systematic reviews and meta-analyses of the diagnostic accuracy of depression screening tools? A review of meta-analyses. <i>Journal of Psychosomatic Research</i> , 2016, 87, 7-13.	2.6	29
146	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. <i>Research Integrity and Peer Review</i> , 2018, 3, 9.	5.2	28
147	Reporting of financial conflicts of interest by Canadian clinical practice guideline producers: a descriptive study. <i>Cmaj</i> , 2020, 192, E617-E625.	2.0	28
148	New directions for patient-centred care in scleroderma: the Scleroderma Patient-centred Intervention Network (SPIN). <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S23-9.	0.8	28
149	Physical health status assessed during hospitalization for acute coronary syndrome predicts mortality 12 months later. <i>Journal of Psychosomatic Research</i> , 2008, 65, 587-593.	2.6	27
150	The ethics of how to manage incidental findings. <i>Cmaj</i> , 2014, 186, 655-656.	2.0	27
151	The association of body image dissatisfaction and pain with reduced sexual function in women with systemic sclerosis. <i>Rheumatology</i> , 2011, 50, 1125-1130.	1.9	26
152	Major Depression Diagnoses Among Patients With Systemic Sclerosis: Baseline and Oneâ€Month Followup. <i>Arthritis Care and Research</i> , 2015, 67, 411-416.	3.4	26
153	Prevalence of Antidepressant Prescription or Use in Patients with Acute Coronary Syndrome: A Systematic Review. <i>PLoS ONE</i> , 2011, 6, e27671.	2.5	26
154	Transparency of Outcome Reporting and Trial Registration of Randomized Controlled Trials Published in the <i>Journal of Consulting and Clinical Psychology</i> . <i>PLoS ONE</i> , 2015, 10, e0142894.	2.5	26
155	Periodic preventive health visits: a more appropriate approach to delivering preventive services: From the Canadian Task Force on Preventive Health Care. <i>Canadian Family Physician</i> , 2017, 63, 824-826.	0.4	26
156	Evaluation of Journal Registration Policies and Prospective Registration of Randomized Clinical Trials of Nonregulated Health Care Interventions. <i>JAMA Internal Medicine</i> , 2019, 179, 624.	5.1	25
157	Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110262.	2.6	25
158	Prevalence and social determinants of suicidal behaviours among college youth in India. <i>International Journal of Social Psychiatry</i> , 2012, 58, 393-399.	3.1	24
159	Symptoms of heart disease or its treatment may increase Beck Depression Inventory Scores in hospitalized post-myocardial infarction patients. <i>Journal of Psychosomatic Research</i> , 2012, 73, 157-162.	2.6	24
160	Transparency of outcome reporting and trial registration of randomized controlled trials in top psychosomatic and behavioral health journals: A 5-year follow-up. <i>Journal of Psychosomatic Research</i> , 2015, 79, 1-12.	2.6	24
161	Diagnostic accuracy of the Geriatric Depression Scale-30, Geriatric Depression Scale-15, Geriatric Depression Scale-5 and Geriatric Depression Scale-4 for detecting major depression: protocol for a systematic review and individual participant data meta-analysis. <i>BMJ Open</i> , 2018, 8, e026598.	1.9	24
162	Effects of a multi-faceted education and support programme on anxiety symptoms among people with systemic sclerosis and anxiety during COVID-19 (SPIN-CHAT): a two-arm parallel, partially nested, randomised, controlled trial. <i>Lancet Rheumatology</i> , The, 2021, 3, e427-e437.	3.9	24

#	ARTICLE	IF	CITATIONS
163	Clinical correlates of sleep problems in systemic sclerosis: the prominent role of pain. <i>Rheumatology</i> , 2011, 50, 921-925.	1.9	23
164	Measuring fatigue in SSc: a comparison of the Short Form-36 Vitality subscale and Functional Assessment of Chronic Illness Therapyâ€“Fatigue scale. <i>Rheumatology</i> , 2012, 51, 2177-2185.	1.9	23
165	Rates and correlates of sexual activity and impairment among women with systemic sclerosis. <i>Arthritis Care and Research</i> , 2012, 64, 340-350.	3.4	23
166	Depression Screening in Primary Care: Why the Canadian Task Force on Preventive Health Care Did the Right Thing. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 692-696.	1.9	23
167	Using Optimal Test Assembly Methods for Shortening Patientâ€™Reported Outcome Measures: Development and Validation of the Cochin Hand Function Scaleâ€™6: A Scleroderma Patientâ€™Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016, 68, 1704-1713.	3.4	23
168	Knowledge translation tools in preventive health care. <i>Canadian Family Physician</i> , 2017, 63, 853-858.	0.4	23
169	Influence of somatic symptoms on PHQ-9 depression scores among patients with systemic sclerosis compared to a healthy general population sample. <i>Arthritis Care and Research</i> , 2012, 64, n/a-n/a.	3.4	22
170	Exploring Sources of Emotional Distress among People Living with Scleroderma: A Focus Group Study. <i>PLoS ONE</i> , 2016, 11, e0152419.	2.5	22
171	Diagnostic accuracy of the Depression subscale of the Hospital Anxiety and Depression Scale (HADS-D) for detecting major depression: protocol for a systematic review and individual patient data meta-analyses. <i>BMJ Open</i> , 2016, 6, e011913.	1.9	22
172	Use of the nominal group technique to identify stakeholder priorities and inform survey development: an example with informal caregivers of people with scleroderma. <i>BMJ Open</i> , 2018, 8, e019726.	1.9	22
173	Does depression screening in primary care improve mental health outcomes?. <i>BMJ, The</i> , 2021, 374, n1661.	6.0	22
174	Effect of support group peer facilitator training programmes on peer facilitator and support group member outcomes: a systematic review. <i>BMJ Open</i> , 2016, 6, e013325.	1.9	22
175	Sample sizes and precision of estimates of sensitivity and specificity from primary studies on the diagnostic accuracy of depression screening tools: a survey of recently published studies. <i>International Journal of Methods in Psychiatric Research</i> , 2016, 25, 145-152.	2.1	21
176	Recommendation on screening adults for asymptomatic thyroid dysfunction in primary care. <i>Cmaj</i> , 2019, 191, E1274-E1280.	2.0	21
177	Association between legalization of recreational cannabis and fatal motor vehicle collisions in the United States: an ecologic study. <i>CMAJ Open</i> , 2021, 9, E233-E241.	2.4	21
178	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. <i>Journal of Psychosomatic Research</i> , 2020, 135, 110132.	2.6	21
179	Effects of COVID-19 Mental Health Interventions Among Children, Adolescents, and Adults Not Quarantined or Undergoing Treatment Due to COVID-19 Infection: A Systematic Review of Randomised Controlled Trials. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 336-350.	1.9	21
180	Learning from history: A commentary on the American Heart Association Science Advisory on depression screening. <i>American Heart Journal</i> , 2009, 158, 503-505.	2.7	20

#	ARTICLE	IF	CITATIONS
181	The Influence of Somatic Symptoms on Beck Depression Inventory Scores in Hospitalized Postmyocardial Infarction Patients. <i>Canadian Journal of Psychiatry</i> , 2012, 57, 752-758.	1.9	20
182	Depression screening and mental health outcomes in children and adolescents: a systematic review protocol. <i>Systematic Reviews</i> , 2012, 1, 58.	5.3	20
183	Validation of the COVID-19 Fears Questionnaires for Chronic Medical Conditions: A Scleroderma Patient-centered Intervention Network COVID-19 Cohort study. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110271.	2.6	20
184	Probability of Major Depression Classification Based on the SCID, CIDI, and MINI Diagnostic Interviews: A Synthesis of Three Individual Participant Data Meta-Analyses. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 28-40.	8.8	20
185	Systematic review of mental health symptom changes by sex or gender in early-COVID-19 compared to pre-pandemic. <i>Scientific Reports</i> , 2022, 12, .	3.3	20
186	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110256.	2.6	19
187	Frequency and correlates of depression symptoms among long-term adult burn survivors.. <i>Rehabilitation Psychology</i> , 2006, 51, 306-313.	1.3	18
188	Cultural Sensitivity in Screening Adults for a History of Childhood Abuse: Evidence from a Community Sample. <i>Journal of General Internal Medicine</i> , 2007, 22, 368-373.	2.6	18
189	High rates of depressive symptoms among patients with systemic sclerosis are not explained by differential reporting of somatic symptoms. <i>Arthritis and Rheumatism</i> , 2008, 59, 431-437.	6.7	18
190	Depression Screening and Health Outcomes in Children and Adolescents: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 813-817.	1.9	18
191	Challenges and strategies for coping with scleroderma: implications for a scleroderma-specific self-management program. <i>Disability and Rehabilitation</i> , 2019, 41, 2506-2515.	1.8	18
192	Probit structural equation regression model: general depressive symptoms predicted post-myocardial infarction mortality after controlling for somatic symptoms of depression. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 832-839.	5.0	17
193	The Experience of Emotional Distress Among Women With Scleroderma. <i>Qualitative Health Research</i> , 2012, 22, 1195-1206.	2.1	17
194	Validation of the Social Appearance Anxiety Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 1557-1562.	3.4	17
195	Exercise habits and factors associated with exercise in systemic sclerosis: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>Disability and Rehabilitation</i> , 2018, 40, 1997-2003.	1.8	17
196	Translation and validation of the Short HIV Stigma scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 322.	2.4	17
197	Sexual Activity and Impairment in Women with Systemic Sclerosis Compared to Women from a General Population Sample. <i>PLoS ONE</i> , 2012, 7, e52129.	2.5	17
198	Clinical Correlates of Self-reported Physical Health Status in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2009, 36, 1226-1229.	2.0	16

#	ARTICLE	IF	CITATIONS
199	Risk of Bias from Inclusion of Currently Diagnosed or Treated Patients in Studies of Depression Screening Tool Accuracy: A Cross-Sectional Analysis of Recently Published Primary Studies and Meta-Analyses. PLoS ONE, 2016, 11, e0150067.	2.5	16
200	Effectiveness of stop smoking interventions among adults: protocol for an overview of systematic reviews and an updated systematic review. Systematic Reviews, 2019, 8, 28.	5.3	16
201	Shortening self-report mental health symptom measures through optimal test assembly methods: Development and validation of the Patient Health Questionnaire-Depression-4. Depression and Anxiety, 2019, 36, 82-92.	4.1	16
202	Understanding and communicating risk: Measures of outcome and the magnitude of benefits and harms. Canadian Family Physician, 2018, 64, 181-185.	0.4	16
203	Analyzing Effectiveness of Long-term Psychodynamic Psychotherapy. JAMA - Journal of the American Medical Association, 2009, 301, 930.	7.4	15
204	Prevalence of posttraumatic stress disorder (PTSD) in women with breast cancer. Journal of Psychosomatic Research, 2014, 76, 485-486.	2.6	15
205	Diabetes, Depression, and Death: A Randomized Controlled Trial of a Depression Treatment Program for Older Adults Based in Primary Care (PROSPECT): Response to Bogner et al.. Diabetes Care, 2008, 31, e54-e54.	8.6	14
206	Measuring Pain in Systemic Sclerosis: Comparison of the Short-form McGill Pain Questionnaire Versus a Single-item Measure of Pain. Journal of Rheumatology, 2011, 38, 2581-2587.	2.0	14
207	Cross-Language Measurement Equivalence of the Center for Epidemiologic Studies Depression (CES-D) Scale in Systemic Sclerosis: A Comparison of Canadian and Dutch Patients. PLoS ONE, 2013, 8, e53923.	2.5	14
208	A Meta-Analysis of Psychosocial Interventions for Cancer Patients Gone Awry. Annals of Behavioral Medicine, 2009, 37, 94-96.	2.9	13
209	A Brief Scale to Assess Hospital Doctors' Attitudes toward Collaborative Care for Mental Health. Canadian Journal of Psychiatry, 2010, 55, 264-267.	1.9	13
210	Is routine screening a parachute for heart disease patients with depression?. Journal of Psychosomatic Research, 2011, 71, 3-5.	2.6	13
211	The Comparability of English, French and Dutch Scores on the Functional Assessment of Chronic Illness Therapy-Fatigue (FACIT-F): An Assessment of Differential Item Functioning in Patients with Systemic Sclerosis. PLoS ONE, 2014, 9, e91979.	2.5	13
212	Reasons for Not Participating in Scleroderma Patient Support Groups: A Cross-sectional Study. Arthritis Care and Research, 2018, 70, 275-283.	3.4	13
213	Shortening patient-reported outcome measures through optimal test assembly: application to the Social Appearance Anxiety Scale in the Scleroderma Patient-centered Intervention Network Cohort. BMJ Open, 2019, 9, e024010.	1.9	13
214	Reasons for attending support groups and organizational preferences: the European scleroderma support group members survey. Disability and Rehabilitation, 2019, 41, 974-982.	1.8	13
215	A solution to inappropriate self-citation via peer review. Cmaj, 2012, 184, 1864-1864.	2.0	12
216	Identifying barriers and facilitators to physical activity for people with scleroderma: a nominal group technique study. Disability and Rehabilitation, 2021, 43, 3339-3346.	1.8	12

#	ARTICLE	IF	CITATIONS
217	Recommendation on screening for chlamydia and gonorrhoea in primary care for individuals not known to be at high risk. <i>Cmaj</i> , 2021, 193, E549-E559.	2.0	12
218	Selective cutoff reporting in studies of the accuracy of the Patient Health Questionnaire-9 and Edinburgh Postnatal Depression Scale: Comparison of results based on published cutoffs versus all cutoffs using individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1873.	2.1	12
219	Reasons for non-participation in scleroderma support groups. <i>Clinical and Experimental Rheumatology</i> , 2016, 34 Suppl 100, 56-62.	0.8	12
220	Psychosocial Well-being and a Multicultural Personality Disposition. <i>Journal of Counseling and Development</i> , 2007, 85, 73-81.	2.4	11
221	Depression Screening in Primary Care: Why the Canadian Task Force on Preventive Health Care Did the Right Thing. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 1-5.	1.9	11
222	Reporting completeness and transparency of meta-analyses of depression screening tool accuracy: A comparison of meta-analyses published before and after the PRISMA statement. <i>Journal of Psychosomatic Research</i> , 2016, 87, 57-69.	2.6	11
223	Development and Validation of the Body Concealment Scale for Scleroderma. <i>Arthritis Care and Research</i> , 2016, 68, 1158-1165.	3.4	11
224	Physical or Occupational Therapy Use in Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. <i>Journal of Rheumatology</i> , 2019, 46, 1605-1613.	2.0	11
225	Reporting of financial conflicts of interest in meta-analyses of drug trials published in high-impact medical journals: comparison of results from 2017 to 2018 and 2009. <i>Systematic Reviews</i> , 2020, 9, 77.	5.3	11
226	Screening for depression in children and adolescents: a protocol for a systematic review update. <i>Systematic Reviews</i> , 2021, 10, 24.	5.3	11
227	Use of the Beck Depression Inventory for assessing depression in patients hospitalized with severe burn Disentangling symptoms of depression from injury and treatment factors. <i>Burns</i> , 2007, 33, 547-553.	1.9	10
228	Is there room for criticism of studies of psychodynamic psychotherapy?. <i>American Psychologist</i> , 2011, 66, 148-149.	4.2	10
229	L'association des dimensions de l'orientation sexuelle, du harcèlement et du suicide: quelles minorités sexuelles sont les plus à risque?. <i>Sante Mentale Au Quebec</i> , 0, 40, 55-75.	0.1	10
230	Comparison of self-citation by peer reviewers in a journal with single-blind peer review versus a journal with open peer review. <i>Journal of Psychosomatic Research</i> , 2015, 79, 561-565.	2.6	10
231	Reporting quality in abstracts of meta-analyses of depression screening tool accuracy: a review of systematic reviews and meta-analyses. <i>BMJ Open</i> , 2016, 6, e012867.	1.9	10
232	Using Marital Status and Continuous Marital Satisfaction Ratings to Predict Depressive Symptoms in Married and Unmarried Women With Systemic Sclerosis: A Canadian Scleroderma Research Group Study. <i>Arthritis Care and Research</i> , 2016, 68, 1143-1149.	3.4	10
233	Factors associated with negative observer responses towards individuals with visible differences: A scoping review. <i>Body Image</i> , 2018, 25, 103-132.	4.3	10
234	Unexamined assumptions and unintended consequences of routine screening for depression. <i>Journal of Psychosomatic Research</i> , 2018, 109, 9-11.	2.6	10



#	ARTICLE	IF	CITATIONS
235	Screening for impaired vision in community-dwelling adults aged 65 years and older in primary care settings. <i>Cmaj</i> , 2018, 190, E588-E594.	2.0	10
236	Protocol for a scoping review to support development of a CONSORT extension for randomised controlled trials using cohorts and routinely collected health data. <i>BMJ Open</i> , 2018, 8, e025266.	1.9	10
237	Defining and Evaluating Overdiagnosis in Mental Health: A Meta-Research Review. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 193-202.	8.8	10
238	Scleroderma patient perspectives on social support from close social relationships. <i>Disability and Rehabilitation</i> , 2020, 42, 1588-1598.	1.8	10
239	Factors associated with symptoms of depression among informal caregivers of people with systemic sclerosis: a cross-sectional study. <i>Disability and Rehabilitation</i> , 2020, 42, 394-399.	1.8	10
240	Fall prevention interventions for older community-dwelling adults: systematic reviews on benefits, harms, and patient values and preferences. <i>Systematic Reviews</i> , 2021, 10, 18.	5.3	10
241	Screening for the prevention and early detection of cervical cancer: protocol for systematic reviews to inform Canadian recommendations. <i>Systematic Reviews</i> , 2021, 10, 2.	5.3	10
242	Update on task force terminology and outreach activities: Advancing guideline usability for the Canadian primary care context. <i>Canadian Family Physician</i> , 2019, 65, 12-13.	0.4	10
243	Physical and occupational therapy referral and use among systemic sclerosis patients with impaired hand function: results from a Canadian national survey. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, 574-7.	0.8	10
244	Methodological quality of meta-analyses of the diagnostic accuracy of depression screening tools. <i>Journal of Psychosomatic Research</i> , 2016, 84, 84-92.	2.6	9
245	The association of sociodemographic and objectively-assessed disease variables with fatigue in systemic sclerosis: an analysis of 785 Canadian Scleroderma Research Group Registry patients. <i>Clinical Rheumatology</i> , 2017, 36, 373-379.	2.2	9
246	Scleroderma Patient-centered Intervention Networkâ€”Scleroderma Support group Leader Education (SPIN-SSLED) program: non-randomised feasibility trial. <i>BMJ Open</i> , 2019, 9, e029935.	1.9	9
247	An empirical comparison of three methods for multiple cutoff diagnostic test meta-analysis of the Patient Health Questionnaireâ€”9 (PHQ-9) depression screening tool using published data vs individual level data. <i>Research Synthesis Methods</i> , 2020, 11, 833-848.	8.7	9
248	Overestimation of Postpartum Depression Prevalence Based on a 5-item Version of the EPDS: Systematic Review and Individual Participant Data Meta-analysis. <i>Canadian Journal of Psychiatry</i> , 2020, 65, 835-844.	1.9	9
249	GRADE Concept Paper 1: Validating the â€œF.A.C.Eâ€”instrument using stakeholder perceptions of feasibility, acceptability, cost, and equity in guideline implement. <i>Journal of Clinical Epidemiology</i> , 2021, 131, 133-140.	5.0	9
250	Factors associated with fears due to COVID-19: A Scleroderma Patient-centered Intervention Network (SPIN) COVID-19 cohort study. <i>Journal of Psychosomatic Research</i> , 2021, 140, 110314.	2.6	9
251	Comparison of different scoring methods based on latent variable models of the PHQ-9: an individual participant data meta-analysis. <i>Psychological Medicine</i> , 2022, 52, 3472-3483.	4.5	9
252	Cross-cultural adaptation of the Perceived Risk of HIV Scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 117.	2.4	9



#	ARTICLE	IF	CITATIONS
253	Methods and results used in the development of a consensus-driven extension to the Consolidated Standards of Reporting Trials (CONSORT) statement for trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE). <i>BMJ Open</i> , 2021, 11, e049093.	1.9	9
254	Data-driven methods distort optimal cutoffs and accuracy estimates of depression screening tools: a simulation study using individual participant data. <i>Journal of Clinical Epidemiology</i> , 2021, 137, 137-147.	5.0	9
255	An Assessment of the Measurement Equivalence of English and French Versions of the Center for Epidemiologic Studies Depression (CES-D) Scale in Systemic Sclerosis. <i>PLoS ONE</i> , 2014, 9, e102897.	2.5	9
256	Recommendations on routine screening pelvic examination: Canadian Task Force on Preventive Health Care adoption of the American College of Physicians guideline. <i>Canadian Family Physician</i> , 2016, 62, 211-4.	0.4	9
257	Pain levels and associated factors in the Scleroderma Patient-centered Intervention Network (SPIN) cohort: a multicentre cross-sectional study. <i>Lancet Rheumatology, The</i> , 2021, 3, e844-e854.	3.9	9
258	Mental health before and during the pandemic in people with systemic sclerosis. <i>Lancet Rheumatology, The</i> , 2022, 4, e82-e85.	3.9	9
259	Systemic sclerosis and COVID-19 vaccines: a SPIN Cohort study. <i>Lancet Rheumatology, The</i> , 2022, 4, e243-e246.	3.9	9
260	Self-assessed Physical Health Predicts 10-Year Mortality After Myocardial Infarction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2010, 30, 35-39.	2.1	8
261	Depression screening in patients with coronary heart disease: Does the evidence matter?. <i>Journal of Psychosomatic Research</i> , 2013, 75, 497-499.	2.6	8
262	Depression screening in pregnancy and postpartum: Who needs evidence?. <i>Journal of Psychosomatic Research</i> , 2014, 76, 492-493.	2.6	8
263	Primary care doctors should not screen their patients for depression. <i>Expert Review of Neurotherapeutics</i> , 2017, 17, 645-647.	2.8	8
264	Comparison of Self-Efficacy for Managing Chronic Disease between patients with systemic sclerosis and other chronic conditions: a systematic review. <i>Rheumatology International</i> , 2017, 37, 281-292.	3.0	8
265	Reliability and Validity of Three Versions of the Brief Fear of Negative Evaluation Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 1646-1652.	3.4	8
266	Understanding coping strategies among people living with scleroderma: a focus group study. <i>Disability and Rehabilitation</i> , 2018, 40, 3012-3021.	1.8	8
267	Protocol for a partially nested randomized controlled trial to evaluate the effectiveness of the Scleroderma Patient-centered Intervention Network Support Group Leader Education (SPIN-SSLED) Program. <i>Trials</i> , 2019, 20, 717.	1.6	8
268	Operationalization of skin self-examination in randomized controlled trials with individuals at increased risk for melanoma: A systematic review. <i>Patient Education and Counseling</i> , 2020, 103, 1013-1026.	2.2	8
269	Reporting of drug trial funding sources and author financial conflicts of interest in Cochrane and non-Cochrane meta-analyses: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e035633.	1.9	8
270	Perceived Benefits and Facilitators and Barriers to Providing Psychosocial Interventions for Informal Caregivers of People with Rare Diseases: A Scoping Review. <i>Patient</i> , 2020, 13, 471-519.	2.7	8

#	ARTICLE	IF	CITATIONS
271	Reporting transparency and completeness in Trials: Paper 2 - reporting of randomised trials using registries was often inadequate and hindered the interpretation of results. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 175-186.	5.0	8
272	The patient engagement evaluation tool was valid for clinical practice guideline development. <i>Journal of Clinical Epidemiology</i> , 2022, 143, 61-72.	5.0	8
273	Do Symptom Dimensions of Depression Following Myocardial Infarction Relate Differently to Physical Health Indicators and Cardiac Prognosis?. <i>American Journal of Psychiatry</i> , 2006, 163, 1295-1296.	7.2	7
274	Usefulness of a single-item general self-rated health question to predict mortality 12 months after an acute coronary syndrome. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 479-481.	2.8	7
275	Prevention of false positive findings in observational studies: registration will not work but replication might. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 95-96.	3.7	7
276	Postpartum depression screening: a Comment on Leung et al.. <i>Journal of Public Health</i> , 2012, 34, 162-163.	1.8	7
277	Routine Depression Screening for Patients With Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 2412.	7.4	7
278	Screening for chlamydia and/or gonorrhea in primary health care: protocol for systematic review. <i>Systematic Reviews</i> , 2018, 7, 248.	5.3	7
279	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network hand exercise program (SPIN-HAND): Study protocol. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 91-97.	1.7	7
280	Reasons for attending support groups and organizational preferences: A replication study using the North American Scleroderma Support Group Survey. <i>Journal of Scleroderma and Related Disorders</i> , 2019, 4, 173-186.	1.7	7
281	Training and support needs of scleroderma support group facilitators: the North American Scleroderma Support Group Facilitators Survey. <i>Disability and Rehabilitation</i> , 2019, 41, 2477-2482.	1.8	7
282	Guideline on screening for esophageal adenocarcinoma in patients with chronic gastroesophageal reflux disease. <i>Cmaj</i> , 2020, 192, E768-E777.	2.0	7
283	Reporting transparency and completeness in trials: Paper 4 - reporting of randomised controlled trials conducted using routinely collected electronic records – room for improvement. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 198-209.	5.0	7
284	The Scleroderma Patient-Centered Intervention Network Self-Management Program: Protocol for a Randomized Feasibility Trial. <i>JMIR Research Protocols</i> , 2020, 9, e16799.	1.0	7
285	Reporting transparency and completeness in trials: Paper 3 – trials conducted using administrative databases do not adequately report elements related to use of databases. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 187-197.	5.0	7
286	Symptom reporting on the Beck Depression Inventory among post-myocardial infarction patients: In-hospital versus follow-up assessments. <i>Journal of Psychosomatic Research</i> , 2012, 73, 356-361.	2.6	6
287	Moving forward by moving back: Re-assessing guidelines for cancer distress screening. <i>Journal of Psychosomatic Research</i> , 2013, 75, 20-22.	2.6	6
288	Effects of training and support programs for leaders of illness-based support groups: commentary and updated evidence. <i>Systematic Reviews</i> , 2019, 8, 67.	5.3	6

#	ARTICLE	IF	CITATIONS
289	Reasons for not participating in scleroderma patient support groups: a comparison of results from the North American and European scleroderma support group surveys. <i>Disability and Rehabilitation</i> , 2021, 43, 1279-1286.	1.8	6
290	Translation and validation in Brazilian Portuguese of the reactions to homosexuality scale. <i>Psychology, Health and Medicine</i> , 2021, 26, 20-36.	2.4	6
291	Implementing preventive health care recommendations in family medicine: Introducing a series from the Canadian Task Force on Preventive Health Care. <i>Canadian Family Physician</i> , 2017, 63, 504-505.	0.4	6
292	Development and Evaluation of Short-Form Measures of the HIV/AIDS Knowledge Assessment Tool Among Sexual and Gender Minorities in Brazil: Cross-sectional Study. <i>JMIR Public Health and Surveillance</i> , 2022, 8, e30676.	2.6	6
293	The brain and the heart: the twain meetThe opinions expressed in this article are not necessarily those of the Editors of the <i>European Heart Journal</i> or of the <i>European Society of Cardiology</i> .. <i>European Heart Journal</i> , 2005, 26, 2607-2608.	2.2	5
294	Depression Screening in Patients With Heart Disease—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 1337.	7.4	5
295	PHQ-9 and PHQ-2 in Western Kenya. <i>Journal of General Internal Medicine</i> , 2009, 24, 890-890.	2.6	5
296	Depression in hospitalized and stable heart failure patients in an urban Nigerian teaching hospital: a cautionary comment. <i>General Hospital Psychiatry</i> , 2010, 32, e1-e2.	2.4	5
297	Prenatal and Postpartum Depression in Fathers and Mothers. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 961.	7.4	5
298	Most published and unpublished dissertations should be excluded from meta-analyses: comment on Moyer <i>et al</i> .. <i>Psycho-Oncology</i> , 2011, 20, 224-225.	2.3	5
299	When prevention is a bad idea: Problems with the DECARD trial and the premise behind it. <i>Journal of Psychosomatic Research</i> , 2012, 72, 333-335.	2.6	5
300	Evaluation and Management of Psychosocial Issues. , 2012, , 641-648.		5
301	Can the Cancer-related Fatigue Case-definition Criteria Be Applied to Chronic Medical Illness? A Comparison between Breast Cancer and Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2015, 42, 1156-1162.	2.0	5
302	Assessment of English–French differential item functioning of the Satisfaction with Appearance Scale (SWAP) in systemic sclerosis. <i>Body Image</i> , 2017, 22, 97-102.	4.3	5
303	Screening to prevent fragility fractures among adults 40 years and older in primary care: protocol for a systematic review. <i>Systematic Reviews</i> , 2019, 8, 216.	5.3	5
304	Factors associated with patient-reported likelihood of using online self-care interventions: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2019, 9, e029542.	1.9	5
305	Impaired driving and legalization of recreational cannabis. <i>Cmaj</i> , 2021, 193, E481-E485.	2.0	5
306	Reporting transparency and completeness in trials: Paper 1: Introduction - Better reporting for disruptive clinical trials using routinely collected data. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 172-174.	5.0	5

#	ARTICLE	IF	CITATIONS
307	Shortening the Edinburgh postnatal depression scale using optimal test assembly methods: Development of the EPDSâ€Depâ€5. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 348-362.	4.5	5
308	Do more predictors improve mortality risk estimates among burn patients?. <i>Burns</i> , 2009, 35, 303-304.	1.9	4
309	Time to abandon small-sample cohort research in health psychology?. <i>Health Psychology</i> , 2010, 29, 339-340.	1.6	4
310	Psychologic Intervention and Survival: Wishing Does Not Make It So â€ Letter. <i>Clinical Cancer Research</i> , 2010, 16, 5364-5365.	7.0	4
311	Evidence does matterâ€ and evidence does not support the National Heart Foundation of Australia's consensus statement on depression screening. <i>Journal of Psychosomatic Research</i> , 2014, 76, 173-174.	2.6	4
312	Factor structure and convergent validity of the Derriford Appearance Scale-24 using standard scoring versus treating â€not applicableâ€™ responses as missing data: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2018, 8, e018641.	1.9	4
313	Support Groups in Scleroderma. <i>Current Rheumatology Reports</i> , 2019, 21, 9.	4.7	4
314	Protocol for a cluster randomised controlled trial evaluating a parenting with home visitation programme to prevent physical and emotional abuse of children in Indonesia: the Families First Programme. <i>BMJ Open</i> , 2019, 9, e021751.	1.9	4
315	Challenges and support service preferences of informal caregivers of people with systemic sclerosis: a cross-sectional survey. <i>Disability and Rehabilitation</i> , 2020, 42, 2304-2310.	1.8	4
316	Individual participant data meta-analyses (IPDMA): data contribution was associated with trial corresponding author country, publication year, and journal impact factor. <i>Journal of Clinical Epidemiology</i> , 2020, 124, 16-23.	5.0	4
317	Barriers and Facilitators to Physical Activity for People With Scleroderma: A Scleroderma Patientâ€Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2022, 74, 1300-1310.	3.4	4
318	Nutrition Information Resources Used by People With Systemic Sclerosis and Perceived Advantages and Disadvantages: A Nominal Group Technique Study. <i>ACR Open Rheumatology</i> , 2021, 3, 540-549.	2.1	4
319	A study protocol for the development of a SPIRIT extension for trials conducted using cohorts and routinely collected data (SPIRIT-ROUTINE). <i>HRB Open Research</i> , 2021, 4, 82.	0.6	4
320	Association of Discrimination, Violence, and Resilience with Depressive Symptoms Among Transgender Women in Rio de Janeiro, Brazil: A Cross-Sectional Analysis. <i>Transgender Health</i> , 2022, 7, 101-106.	2.5	4
321	A comparison of bivariate, multivariate randomâ€effects, and Poisson correlated gammaâ€frailty models to metaâ€analyze individual patient data of ordinal scale diagnostic tests. <i>Biometrical Journal</i> , 2017, 59, 1317-1338.	1.0	4
322	Do Symptom Dimensions of Depression Following Myocardial Infarction Relate Differently to Physical Health Indicators and Cardiac Prognosis?. <i>American Journal of Psychiatry</i> , 2006, 163, 1295-1296.	7.2	4
323	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. <i>Trials</i> , 2021, 22, 856.	1.6	4
324	Effects of mental health interventions among people hospitalized with COVID-19 infection: A systematic review of randomized controlled trials. <i>General Hospital Psychiatry</i> , 2022, 77, 40-68.	2.4	4

#	ARTICLE	IF	CITATIONS
325	Early treatment of acute stress symptoms in pediatric burn patients with imipramine and fluoxetine. <i>Pediatric Critical Care Medicine</i> , 2006, 7, 498.	0.5	3
326	The Brain and the Heart: Independent or Interactive?. <i>Journal of the American College of Cardiology</i> , 2007, 49, 1824.	2.8	3
327	WAS IT SHOWN THAT “CLOSE RELATIONSHIPS AND EMOTIONAL PROCESSING PREDICT DECREASED MORTALITY IN WOMEN WITH BREAST CANCER”? A CRITIQUE OF WEIHS ET AL. (2008). <i>Psychosomatic Medicine</i> , 2008, 70, 737-738.	2.0	3
328	The Effect of a Primary Care Practice-Based Depression Intervention on Mortality in Older Adults. <i>Annals of Internal Medicine</i> , 2008, 148, 244.	3.9	3
329	Trial Registration in Rheumatology: The Next Step. <i>Arthritis Care and Research</i> , 2014, 66, 1435-1437.	3.4	3
330	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. <i>Body Image</i> , 2017, 20, 99-106.	4.3	3
331	Validation of the Social Interaction Anxiety Scale in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort study. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 98-105.	1.7	3
332	Effects of non-pharmacological and non-surgical interventions on health outcomes in systemic sclerosis: protocol for a living systematic review. <i>BMJ Open</i> , 2021, 11, e047428.	1.9	3
333	Pain and Self-Efficacy Among Patients With Systemic Sclerosis. <i>Nursing Research</i> , 2021, 70, 334-343.	1.7	3
334	Non-drug Approaches to Treating Raynaud’s Phenomenon. , 2015, , 299-313.		3
335	Perceived social support predicts outcomes following myocardial infarction: A call for screening?. <i>Health Psychology</i> , 2008, 27, 1-1.	1.6	3
336	Reporting of methodological studies in health research: a protocol for the development of the Methodological STudy reporting Checklist (MISTIC). <i>BMJ Open</i> , 2020, 10, e040478.	1.9	3
337	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. <i>Methods</i> , 2022, 204, 300-311.	3.8	3
338	Assessing differential item functioning for the Social Appearance Anxiety Scale: a Scleroderma patient-centred Intervention Network (SPIN) Cohort Study. <i>BMJ Open</i> , 2020, 10, e037639.	1.9	3
339	Examination of the association of sex and race/ethnicity with appearance concerns: a Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016, 34 Suppl 100, 92-99.	0.8	3
340	The association of sociodemographic and disease variables with hand function: a Scleroderma Patient-centered Intervention Network cohort study. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 113, 88-94.	0.8	3
341	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program. <i>Pilot and Feasibility Studies</i> , 2022, 8, 45.	1.2	3
342	Sample size and precision of estimates in studies of depression screening tool accuracy: A meta-research review of studies published in 2018-2021. <i>International Journal of Methods in Psychiatric Research</i> , 2022, 31, e1910.	2.1	3

#	ARTICLE	IF	CITATIONS
343	Inclusion of currently diagnosed or treated individuals in studies of depression screening tool accuracy: a meta-research review of studies published in 2018-2021. <i>General Hospital Psychiatry</i> , 2022, 76, 25-30.	2.4	3
344	Effects of befriending on depressive symptoms: a precautionary note on promising findings. <i>British Journal of Psychiatry</i> , 2010, 197, 247-247.	2.8	2
345	Sexual Orientation and Suicide: A Comment on Renaud Et Al. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 746-747.	1.9	2
346	Traumatic Brain Injury and Major Depressive Disorder. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 857.	7.4	2
347	A meta-analysis of selective serotonin reuptake inhibitors in acute coronary syndrome: cause for concern. <i>Journal of Psychopharmacology</i> , 2011, 25, 1730-1731.	4.0	2
348	Coping With Rising Health Care Costs. <i>Archives of Internal Medicine</i> , 2012, 172, 1684.	3.8	2
349	Screening for depression and risk of suicide in patients with arthritis: Comment on the article by Tektonidou et al. <i>Arthritis Care and Research</i> , 2012, 64, 623-623.	3.4	2
350	No Evidence for Depression Screening in Rheumatoid Arthritis, Psoriasis, or Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2016, 43, 992-992.	2.0	2
351	The Comparability of Functional Assessment of Chronic Illness Therapy - Fatigue Scores between Cancer and Systemic Sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017, 2, 57-63.	1.7	2
352	Development and preliminary validation of the Scleroderma Support Group Leader Self-efficacy Scale. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 106-111.	1.7	2
353	Reducing Waste and Increasing the Usability of Psychiatry Research: The Family of EQUATOR Reporting Guidelines and One of Its Newest Members: The PRISMA-DTA Statement. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 509-512.	1.9	2
354	The Scleroderma Research Topics Survey for patients and health care professionals: A Scleroderma Patient-centered Intervention Network Project. <i>Journal of Scleroderma and Related Disorders</i> , 2019, 4, 165-172.	1.7	2
355	Non-medical cannabis use among Indigenous Canadians: A systematic review of prevalence and associated factors. <i>International Journal of Drug Policy</i> , 2021, 90, 103081.	3.3	2
356	Intensity of care and perceived burden among informal caregivers to persons with chronic medical conditions: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2022, 44, 6230-6246.	1.8	2
357	PHQ-8 scores and estimation of depression prevalence. <i>Lancet Public Health</i> , The, 2021, 6, e793.	10.0	2
358	A Cross-Cultural Study of Perceived Stress Among Parents of Children with Large Burn Injuries: A Comment on Rose et al. <i>Journal of Burn Care and Research</i> , 2005, 26, 444-445.	1.6	1
359	Are the short form 36 physical and mental component summary scores useful measures in patients with systemic sclerosis? Comment on the article by Rannou et al. <i>Arthritis and Rheumatism</i> , 2007, 57, 1339-1339.	6.7	1
360	Problems using aggregate scores of the Medical Outcomes Study 36-item Short Form Health Survey in knee and hip osteoarthritis: possible solutions. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 1431-1432.	1.3	1



#	ARTICLE	IF	CITATIONS
361	Depression and Adherence to Antihypertensive Therapy. American Journal of Hypertension, 2008, 21, 724-725.	2.0	1
362	Retrospective Screening of Patients for Age of Initial Diagnosis of Coronary Artery Disease. Journal of Cardiovascular Nursing, 2008, 23, 79-81.	1.1	1
363	In reference to <i>Sexual problems after total or partial laryngectomy</i>. Laryngoscope, 2009, 119, 1667-1668.	2.0	1
364	Childhood psychosocial stressors and adult onset arthritis: A comment on Von Korff et al.. Pain, 2009, 144, 340.	4.2	1
365	More antidepressants for African Americans with coronary heart disease? Maybeâ€”maybe not. American Heart Journal, 2009, 157, e33.	2.7	1
366	Is Optimism Associated with Physical Health? A Commentary on Rasmussen et al.. Annals of Behavioral Medicine, 2010, 39, 204-206.	2.9	1
367	Efficacy of Tai Chi for chronic musculoskeletal pain conditions: Is the evidence ready for metaâ€”analysis? Comment on the article by Hall et al. Arthritis Care and Research, 2010, 62, 139-140.	3.4	1
368	Sexual function in women with systemic sclerosis: Comment on the article by Schouffoer et al. Arthritis Care and Research, 2010, 62, 1200-1200.	3.4	1
369	Intimacy processes and psychological distress among couples coping with head and neck or lung cancers. Psycho-Oncology, 2010, 19, 1235-1236.	2.3	1
370	Daily SMS reminders for asthma treatment adherence: A comment on Strandbygaard et al.. Respiratory Medicine, 2010, 104, 1234-1235.	2.9	1
371	Are Couple-Oriented Interventions Effective Across Chronic Illnesses? A Commentary on Martire et al.. Annals of Behavioral Medicine, 2011, 42, 134-135.	2.9	1
372	Should Postpartum Depression Screening Policies Be Reevaluated?. Health Affairs, 2011, 30, 1216-1217.	5.2	1
373	Reassessing the clinical utility of the Patient Health Questionnaire (PHQ)-9 for depression screening in prenatal women: a commentary on Sidebottom et al.. Archives of Women's Mental Health, 2013, 16, 253-254.	2.6	1
374	A depression screening tool finds that 54% of acute cardiac patients are at risk of depression; use of the tool improves documentation and referral. Evidence-based Nursing, 2013, 16, 47-48.	0.2	1
375	Patient-Reported Outcome Alert Monitoring. JAMA - Journal of the American Medical Association, 2014, 311, 420.	7.4	1
376	Depression screening in pregnancy and postpartum: How close are we?. Journal of Psychosomatic Research, 2014, 77, 244-245.	2.6	1
377	Resident Physicians With Depression or Depressive Symptoms. JAMA - Journal of the American Medical Association, 2016, 315, 2347.	7.4	1
378	THREE AUTHORS REPLY. American Journal of Epidemiology, 2017, 186, 895-895.	3.4	1



#	ARTICLE	IF	CITATIONS
379	Don't forget about the "in cmRCT: reply to Groenwold and van Smeden. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 143-144.	5.0	1
380	Group sample sizes in nonregulated health care intervention trials described as randomized controlled trials were overly similar. <i>Journal of Clinical Epidemiology</i> , 2020, 120, 8-16.	5.0	1
381	Financial conflict of interest among clinical practice guideline-producing organisations. <i>British Journal of General Practice</i> , 2020, 70, 530-531.	1.4	1
382	Bright light therapy for depressive symptoms in hospitalized cardiac patients: A randomized controlled pilot trial. <i>PLoS ONE</i> , 2020, 15, e0230839.	2.5	1
383	Effects of cosmetic and other camouflage interventions on appearance-related and psychological outcomes among adults with visible differences in appearance: a systematic review. <i>BMJ Open</i> , 2021, 11, e046634.	1.9	1
384	Peer-to-Peer Support for Older Adults" What Do We Know and Where Do We Go?. <i>JAMA Network Open</i> , 2021, 4, e2113941.	5.9	1
385	The CODIACS-QoL trial: Ineffective but cost-effective?. <i>General Hospital Psychiatry</i> , 2021, 71, 140-141.	2.4	1
386	Assessing differential item functioning for the Social Appearance Anxiety Scale: a Scleroderma patient-centred Intervention Network (SPIN) Cohort Study. <i>BMJ Open</i> , 2020, 10, e037639.	1.9	1
387	Balance of group sizes in randomized controlled trials published in American Psychological Association journals.. <i>Health Psychology</i> , 2020, 39, 956-965.	1.6	1
388	The Hospital Anxiety and Depression Scale in patients with systemic sclerosis: a psychometric and factor analysis in a monocentric cohort. <i>Clinical and Experimental Rheumatology</i> , 0, , .	0.8	1
389	Mortality and Adherence to Pharmacotherapy After Acute Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 1877.	7.4	0
390	On pot, potomania, and (couch) potatoes: The link between habits and mood. <i>Journal of Psychosomatic Research</i> , 2007, 63, 459-462.	2.6	0
391	Throw the Window Out the Door. <i>Journal of the American College of Cardiology</i> , 2007, 50, 1519-1520.	2.8	0
392	Should alternative diagnostic criteria be used to assess patients with cancer? A comment on Akechi et al.. <i>General Hospital Psychiatry</i> , 2009, 31, 397-398.	2.4	0
393	Back to the future in style: Psychosomatic research in cardiovascular disease. <i>Journal of Psychosomatic Research</i> , 2009, 67, 1-3.	2.6	0
394	Timing May Be Important, but Methodology Is Everything: A Commentary on Parker et al.. <i>Biological Psychiatry</i> , 2009, 66, e1-e2.	1.3	0
395	Patient-reported outcome measures in systemic sclerosis: Comment on the article by Hinchcliff et al. <i>Arthritis Care and Research</i> , 2012, 64, 942-943.	3.4	0
396	Clarification of the Responses of Mental Stress Induced Myocardial Ischemia to Escitalopram Treatment (REMIT) Trial Protocol. <i>American Heart Journal</i> , 2012, 164, e15.	2.7	0

#	ARTICLE	IF	CITATIONS
397	Reply. Arthritis Care and Research, 2014, 66, 497-498.	3.4	0
398	Patient Engagement Programs and Treatment of Depression. JAMA - Journal of the American Medical Association, 2014, 311, 1158.	7.4	0
399	Cardiac Outcomes After Treatment for Depression in Patients With Acute Coronary Syndrome. JAMA - Journal of the American Medical Association, 2018, 320, 2151.	7.4	0
400	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. Rheumatology, 2019, , .	1.9	0
401	This cat has only eight lives. European Journal of Clinical Investigation, 2021, 51, e13462.	3.4	0
402	Validation of the "knowledge about melanoma early detection scale" in a sample of melanoma survivors. Current Psychology, 0, , 1.	2.8	0
403	The authors respond to: "Revamp governance of Canadian Task Force on Preventive Health Care". Cmaj, 2020, 192, E146-E147.	2.0	0
404	Comment on: Prevalence, Risk Factors and Assessment of Depressive Symptoms in Patients With Systemic Sclerosis. Archives of Rheumatology, 2020, 35, 458-459.	0.9	0
405	Interventions for physician prescribers of opioids for chronic non-cancer pain: protocol for an overview of systematic reviews. BMJ Open, 2022, 12, e060964.	1.9	0
406	The Hospital Anxiety and Depression Scale in patients with systemic sclerosis: a psychometric and factor analysis in a monocentric cohort.. Clinical and Experimental Rheumatology, 2022, , .	0.8	0
407	Mental Health Care Use and Associated Factors in Systemic Sclerosis: A Scleroderma <sc>Patient-Centered</sc> Intervention Network Cohort Study. ACR Open Rheumatology, 0, , .	2.1	0