

# Brett D Thombs

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5098045/publications.pdf>

Version: 2024-02-01

407  
papers

17,277  
citations

18482

62  
h-index

22166

113  
g-index

427  
all docs

427  
docs citations

427  
times ranked

19243  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of different scoring methods based on latent variable models of the PHQ-9: an individual participant data meta-analysis. <i>Psychological Medicine</i> , 2022, 52, 3472-3483.	4.5	9
2	Barriers and Facilitators to Physical Activity for People With Scleroderma: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2022, 74, 1300-1310.	3.4	4
3	Association of Discrimination, Violence, and Resilience with Depressive Symptoms Among Transgender Women in Rio de Janeiro, Brazil: A Cross-Sectional Analysis. <i>Transgender Health</i> , 2022, 7, 101-106.	2.5	4
4	Intensity of care and perceived burden among informal caregivers to persons with chronic medical conditions: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2022, 44, 6230-6246.	1.8	2
5	Reporting transparency and completeness in trials: Paper 1: Introduction - Better reporting for disruptive clinical trials using routinely collected data. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 172-174.	5.0	5
6	Reporting transparency and completeness in Trials: Paper 2 - reporting of randomised trials using registries was often inadequate and hindered the interpretation of results. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 175-186.	5.0	8
7	Reporting transparency and completeness in trials: Paper 4 - reporting of randomised controlled trials conducted using routinely collected electronic records – room for improvement. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 198-209.	5.0	7
8	Reporting transparency and completeness in trials: Paper 3 – trials conducted using administrative databases do not adequately report elements related to use of databases. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 187-197.	5.0	7
9	The patient engagement evaluation tool was valid for clinical practice guideline development. <i>Journal of Clinical Epidemiology</i> , 2022, 143, 61-72.	5.0	8
10	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. <i>Methods</i> , 2022, 204, 300-311.	3.8	3
11	Mental health before and during the pandemic in people with systemic sclerosis. <i>Lancet Rheumatology</i> , The, 2022, 4, e82-e85.	3.9	9
12	Systemic sclerosis and COVID-19 vaccines: a SPIN Cohort study. <i>Lancet Rheumatology</i> , The, 2022, 4, e243-e246.	3.9	9
13	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program. <i>Pilot and Feasibility Studies</i> , 2022, 8, 45.	1.2	3
14	Interventions for physician prescribers of opioids for chronic non-cancer pain: protocol for an overview of systematic reviews. <i>BMJ Open</i> , 2022, 12, e060964.	1.9	0
15	Effects of COVID-19 Mental Health Interventions Among Children, Adolescents, and Adults Not Quarantined or Undergoing Treatment Due to COVID-19 Infection: A Systematic Review of Randomised Controlled Trials. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 336-350.	1.9	21
16	Development and Evaluation of Short-Form Measures of the HIV/AIDS Knowledge Assessment Tool Among Sexual and Gender Minorities in Brazil: Cross-sectional Study. <i>JMIR Public Health and Surveillance</i> , 2022, 8, e30676.	2.6	6
17	Sample size and precision of estimates in studies of depression screening tool accuracy: A meta-research review of studies published in 2018–2021. <i>International Journal of Methods in Psychiatric Research</i> , 2022, 31, e1910.	2.1	3
18	Effects of mental health interventions among people hospitalized with COVID-19 infection: A systematic review of randomized controlled trials. <i>General Hospital Psychiatry</i> , 2022, 77, 40-68.	2.4	4

#	ARTICLE	IF	CITATIONS
19	Inclusion of currently diagnosed or treated individuals in studies of depression screening tool accuracy: a meta-research review of studies published in 2018-2021. <i>General Hospital Psychiatry</i> , 2022, 76, 25-30.	2.4	3
20	The Hospital Anxiety and Depression Scale in patients with systemic sclerosis: a psychometric and factor analysis in a monocentric cohort.. <i>Clinical and Experimental Rheumatology</i> , 2022, , .	0.8	0
21	Systematic review of mental health symptom changes by sex or gender in early-COVID-19 compared to pre-pandemic. <i>Scientific Reports</i> , 2022, 12, .	3.3	20
22	Identifying barriers and facilitators to physical activity for people with scleroderma: a nominal group technique study. <i>Disability and Rehabilitation</i> , 2021, 43, 3339-3346.	1.8	12
23	Depression prevalence based on the Edinburgh Postnatal Depression Scale compared to Structured Clinical Interview for DSM Disorders classification: Systematic review and individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1860.	2.1	30
24	GRADE Concept Paper 1: Validating the "F.A.C.E" instrument using stakeholder perceptions of feasibility, acceptability, cost, and equity in guideline implement. <i>Journal of Clinical Epidemiology</i> , 2021, 131, 133-140.	5.0	9
25	This cat has only eight lives. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13462.	3.4	0
26	Factors associated with fears due to COVID-19: A Scleroderma Patient-centered Intervention Network (SPIN) COVID-19 cohort study. <i>Journal of Psychosomatic Research</i> , 2021, 140, 110314.	2.6	9
27	Probability of Major Depression Classification Based on the SCID, CIDI, and MINI Diagnostic Interviews: A Synthesis of Three Individual Participant Data Meta-Analyses. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 28-40.	8.8	20
28	Reasons for not participating in scleroderma patient support groups: a comparison of results from the North American and European scleroderma support group surveys. <i>Disability and Rehabilitation</i> , 2021, 43, 1279-1286.	1.8	6
29	Association between legalization of recreational cannabis and fatal motor vehicle collisions in the United States: an ecologic study. <i>CMAJ Open</i> , 2021, 9, E233-E241.	2.4	21
30	Fall prevention interventions for older community-dwelling adults: systematic reviews on benefits, harms, and patient values and preferences. <i>Systematic Reviews</i> , 2021, 10, 18.	5.3	10
31	Screening for depression in children and adolescents: a protocol for a systematic review update. <i>Systematic Reviews</i> , 2021, 10, 24.	5.3	11
32	Managing conflicts of interest in the development of health guidelines. <i>Cmaj</i> , 2021, 193, E49-E54.	2.0	31
33	Screening for the prevention and early detection of cervical cancer: protocol for systematic reviews to inform Canadian recommendations. <i>Systematic Reviews</i> , 2021, 10, 2.	5.3	10
34	Effects of cosmetic and other camouflage interventions on appearance-related and psychological outcomes among adults with visible differences in appearance: a systematic review. <i>BMJ Open</i> , 2021, 11, e046634.	1.9	1
35	Preferred reporting items for journal and conference abstracts of systematic reviews and meta-analyses of diagnostic test accuracy studies (PRISMA-DTA for Abstracts): checklist, explanation, and elaboration. <i>BMJ, The</i> , 2021, 372, n265.	6.0	30
36	Non-medical cannabis use among Indigenous Canadians: A systematic review of prevalence and associated factors. <i>International Journal of Drug Policy</i> , 2021, 90, 103081.	3.3	2

#	ARTICLE	IF	CITATIONS
37	Cross-cultural adaptation of the Perceived Risk of HIV Scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 117.	2.4	9
38	CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. <i>BMJ, The</i> , 2021, 373, n857.	6.0	65
39	Methods and results used in the development of a consensus-driven extension to the Consolidated Standards of Reporting Trials (CONSORT) statement for trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE). <i>BMJ Open</i> , 2021, 11, e049093.	1.9	9
40	Recommendation on screening for chlamydia and gonorrhoea in primary care for individuals not known to be at high risk. <i>Cmaj</i> , 2021, 193, E549-E559.	2.0	12
41	Impaired driving and legalization of recreational cannabis. <i>Cmaj</i> , 2021, 193, E481-E485.	2.0	5
42	Selective cutoff reporting in studies of the accuracy of the Patient Health Questionnaire-9 and Edinburgh Postnatal Depression Scale: Comparison of results based on published cutoffs versus all cutoffs using individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1873.	2.1	12
43	Effects of non-pharmacological and non-surgical interventions on health outcomes in systemic sclerosis: protocol for a living systematic review. <i>BMJ Open</i> , 2021, 11, e047428.	1.9	3
44	Accuracy of the Hospital Anxiety and Depression Scale Depression subscale (HADS-D) to screen for major depression: systematic review and individual participant data meta-analysis. <i>BMJ, The</i> , 2021, 373, n972.	6.0	77
45	Peer-to-Peer Support for Older Adults—What Do We Know and Where Do We Go?. <i>JAMA Network Open</i> , 2021, 4, e2113941.	5.9	1
46	Effects of a multi-faceted education and support programme on anxiety symptoms among people with systemic sclerosis and anxiety during COVID-19 (SPIN-CHAT): a two-arm parallel, partially nested, randomised, controlled trial. <i>Lancet Rheumatology, The</i> , 2021, 3, e427-e437.	3.9	24
47	Translation and validation in Brazilian Portuguese of the reactions to homosexuality scale. <i>Psychology, Health and Medicine</i> , 2021, 26, 20-36.	2.4	6
48	The CODIACS-QoL trial: Ineffective but cost-effective?. <i>General Hospital Psychiatry</i> , 2021, 71, 140-141.	2.4	1
49	Nutrition Information Resources Used by People With Systemic Sclerosis and Perceived Advantages and Disadvantages: A Nominal Group Technique Study. <i>ACR Open Rheumatology</i> , 2021, 3, 540-549.	2.1	4
50	A study protocol for the development of a SPIRIT extension for trials conducted using cohorts and routinely collected data (SPIRIT-ROUTINE). <i>HRB Open Research</i> , 2021, 4, 82.	0.6	4
51	Does depression screening in primary care improve mental health outcomes?. <i>BMJ, The</i> , 2021, 374, n1661.	6.0	22
52	Data-driven methods distort optimal cutoffs and accuracy estimates of depression screening tools: a simulation study using individual participant data. <i>Journal of Clinical Epidemiology</i> , 2021, 137, 137-147.	5.0	9
53	Pain and Self-Efficacy Among Patients With Systemic Sclerosis. <i>Nursing Research</i> , 2021, 70, 334-343.	1.7	3
54	Shortening the Edinburgh postnatal depression scale using optimal test assembly methods: Development of the EPDS-Dep-5. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 348-362.	4.5	5

#	ARTICLE	IF	CITATIONS
55	Accuracy of the Patient Health Questionnaire-9 for screening to detect major depression: updated systematic review and individual participant data meta-analysis. <i>BMJ, The</i> , 2021, 375, n2183.	6.0	64
56	PHQ-8 scores and estimation of depression prevalence. <i>Lancet Public Health, The</i> , 2021, 6, e793.	10.0	2
57	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. <i>Trials</i> , 2021, 22, 856.	1.6	4
58	Pain levels and associated factors in the Scleroderma Patient-centered Intervention Network (SPIN) cohort: a multicentre cross-sectional study. <i>Lancet Rheumatology, The</i> , 2021, 3, e844-e854.	3.9	9
59	Scleroderma patient perspectives on social support from close social relationships. <i>Disability and Rehabilitation</i> , 2020, 42, 1588-1598.	1.8	10
60	Challenges and support service preferences of informal caregivers of people with systemic sclerosis: a cross-sectional survey. <i>Disability and Rehabilitation</i> , 2020, 42, 2304-2310.	1.8	4
61	Factors associated with symptoms of depression among informal caregivers of people with systemic sclerosis: a cross-sectional study. <i>Disability and Rehabilitation</i> , 2020, 42, 394-399.	1.8	10
62	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	8.8	67
63	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	4.5	175
64	Group sample sizes in nonregulated health care intervention trials described as randomized controlled trials were overly similar. <i>Journal of Clinical Epidemiology</i> , 2020, 120, 8-16.	5.0	1
65	Conflict of interest as ethical shorthand: understanding the range and nature of "non-financial conflict of interest" in biomedicine. <i>Journal of Clinical Epidemiology</i> , 2020, 120, 1-7.	5.0	30
66	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale "Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109892.	2.6	33
67	Operationalization of skin self-examination in randomized controlled trials with individuals at increased risk for melanoma: A systematic review. <i>Patient Education and Counseling</i> , 2020, 103, 1013-1026.	2.2	8
68	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110256.	2.6	19
69	Validation of the COVID-19 Fears Questionnaires for Chronic Medical Conditions: A Scleroderma Patient-centered Intervention Network COVID-19 Cohort study. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110271.	2.6	20
70	Translation and validation of the Short HIV Stigma scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 322.	2.4	17
71	Financial conflict of interest among clinical practice guideline-producing organisations. <i>British Journal of General Practice</i> , 2020, 70, 530-531.	1.4	1
72	Accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for screening to detect major depression among pregnant and postpartum women: systematic review and meta-analysis of individual participant data. <i>BMJ, The</i> , 2020, 371, m4022.	6.0	298

#	ARTICLE	IF	CITATIONS
73	An empirical comparison of three methods for multiple cutoff diagnostic test meta-analysis of the Patient Health Questionnaire ( PHQ -9) depression screening tool using published data vs individual level data. <i>Research Synthesis Methods</i> , 2020, 11, 833-848.	8.7	9
74	Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110262.	2.6	25
75	Overestimation of Postpartum Depression Prevalence Based on a 5-item Version of the EPDS: Systematic Review and Individual Participant Data Meta-analysis. <i>Canadian Journal of Psychiatry</i> , 2020, 65, 835-844.	1.9	9
76	Reporting of drug trial funding sources and author financial conflicts of interest in Cochrane and non-Cochrane meta-analyses: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e035633.	1.9	8
77	Perceived Benefits and Facilitators and Barriers to Providing Psychosocial Interventions for Informal Caregivers of People with Rare Diseases: A Scoping Review. <i>Patient</i> , 2020, 13, 471-519.	2.7	8
78	Preferred reporting items for systematic review and meta-analysis of diagnostic test accuracy studies (PRISMA-DTA): explanation, elaboration, and checklist. <i>BMJ</i> , The, 2020, 370, m2632.	6.0	262
79	Reporting of financial conflicts of interest by Canadian clinical practice guideline producers: a descriptive study. <i>Cmaj</i> , 2020, 192, E617-E625.	2.0	28
80	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	7.4	242
81	Guideline on screening for esophageal adenocarcinoma in patients with chronic gastroesophageal reflux disease. <i>Cmaj</i> , 2020, 192, E768-E777.	2.0	7
82	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 115-128.e1.	5.0	113
83	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2020, 29, 2520-2537.	1.5	366
84	E-cigarettes and youth: Patterns of use, potential harms, and recommendations. <i>Preventive Medicine</i> , 2020, 133, 106009.	3.4	42
85	Curating evidence on mental health during COVID-19: A living systematic review. <i>Journal of Psychosomatic Research</i> , 2020, 133, 110113.	2.6	117
86	Bright light therapy for depressive symptoms in hospitalized cardiac patients: A randomized controlled pilot trial. <i>PLoS ONE</i> , 2020, 15, e0230839.	2.5	1
87	Individual participant data meta-analyses (IPDMA): data contribution was associated with trial corresponding author country, publication year, and journal impact factor. <i>Journal of Clinical Epidemiology</i> , 2020, 124, 16-23.	5.0	4
88	Reporting of financial conflicts of interest in meta-analyses of drug trials published in high-impact medical journals: comparison of results from 2017 to 2018 and 2009. <i>Systematic Reviews</i> , 2020, 9, 77.	5.3	11
89	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. <i>Journal of Psychosomatic Research</i> , 2020, 135, 110132.	2.6	21
90	The Scleroderma Patient-Centered Intervention Network Self-Management Program: Protocol for a Randomized Feasibility Trial. <i>JMIR Research Protocols</i> , 2020, 9, e16799.	1.0	7

#	ARTICLE	IF	CITATIONS
91	The authors respond to: "Revamp governance of Canadian Task Force on Preventive Health Care", Cmaj, 2020, 192, E146-E147.	2.0	0
92	Comment on: Prevalence, Risk Factors and Assessment of Depressive Symptoms in Patients With Systemic Sclerosis. Archives of Rheumatology, 2020, 35, 458-459.	0.9	0
93	Assessing differential item functioning for the Social Appearance Anxiety Scale: a Scleroderma patient-centred Intervention Network (SPIN) Cohort Study. BMJ Open, 2020, 10, e037639.	1.9	1
94	Reporting of methodological studies in health research: a protocol for the development of the Methodological Study reporting Checklist (MISTIC). BMJ Open, 2020, 10, e040478.	1.9	3
95	Assessing differential item functioning for the Social Appearance Anxiety Scale: a Scleroderma patient-centred Intervention Network (SPIN) Cohort Study. BMJ Open, 2020, 10, e037639.	1.9	3
96	Balance of group sizes in randomized controlled trials published in American Psychological Association journals.. Health Psychology, 2020, 39, 956-965.	1.6	1
97	Challenges and strategies for coping with scleroderma: implications for a scleroderma-specific self-management program. Disability and Rehabilitation, 2019, 41, 2506-2515.	1.8	18
98	Reasons for attending support groups and organizational preferences: A replication study using the North American Scleroderma Support Group Survey. Journal of Scleroderma and Related Disorders, 2019, 4, 173-186.	1.7	7
99	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. International Journal of Methods in Psychiatric Research, 2019, 28, e1803.	2.1	34
100	Defining and Evaluating Overdiagnosis in Mental Health: A Meta-Research Review. Psychotherapy and Psychosomatics, 2019, 88, 193-202.	8.8	10
101	Screening to prevent fragility fractures among adults 40 years and older in primary care: protocol for a systematic review. Systematic Reviews, 2019, 8, 216.	5.3	5
102	Effectiveness of stop smoking interventions among adults: protocol for an overview of systematic reviews and an updated systematic review. Systematic Reviews, 2019, 8, 28.	5.3	16
103	Screening for depression in women during pregnancy or the first year postpartum and in the general adult population: a protocol for two systematic reviews to update a guideline of the Canadian Task Force on Preventive Health Care. Systematic Reviews, 2019, 8, 27.	5.3	30
104	A user's guide to inflated and manipulated impact factors. European Journal of Clinical Investigation, 2019, 49, e13151.	3.4	56
105	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. Rheumatology, 2019, , .	1.9	0
106	Physical or Occupational Therapy Use in Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. Journal of Rheumatology, 2019, 46, 1605-1613.	2.0	11
107	The Scleroderma Research Topics Survey for patients and health care professionals: A Scleroderma Patient-centered Intervention Network Project. Journal of Scleroderma and Related Disorders, 2019, 4, 165-172.	1.7	2
108	Comparison of depression prevalence estimates in meta-analyses based on screening tools and rating scales versus diagnostic interviews: a meta-research review. BMC Medicine, 2019, 17, 65.	5.5	64

#	ARTICLE	IF	CITATIONS
109	Shortening patient-reported outcome measures through optimal test assembly: application to the Social Appearance Anxiety Scale in the Scleroderma Patient-centered Intervention Network Cohort. <i>BMJ Open</i> , 2019, 9, e024010.	1.9	13
110	Evaluation of Journal Registration Policies and Prospective Registration of Randomized Clinical Trials of Nonregulated Health Care Interventions. <i>JAMA Internal Medicine</i> , 2019, 179, 624.	5.1	25
111	Effects of training and support programs for leaders of illness-based support groups: commentary and updated evidence. <i>Systematic Reviews</i> , 2019, 8, 67.	5.3	6
112	Accuracy of Patient Health Questionnaire-9 (PHQ-9) for screening to detect major depression: individual participant data meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1476.	2.3	822
113	Support Groups in Scleroderma. <i>Current Rheumatology Reports</i> , 2019, 21, 9.	4.7	4
114	Potential harms from legalization of recreational cannabis use in Canada. <i>Canadian Journal of Public Health</i> , 2019, 110, 222-226.	2.3	34
115	Protocol for a cluster randomised controlled trial evaluating a parenting with home visitation programme to prevent physical and emotional abuse of children in Indonesia: the Families First Programme. <i>BMJ Open</i> , 2019, 9, e021751.	1.9	4
116	Factors associated with patient-reported likelihood of using online self-care interventions: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2019, 9, e029542.	1.9	5
117	Recommendation on screening adults for asymptomatic thyroid dysfunction in primary care. <i>Cmaj</i> , 2019, 191, E1274-E1280.	2.0	21
118	Scleroderma Patient-centered Intervention Networkâ€™Scleroderma Support group Leader Education (SPIN-SSLED) program: non-randomised feasibility trial. <i>BMJ Open</i> , 2019, 9, e029935.	1.9	9
119	Protocol for a partially nested randomized controlled trial to evaluate the effectiveness of the Scleroderma Patient-centered Intervention Network Support Group Leader Education (SPIN-SSLED) Program. <i>Trials</i> , 2019, 20, 717.	1.6	8
120	Pathways to independence: towards producing and using trustworthy evidence. <i>BMJ, The</i> , 2019, 367, l6576.	6.0	79
121	Don't forget about the â€œRâ€™in cmRCT: reply to Groenwold and van Smeden. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 143-144.	5.0	1
122	Shortening self-report mental health symptom measures through optimal test assembly methods: Development and validation of the Patient Health Questionnaire-Depression-4. <i>Depression and Anxiety</i> , 2019, 36, 82-92.	4.1	16
123	Completeness of Reporting of Systematic Reviews of Diagnostic Test Accuracy Based on the PRISMA-DTA Reporting Guideline. <i>Clinical Chemistry</i> , 2019, 65, 291-301.	3.2	33
124	Reasons for attending support groups and organizational preferences: the European scleroderma support group members survey. <i>Disability and Rehabilitation</i> , 2019, 41, 974-982.	1.8	13
125	Training and support needs of scleroderma support group facilitators: the North American Scleroderma Support Group Facilitators Survey. <i>Disability and Rehabilitation</i> , 2019, 41, 2477-2482.	1.8	7
126	Update on task force terminology and outreach activities: Advancing guideline usability for the Canadian primary care context. <i>Canadian Family Physician</i> , 2019, 65, 12-13.	0.4	10



#	ARTICLE	IF	CITATIONS
127	Development and preliminary validation of the Scleroderma Support Group Leader Self-efficacy Scale. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 106-111.	1.7	2
128	Reliability and Validity of Three Versions of the Brief Fear of Negative Evaluation Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 1646-1652.	3.4	8
129	Addressing overestimation of the prevalence of depression based on self-report screening questionnaires. <i>Cmaj</i> , 2018, 190, E44-E49.	2.0	139
130	Validation of the Social Appearance Anxiety Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 1557-1562.	3.4	17
131	Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 388.	7.4	1,783
132	Use of the nominal group technique to identify stakeholder priorities and inform survey development: an example with informal caregivers of people with scleroderma. <i>BMJ Open</i> , 2018, 8, e019726.	1.9	22
133	Factor structure and convergent validity of the Derriford Appearance Scale-24 using standard scoring versus treating "not applicable" responses as missing data: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2018, 8, e018641.	1.9	4
134	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	2.8	53
135	Factors associated with negative observer responses towards individuals with visible differences: A scoping review. <i>Body Image</i> , 2018, 25, 103-132.	4.3	10
136	Unexamined assumptions and unintended consequences of routine screening for depression. <i>Journal of Psychosomatic Research</i> , 2018, 109, 9-11.	2.6	10
137	Exercise habits and factors associated with exercise in systemic sclerosis: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>Disability and Rehabilitation</i> , 2018, 40, 1997-2003.	1.8	17
138	Reasons for Not Participating in Scleroderma Patient Support Groups: A Cross-sectional Study. <i>Arthritis Care and Research</i> , 2018, 70, 275-283.	3.4	13
139	Understanding coping strategies among people living with scleroderma: a focus group study. <i>Disability and Rehabilitation</i> , 2018, 40, 3012-3021.	1.8	8
140	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. <i>Research Integrity and Peer Review</i> , 2018, 3, 9.	5.2	28
141	Cardiac Outcomes After Treatment for Depression in Patients With Acute Coronary Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 2151.	7.4	0
142	Screening for chlamydia and/or gonorrhoea in primary health care: protocol for systematic review. <i>Systematic Reviews</i> , 2018, 7, 248.	5.3	7
143	Recommendations on screening for breast cancer in women aged 40-74 years who are not at increased risk for breast cancer. <i>Cmaj</i> , 2018, 190, E1441-E1451.	2.0	142
144	Diagnostic accuracy of the Geriatric Depression Scale-30, Geriatric Depression Scale-15, Geriatric Depression Scale-5 and Geriatric Depression Scale-4 for detecting major depression: protocol for a systematic review and individual participant data meta-analysis. <i>BMJ Open</i> , 2018, 8, e026598.	1.9	24

#	ARTICLE	IF	CITATIONS
145	Screening for impaired vision in community-dwelling adults aged 65 years and older in primary care settings. <i>Cmaj</i> , 2018, 190, E588-E594.	2.0	10
146	Recommendations on screening for asymptomatic bacteriuria in pregnancy. <i>Cmaj</i> , 2018, 190, E823-E830.	2.0	41
147	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network hand exercise program (SPIN-HAND): Study protocol. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 91-97.	1.7	7
148	Reducing Waste and Increasing the Usability of Psychiatry Research: The Family of EQUATOR Reporting Guidelines and One of Its Newest Members: The PRISMA-DTA Statement. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 509-512.	1.9	2
149	Validation of the Social Interaction Anxiety Scale in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort study. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 98-105.	1.7	3
150	Protocol for a scoping review to support development of a CONSORT extension for randomised controlled trials using cohorts and routinely collected health data. <i>BMJ Open</i> , 2018, 8, e025266.	1.9	10
151	Structural validation of the Self-Compassion Scale with a German general population sample. <i>PLoS ONE</i> , 2018, 13, e0190771.	2.5	59
152	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. <i>Rheumatology</i> , 2018, 57, 1623-1631.	1.9	53
153	Understanding and communicating risk: Measures of outcome and the magnitude of benefits and harms. <i>Canadian Family Physician</i> , 2018, 64, 181-185.	0.4	16
154	The association of sociodemographic and disease variables with hand function: a Scleroderma Patient-centered Intervention Network cohort study. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 113, 88-94.	0.8	3
155	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. <i>Body Image</i> , 2017, 20, 99-106.	4.3	3
156	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. <i>Rheumatology</i> , 2017, 56, 1302-1311.	1.9	51
157	Recommendations on hepatitis C screening for adults. <i>Cmaj</i> , 2017, 189, E594-E604.	2.0	63
158	Selective Cutoff Reporting in Studies of Diagnostic Test Accuracy: A Comparison of Conventional and Individual-Patient-Data Meta-Analyses of the Patient Health Questionnaire-9 Depression Screening Tool. <i>American Journal of Epidemiology</i> , 2017, 185, 954-964.	3.4	45
159	Primary care doctors should not screen their patients for depression. <i>Expert Review of Neurotherapeutics</i> , 2017, 17, 645-647.	2.8	8
160	The Effect of Massage on Acute Postoperative Pain in Critically and Acutely Ill Adults Post-thoracic Surgery: Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017, 46, 339-346.	1.6	44
161	Perceived Benefits and Factors that Influence the Ability to Establish and Maintain Patient Support Groups in Rare Diseases: A Scoping Review. <i>Patient</i> , 2017, 10, 283-293.	2.7	51
162	The association of sociodemographic and objectively-assessed disease variables with fatigue in systemic sclerosis: an analysis of 785 Canadian Scleroderma Research Group Registry patients. <i>Clinical Rheumatology</i> , 2017, 36, 373-379.	2.2	9

#	ARTICLE	IF	CITATIONS
163	Depression Screening and Health Outcomes in Children and Adolescents: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 813-817.	1.9	18
164	Assessment of English-French differential item functioning of the Satisfaction with Appearance Scale (SWAP) in systemic sclerosis. <i>Body Image</i> , 2017, 22, 97-102.	4.3	5
165	Comparison of Self-Efficacy for Managing Chronic Disease between patients with systemic sclerosis and other chronic conditions: a systematic review. <i>Rheumatology International</i> , 2017, 37, 281-292.	3.0	8
166	The Comparability of Functional Assessment of Chronic Illness Therapy - Fatigue Scores between Cancer and Systemic Sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017, 2, 57-63.	1.7	2
167	THREE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2017, 186, 895-895.	3.4	1
168	Consistency and sources of divergence in recommendations on screening with questionnaires for presently experienced health problems or symptoms: a comparison of recommendations from the Canadian Task Force on Preventive Health Care, UK National Screening Committee, and US Preventive Services Task Force. <i>BMC Medicine</i> , 2017, 15, 150.	5.5	37
169	Recommendations for reporting of systematic reviews and meta-analyses of diagnostic test accuracy: a systematic review. <i>Systematic Reviews</i> , 2017, 6, 194.	5.3	107
170	A comparison of bivariate, multivariate random-effects, and Poisson correlated gamma frailty models to meta-analyze individual patient data of ordinal scale diagnostic tests. <i>Biometrical Journal</i> , 2017, 59, 1317-1338.	1.0	4
171	Implementing preventive health care recommendations in family medicine: Introducing a series from the Canadian Task Force on Preventive Health Care. <i>Canadian Family Physician</i> , 2017, 63, 504-505.	0.4	6
172	Periodic preventive health visits: a more appropriate approach to delivering preventive services: From the Canadian Task Force on Preventive Health Care. <i>Canadian Family Physician</i> , 2017, 63, 824-826.	0.4	26
173	Knowledge translation tools in preventive health care. <i>Canadian Family Physician</i> , 2017, 63, 853-858.	0.4	23
174	Reporting of Positive Results in Randomized Controlled Trials of Mindfulness-Based Mental Health Interventions. <i>PLoS ONE</i> , 2016, 11, e0153220.	2.5	80
175	Risk of Bias from Inclusion of Currently Diagnosed or Treated Patients in Studies of Depression Screening Tool Accuracy: A Cross-Sectional Analysis of Recently Published Primary Studies and Meta-Analyses. <i>PLoS ONE</i> , 2016, 11, e0150067.	2.5	16
176	Exploring Sources of Emotional Distress among People Living with Scleroderma: A Focus Group Study. <i>PLoS ONE</i> , 2016, 11, e0152419.	2.5	22
177	Identifying depression with the PHQ-2: A diagnostic meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 203, 382-395.	4.1	144
178	Sample sizes and precision of estimates of sensitivity and specificity from primary studies on the diagnostic accuracy of depression screening tools: a survey of recently published studies. <i>International Journal of Methods in Psychiatric Research</i> , 2016, 25, 145-152.	2.1	21
179	Validation of the Self-Efficacy for Managing Chronic Disease Scale: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016, 68, 1195-1200.	3.4	31
180	Reporting quality in abstracts of meta-analyses of depression screening tool accuracy: a review of systematic reviews and meta-analyses. <i>BMJ Open</i> , 2016, 6, e012867.	1.9	10

#	ARTICLE	IF	CITATIONS
181	Diagnostic accuracy of the Depression subscale of the Hospital Anxiety and Depression Scale (HADS-D) for detecting major depression: protocol for a systematic review and individual patient data meta-analyses. <i>BMJ Open</i> , 2016, 6, e011913.	1.9	22
182	Methodological quality of meta-analyses of the diagnostic accuracy of depression screening tools. <i>Journal of Psychosomatic Research</i> , 2016, 84, 84-92.	2.6	9
183	Are MEDLINE searches sufficient for systematic reviews and meta-analyses of the diagnostic accuracy of depression screening tools? A review of meta-analyses. <i>Journal of Psychosomatic Research</i> , 2016, 87, 7-13.	2.6	29
184	Reporting completeness and transparency of meta-analyses of depression screening tool accuracy: A comparison of meta-analyses published before and after the PRISMA statement. <i>Journal of Psychosomatic Research</i> , 2016, 87, 57-69.	2.6	11
185	No Evidence for Depression Screening in Rheumatoid Arthritis, Psoriasis, or Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2016, 43, 992-992.	2.0	2
186	Using Marital Status and Continuous Marital Satisfaction Ratings to Predict Depressive Symptoms in Married and Unmarried Women With Systemic Sclerosis: A Canadian Scleroderma Research Group Study. <i>Arthritis Care and Research</i> , 2016, 68, 1143-1149.	3.4	10
187	Using Optimal Test Assembly Methods for Shortening Patient-Reported Outcome Measures: Development and Validation of the Cochin Hand Function Scale: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016, 68, 1704-1713.	3.4	23
188	Development and Validation of the Body Concealment Scale for Scleroderma. <i>Arthritis Care and Research</i> , 2016, 68, 1158-1165.	3.4	11
189	Resident Physicians With Depression or Depressive Symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2016, 315, 2347.	7.4	1
190	Accuracy of Depression Screening Tools to Detect Major Depression in Children and Adolescents: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 746-757.	1.9	34
191	Recommendations on screening for cognitive impairment in older adults. <i>Cmaj</i> , 2016, 188, 37-46.	2.0	74
192	Effect of support group peer facilitator training programmes on peer facilitator and support group member outcomes: a systematic review. <i>BMJ Open</i> , 2016, 6, e013325.	1.9	22
193	Recommendations on routine screening pelvic examination: Canadian Task Force on Preventive Health Care adoption of the American College of Physicians guideline. <i>Canadian Family Physician</i> , 2016, 62, 211-4.	0.4	9
194	Reasons for non-participation in scleroderma support groups. <i>Clinical and Experimental Rheumatology</i> , 2016, 34 Suppl 100, 56-62.	0.8	12
195	Examination of the association of sex and race/ethnicity with appearance concerns: a Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016, 34 Suppl 100, 92-99.	0.8	3
196	Is Adult Attention-Deficit Hyperactivity Disorder Being Overdiagnosed?. <i>Canadian Journal of Psychiatry</i> , 2015, 60, 324-328.	1.9	46
197	Empirically Supported Treatment: Recommendations for a New Model. <i>Clinical Psychology: Science and Practice</i> , 2015, 22, 317-338.	0.9	85
198	The Neighbourhood Built Environment and Trajectories of Depression Symptom Episodes in Adults: A Latent Class Growth Analysis. <i>PLoS ONE</i> , 2015, 10, e0133603.	2.5	31

#	ARTICLE	IF	CITATIONS
199	Psychosocial Aspects of Scleroderma. <i>Rheumatic Disease Clinics of North America</i> , 2015, 41, 519-528.	1.9	58
200	Diagnostic accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for detecting major depression in pregnant and postnatal women: protocol for a systematic review and individual patient data meta-analyses. <i>BMJ Open</i> , 2015, 5, e009742.	1.9	46
201	Major Depression Diagnoses Among Patients With Systemic Sclerosis: Baseline and Oneâ€™Month Followup. <i>Arthritis Care and Research</i> , 2015, 67, 411-416.	3.4	26
202	Transparency of outcome reporting and trial registration of randomized controlled trials in top psychosomatic and behavioral health journals: A 5-year follow-up. <i>Journal of Psychosomatic Research</i> , 2015, 79, 1-12.	2.6	24
203	Can the Cancer-related Fatigue Case-definition Criteria Be Applied to Chronic Medical Illness? A Comparison between Breast Cancer and Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2015, 42, 1156-1162.	2.0	5
204	Comparison of self-citation by peer reviewers in a journal with single-blind peer review versus a journal with open peer review. <i>Journal of Psychosomatic Research</i> , 2015, 79, 561-565.	2.6	10
205	Potentially coercive self-citation by peer reviewers: A cross-sectional study. <i>Journal of Psychosomatic Research</i> , 2015, 78, 1-6.	2.6	43
206	Non-drug Approaches to Treating Raynaudâ€™s Phenomenon. , 2015, , 299-313.		3
207	Transparency of Outcome Reporting and Trial Registration of Randomized Controlled Trials Published in the <i>Journal of Consulting and Clinical Psychology</i> . <i>PLoS ONE</i> , 2015, 10, e0142894.	2.5	26
208	Empirically supported treatment: Recommendations for a new model.. <i>Clinical Psychology: Science and Practice</i> , 2015, 22, 317-338.	0.9	36
209	The Comparability of English, French and Dutch Scores on the Functional Assessment of Chronic Illness Therapy-Fatigue (FACIT-F): An Assessment of Differential Item Functioning in Patients with Systemic Sclerosis. <i>PLoS ONE</i> , 2014, 9, e91979.	2.5	13
210	A Cluster Randomized-Controlled Trial of a Classroom-Based Drama Workshop Program to Improve Mental Health Outcomes among Immigrant and Refugee Youth in Special Classes. <i>PLoS ONE</i> , 2014, 9, e104704.	2.5	53
211	The diagnostic accuracy of the Patient Health Questionnaire-2 (PHQ-2), Patient Health Questionnaire-8 (PHQ-8), and Patient Health Questionnaire-9 (PHQ-9) for detecting major depression: protocol for a systematic review and individual patient data meta-analyses. <i>Systematic Reviews</i> , 2014, 3, 124.	5.3	71
212	Does depression screening improve depression outcomes in primary care?. <i>BMJ</i> , The, 2014, 348, g1253-g1253.	6.0	73
213	The ethics of how to manage incidental findings. <i>Cmaj</i> , 2014, 186, 655-656.	2.0	27
214	Trial Registration in Rheumatology: The Next Step. <i>Arthritis Care and Research</i> , 2014, 66, 1435-1437.	3.4	3
215	Reply. <i>Arthritis Care and Research</i> , 2014, 66, 497-498.	3.4	0
216	Routine Depression Screening for Patients With Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 2412.	7.4	7

#	ARTICLE	IF	CITATIONS
217	Patient-Reported Outcome Alert Monitoring. JAMA - Journal of the American Medical Association, 2014, 311, 420.	7.4	1
218	Patient Engagement Programs and Treatment of Depression. JAMA - Journal of the American Medical Association, 2014, 311, 1158.	7.4	0
219	The Swiss Health Literacy Survey: development and psychometric properties of a multidimensional instrument to assess competencies for health. Health Expectations, 2014, 17, 396-417.	2.6	32
220	Depression screening and patient outcomes in pregnancy or postpartum: A systematic review. Journal of Psychosomatic Research, 2014, 76, 433-446.	2.6	88
221	There are no randomized controlled trials that support the United States Preventive Services Task Force guideline on screening for depression in primary care: a systematic review. BMC Medicine, 2014, 12, 13.	5.5	80
222	Depression screening in pregnancy and postpartum: How close are we?. Journal of Psychosomatic Research, 2014, 77, 244-245.	2.6	1
223	Prevalence of posttraumatic stress disorder (PTSD) in women with breast cancer. Journal of Psychosomatic Research, 2014, 76, 485-486.	2.6	15
224	Evidence does matter and evidence does not support the National Heart Foundation of Australia's consensus statement on depression screening. Journal of Psychosomatic Research, 2014, 76, 173-174.	2.6	4
225	Depression screening in pregnancy and postpartum: Who needs evidence?. Journal of Psychosomatic Research, 2014, 76, 492-493.	2.6	8
226	An Assessment of the Measurement Equivalence of English and French Versions of the Center for Epidemiologic Studies Depression (CES-D) Scale in Systemic Sclerosis. PLoS ONE, 2014, 9, e102897.	2.5	9
227	Barriers and facilitators of adherence to medical advice on skin self-examination during melanoma follow-up care. BMC Dermatology, 2013, 13, 3.	2.1	33
228	Reassessing the clinical utility of the Patient Health Questionnaire (PHQ)-9 for depression screening in prenatal women: a commentary on Sidebottom et al.. Archives of Women's Mental Health, 2013, 16, 253-254.	2.6	1
229	Prevalence and clinical correlates of pruritus in patients with systemic sclerosis: an updated analysis of 959 patients. Rheumatology, 2013, 52, 2056-2061.	1.9	43
230	Effects of screening for psychological distress on patient outcomes in cancer: A systematic review. Journal of Psychosomatic Research, 2013, 75, 1-17.	2.6	111
231	Depression screening in patients with coronary heart disease: Does the evidence matter?. Journal of Psychosomatic Research, 2013, 75, 497-499.	2.6	8
232	Moving forward by moving back: Re-assessing guidelines for cancer distress screening. Journal of Psychosomatic Research, 2013, 75, 20-22.	2.6	6
233	The Scleroderma Patient-centered Intervention Network (SPIN) Cohort: protocol for a cohort multiple randomised controlled trial (cmRCT) design to support trials of psychosocial and rehabilitation interventions in a rare disease context. BMJ Open, 2013, 3, e003563.	1.9	104
234	A depression screening tool finds that 54% of acute cardiac patients are at risk of depression; use of the tool improves documentation and referral. Evidence-based Nursing, 2013, 16, 47-48.	0.2	1

#	ARTICLE	IF	CITATIONS
235	Prevalence of current, 12-month and lifetime major depressive disorder among patients with systemic sclerosis. <i>Rheumatology</i> , 2013, 52, 669-675.	1.9	31
236	Utility of the Patient Health Questionnaire-9 to Assess Suicide Risk in Patients With Systemic Sclerosis. <i>Arthritis Care and Research</i> , 2013, 65, 753-758.	3.4	34
237	Sleep disturbances in systemic sclerosis: evidence for the role of gastrointestinal symptoms, pain and pruritus. <i>Rheumatology</i> , 2013, 52, 1715-1720.	1.9	39
238	Depression Screening in Primary Care: Why the Canadian Task Force on Preventive Health Care Did the Right Thing. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 692-696.	1.9	23
239	Cross-Language Measurement Equivalence of the Center for Epidemiologic Studies Depression (CES-D) Scale in Systemic Sclerosis: A Comparison of Canadian and Dutch Patients. <i>PLoS ONE</i> , 2013, 8, e53923.	2.5	14
240	Depression Screening in Primary Care: Why the Canadian Task Force on Preventive Health Care Did the Right Thing. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 1-5.	1.9	11
241	Does Evidence Support the American Heart Association's Recommendation to Screen Patients for Depression in Cardiovascular Care? An Updated Systematic Review. <i>PLoS ONE</i> , 2013, 8, e52654.	2.5	109
242	Measuring fatigue in SSc: a comparison of the Short Form-36 Vitality subscale and Functional Assessment of Chronic Illness Therapy-Fatigue scale. <i>Rheumatology</i> , 2012, 51, 2177-2185.	1.9	23
243	Rethinking recommendations for screening for depression in primary care. <i>Cmaj</i> , 2012, 184, 413-418.	2.0	184
244	Prevalence and social determinants of suicidal behaviours among college youth in India. <i>International Journal of Social Psychiatry</i> , 2012, 58, 393-399.	3.1	24
245	Coping With Rising Health Care Costs. <i>Archives of Internal Medicine</i> , 2012, 172, 1684.	3.8	2
246	Using the Cultural Formulation to Resolve Uncertainty in Diagnoses of Psychosis Among Ethnoculturally Diverse Patients. <i>Psychiatric Services</i> , 2012, 63, 147-153.	2.0	150
247	Evaluation of the 9-Item Patient Health Questionnaire (PHQ-9) as an Assessment Instrument for Symptoms of Depression in Patients with Multiple Sclerosis. <i>Postgraduate Medicine</i> , 2012, 124, 69-77.	2.0	62
248	A solution to inappropriate self-citation via peer review. <i>Cmaj</i> , 2012, 184, 1864-1864.	2.0	12
249	Postpartum depression screening: a Comment on Leung et al.. <i>Journal of Public Health</i> , 2012, 34, 162-163.	1.8	7
250	The Influence of Somatic Symptoms on Beck Depression Inventory Scores in Hospitalized Postmyocardial Infarction Patients. <i>Canadian Journal of Psychiatry</i> , 2012, 57, 752-758.	1.9	20
251	Reporting of conflicts of interest from drug trials in Cochrane reviews: cross sectional study. <i>BMJ</i> , 2012, 345, e5155-e5155.	6.0	46
252	Patient-reported outcome measures in systemic sclerosis: Comment on the article by Hinchcliff et al. <i>Arthritis Care and Research</i> , 2012, 64, 942-943.	3.4	0

#	ARTICLE	IF	CITATIONS
253	The PHQ-9 versus the PHQ-8 " Is item 9 useful for assessing suicide risk in coronary artery disease patients? Data from the Heart and Soul Study. <i>Journal of Psychosomatic Research</i> , 2012, 73, 163-168.	2.6	150
254	Symptoms of heart disease or its treatment may increase Beck Depression Inventory Scores in hospitalized post-myocardial infarction patients. <i>Journal of Psychosomatic Research</i> , 2012, 73, 157-162.	2.6	24
255	Symptom reporting on the Beck Depression Inventory among post-myocardial infarction patients: In-hospital versus follow-up assessments. <i>Journal of Psychosomatic Research</i> , 2012, 73, 356-361.	2.6	6
256	The Experience of Emotional Distress Among Women With Scleroderma. <i>Qualitative Health Research</i> , 2012, 22, 1195-1206.	2.1	17
257	When prevention is a bad idea: Problems with the DECARD trial and the premise behind it. <i>Journal of Psychosomatic Research</i> , 2012, 72, 333-335.	2.6	5
258	Evaluation and Management of Psychosocial Issues. , 2012, , 641-648.		5
259	Clarification of the Responses of Mental Stress Induced Myocardial Ischemia to Escitalopram Treatment (REMIT) Trial Protocol. <i>American Heart Journal</i> , 2012, 164, e15.	2.7	0
260	Depression screening and mental health outcomes in children and adolescents: a systematic review protocol. <i>Systematic Reviews</i> , 2012, 1, 58.	5.3	20
261	Sociodemographic and Disease Correlates of Body Image Distress among Patients with Systemic Sclerosis. <i>PLoS ONE</i> , 2012, 7, e33281.	2.5	44
262	Are Scores on English and French Versions of the PHQ-9 Comparable? An Assessment of Differential Item Functioning. <i>PLoS ONE</i> , 2012, 7, e52028.	2.5	70
263	Screening for depression and risk of suicide in patients with arthritis: Comment on the article by Tektonidou et al. <i>Arthritis Care and Research</i> , 2012, 64, 623-623.	3.4	2
264	Influence of somatic symptoms on PHQ-9 depression scores among patients with systemic sclerosis compared to a healthy general population sample. <i>Arthritis Care and Research</i> , 2012, 64, n/a-n/a.	3.4	22
265	Rates and correlates of sexual activity and impairment among women with systemic sclerosis. <i>Arthritis Care and Research</i> , 2012, 64, 340-350.	3.4	23
266	Revisiting Gender Differences in Somatic Symptoms of Depression: Much Ado about Nothing?. <i>PLoS ONE</i> , 2012, 7, e32490.	2.5	44
267	Sexual Activity and Impairment in Women with Systemic Sclerosis Compared to Women from a General Population Sample. <i>PLoS ONE</i> , 2012, 7, e52129.	2.5	17
268	New directions for patient-centred care in scleroderma: the Scleroderma Patient-centred Intervention Network (SPIN). <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S23-9.	0.8	28
269	Physical and occupational therapy referral and use among systemic sclerosis patients with impaired hand function: results from a Canadian national survey. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, 574-7.	0.8	10
270	Transparency of outcome reporting and trial registration of randomized controlled trials in top psychosomatic and behavioral health journals: A systematic review. <i>Journal of Psychosomatic Research</i> , 2011, 70, 205-217.	2.6	54



#	ARTICLE	IF	CITATIONS
271	The prevalence of anxiety and depression in adults with implantable cardioverter defibrillators: A systematic review. <i>Journal of Psychosomatic Research</i> , 2011, 71, 223-231.	2.6	218
272	Is routine screening a parachute for heart disease patients with depression?. <i>Journal of Psychosomatic Research</i> , 2011, 71, 3-5.	2.6	13
273	Depression Screening and Patient Outcomes in Cancer: A Systematic Review. <i>PLoS ONE</i> , 2011, 6, e27181.	2.5	64
274	Risk of bias from inclusion of patients who already have diagnosis of or are undergoing treatment for depression in diagnostic accuracy studies of screening tools for depression: systematic review. <i>BMJ: British Medical Journal</i> , 2011, 343, d4825-d4825.	2.3	78
275	Perceived Discrimination and Its Association With Psychological Distress Among Newly Arrived Immigrants Before and After September 11, 2001. <i>American Journal of Public Health</i> , 2011, 101, 909-915.	2.7	105
276	Is there room for criticism of studies of psychodynamic psychotherapy?. <i>American Psychologist</i> , 2011, 66, 148-149.	4.2	10
277	Somatic/affective symptoms, but not cognitive/affective symptoms, of depression after acute coronary syndrome are associated with 12-month all-cause mortality. <i>Journal of Affective Disorders</i> , 2011, 131, 158-163.	4.1	72
278	Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: a meta-analysis of 25 years of research. <i>General Hospital Psychiatry</i> , 2011, 33, 203-216.	2.4	415
279	Are Couple-Oriented Interventions Effective Across Chronic Illnesses? A Commentary on Martire et al.. <i>Annals of Behavioral Medicine</i> , 2011, 42, 134-135.	2.9	1
280	Most published and unpublished dissertations should be excluded from meta-analyses: comment on Moyer et al.. <i>Psycho-Oncology</i> , 2011, 20, 224-225.	2.3	5
281	Reporting of Conflicts of Interest in Meta-analyses of Trials of Pharmacological Treatments. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1008.	7.4	121
282	Measuring Pain in Systemic Sclerosis: Comparison of the Short-form McGill Pain Questionnaire Versus a Single-item Measure of Pain. <i>Journal of Rheumatology</i> , 2011, 38, 2581-2587.	2.0	14
283	Frequency and impact of symptoms experienced by patients with systemic sclerosis: results from a Canadian National Survey. <i>Rheumatology</i> , 2011, 50, 762-767.	1.9	188
284	Prevention of false positive findings in observational studies: registration will not work but replication might. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 95-96.	3.7	7
285	Onset and Recurrence of Depression as Predictors of Cardiovascular Prognosis in Depressed Acute Coronary Syndrome Patients: A Systematic Review. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 227-237.	8.8	47
286	A meta-analysis of selective serotonin reuptake inhibitors in acute coronary syndrome: cause for concern. <i>Journal of Psychopharmacology</i> , 2011, 25, 1730-1731.	4.0	2
287	Clinical correlates of sleep problems in systemic sclerosis: the prominent role of pain. <i>Rheumatology</i> , 2011, 50, 921-925.	1.9	23
288	Should Postpartum Depression Screening Policies Be Reevaluated?. <i>Health Affairs</i> , 2011, 30, 1216-1217.	5.2	1

#	ARTICLE	IF	CITATIONS
289	The association of body image dissatisfaction and pain with reduced sexual function in women with systemic sclerosis. <i>Rheumatology</i> , 2011, 50, 1125-1130.	1.9	26
290	Prevalence of Antidepressant Prescription or Use in Patients with Acute Coronary Syndrome: A Systematic Review. <i>PLoS ONE</i> , 2011, 6, e27671.	2.5	26
291	The association of depression with adherence to antihypertensive medications: a systematic review. <i>Journal of Hypertension</i> , 2010, 28, 1785-1795.	0.5	49
292	Self-assessed Physical Health Predicts 10-Year Mortality After Myocardial Infarction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2010, 30, 35-39.	2.1	8
293	Somatic symptom overlap in Beck Depression Inventory-II scores following myocardial infarction. <i>British Journal of Psychiatry</i> , 2010, 197, 61-65.	2.8	70
294	A Brief Scale to Assess Hospital Doctors' Attitudes toward Collaborative Care for Mental Health. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 264-267.	1.9	13
295	Effects of befriending on depressive symptoms: a precautionary note on promising findings. <i>British Journal of Psychiatry</i> , 2010, 197, 247-247.	2.8	2
296	Suicidal Ideation and Attempt Among Adolescents Reporting "Unsure" Sexual Identity or Heterosexual Identity Plus Same-Sex Attraction or Behavior: Forgotten Groups?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 104-113.	0.5	44
297	It's not necessarily so: Review and critique of recent meta-analyses of behavioral medicine interventions in health psychology. <i>Health Psychology</i> , 2010, 29, 107-116.	1.6	72
298	Time to abandon small-sample cohort research in health psychology?. <i>Health Psychology</i> , 2010, 29, 339-340.	1.6	4
299	Is Optimism Associated with Physical Health? A Commentary on Rasmussen et al.. <i>Annals of Behavioral Medicine</i> , 2010, 39, 204-206.	2.9	1
300	Depression in hospitalized and stable heart failure patients in an urban Nigerian teaching hospital: a cautionary comment. <i>General Hospital Psychiatry</i> , 2010, 32, e1-e2.	2.4	5
301	Efficacy of Tai Chi for chronic musculoskeletal pain conditions: Is the evidence ready for meta-analysis? Comment on the article by Hall et al. <i>Arthritis Care and Research</i> , 2010, 62, 139-140.	3.4	1
302	Prevalence, severity, and clinical correlates of pain in patients with systemic sclerosis. <i>Arthritis Care and Research</i> , 2010, 62, 409-417.	3.4	69
303	Sexual function in women with systemic sclerosis: Comment on the article by Schouffoer et al. <i>Arthritis Care and Research</i> , 2010, 62, 1200-1200.	3.4	1
304	Psychological health and well-being in systemic sclerosis: State of the science and consensus research agenda. <i>Arthritis Care and Research</i> , 2010, 62, 1181-1189.	3.4	79
305	Association of pruritus with quality of life and disability in systemic sclerosis. <i>Arthritis Care and Research</i> , 2010, 62, 1489-1495.	3.4	43
306	Development and validation of the brief satisfaction with appearance scale for systemic sclerosis. <i>Arthritis Care and Research</i> , 2010, 62, 1779-1786.	3.4	35

#	ARTICLE	IF	CITATIONS
307	Intimacy processes and psychological distress among couples coping with head and neck or lung cancers. <i>Psycho-Oncology</i> , 2010, 19, 1235-1236.	2.3	1
308	Sexual Orientation and Suicide: A Comment on Renaud Et Al. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 746-747.	1.9	2
309	Discordance between Patient and Physician Assessments of Disease Severity in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2010, 37, 2307-2312.	2.0	32
310	Prenatal and Postpartum Depression in Fathers and Mothers. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 961.	7.4	5
311	Traumatic Brain Injury and Major Depressive Disorder. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 857.	7.4	2
312	Psychologic Intervention and Survival: Wishing Does Not Make It So – Letter. <i>Clinical Cancer Research</i> , 2010, 16, 5364-5365.	7.0	4
313	Comparison of the PHQ-9 and CES-D depression scales in systemic sclerosis: internal consistency reliability, convergent validity and clinical correlates. <i>Rheumatology</i> , 2010, 49, 789-796.	1.9	118
314	Is Longer-Term Psychodynamic Psychotherapy More Effective than Shorter-Term Therapies? Review and Critique of the Evidence. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 208-216.	8.8	43
315	Suicidal Ideation and Attempt Among Adolescents Reporting “Unsure” Sexual Identity or Heterosexual Identity Plus Same-Sex Attraction or Behavior: Forgotten Groups?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 104-113.	0.5	83
316	Daily SMS reminders for asthma treatment adherence: A comment on Strandbygaard et Al.. <i>Respiratory Medicine</i> , 2010, 104, 1234-1235.	2.9	1
317	Perceived stigmatization and social comfort: Validating the constructs and their measurement among pediatric burn survivors.. <i>Rehabilitation Psychology</i> , 2010, 55, 360-371.	1.3	49
318	Family participation in treatment, post-discharge appointment and medication adherence at a Nigerian psychiatric hospital. <i>British Journal of Psychiatry</i> , 2009, 194, 86-87.	2.8	29
319	Depression Screening in Patients With Heart Disease – Reply. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 1337.	7.4	5
320	Symptoms of Depression Predict the Trajectory of Pain Among Patients with Early Inflammatory Arthritis: A Path Analysis Approach to Assessing Change. <i>Journal of Rheumatology</i> , 2009, 36, 231-239.	2.0	51
321	Clinical Correlates of Self-reported Physical Health Status in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2009, 36, 1226-1229.	2.0	16
322	Quality of Life in Patients with Systemic Sclerosis Compared to the General Population and Patients with Other Chronic Conditions. <i>Journal of Rheumatology</i> , 2009, 36, 768-772.	2.0	64
323	Analyzing Effectiveness of Long-term Psychodynamic Psychotherapy. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 930.	7.4	15
324	(Not) talking about sex: a systematic comparison of sexual impairment in women with systemic sclerosis and other chronic disease samples. <i>Rheumatology</i> , 2009, 48, 1300-1303.	1.9	36

#	ARTICLE	IF	CITATIONS
325	Work Disability in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2009, 36, 2481-2486.	2.0	61
326	Should alternative diagnostic criteria be used to assess patients with cancer? A comment on Akechi et al.. <i>General Hospital Psychiatry</i> , 2009, 31, 397-398.	2.4	0
327	A validation study of the Dutch Childhood Trauma Questionnaire-Short Form: Factor structure, reliability, and known-groups validity. <i>Child Abuse and Neglect</i> , 2009, 33, 518-523.	2.6	218
328	Finding what is not there. <i>Cancer</i> , 2009, 115, 5612-5616.	4.1	35
329	In reference to <i>Sexual problems after total or partial laryngectomy</i> . <i>Laryngoscope</i> , 2009, 119, 1667-1668.	2.0	1
330	Time to diagnosis in systemic sclerosis: Is sex a factor?. <i>Arthritis and Rheumatism</i> , 2009, 61, 274-278.	6.7	35
331	Sociodemographic, disease, and symptom correlates of fatigue in systemic sclerosis: Evidence from a sample of 659 Canadian Scleroderma Research Group Registry patients. <i>Arthritis and Rheumatism</i> , 2009, 61, 966-973.	6.7	59
332	Health-related quality of life in systemic sclerosis: A systematic review. <i>Arthritis and Rheumatism</i> , 2009, 61, 1112-1120.	6.7	129
333	Prevalence and clinical correlates of pruritus in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2009, 61, 1765-1770.	6.7	31
334	The association of single and double orphanhood with symptoms of depression among children and adolescents in Namibia. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 369-376.	4.7	49
335	A Meta-Analysis of Psychosocial Interventions for Cancer Patients Gone Awry. <i>Annals of Behavioral Medicine</i> , 2009, 37, 94-96.	2.9	13
336	PHQ-9 and PHQ-2 in Western Kenya. <i>Journal of General Internal Medicine</i> , 2009, 24, 890-890.	2.6	5
337	Do more predictors improve mortality risk estimates among burn patients?. <i>Burns</i> , 2009, 35, 303-304.	1.9	4
338	Childhood psychosocial stressors and adult onset arthritis: A comment on Von Korff et al.. <i>Pain</i> , 2009, 144, 340.	4.2	1
339	Concordance and Discrepancy in Sexual Identity, Attraction, and Behavior Among Adolescents. <i>Journal of Adolescent Health</i> , 2009, 45, 602-608.	2.5	112
340	Back to the future in style: Psychosomatic research in cardiovascular disease. <i>Journal of Psychosomatic Research</i> , 2009, 67, 1-3.	2.6	0
341	More antidepressants for African Americans with coronary heart disease? Maybe "maybe not. <i>American Heart Journal</i> , 2009, 157, e33.	2.7	1
342	Learning from history: A commentary on the American Heart Association Science Advisory on depression screening. <i>American Heart Journal</i> , 2009, 158, 503-505.	2.7	20

#	ARTICLE	IF	CITATIONS
343	Routine Screening for Depression in Patients With Coronary Heart Disease. <i>Journal of the American College of Cardiology</i> , 2009, 54, 886-890.	2.8	78
344	Timing May Be Important, but Methodology Is Everything: A Commentary on Parker et al.. <i>Biological Psychiatry</i> , 2009, 66, e1-e2.	1.3	0
345	Optimizing Detection of Major Depression Among Patients with Coronary Artery Disease Using the Patient Health Questionnaire: Data from the Heart and Soul Study. <i>Journal of General Internal Medicine</i> , 2008, 23, 2014-2017.	2.6	91
346	High rates of depressive symptoms among patients with systemic sclerosis are not explained by differential reporting of somatic symptoms. <i>Arthritis and Rheumatism</i> , 2008, 59, 431-437.	6.7	18
347	Reliability and validity of the center for epidemiologic studies depression scale in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2008, 59, 438-443.	6.7	77
348	Clinical correlates of quality of life in systemic sclerosis measured with the World Health Organization Disability Assessment Schedule II. <i>Arthritis and Rheumatism</i> , 2008, 59, 279-284.	6.7	47
349	Prevalence and clinical correlates of symptoms of depression in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2008, 59, 504-509.	6.7	86
350	Usefulness of Persistent Symptoms of Depression to Predict Physical Health Status 12 Months After an Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2008, 101, 15-19.	1.6	32
351	Effect of Depression on Late (8 years) Mortality After Myocardial Infarction. <i>American Journal of Cardiology</i> , 2008, 101, 602-606.	1.6	34
352	Problems using aggregate scores of the Medical Outcomes Study 36-item Short Form Health Survey in knee and hip osteoarthritis: possible solutions. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 1431-1432.	1.3	1
353	From survival to socialization: A longitudinal study of body image in survivors of severe burn injury. <i>Journal of Psychosomatic Research</i> , 2008, 64, 205-212.	2.6	133
354	A general factor model for the Beck Depression Inventory-II: Validation in a sample of patients hospitalized with acute myocardial infarction. <i>Journal of Psychosomatic Research</i> , 2008, 65, 115-121.	2.6	41
355	Physical health status assessed during hospitalization for acute coronary syndrome predicts mortality 12 months later. <i>Journal of Psychosomatic Research</i> , 2008, 65, 587-593.	2.6	27
356	Probit structural equation regression model: general depressive symptoms predicted post-myocardial infarction mortality after controlling for somatic symptoms of depression. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 832-839.	5.0	17
357	Long-term Significance of Killip Class and Left Ventricular Systolic Dysfunction. <i>American Journal of Medicine</i> , 2008, 121, 1015-1018.	1.5	30
358	Diabetes, Depression, and Death: A Randomized Controlled Trial of a Depression Treatment Program for Older Adults Based in Primary Care (PROSPECT): Response to Bogner et al.. <i>Diabetes Care</i> , 2008, 31, e54-e54.	8.6	14
359	Usefulness of a single-item general self-rated health question to predict mortality 12 months after an acute coronary syndrome. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 479-481.	2.8	7
360	A systematic comparison of fatigue levels in systemic sclerosis with general population, cancer and rheumatic disease samples. <i>Rheumatology</i> , 2008, 47, 1559-1563.	1.9	49

#	ARTICLE	IF	CITATIONS
361	Depression and Adherence to Antihypertensive Therapy. American Journal of Hypertension, 2008, 21, 724-725.	2.0	1
362	Depression Screening and Patient Outcomes in Cardiovascular Care. JAMA - Journal of the American Medical Association, 2008, 300, 2161.	7.4	409
363	Mortality risk and length of stay associated with self-inflicted burn injury: Evidence from a national sample of 30,382 adult patients*. Critical Care Medicine, 2008, 36, 118-125.	0.9	81
364	Retrospective Screening of Patients for Age of Initial Diagnosis of Coronary Artery Disease. Journal of Cardiovascular Nursing, 2008, 23, 79-81.	1.1	1
365	Use of an Expanded Version of the DSM-IV Outline for Cultural Formulation on a Cultural Consultation Service. Psychiatric Services, 2008, 59, 683-686.	2.0	46
366	WAS IT SHOWN THAT "CLOSE RELATIONSHIPS AND EMOTIONAL PROCESSING PREDICT DECREASED MORTALITY IN WOMEN WITH BREAST CANCER"? A CRITIQUE OF WEIHS ET AL. (2008). Psychosomatic Medicine, 2008, 70, 737-738.	2.0	3
367	Patient and Injury Characteristics, Mortality Risk, and Length of Stay Related to Child Abuse by Burning. Annals of Surgery, 2008, 247, 519-523.	4.2	64
368	The Effect of a Primary Care Practice-Based Depression Intervention on Mortality in Older Adults. Annals of Internal Medicine, 2008, 148, 244.	3.9	3
369	Perceived social support predicts outcomes following myocardial infarction: A call for screening?. Health Psychology, 2008, 27, 1-1.	1.6	3
370	The relationship of dyspnoea to function and quality of life in systemic sclerosis. Annals of the Rheumatic Diseases, 2007, 67, 644-650.	0.9	36
371	Mortality and Adherence to Pharmacotherapy After Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2007, 297, 1877.	7.4	0
372	The Effects of Preexisting Medical Comorbidities on Mortality and Length of Hospital Stay in Acute Burn Injury. Annals of Surgery, 2007, 245, 629-634.	4.2	204
373	Selective Serotonin Reuptake Inhibitor Use by Patients with Acute Coronary Syndromes. American Journal of Medicine, 2007, 120, 525-530.	1.5	40
374	Acute Pain at Discharge From Hospitalization is a Prospective Predictor of Long-Term Suicidal Ideation After Burn Injury. Archives of Physical Medicine and Rehabilitation, 2007, 88, S36-S42.	0.9	69
375	Use of the Beck Depression Inventory for assessing depression in patients hospitalized with severe burn Disentangling symptoms of depression from injury and treatment factors. Burns, 2007, 33, 547-553.	1.9	10
376	Symptoms of depression predict change in physical health after burn injury. Burns, 2007, 33, 292-298.	1.9	45
377	An evaluation of the measurement equivalence of the Childhood Trauma Questionnaire Short Form across gender and race in a sample of drug-abusing adults. Journal of Psychosomatic Research, 2007, 63, 391-398.	2.6	77
378	On pot, potomania, and (couch) potatoes: The link between habits and mood. Journal of Psychosomatic Research, 2007, 63, 459-462.	2.6	0

#	ARTICLE	IF	CITATIONS
379	Performance Characteristics of Depression Screening Instruments in Survivors of Acute Myocardial Infarction: Review of the Evidence. <i>Psychosomatics</i> , 2007, 48, 185-194.	2.5	36
380	The Brain and the Heart: Independent or Interactive?. <i>Journal of the American College of Cardiology</i> , 2007, 49, 1824.	2.8	3
381	Throw the Window Out the Door. <i>Journal of the American College of Cardiology</i> , 2007, 50, 1519-1520.	2.8	0
382	Depression in patients with systemic sclerosis: A systematic review of the evidence. <i>Arthritis and Rheumatism</i> , 2007, 57, 1089-1097.	6.7	131
383	Are the short form 36 physical and mental component summary scores useful measures in patients with systemic sclerosis? Comment on the article by Rannou et al. <i>Arthritis and Rheumatism</i> , 2007, 57, 1339-1339.	6.7	1
384	Psychosocial Well-being and a Multicultural Personality Disposition. <i>Journal of Counseling and Development</i> , 2007, 85, 73-81.	2.4	11
385	Depression in burn reconstruction patients: symptom prevalence and association with body image dissatisfaction and physical function. <i>General Hospital Psychiatry</i> , 2007, 29, 14-20.	2.4	84
386	A brief two-item screener for detecting a history of physical or sexual abuse in childhood. <i>General Hospital Psychiatry</i> , 2007, 29, 8-13.	2.4	36
387	Who attempts suicide by burning? An analysis of age patterns of mortality by self-inflicted burning in the United States. <i>General Hospital Psychiatry</i> , 2007, 29, 244-250.	2.4	56
388	Cultural Sensitivity in Screening Adults for a History of Childhood Abuse: Evidence from a Community Sample. <i>Journal of General Internal Medicine</i> , 2007, 22, 368-373.	2.6	18
389	A test of the moderating role of importance of appearance in the relationship between perceived scar severity and body-esteem among adult burn survivors. <i>Body Image</i> , 2006, 3, 101-111.	4.3	64
390	An Evaluation of Screening Questions for Childhood Abuse in 2 Community Samples. <i>Archives of Internal Medicine</i> , 2006, 166, 2020.	3.8	49
391	Frequency and correlates of depression symptoms among long-term adult burn survivors.. <i>Rehabilitation Psychology</i> , 2006, 51, 306-313.	1.3	18
392	The reliability and validity of the Perceived Stigmatization Questionnaire (PSQ) and the Social Comfort Questionnaire (SCQ) among an adult burn survivor sample.. <i>Psychological Assessment</i> , 2006, 18, 106-111.	1.5	95
393	Burn Rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2006, 85, 383-413.	1.4	261
394	Early treatment of acute stress symptoms in pediatric burn patients with imipramine and fluoxetine. <i>Pediatric Critical Care Medicine</i> , 2006, 7, 498.	0.5	3
395	Do Symptom Dimensions of Depression Following Myocardial Infarction Relate Differently to Physical Health Indicators and Cardiac Prognosis?. <i>American Journal of Psychiatry</i> , 2006, 163, 1295-1296.	7.2	7
396	CHILDREN UNDER 4 YEARS ARE AT GREATER RISK OF MORTALITY FOLLOWING ACUTE BURN INJURY. <i>Shock</i> , 2006, 26, 348-352.	2.1	48

#	ARTICLE	IF	CITATIONS
397	Prevalence of depression in survivors of acute myocardial infarction. <i>Journal of General Internal Medicine</i> , 2006, 21, 30-38.	2.6	741
398	Depression in survivors of burn injury: a systematic review. <i>General Hospital Psychiatry</i> , 2006, 28, 494-502.	2.4	92
399	Do Symptom Dimensions of Depression Following Myocardial Infarction Relate Differently to Physical Health Indicators and Cardiac Prognosis?. <i>American Journal of Psychiatry</i> , 2006, 163, 1295-1296.	7.2	4
400	A Cross-Cultural Study of Perceived Stress Among Parents of Children with Large Burn Injuries: A Comment on Rose et al. <i>Journal of Burn Care and Research</i> , 2005, 26, 444-445.	1.6	1
401	Can Doctors and Nurses Recognize Depression in Patients Hospitalized With an Acute Myocardial Infarction in the Absence of Formal Screening?. <i>Psychosomatic Medicine</i> , 2005, 67, 393-397.	2.0	79
402	The brain and the heart: the twain meet The opinions expressed in this article are not necessarily those of the Editors of the <i>European Heart Journal</i> or of the European Society of Cardiology.. <i>European Heart Journal</i> , 2005, 26, 2607-2608.	2.2	5
403	Depression Following Acute Myocardial Infarction: A Prospective Relationship With Ongoing Health and Function. <i>Psychosomatics</i> , 2005, 46, 355-361.	2.5	40
404	L'association des dimensions de l'orientation sexuelle, du harcèlement et du suicide: quelles minorités sexuelles sont les plus à risque?. <i>Sante Mentale Au Quebec</i> , 0, 40, 55-75.	0.1	10
405	Validation of the "knowledge about melanoma early detection scale" in a sample of melanoma survivors. <i>Current Psychology</i> , 0, , 1.	2.8	0
406	The Hospital Anxiety and Depression Scale in patients with systemic sclerosis: a psychometric and factor analysis in a monocentric cohort. <i>Clinical and Experimental Rheumatology</i> , 0, , .	0.8	1
407	Mental Health Care Use and Associated Factors in Systemic Sclerosis: A Scleroderma <sc>Patient-Centered</sc> Intervention Network Cohort Study. <i>ACR Open Rheumatology</i> , 0, , .	2.1	0