

Assunta Bertaccini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5100600/publications.pdf>

Version: 2024-02-01

270
papers

5,243
citations

117625

34
h-index

138484

58
g-index

273
all docs

273
docs citations

273
times ranked

1952
citing authors

#	ARTICLE	IF	CITATIONS
1	Citrus industry: Phytoplasma-associated diseases and related challenges for Asia, America and Africa. <i>Crop Protection</i> , 2022, 151, 105822.	2.1	10
2	Occurrence of single and mixed infection of <i>Spiroplasma citri</i> and phytoplasmas in sesame plants in Iran. <i>Australasian Plant Pathology</i> , 2022, 51, 13-26.	1.0	3
3	First report of a 16SrII-D phytoplasma associated with phyllody in <i>Heliopsis helianthoides</i> . <i>Australasian Plant Pathology</i> , 2022, 51, 117-122.	1.0	1
4	Diverse phytoplasmas associated with maize bushy stunt disease in Peru. <i>European Journal of Plant Pathology</i> , 2022, 163, 223-235.	1.7	2
5	Survey for <i>Candidatus Liberibacter</i> ™ and <i>Candidatus Phytoplasma</i> ™ in Citrus in Chile. <i>Pathogens</i> , 2022, 11, 48.	2.8	1
6	Revision of the <i>Candidatus Phytoplasma</i> ™ species description guidelines. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	119
7	Plants and Phytoplasmas: When Bacteria Modify Plants. <i>Plants</i> , 2022, 11, 1425.	3.5	20
8	European primary datasets of alien bacteria and viruses. <i>Scientific Data</i> , 2022, 9, .	5.3	1
9	The use of plasma-activated water in viticulture: Induction of resistance and agronomic performance in greenhouse and open field. <i>Plasma Processes and Polymers</i> , 2021, 18, .	3.0	15
10	Ten years journey of phytopathogenic mollicutes. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 1-2.	0.1	0
11	Molecular detection of phytoplasmas in potato psyllids in Ecuador. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 51-58.	0.1	2
12	Phytoplasma cultivation: State of the art. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 3-8.	0.1	1
13	Identification of <i>Candidatus Phytoplasma</i> ™ species in <i>œhuanglongbing</i> -infected citrus orchards in the Caribbean. <i>European Journal of Plant Pathology</i> , 2021, 160, 185-198.	1.7	5
14	Molecular diversity of phytoplasmas associated with eggplant phyllody disease in Iran. <i>European Journal of Plant Pathology</i> , 2021, 161, 195-205.	1.7	3
15	Characterization of <i>Candidatus Phytoplasma solani</i> ™ associated with a maize leaf reddening disease in Turkey. <i>Journal of Phytopathology</i> , 2021, 169, 658-666.	1.0	7
16	Tropicsafe project: Detection and management of lethal yellowing and grapevine yellows diseases in partner countries. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 9-14.	0.1	0
17	A chrysanthemum decline associated with phytoplasma presence in Italy. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 15-22.	0.1	0
18	Detection and identification of a 16SrIII subgroups phytoplasma associated with faba bean in Peru. <i>Journal of Phytopathology</i> , 2021, 169, 203-208.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Containment of Phytoplasma-Associated Plant Diseases by Antibiotics and Other Antimicrobial Molecules. <i>Antibiotics</i> , 2021, 10, 1398.	3.7	9
20	Identification of a 16SrIX phytoplasma strain associated with <i>Daphne mucronata</i> phyllody in Iran. <i>Forest Pathology</i> , 2021, 51, e12703.	1.1	2
21	Molecular Variability and Host Distribution of <i>Candidatus</i> <i>Phytoplasma solani</i> Strains from Different Geographic Origins. <i>Microorganisms</i> , 2021, 9, 2530.	3.6	4
22	First detection of <i>Candidatus</i> <i>Phytoplasma asteris</i> and <i>Candidatus</i> <i>Phytoplasma solani</i> -related strains in fig trees. <i>Journal of Phytopathology</i> , 2020, 168, 63-71.	1.0	5
23	<i>Flavescence dorée</i> impacts growth, productivity and ultrastructure of <i>Vitis vinifera</i> plants in Portuguese Vinhos Verdes region. <i>Scientia Horticulturae</i> , 2020, 261, 108742.	3.6	9
24	Plasma activated water triggers plant defence responses. <i>Scientific Reports</i> , 2020, 10, 19211.	3.3	21
25	Update and New Epidemiological Aspects about Grapevine Yellows in Chile. <i>Pathogens</i> , 2020, 9, 933.	2.8	4
26	A new species of planthopper in the genus <i>Agoo</i> Bahder & Bartlett (Hemiptera: Fulgoroidea: Derbidae) from coconut palm (<i>Cocos nucifera</i> L.) in Jamaica . <i>Zootaxa</i> , 2020, 4853, 254-264.	0.5	2
27	Occurrence and identification of a phytoplasma associated with <i>Pinus brutia</i> witches broom disease in Isfahan, Iran. <i>Australasian Plant Pathology</i> , 2020, 49, 655-660.	1.0	6
28	Detection of 16SrVI and 16SrIX phytoplasma groups in pot marigold and tickseed plants in northeastern Iran. <i>Folia Microbiologica</i> , 2020, 65, 697-703.	2.3	3
29	Occurrence of <i>Candidatus</i> <i>Phytoplasma omanense</i> -related strains and other phytoplasmas in <i>Sophora alopecuroides</i> plants showing dwarfing and yellowing. <i>Australasian Plant Pathology</i> , 2020, 49, 403-411.	1.0	5
30	Phytoplasma presence in carrot seedlings. <i>Australasian Plant Disease Notes</i> , 2020, 15, 1.	0.7	6
31	Molecular detection and characterisation of phytoplasma in <i>Trigonella foenum-graecum</i> and identification of potential insect vectors in Punjab, Pakistan. <i>Pakistan Journal of Botany</i> , 2020, 52, .	0.5	4
32	Grassy shoot: The destructive disease of sugarcane. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 10.	0.1	8
33	Identification of 16SrXI phytoplasmas in sugarcane and alternative hostplants in Karnataka, India. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 50.	0.1	0
34	Molecular characterization of phytoplasmas infecting neem trees in India. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 158-165.	0.1	1
35	Confirmation of the association of an aster yellows phytoplasma with flat stem and witches broom disease of <i>Hibiscus cannabinus</i> in the north east region of India. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 152-157.	0.1	0
36	Identification of phytoplasmas and <i>Auchenorhyncha</i> in Tunisian vineyards. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 25.	0.1	1

#	ARTICLE	IF	CITATIONS
37	Identification, occurrence, incidence and transmission of phytoplasma associated with <i>Petunia violacea</i> witches' broom in Iran. <i>Journal of Phytopathology</i> , 2019, 167, 547-552.	1.0	9
38	Identification and transmission of phytoplasmas and their impact on essential oil composition in <i>Aerva javanica</i> . <i>3 Biotech</i> , 2019, 9, 310.	2.2	12
39	Global Status of Phytoplasma Diseases in Vegetable Crops. <i>Frontiers in Microbiology</i> , 2019, 10, 1349.	3.5	102
40	Molecular and Serological Approaches in Detection of Phytoplasmas in Plants and Insects. , 2019, , 105-136.		7
41	Multilocus Genetic Characterization of Phytoplasmas. , 2019, , 161-200.		21
42	Association of a <i>Candidatus</i> <i>Phytoplasma aurantifolia</i> -related strain with apricot showing European stone fruit yellows symptoms in Iran. <i>3 Biotech</i> , 2019, 9, 65.	2.2	8
43	Plasma activated water as resistance inducer against bacterial leaf spot of tomato. <i>PLoS ONE</i> , 2019, 14, e0217788.	2.5	34
44	Phytoplasma Transmission by Seed. , 2019, , 131-147.		13
45	Integrated Management of Phytoplasma Diseases. , 2019, , 237-258.		4
46	Phytoplasma Elimination from Perennial Horticultural Crops. , 2019, , 185-206.		4
47	Detection and seed transmission of Bermudagrass phytoplasma in maize in Turkey. <i>Journal of Phytopathology</i> , 2019, 167, 248-255.	1.0	15
48	Molecular and biological characterization of phytoplasmas from coconut palms affected by the lethal yellowing disease in Africa. <i>Microbiological Research</i> , 2019, 223-225, 51-57.	5.3	17
49	Transovarial Transmission in Insect Vectors. , 2019, , 115-130.		1
50	Surveys reveal a complex association of phytoplasmas and viruses with the blueberry stunt disease on Canadian blueberry farms. <i>Annals of Applied Biology</i> , 2019, 174, 142-152.	2.5	6
51	PCR-based diagnostic methods for ' <i>Candidatus</i> <i>Liberibacter solanacearum</i> ' - Review. <i>Plant Protection Science</i> , 2019, 55, 229-242.	1.4	3
52	A new species of planthopper belonging to the genus <i>Oecleus</i> (Hemiptera: Fulgoroidea: Cixiidae) from coconut palm (<i>Cocos nucifera</i> L) in Jamaica . <i>Zootaxa</i> , 2019, 4712, 127-137.	0.5	8
53	Conventional and novel approaches for managing <i>œflavescence dorée</i> in grapevine: knowledge gaps and future prospects. <i>Plant Pathology</i> , 2019, 68, 3-17.	2.4	21
54	Standard Detection Protocol: PCR and RFLP Analyses Based on 16S rRNA Gene. <i>Methods in Molecular Biology</i> , 2019, 1875, 83-95.	0.9	12

#	ARTICLE	IF	CITATIONS
55	Phytoplasma Cultivation. , 2019, , 89-104.		2
56	Recommended rejection of the names Malacoplasma gen. nov., Mesomycoplasma gen. nov., Metamycoplasma gen. nov., Metamycoplasmataceae fam. nov., Mycoplasmoidaceae fam. nov., Mycoplasmoidales ord. nov., Mycoplasmoides gen. nov., Mycoplasmosis gen. nov. [Gupta, Sawnani, Adeolu, Alnajjar and Oren 2018] and all proposed species comb. nov. placed therein. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3650-3653.	1.7	32
57	The phytoplasma classification between <i>Candidatus</i> species TM provisional status and ribosomal grouping system. Phytopathogenic Mollicutes, 2019, 9, 1.	0.1	4
58	New host plants and distribution areas of <i>Candidatus</i> Phytoplasma omanense TM -related strains in Iran. Phytopathogenic Mollicutes, 2019, 9, 13.	0.1	2
59	Phytoplasmas infecting greenhouse cucumber in Iran. Phytopathogenic Mollicutes, 2019, 9, 31.	0.1	3
60	Use of 12p and 36p genes as molecular markers in support of subgroup identification of two 16SrXIII phytoplasmas associated with strawberry phyllody in Chile. Phytopathogenic Mollicutes, 2019, 9, 89.	0.1	2
61	Simultaneous evaluation of <i>Candidatus</i> Phytoplasma TM and <i>Candidatus</i> Liberibacter solanacearum TM seed transmission in carrot. Phytopathogenic Mollicutes, 2019, 9, 141.	0.1	9
62	Plasma activated water as a possible sustainable strategy towards grapevine yellows disease management. Phytopathogenic Mollicutes, 2019, 9, 163.	0.1	1
63	<i>Candidatus</i> Phytoplasma TM and <i>Candidatus</i> Liberibacter TM species detection in citrus. Phytopathogenic Mollicutes, 2019, 9, 187.	0.1	3
64	<i>Candidatus</i> Phytoplasma TM species detection in coconuts in Cuba. Phytopathogenic Mollicutes, 2019, 9, 191.	0.1	4
65	Small RNA profiling of aster yellows infected <i>Catharanthus roseus</i> plants. Phytopathogenic Mollicutes, 2019, 9, 131.	0.1	0
66	Phytoplasma cultivation: lights and shadows. Phytopathogenic Mollicutes, 2019, 9, 95.	0.1	0
67	Molecular identification and characterization of phytoplasmas in insect vectors of chickpea phyllody disease in Punjab, Pakistan. Phytopathogenic Mollicutes, 2019, 9, 105.	0.1	2
68	Host Metabolic Interaction and Perspectives in Phytoplasma Research. , 2019, , 201-226.		0
69	Does salicylic acid alleviate the impacts on growth, development and productivity of <i>Vitis rotundifolia</i> grapevines in Portuguese <i>Vinhos Verdes</i> grapevines?. Phytopathogenic Mollicutes, 2019, 9, 167.	0.1	2
70	Phytoplasmas detected in insects and spontaneous vegetation near vineyards with yellows diseases in Italy. Phytopathogenic Mollicutes, 2019, 9, 55.	0.1	0
71	Phytoplasma detection in date palm plant tissues by colony isolation followed by molecular analyses. Phytopathogenic Mollicutes, 2019, 9, 263.	0.1	1
72	A severe case of pear decline disease. Phytopathogenic Mollicutes, 2019, 9, 252.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Methyl jasmonate triggers metabolic responses and gene expression on <i>Vitis vinifera</i> cultivar Loureiro infected with <i>Flavescens dorata</i> . Phytopathogenic Mollicutes, 2019, 9, 165.	0.1	2
74	Potential insect vectors and alternative host plants of phytoplasmas in the Fynbos and Succulent Karoo biomes in South Africa. Phytopathogenic Mollicutes, 2019, 9, 197.	0.1	0
75	Preliminary evaluation of the use of an antiserum obtained from phytoplasma culture. Phytopathogenic Mollicutes, 2019, 9, 201.	0.1	0
76	Preliminary results on susceptibility to bacterial canker of <i>Actinidia</i> spp. accessions. Acta Horticulturae, 2019, , 115-120.	0.2	1
77	Rapid screening for phytoplasma presence in flower crops using <i>tuf</i> gene barcode. Acta Horticulturae, 2018, , 63-68.	0.2	2
78	Identification of <i>Nedotepa curta</i> Dmitriev as a potential vector of the Côte d'Ivoire lethal yellowing phytoplasma in coconut palms sole or in mixed infection with a <i>Candidatus Phytoplasma asteris</i> -related strain. Crop Protection, 2018, 110, 48-56.	2.1	10
79	Draft Whole Genome Sequence Analyses on <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Hypersensitive Response Negative Strains Detected from Kiwifruit Bleeding Sap Samples. Phytopathology, 2018, 108, 552-560.	2.2	12
80	Detection and molecular characterization of a 16SrI-F phytoplasma in potato showing purple top disease in Ecuador. Australasian Plant Pathology, 2018, 47, 311-315.	1.0	12
81	Molecular Diversity of Phytoplasmas Associated with Grapevine Yellowing Disease in North-Eastern Italy. Phytopathology, 2018, 108, 206-214.	2.2	20
82	Detection and characterisation of phytoplasma strains associated with field bindweed witches' broom disease in Iran. Archives of Phytopathology and Plant Protection, 2018, 51, 803-813.	1.3	9
83	Fruit Crop Phytoplasmas. , 2018, , 153-190.		14
84	Phytoplasmas: An Update. , 2018, , 1-29.		47
85	Grapevine Phytoplasmas. , 2018, , 123-151.		13
86	Phytoplasma Diseases in Ornamental Crops. , 2018, , 191-233.		13
87	Characterization of a 16SrII subgroup D phytoplasma strain associated with <i>Calendula officinalis</i> phyllody in Iran. 3 Biotech, 2018, 8, 295.	2.2	6
88	Plant Pathogens, Minor (Phytoplasmas) , 2018, , .		1
89	Multilocus typing for characterization of <i>Candidatus Phytoplasma asteris</i> -related strains in several ornamental species in Italy. Acta Horticulturae, 2018, , 55-62.	0.2	1
90	Detection of phytoplasmas in <i>Passiflora edulis</i> in Guadeloupe. Phytopathogenic Mollicutes, 2018, 8, 8.	0.1	1

#	ARTICLE	IF	CITATIONS
91	Molecular differentiation of 16SrIX-I phytoplasmas detected in <i>Onobrychis viciifolia</i> leaf yellowing in Iran from phytoplasmas in 16SrIX-J subgroup. <i>Phytopathogenic Mollicutes</i> , 2018, 8, 24.	0.1	3
92	Identification of phytoplasmas in mango and pomegranate fruits in Guadeloupe. <i>Phytopathogenic Mollicutes</i> , 2018, 8, 89.	0.1	4
93	Association of <i>Eriophyes dimocarpi</i> (Acari: Eriophyidae) with longan witches' broom disease in Vietnam. <i>Archives of Phytopathology and Plant Protection</i> , 2017, 50, 70-83.	1.3	6
94	Molecular and biologic characterization of a phytoplasma associated with Brassica campestris phyllody disease in Punjab province, Pakistan. <i>European Journal of Plant Pathology</i> , 2017, 149, 117-125.	1.7	14
95	Phytoplasmas – Dangerous and Intriguing Bacteria. <i>SpringerBriefs in Agriculture</i> , 2017, , 1-15.	0.9	1
96	Worldwide Distribution and Identification of Grapevine Yellows Diseases. <i>SpringerBriefs in Agriculture</i> , 2017, , 17-46.	0.9	7
97	Detection and differentiation of the coconut lethal yellowing phytoplasma in coconut-growing villages of Grand-Lahou, Côte d'Ivoire. <i>Annals of Applied Biology</i> , 2017, 170, 333-347.	2.5	10
98	Molecular identification of diverse <i>Candidatus</i> Phytoplasma species associated with grapevine decline in Iran. <i>Journal of Phytopathology</i> , 2017, 165, 407-413.	1.0	24
99	General phytoplasma detection by a q-PCR method using mycoplasma primers. <i>Molecular and Cellular Probes</i> , 2017, 35, 1-7.	2.1	12
100	Comparative transcriptome analysis of Ziziphus jujuba infected by jujube witches' broom phytoplasmas. <i>Scientia Horticulturae</i> , 2017, 226, 50-58.	3.6	21
101	New phytoplasma subgroup identified from Arecaceae palm species in Grand-Lahou, Côte d'Ivoire. <i>Canadian Journal of Plant Pathology</i> , 2017, 39, 297-306.	1.4	4
102	Detection and identification of phytoplasmas associated with declining Liquidambar styraciflua trees in Colombia. <i>Tropical Plant Pathology</i> , 2017, 42, 352-361.	1.5	9
103	Xylella fastidiosa and olive quick decline syndrome (CoDiRO) in Salento (southern Italy): a chemometric 1H NMR-based preliminary study on Ogliarola salentina and Cellina di Nardà cultivars. <i>Chemical and Biological Technologies in Agriculture</i> , 2017, 4, .	4.6	19
104	Genetic diversity and vector transmission of phytoplasmas associated with sesame phyllody in Iran. <i>Folia Microbiologica</i> , 2017, 62, 99-109.	2.3	36
105	Potential Applications and Limitations of Electronic Nose Devices for Plant Disease Diagnosis. <i>Sensors</i> , 2017, 17, 2596.	3.8	76
106	Grapevine Yellows Diseases and Their Phytoplasma Agents. <i>SpringerBriefs in Agriculture</i> , 2017, , .	0.9	22
107	Molecular characterization of a new phytoplasma associated with Helianthus annuus phyllody in Iran. <i>Phytopathogenic Mollicutes</i> , 2017, 7, 81.	0.1	3
108	Development and evaluation of different complex media for phytoplasma isolation and growth. <i>Journal of Microbiological Methods</i> , 2016, 127, 105-110.	1.6	67

#	ARTICLE	IF	CITATIONS
109	Population genetic analysis reveals a low level of genetic diversity of <i>Candidatus Phytoplasma aurantifolia</i> causing witches' broom disease in lime. SpringerPlus, 2016, 5, 1701.	1.2	18
110	Occurrence and Characterization of a 16SrII Subgroup <i>Phytoplasma</i> Associated with Parsley Witches' Broom Disease in Iran. Journal of Phytopathology, 2016, 164, 996-1002.	1.0	18
111	Detection and identification of the coconut lethal yellowing phytoplasma in weeds growing in coconut farms in Côte d'Ivoire. Canadian Journal of Plant Pathology, 2016, 38, 164-173.	1.4	13
112	Identification of a phytoplasma associated with pomegranate little leaf disease in Iran. Crop Protection, 2016, 87, 50-54.	2.1	19
113	Detection and Identification of Phytoplasmas in Pomegranate Trees with Yellowing Symptoms. Journal of Phytopathology, 2016, 164, 136-140.	1.0	17
114	Multigene characterization of a new <i>Candidatus Phytoplasma rubi</i> -related strain associated with blackberry witches' broom. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1438-1446.	1.7	12
115	Characterization of 16SrII group phytoplasmas associated with alfalfa (<i>Medicago sativa</i>) witches' broom disease in diverse areas of Iran. Journal of Crop Protection, 2016, 5, 581-590.	0.5	14
116	The EASIN Editorial Board: quality assurance, exchange and sharing of alien species information in Europe. Management of Biological Invasions, 2016, 7, 321-328.	1.2	23
117	First report of the identification of a <i>Candidatus Phytoplasma pruni</i> -related strain in <i>Trillium</i> species in Canada. New Disease Reports, 2016, 34, 19-19.	0.8	3
118	First report of a 16SrII phytoplasma associated with <i>Calendula officinalis</i> phyllody in Iran. New Disease Reports, 2016, 34, 22-22.	0.8	12
119	First report of a <i>Candidatus Phytoplasma phoenicium</i> -related strain (16SrIX) associated with yellowing of <i>Onobrychis viciifolia</i> in Iran. New Disease Reports, 2016, 34, 30-30.	0.8	6
120	Molecular detection and identification of 16SrII group and aster yellows phytoplasmas associated with longan witches' broom syndrome in Vietnam. Phytopathogenic Mollicutes, 2016, 6, 10.	0.1	2
121	Molecular identification and phylogenetic analysis of phytoplasmas associated with alfalfa witches' broom diseases in the western areas of Iran. Phytopathogenic Mollicutes, 2016, 6, 16.	0.1	10
122	Multigene characterization of phytoplasmas infecting jujube and paulownia in China. Phytopathogenic Mollicutes, 2016, 6, 93.	0.1	1
123	Occurrence of a <i>Candidatus Phytoplasma omanense</i> -related strain in bindweed witches' broom disease in Iran. Phytopathogenic Mollicutes, 2016, 6, 87.	0.1	6
124	Differentiation of <i>Candidatus Phytoplasma cynodontis</i> Based on 16S rRNA and <i>groEL</i> Genes and Identification of a New Subgroup, 16SrXIV-C. Plant Disease, 2015, 99, 1578-1583.	1.4	22
125	Phytoplasmas and Their Insect Vectors: Implications for Date Palm. , 2015, , 287-314.		6
126	SEVERE DISEASES INDUCED BY VIRUSES AND PHYTOPLASMAS IN HYDRANGEA IN ITALY. Acta Horticulturae, 2015, , 105-111.	0.2	5

#	ARTICLE	IF	CITATIONS
127	IDENTIFICATION AND MOLECULAR CHARACTERIZATION OF MULTIPLE PHYTOPLASMA INFECTION IN SPARTIUM JUNCEUM AND CYTISUS SCOPARIUS. Acta Horticulturae, 2015, , 113-116.	0.2	2
128	FIRST REPORT OF PHYTOPLASMAS ASSOCIATED WITH ERYSIMUM LINIFOLIUM STUNTING. Acta Horticulturae, 2015, , 117-121.	0.2	3
129	Status of sesame phyllody and its control methods in Yazd, Iran. Phytopathogenic Mollicutes, 2015, 5, S119.	0.1	6
130	Status of alfalfa witchesâ€™ broom phytoplasma disease in Iran. Phytopathogenic Mollicutes, 2015, 5, S65.	0.1	11
131	VINE DECLINE IN KIWI FRUIT: CLIMATE CHANGE AND EFFECT ON WATERLOGGING AND PHYTOPHTHORA IN NORTH ITALY. Acta Horticulturae, 2015, , 93-97.	0.2	24
132	Genetic relatedness and recombination analysis of <i>Allorhizobium vitis</i> strains associated with grapevine crown gall outbreaks in Europe. Journal of Applied Microbiology, 2015, 119, 786-796.	3.1	10
133	Evidence of association of a <i>Candidatus Phytoplasma cynodontis</i> ™ with bermuda grass (<i>Cynodon</i>) Tj ETQq1 1 0.784314 rgBT /Ov Uttar Pradesh, India. Crop Protection, 2015, 74, 138-144.	2.1	6
134	Occurrence and identification of grapevine phytoplasmas in main viticultural regions of Turkey. Phytoparasitica, 2015, 43, 303-310.	1.2	15
135	Q-Bank Phytoplasma: A DNA Barcoding Tool for Phytoplasma Identification. Methods in Molecular Biology, 2015, 1302, 123-135.	0.9	5
136	Phytoplasma research between past and future: what directions?. Phytopathogenic Mollicutes, 2015, 5, S1.	0.1	8
137	Transmission of 16SrIII-J phytoplasma by <i>Paratanus exitiosus</i> (Beamer) leafhopper in grapevine. Phytopathogenic Mollicutes, 2015, 5, S43.	0.1	5
138	Transmission of 16SrIII-J phytoplasma by <i>Bergallia valdiviana</i> Berg 1881 leafhopper. Phytopathogenic Mollicutes, 2015, 5, S47.	0.1	4
139	Preliminary study on some ornamental plant phytoplasma diseases in north of Iran. Phytopathogenic Mollicutes, 2015, 5, S67.	0.1	10
140	Phytoplasma identification in iberis exhibiting stunting and witchesâ€™ broom symptoms. Phytopathogenic Mollicutes, 2015, 5, S85.	0.1	2
141	An up to date status of alfalfa witchesâ€™ broom disease in Iran. Phytopathogenic Mollicutes, 2015, 5, 9.	0.1	15
142	<i>Cyperus rotundus</i> L. a new host species for <i>Candidatus Phytoplasma aurantifolia</i> ™ - related phytoplasmas in Cuba. Phytopathogenic Mollicutes, 2015, 5, 42.	0.1	2
143	Incidence, distribution, economic importance of alfalfa witchesâ€™ broom disease in Sistan-Baluchestan (Iran) and characterization of associated phytoplasmas. Phytopathogenic Mollicutes, 2015, 5, 84.	0.1	6
144	Phytoplasma detection and identification in declining pomegranate in Iran. Phytopathogenic Mollicutes, 2015, 5, 95.	0.1	11

#	ARTICLE	IF	CITATIONS
145	<i>Candidatus</i> Phytoplasma asteris TM Strains Associated with Oil Palm Lethal Wilt in Colombia. <i>Plant Disease</i> , 2014, 98, 311-318.	1.4	32
146	Generation and Analysis of Draft Sequences of 'Stolbur' Phytoplasma from Multiple Displacement Amplification Templates. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2014, 24, 1-11.	1.0	32
147	Identification of Volatile Markers in Potato Brown Rot and Ring Rot by Combined GC-MS and PTR-MS Techniques: Study on in Vitro and in Vivo Samples. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 337-347.	5.2	28
148	Phytoplasmas and Phytoplasma Diseases: A Severe Threat to Agriculture. <i>American Journal of Plant Sciences</i> , 2014, 05, 1763-1788.	0.8	268
149	First report of <i>Candidatus</i> Phytoplasma asteris TM (16Srl group) causing stunt of tomato in Cuba. <i>New Disease Reports</i> , 2014, 30, 10-10.	0.8	6
150	Characterization of a <i>Candidatus</i> Phytoplasma asteris TM strains associated with periwinkle virescence in Southern Italy. <i>Phytopathogenic Mollicutes</i> , 2014, 4, 53.	0.1	2
151	Phytoplasma and virus diseases on tomato in Mauritius. <i>Australasian Plant Pathology</i> , 2013, 42, 659-665.	1.0	7
152	Nested PCR and RFLP Analysis Based on the 16S rRNA Gene. <i>Methods in Molecular Biology</i> , 2013, 938, 159-171.	0.9	27
153	Microarrays for Universal Detection and Identification of Phytoplasmas. <i>Methods in Molecular Biology</i> , 2013, 938, 223-232.	0.9	1
154	DNA Bar-Coding for Phytoplasma Identification. <i>Methods in Molecular Biology</i> , 2013, 938, 301-317.	0.9	6
155	Micropropagation and Maintenance of Phytoplasmas in Tissue Culture. <i>Methods in Molecular Biology</i> , 2013, 938, 33-39.	0.9	3
156	<i>Pseudomonas syringae</i> pv. <i>actinidiae</i> detection in kiwifruit plant tissue and bleeding sap. <i>Annals of Applied Biology</i> , 2013, 162, 60-70.	2.5	34
157	Genetic diversity of Czech <i>Candidatus</i> Phytoplasma mali TM strains based on multilocus gene analyses. <i>European Journal of Plant Pathology</i> , 2013, 136, 675-688.	1.7	18
158	<i>Candidatus</i> Phytoplasma balanitae TM associated with witches' broom disease of <i>Balanites triflora</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 636-640.	1.7	41
159	Outlook on relevant phytoplasma diseases in Europe. <i>Phytopathogenic Mollicutes</i> , 2013, 3, 9.	0.1	2
160	Characterization on six genes of <i>Candidatus</i> Phytoplasma asteris TM -related phytoplasmas infecting cyclamen. <i>Phytopathogenic Mollicutes</i> , 2013, 3, 72.	0.1	2
161	cDNA-AFLP analysis of gene expression changes in apple trees induced by phytoplasma infection during compatible interaction. <i>European Journal of Plant Pathology</i> , 2012, 134, 117-130.	1.7	10
162	<i>Candidatus</i> Phytoplasma convolvuli TM , a new phytoplasma taxon associated with bindweed yellows in four European countries. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2910-2915.	1.7	41

#	ARTICLE	IF	CITATIONS
163	Differentiation and classification of phytoplasmas in the pigeon pea witches' broom group (16SrIX): an update based on multiple gene sequence analysis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2279-2285.	1.7	43
164	Correlation of bois noir disease with nettle and vector abundance in northern Italy vineyards. <i>Journal of Pest Science</i> , 2012, 85, 23-28.	3.7	23
165	DNA Barcoding for Identification of <i>Candidatus Phytoplasma asteris</i> ™ Using a Fragment of the Elongation Factor Tu Gene. <i>PLoS ONE</i> , 2012, 7, e52092.	2.5	57
166	Detection and identification of phytoplasmas associated with longan witches' broom in Vietnam. <i>Phytopathogenic Mollicutes</i> , 2012, 2, 23.	0.1	4
167	Identification and GroEl gene characterization of green petal phytoplasma infecting strawberry in Italy. <i>Phytopathogenic Mollicutes</i> , 2012, 2, 59.	0.1	8
168	Chromatographic Methods for Metabolite Profiling of Virus- and Phytoplasma-Infected Plants of <i>Echinacea purpurea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 10425-10434.	5.2	31
169	Identification and molecular characterization of the phytoplasma associated with peach rosette-like disease at the Canadian Clonal Genebank based on the 16S rRNA gene analysis. <i>Canadian Journal of Plant Pathology</i> , 2011, 33, 127-134.	1.4	14
170	RECENT FINDINGS OF VIRUSES INFECTING RANUNCULUS HYBRIDS IN LIGURIA (ITALY). <i>Acta Horticulturae</i> , 2011, , 113-117.	0.2	4
171	Effects of <i>Candidatus Phytoplasma asteris</i> ™ on the Volatile Chemical Content and Composition of <i>Grindelia robusta</i> Nutt.. <i>Journal of Phytopathology</i> , 2011, 159, 124-126.	1.0	5
172	The groEL gene as an additional marker for finer differentiation of <i>Candidatus Phytoplasma asteris</i> -related strains. <i>Annals of Applied Biology</i> , 2011, 159, 41-48.	2.5	66
173	Identification of <i>Graminella nigrifrons</i> as a potential vector for phytoplasmas affecting <i>Prunus</i> and <i>Pyrus</i> species in Canada. <i>Canadian Journal of Plant Pathology</i> , 2011, 33, 465-474.	1.4	10
174	Phytoplasma classification: taxonomy based on 16S ribosomal gene, is it enough?. <i>Phytopathogenic Mollicutes</i> , 2011, 1, 3.	0.1	37
175	First report of <i>Candidatus Phytoplasma fraxini</i> ™ (group 16SrVII phytoplasma) associated with a peach disease in Canada. <i>Plant Pathology</i> , 2010, 59, 1162-1162.	2.4	4
176	Occurrence of Phytoplasmas Related to Stolbur and to <i>Candidatus Phytoplasma japonicum</i> ™ in Woody Host Plants in China. <i>Journal of Phytopathology</i> , 2010, 158, 100-104.	1.0	30
177	Review Article: Phytoplasma on ornamentals: Detection, diversity and management. <i>Acta Phytopathologica Et Entomologica Hungarica</i> , 2010, 45, 31-69.	0.2	31
178	First Report of <i>Candidatus Phytoplasma asteris</i> ™-Related Strain Associated with Peach Rosette in Canada. <i>Plant Disease</i> , 2010, 94, 916-916.	1.4	10
179	Leafhoppers and cixiids in phytoplasma-infected carrot fields: Species composition and potential phytoplasma vectors. <i>Pesticidi I Fitomedicina = Pesticides and Phytomedicine</i> , 2010, 25, 311-318.	0.2	11
180	A simple and rapid protocol of crude DNA extraction from apple trees for PCR and real-time PCR detection of <i>Candidatus Phytoplasma mali</i> ™. <i>Journal of Virological Methods</i> , 2009, 156, 96-101.	2.1	14

#	ARTICLE	IF	CITATIONS
181	Multigene analysis for differentiation of aster yellows phytoplasmas infecting carrots in Serbia. <i>Annals of Applied Biology</i> , 2009, 154, 219-229.	2.5	26
182	Optimization and validation of a high-performance liquid chromatography method for the analysis of cardiac glycosides in <i>Digitalis lanata</i> . <i>Journal of Chromatography A</i> , 2009, 1216, 3260-3269.	3.7	26
183	Characterization of a Phytoplasma Associated with Frogskin Disease in Cassava. <i>Plant Disease</i> , 2009, 93, 1139-1145.	1.4	57
184	Phytoplasmas Associated with Grapevine Yellows Disease in Chile. <i>Plant Disease</i> , 2009, 93, 789-796.	1.4	41
185	Note: Molecular identification of 'Candidatus phytoplasma asteris' inducing histological anomalies in <i>Silene nicaeensis</i> . <i>Phytoparasitica</i> , 2008, 36, 290-293.	1.2	7
186	'Candidatus Phytoplasma omanense', associated with witches'-broom of <i>Cassia italica</i> (Mill.) Spreng. in Oman. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 461-466.	1.7	58
187	PHYTOPLASMAS IN DECLINING CHERRY PLANTS. <i>Acta Horticulturae</i> , 2008, , 409-416.	0.2	12
188	MOLECULAR DETECTION OF 'CANDIDATUS PHYTOPLASMA ZIZIPHAE' IN DIFFERENT JUJUBE CULTIVARS. <i>Acta Horticulturae</i> , 2008, , 207-210.	0.2	4
189	PHYTOPLASMAS INFECTING FRUIT TREES IN SERBIA. <i>Acta Horticulturae</i> , 2008, , 351-358.	0.2	7
190	COMPARISON OF DIFFERENT DETECTION SYSTEMS FOR APPLE PROLIFERATION PHYTOPLASMAS IN TRENTINO (NORTH ITALY). <i>Acta Horticulturae</i> , 2008, , 453-458.	0.2	3
191	Preliminary evaluation of antimicrobial activity of some chemicals on in vitro apple shoots infected by 'Candidatus Phytoplasma mali'. <i>Communications in Agricultural and Applied Biological Sciences</i> , 2008, 73, 335-41.	0.0	3
192	Ribosomal protein gene-based phylogeny for finer differentiation and classification of phytoplasmas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2037-2051.	1.7	217
193	Grapevine yellows in Northern Italy: molecular identification of Flavescence dorée phytoplasma strains and of Bois Noir phytoplasmas. <i>Journal of Applied Microbiology</i> , 2007, 103, 2325-2330.	3.1	20
194	An oligonucleotide microarray-based assay for identification of phytoplasma 16S ribosomal groups. <i>Plant Pathology</i> , 2007, 56, 332-336.	2.4	20
195	Co-operational PCR coupled with dot blot hybridization for detection and 16SrX grouping of phytoplasmas. <i>Plant Pathology</i> , 2007, 56, 677-682.	2.4	13
196	Phytoplasmas: diversity, taxonomy, and epidemiology. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 673.	3.0	236
197	Identification of a 16SrII-E Phytoplasma in <i>Calendula arvensis</i> , <i>Solanum nigrum</i> , and <i>Chenopodium</i> spp.. <i>Plant Disease</i> , 2006, 90, 325-330.	1.4	37
198	PRELIMINARY RESULTS ON IDENTIFICATION OF MOLECULES INDUCED IN APRICOT TREES AFTER ESFY PHYTOPLASMA INOCULATION BY GRAFTING. <i>Acta Horticulturae</i> , 2006, , 455-458.	0.2	0

#	ARTICLE	IF	CITATIONS
199	TOBACCO STREAK VIRUS INFECTING BUXUS SEMPERVIRENS. Acta Horticulturae, 2006, , 229-234.	0.2	3
200	Corn with Symptoms of Reddening: New Host of Stolbur Phytoplasma. Plant Disease, 2006, 90, 1313-1319.	1.4	45
201	PHYTOPLASMA INFECTION IN ASCLEPIAS PHYSOCARPA. Acta Horticulturae, 2006, , 349-354.	0.2	4
202	Aetiology of Opuntia ficus-indica malformations and stunting disease. Annals of Applied Biology, 2006, 149, 317-325.	2.5	13
203	New findings on phytoplasmas-affected Auchenorrhyncha populations in Sardinian vineyards. , 2006, , .		5
204	First Report of Phytoplasmas in Grapevine in South Africa. Plant Disease, 2006, 90, 1360-1360.	1.4	7
205	ARE PHYTOPLASMAS INVOLVED IN A SEVERE PEACH DECLINE?. Acta Horticulturae, 2006, , 421-427.	0.2	5
206	PHYTOPLASMA SUB-GROUPS INFECTING INSECTS COLLECTED IN DAMAGED STRAWBERRY FIELDS. Acta Horticulturae, 2006, , 161-166.	0.2	0
207	Molecular characterization of phytoplasmas in lilies with fasciation in the Czech Republic. FEMS Microbiology Letters, 2005, 249, 79-85.	1.8	36
208	First report of multiple inflorescence disease of Cirsium arvense and its association with a 16SrIII-B subgroup phytoplasma in Serbia. Plant Pathology, 2005, 54, 561-561.	2.4	15
209	Herbal Drug Quality and Phytochemical Composition of Hypericum perforatum L. Affected by Ash Yellows Phytoplasma Infection. Journal of Agricultural and Food Chemistry, 2005, 53, 964-968.	5.2	42
210	First Report of Pear Decline Phytoplasmas on Pear in Serbia. Plant Disease, 2005, 89, 774-774.	1.4	19
211	Title is missing!. Anales Del Jardin Botanico De Madrid, 2005, 62, .	0.4	6
212	MICROPROPAGATION AND ESTABLISHMENT OF MITE-BORNE VIRUS-FREE GARLIC (ALLIUM SATIVUM). Acta Horticulturae, 2004, , 201-206.	0.2	5
213	Spreading of ESFY Phytoplasmas in Stone Fruit in Catalonia (Spain). Journal of Phytopathology, 2004, 152, 432-437.	1.0	16
214	Identification of Phytoplasmas Associated with Grapevine Yellows in Serbia. Journal of Phytopathology, 2004, 152, 575-579.	1.0	41
215	Association of phytoplasmas and viruses with malformed clovers. Folia Microbiologica, 2004, 49, 617-624.	2.3	19
216	Identification of genes expressed in response to phytoplasma infection in leaves of Prunus armeniaca by messenger RNA differential display. Gene, 2004, 332, 29-34.	2.2	51

#	ARTICLE	IF	CITATIONS
217	PHYTOPLASMA DETECTION IN EMPOASCA DECEDENS AND EMPOASCA SPP. AND THEIR POSSIBLE ROLE AS VECTORS OF EUROPEAN STONE FRUIT YELLOWS (16SRX-B) PHYTOPLASMA. <i>Acta Horticulturae</i> , 2004, , 507-511.	0.2	15
218	IDENTIFICATION OF PHYTOPLASMAS ON POMACEOUS FRUIT TREE SPECIES IN HUNGARY. <i>Acta Horticulturae</i> , 2004, , 443-448.	0.2	3
219	IMPROVED MOLECULAR METHODS FOR DETECTION OF EUROPEAN STONE FRUIT YELLOWS (ESFY) PHYTOPLASMAS FROM IN VITRO SHOOTS OF FRUIT TREES. <i>Acta Horticulturae</i> , 2004, , 495-500.	0.2	3
220	THREE YEARS OF MOLECULAR MONITORING OF PHYTOPLASMA SPREADING IN A PLUM GROWING AREA IN ITALY. <i>Acta Horticulturae</i> , 2004, , 501-506.	0.2	4
221	Variability and functional role of chromosomal sequences in 16SrI-B subgroup phytoplasmas including aster yellows and related strains. <i>Journal of Applied Microbiology</i> , 2003, 94, 103-110.	3.1	21
222	First Report of an Elm Yellows Subgroup 16SrV-C Phytoplasma Infecting Grapevine in Serbia. <i>Plant Disease</i> , 2003, 87, 599-599.	1.4	10
223	Molecular Identification of a New Phytoplasma Associated with Alfalfa Witches'-Broom in Oman. <i>Phytopathology</i> , 2002, 92, 1038-1047.	2.2	67
224	MOLECULAR EVIDENCE FOR MIXED PHYTOPLASMA INFECTION IN LILY PLANTS. <i>Acta Horticulturae</i> , 2002, , 35-41.	0.2	15
225	OLD AND NEW VIRUSES OF LILY IN ITALY. <i>Acta Horticulturae</i> , 2002, , 215-220.	0.2	10
226	Genetic variability among flavescence dorée phytoplasmas from different origins in Italy and France. <i>Molecular and Cellular Probes</i> , 2002, 16, 197-208.	2.1	95
227	ROLE OF DIFFERENT PHYTOPLASMAS IN INDUCING POINSETTIA BRANCHING. <i>Acta Horticulturae</i> , 2002, , 169-176.	0.2	6
228	First report of Spartium witches' broom disease in Spain. <i>Plant Pathology</i> , 2002, 51, 807-807.	2.4	4
229	Involvement of phytoplasmas in a decline of <i>Ulmus chenmoui</i> in Central Italy. <i>Forest Pathology</i> , 2002, 32, 265-275.	1.1	11
230	PHYTOPLASMA INFECTION IN STRAWBERRY CULTIVATION IN SOUTHERN ITALY. <i>Acta Horticulturae</i> , 2002, , 639-642.	0.2	2
231	IDENTIFICATION OF PHYTOPLASMAS INFECTING SOUR CHERRY IN HUNGARY. <i>Acta Horticulturae</i> , 2001, , 383-388.	0.2	7
232	TRANSMISSION BY PATCH GRAFTING OF ESFY PHYTOPLASMA TO APRICOT (<i>PRUNUS ARMENIACA</i> L) AND JAPANESE PLUM (<i>PRUNUS SALICINA</i> LINDL). <i>Acta Horticulturae</i> , 2001, , 339-344.	0.2	10
233	THE OCCURRENCE OF STRAWBERRY VIRUSES AND PHYTOPLASMAS IN THE CZECH REPUBLIC. <i>Acta Horticulturae</i> , 2001, , 81-86.	0.2	2
234	Improved detection methods for fruit tree phytoplasmas. <i>Plant Molecular Biology Reporter</i> , 2001, 19, 169-179.	1.8	62

#	ARTICLE	IF	CITATIONS
235	Presence of European stone fruit yellows (ESFY or 16SrX-B) phytoplasmas in apricots in Austria. <i>Plant Pathology</i> , 2001, 50, 130-135.	2.4	11
236	PHYTOPLASMA INFECTION IN PEACH AND CHERRY IN ITALY. <i>Acta Horticulturae</i> , 2001, , 365-370.	0.2	16
237	A MOLECULAR SURVEY TO IDENTIFY PHYTOPLASMAS ASSOCIATED WITH APPLE TREES SHOWING DIFFERENT DISEASES SYMPTOMS. <i>Acta Horticulturae</i> , 2001, , 371-376.	0.2	7
238	IMPROVED DETECTION OF VIRUSES AND PHYTOPLASMAS IN FRUIT TREE TISSUE CULTURES. <i>Acta Horticulturae</i> , 2001, , 463-470.	0.2	8
239	Geographical Distribution of Bois Noir Phytoplasmas Infecting Grapevines in Croatia. <i>Journal of Phytopathology</i> , 2000, 148, 239-242.	1.0	13
240	PCR INDEXING OF PHYTOPLASMA-INFECTED MICROPROPAGATED PERIWINKLE TREATED WITH PAP-II, A RIBOSOME INACTIVATING PROTEIN FROM PHYTOLACCA AMERICANA LEAVES. <i>Acta Horticulturae</i> , 2000, , 113-120.	0.2	4
241	Molecular Detection of Jujube Witches' Broom Phytoplasmas in Micropropagated Jujube Shoots. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2000, 35, 1274-1275.	1.0	10
242	â€Candidatus <i>Phytoplasma japonicum</i> â€™™, a new phytoplasma taxon associated with Japanese <i>Hydrangea</i> phyllody. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1275-1285.	1.7	104
243	Leek Proliferation: A New Phytoplasma Disease in the Czech Republic and Italy. <i>European Journal of Plant Pathology</i> , 1999, 105, 487-493.	1.7	9
244	Identification and Epidemic Distribution of Two Flavescence DorÃ©e-Related Phytoplasmas in Veneto (Italy). <i>Plant Disease</i> , 1999, 83, 925-930.	1.4	76
245	Phytoplasmas Associated with Elm Yellows: Molecular Variability and Differentiation from Related Organisms. <i>Plant Disease</i> , 1999, 83, 1101-1104.	1.4	36
246	PHYTOPLASMAS, ACERIA BEZZII AND DROUGHT IN DECLINING EUROPEAN HACKBERRY (<i>CELTIS AUSTRALIS</i> L.). <i>Acta Horticulturae</i> , 1999, , 87-92.	0.2	3
247	IDENTIFICATION BY MOLECULAR TECHNIQUES OF PHYTOPLASMAS ASSOCIATED WITH APRICOT CHLOROTIC LEAFROLL IN ITALY. <i>Acta Horticulturae</i> , 1999, , 779-782.	0.2	3
248	Comparison of phytoplasmas infecting winter oilseed rape in the Czech Republic with Italian Brassica phytoplasmas and their relationship to the aster yellows group. <i>Plant Pathology</i> , 1998, 47, 317-324.	2.4	35
249	Phytoplasma: Ecology and Genomic Diversity. <i>Phytopathology</i> , 1998, 88, 1359-1366.	2.2	200
250	SUSCEPTIBILITY TO PHYTOPLASMA INFECTION OF THREE PEAR VARIETIES GRAFTED ON DIFFERENT ROOTSTOCKS. <i>Acta Horticulturae</i> , 1998, , 673-680.	0.2	5
251	MOLECULAR DETECTION OF PHYTOPLASMAS IN APPLE WITH RUBBERY WOOD SYMPTOMS. <i>Acta Horticulturae</i> , 1998, , 693-700.	0.2	14
252	NESTED-PCR ASSAYS FOR DETECTION OF PHYTOPLASMAS IN STRAWBERRY. <i>Acta Horticulturae</i> , 1997, , 787-790.	0.2	6

#	ARTICLE	IF	CITATIONS
253	Identification of phytoplasmas in eggs, nymphs and adults of <i>Scaphoideus titanus</i> Ball reared on healthy plants. <i>Insect Molecular Biology</i> , 1997, 6, 115-121.	2.0	66
254	Title is missing!. <i>European Journal of Plant Pathology</i> , 1997, 103, 251-254.	1.7	32
255	Identification of phytoplasmas associated with a decline of European hackberry (<i>Celtis australis</i>). <i>Annals of Applied Biology</i> , 1996, 128, 245-253.	2.5	23
256	IDENTIFICATION OF PHYTOPLASMAS IN ALSTROEMERIA. <i>Acta Horticulturae</i> , 1996, , 312-319.	0.2	6
257	Mixed Infection of Grapevines in Northern Italy by Phytoplasmas Including 16S rRNA RFLP Subgroup 16SrI-B Strains Previously Unreported in This Host. <i>Plant Disease</i> , 1996, 80, 418.	1.4	50
258	Molecular detection of the Australian grapevine yellows phytoplasma and comparison with grapevine yellows phytoplasmas from Italy. <i>Australian Journal of Grape and Wine Research</i> , 1995, 1, 25-31.	2.1	87
259	Detection of Multiple Phytoplasmas in Perennial Fruit Trees with Decline Symptoms in Italy. <i>Phytopathology</i> , 1995, 85, 728.	2.2	221
260	DETECTION OF MYCOPLASMALIKE ORGANISMS (PHYTOPLASMAS) IN RUBUS BY NESTED POLYMERASE CHAIN REACTION (PCR).. <i>Acta Horticulturae</i> , 1995, , 126-131.	0.2	8
261	Molecular Detection of Diverse Mycoplasma-like Organisms (MLOs) Associated with Grapevine Yellows and Their Classification with Aster Yellows, X-Disease, and Elm Yellows MLOs. <i>Phytopathology</i> , 1993, 83, 1130.	2.2	134
262	DETECTION OF MYCOPLASMALIKE ORGANISMS IN GLADIOLUS USING MICROSCOPY AND DNA-PROBES. <i>Acta Horticulturae</i> , 1992, , 703-708.	0.2	5
263	A rhabdovirus inducing vein yellowing in croton. <i>Plant Pathology</i> , 1992, 41, 79-82.	2.4	6
264	Sensitive detection of mycoplasma-like organisms in field-collected and in vitro propagated plants of Brassica, Hydrangea and Chrysanthemum by polymerase chain reaction. <i>Annals of Applied Biology</i> , 1992, 121, 593-599.	2.5	34
265	In Vitro Micropropagation for Maintenance of Mycoplasma-like Organisms in Infected Plant Tissues. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1992, 27, 1041-1043.	1.0	18
266	ELECTRON MICROSCOPY OF VIRESCENT GLOXINIA PLANTS. <i>Acta Horticulturae</i> , 1990, , 509-516.	0.2	3
267	Detection of Chrysanthemum Yellows Mycoplasma-like Organism by Dot Hybridization and Southern Blot Analysis. <i>Plant Disease</i> , 1990, 74, 40.	1.4	35
268	PHYLLODY AND VIRESCENCE IN RANUNCULUS HYBRIDS. <i>Acta Horticulturae</i> , 1988, , 123-128.	0.2	7
269	BYMV-FREE CLONES OF EIGHT GLADIOLUS CULTIVARS OBTAINED BY MERISTEM-TIP CULTURE. <i>Acta Horticulturae</i> , 1986, , 299-308.	0.2	3
270	Viral Aggregates Induced by a Distinctive Strain of Strawberry Latent Ringspot Virus from Grapevine. <i>Journal of Phytopathology</i> , 1982, 104, 304-308.	1.0	4