## Kim Delbaere

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5102952/publications.pdf

Version: 2024-02-01

196 papers 9,999 citations

52 h-index 91 g-index

203 all docs 203 docs citations

times ranked

203

9658 citing authors

#	Article	IF	CITATIONS
1	Depression, childhood trauma, and physical activity in older Indigenous Australians. International Psychogeriatrics, 2023, 35, 259-269.	1.0	3
2	A Self-Guided Online Cognitive Behavioural Therapy to Reduce Fear of Falling in Older People: a Randomised Controlled Trial. International Journal of Behavioral Medicine, 2023, 30, 455-462.	1.7	4
3	Use of tricyclic antidepressants and other anticholinergic medicines by older Aboriginal Australians: association with negative health outcomes. International Psychogeriatrics, 2022, 34, 71-78.	1.0	7
4	Multifaceted needs of individuals living with peripheral arterial disease: A qualitative study. Chronic Illness, 2022, 18, 562-573.	1.5	2
5	Rapid Inhibition Accuracy and Leg Strength Are Required for Community-Dwelling Older People to Recover Balance From Induced Trips and Slips: An Experimental Prospective Study. Journal of Geriatric Physical Therapy, 2022, 45, 160-166.	1.1	12
6	Disentangling interventions to reduce fear of falling in community-dwelling older people: a systematic review and meta-analysis of intervention components. Disability and Rehabilitation, 2022, 44, 6247-6257.	1.8	8
7	The association between white matter hyperintensity volume and cognitive/physical decline in older people with dementia: A one-year longitudinal study. Aging and Mental Health, 2022, 26, 2503-2510.	2.8	2
8	Longitudinal Impact of Vision Impairment on Concern About Falling in People With Age-Related Macular Degeneration. Translational Vision Science and Technology, 2022, 11, 34.	2.2	1
9	Development and initial validation of the falls health literacy scale. Maturitas, 2022, 159, 40-45.	2.4	3
10	Dementia Incidence, <i>APOE</i> Genotype, and Risk Factors for Cognitive Decline in Aboriginal Australians. Neurology, 2022, 98, .	1.1	4
11	Short Daily-Life Walking Bouts and Poor Self-Reported Health Predict the Onset of Depression in Community-Dwelling Older People: A 2-Year Longitudinal Cohort Study. Journal of the American Medical Directors Association, 2022, 23, 1242-1247.e3.	2.5	4
12	Sunbeam Program Reduces Rate of Falls in Long-Term Care Residents With Mild to Moderate Cognitive Impairment or Dementia: Subgroup Analysis of a Cluster Randomized Controlled Trial. Journal of the American Medical Directors Association, 2022, 23, 743-749.e1.	2.5	4
13	Community coâ€selection of measures to evaluate the health and wellbeing impact of Aboriginal and Torres Strait Islander community running groups. Health Promotion Journal of Australia, 2022, , .	1.2	2
14	Effect of eHealth-delivered exercise programmes on balance in people aged 65 years and over living in the community: a systematic review and meta-analysis of randomised controlled trials. BMJ Open, 2022, 12, e051377.	1.9	9
15	Economic evaluation of the e-Health <i>StandingTall</i> balance exercise programme for fall prevention in people aged 70Âyears and over. Age and Ageing, 2022, 51, .	1.6	3
16	Intervention Characteristics Associated With a Reduction in Fear of Falling Among Community-Dwelling Older People: A Systematic Review and Meta-analysis of Randomized Controlled Trials. Gerontologist, The, 2021, 61, e269-e282.	3.9	27
17	Sensorimotor, Cognitive, and Affective Functions Contribute to the Prediction of Falls in Old Age and Neurologic Disorders: An Observational Study. Archives of Physical Medicine and Rehabilitation, 2021, 102, 874-880.	0.9	10
18	Predicting Falls in Nursing Homes: A Prospective Multicenter Cohort Study Comparing Fall History, Staff Clinical Judgment, the Care Home Falls Screen, and the Fall Risk Classification Algorithm. Journal of the American Medical Directors Association, 2021, 22, 380-387.	2.5	11

#	Article	IF	CITATIONS
19	The Relationship Between Concerns About Falling and Daily Life Activity in Older Men and Women. Journal of Aging and Physical Activity, 2021, , 1-8.	1.0	1
20	Fall prevention interventions., 2021,, 1627-1647.		0
21	Association between health literacy and physical activity in older people: a systematic review and meta-analysis. Health Promotion International, 2021, 36, 1482-1497.	1.8	17
22	Validation of Walking Speed Estimation from Trunk Mounted Accelerometers for a Range of Walking Speeds. Sensors, 2021, 21, 1854.	3.8	1
23	Predictors of development and persistence of musculoskeletal pain in communityâ€dwelling older people: A <scp>two</scp> â€year longitudinal study. Geriatrics and Gerontology International, 2021, 21, 519-524.	1.5	5
24	Protocol of a 12-month multifactorial eHealth programme targeting balance, dual-tasking and mood to prevent falls in older people: the <i>StandingTall</i> + randomised controlled trial. BMJ Open, 2021, 11, e051085.	1.9	4
25	E-health StandingTall balance exercise for fall prevention in older people: results of a two year randomised controlled trial. BMJ, The, 2021, 373, n740.	6.0	48
26	Implementation of the $\langle i \rangle$ StandingTall $\langle i \rangle$ programme to prevent falls in older people: a process evaluation protocol. BMJ Open, 2021, 11, e048395.	1.9	2
27	The association between white matter hyperintensity volume and gait performance under single and dual task conditions in older people with dementia: A cross-sectional study. Archives of Gerontology and Geriatrics, 2021, 95, 104427.	3.0	11
28	Ngarraanga Giinganay (â€~thinking peacefully'): Co-design and pilot study of a culturally-grounded mindfulness-based stress reduction program with older First Nations Australians. Evaluation and Program Planning, 2021, 87, 101929.	1.6	10
29	A novel cognitive-motor exercise program delivered via a tablet to improve mobility in older people with cognitive impairment – StandingTall Cognition and Mobility. Experimental Gerontology, 2021, 152, 111434.	2.8	15
30	Facilitators and Barriers to Physical Activity and Sport Participation Experienced by Aboriginal and Torres Strait Islander Adults: A Mixed Method Review. International Journal of Environmental Research and Public Health, 2021, 18, 9893.	2.6	6
31	Determinants of concern about falling in adults with ageâ€related macular degeneration. Ophthalmic and Physiological Optics, 2021, 41, 245-254.	2.0	3
32	Brain Function and Falls. , 2021, , 130-143.		0
33	The Psychology of Fall Risk: Fear, Anxiety, Depression, and Balance Confidence., 2021, , 160-171.		2
34	Cognitive Behavioural Interventions for Addressing Fear of Falling and Fall Risk., 2021,, 311-321.		0
35	The Iconographical Falls Efficacy Scale (IconFES) in community-dwelling older people—a longitudinal validation study. Age and Ageing, 2021, 50, 822-829.	1.6	6
36	Associations Between Planned Exercise, Walking, Incidental Physical Activity, and Habit Strength in Older People: A Cross-Sectional Study. Journal of Aging and Physical Activity, 2021, , 1-11.	1.0	1

#	Article	IF	Citations
37	Relationship between Depressive Symptoms and Cognitive, Psychological, and Physical Performance in Community-Dwelling Older People with Cognitive Impairment. Dementia and Geriatric Cognitive Disorders, 2021, 50, 482-490.	1.5	1
38	Caring for Spirit: Developing online dementia education and training with Aboriginal and Torres Strait Islander Australians. Alzheimer's and Dementia, 2021, 17, e053769.	0.8	1
39	Developing a protocol for neuroimaging to investigate brain ageing and dementia in collaboration with aboriginal Australian communities. Alzheimer's and Dementia, 2021, 17, .	0.8	0
40	Telephone cognitive screening with older aboriginal Australians: A preliminary study. Alzheimer's and Dementia, 2021, 17, .	0.8	0
41	Identifying Key Risk Factors for Dizziness Handicap in Middle-Aged and Older People. Journal of the American Medical Directors Association, 2020, 21, 344-350.e2.	2.5	5
42	Pilot feasibility study of a homeâ€based fall prevention exercise program ( <i>StandingTall</i> ) delivered through a tablet computer (iPad) in older people with dementia. Australasian Journal on Ageing, 2020, 39, e278-e287.	0.9	22
43	Association between Daily-Life Gait Quality Characteristics and Physiological Fall Risk in Older People. Sensors, 2020, 20, 5580.	3.8	4
44	Evidence on technology-driven preoperative exercise interventions: are we there yet?. British Journal of Anaesthesia, 2020, 125, 646-649.	3.4	11
45	Mild cognitive impairment in Aboriginal Australians. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2020, 6, e12054.	3.7	6
46	Deep Learning for Activity Recognition in Older People Using a Pocket-Worn Smartphone. Sensors, 2020, 20, 7195.	3.8	21
47	Identifying dementia risk factors and implementing a culturally grounded riskâ€reduction intervention in urban and regional Aboriginal Australian communities. Alzheimer's and Dementia, 2020, 16, e041446.	0.8	0
48	Collaborative coâ€design of an active and healthy ageing program using mobile technology to reduce dementia risk in older Aboriginal Australians. Alzheimer's and Dementia, 2020, 16, e045659.	0.8	0
49	The role of automatic habit in physical activity behaviours in older people: A new target for lifestyle interventions for dementia risk reduction?. Alzheimer's and Dementia, 2020, 16, e047510.	0.8	0
50	Older Aboriginal Australians' Health Concerns and Preferences for Healthy Ageing Programs. International Journal of Environmental Research and Public Health, 2020, 17, 7390.	2.6	17
51	The effects of cognitive-motor training interventions on executive functions in older people: a systematic review and meta-analysis. European Review of Aging and Physical Activity, 2020, 17, 9.	2.9	67
52	The effect of eHealth-based falls prevention programmes on balance in people aged 65 years and over living in the community: protocol for a systematic review of randomised controlled trials. BMJ Open, 2020, 10, e031200.	1.9	7
53	Mobile Phone Technologies in the Management of Ischemic Heart Disease, Heart Failure, and Hypertension: Systematic Review and Meta-Analysis. JMIR MHealth and UHealth, 2020, 8, e16695.	3.7	45
54	Do Automatic Habits Predict Physical Activity Engagement in Older People?. Innovation in Aging, 2020, 4, 496-496.	0.1	0

#	Article	IF	Citations
55	The role of cognitive function and physical activity in physical decline in older adults across the cognitive spectrum. Aging and Mental Health, 2019, 23, 863-871.	2.8	17
56	White matter hyperintensities are associated with falls in older people with dementia. Brain Imaging and Behavior, 2019, 13, 1265-1272.	2.1	19
57	Effect of cognitive-only and cognitive-motor training on preventing falls in community-dwelling older people: protocol for the smart±step randomised controlled trial. BMJ Open, 2019, 9, e029409.	1.9	12
58	A taxonomy of cognitive tasks to evaluate cognitive-motor interference on spatiotemoporal gait parameters in older people: a systematic review and meta-analysis. European Review of Aging and Physical Activity, 2019, 16, 12.	2.9	38
59	Preliminary evidence for physical activity following pelvic exenteration: a pilot longitudinal cohort study. BMC Cancer, 2019, 19, 661.	2.6	11
60	Older People with Dementia Have Reduced Daily-Life Activity and Impaired Daily-Life Gait When Compared to Age-Sex Matched Controls. Journal of Alzheimer's Disease, 2019, 71, S125-S135.	2.6	27
61	Remote timed up and go evaluation from activities of daily living reveals changing mobility after surgery. Physiological Measurement, 2019, 40, 035004.	2.1	13
62	Concern About Falling Is Associated With Gait Speed, Independently From Physical and Cognitive Function. Physical Therapy, 2019, 99, 989-997.	2.4	19
63	Cognitive test norms and comparison between healthy ageing, mild cognitive impairment, and dementia: A populationâ€based study of older Aboriginal Australians. Australian Journal of Psychology, 2019, 71, 249-260.	2.8	8
64	162 Walking, Thinking and Daily-Life Activity in Older People with Dementia. Age and Ageing, 2019, 48, iv34-iv39.	1.6	0
65	The role of concern about falling on stepping performance during complex activities. BMC Geriatrics, 2019, 19, 333.	2.7	3
66	Cut-off for the Life-Space Assessment in persons with cognitive impairment. Aging Clinical and Experimental Research, 2019, 31, 1331-1335.	2.9	11
67	Factors Associated with the High Prevalence of Dementia in Older Aboriginal Australians. Journal of Alzheimer's Disease, 2019, 70, S75-S85.	2.6	32
68	Catch the ruler: concurrent validity and test–retest reliability of the ReacStick measures of reaction time and inhibitory executive function in older people. Aging Clinical and Experimental Research, 2019, 31, 1147-1154.	2.9	17
69	Cross-cultural adaptation and measurement properties testing of the Iconographical Falls Efficacy Scale (Icon-FES). Brazilian Journal of Physical Therapy, 2018, 22, 291-303.	2.5	12
70	Deep white matter hyperintensities, microstructural integrity and dual task walking in older people. Brain Imaging and Behavior, 2018, 12, 1488-1496.	2.1	30
71	Translation and validation study of the Chinese version Iconographical Falls Efficacy Scale-Short Version (Icon-FES). Archives of Gerontology and Geriatrics, 2018, 77, 1-7.	3.0	10
72	Adherence to Technology-Based Exercise Programs in Older Adults: A Systematic Review. Journal of Geriatric Physical Therapy, 2018, 41, 49-61.	1.1	187

#	Article	IF	CITATIONS
73	Development and initial validation of the Retrospective Indigenous Childhood Enrichment scale (RICE). International Psychogeriatrics, 2018, 30, 519-526.	1.0	8
74	Risk factors for falls among older Aboriginal and Torres Strait Islander people in urban and regional communities. Australasian Journal on Ageing, 2018, 37, 113-119.	0.9	6
75	P3â€564: RESILIENCE, COGNITIVE DECLINE AND DEMENTIA IN OLDER ABORIGINAL AUSTRALIANS: A LONGITUDINAL, POPULATIONâ€BASED STUDY. Alzheimer's and Dementia, 2018, 14, P1340.	0.8	1
76	P4â€157: NEURAL CORRELATES OF EARLY LIFE STRESS IN A POPULATION AT HIGHER RISK FOR DEMENTIA: A PILOSTUDY IN OLDER ABORIGINAL AUSTRALIANS. Alzheimer's and Dementia, 2018, 14, P1499.	$^{ m OT}_{ m 0.8}$	0
77	Commentary on: "Mobility Function and Recovery After Stroke: Preliminary Insights From Sympathetic Nervous System Activity― Journal of Neurologic Physical Therapy, 2018, 42, 233-234.	1.4	1
78	Aging. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 159, 157-171.	1.8	35
79	Inaccurate judgement of reach is associated with slow reaction time, poor balance, impaired executive function and predicts prospective falls in older people with cognitive impairment. Experimental Gerontology, 2018, 114, 50-56.	2.8	8
80	Reducing the burden of dizziness in middle-aged and older people: A multifactorial, tailored, single-blind randomized controlled trial. PLoS Medicine, 2018, 15, e1002620.	8.4	15
81	An Interactive Home-Based Cognitive-Motor Step Training Program to Reduce Fall Risk in Older Adults: Qualitative Descriptive Study of Older Adults' Experiences and Requirements. JMIR Aging, 2018, 1, e11975.	3.0	18
82	Comparison between clinical gait and dailyâ€life gait assessments of fall risk in older people. Geriatrics and Gerontology International, 2017, 17, 2274-2282.	1.5	84
83	Impaired Response Selection During Stepping Predicts Falls in Older People—A Cohort Study. Journal of the American Medical Directors Association, 2017, 18, 719-725.	2.5	38
84	Analysis of effects and usage indicators for a ICT-based fall prevention system in community dwelling older adults. International Journal of Human Computer Studies, 2017, 106, 10-25.	5.6	26
85	Childhood Stress and Adversity is Associated with Late-Life Dementia in Aboriginal Australians. American Journal of Geriatric Psychiatry, 2017, 25, 1097-1106.	1.2	107
86	Differences Between Gait on Stairs and Flat Surfaces in Relation to Fall Risk and Future Falls. IEEE Journal of Biomedical and Health Informatics, 2017, 21, 1479-1486.	6.3	49
87	Slow Processing Speed Predicts Falls in Older Adults With a Falls History: 1â€Year Prospective Cohort Study. Journal of the American Geriatrics Society, 2017, 65, 916-923.	2.6	32
88	Disentangling the health benefits of walking from increased exposure to falls in older people using remote gait monitoring and multi-dimensional analysis. Physiological Measurement, 2017, 38, 45-62.	2.1	27
89	Slow gait speed is associated with executive function decline in older people with mild to moderate dementia: A one year longitudinal study. Archives of Gerontology and Geriatrics, 2017, 73, 148-153.	3.0	39
90	Tailored multifactorial intervention to improve dizziness symptoms and quality of life, balance and gait in dizziness sufferers aged over 50Âyears: protocol for a randomised controlled trial. BMC Geriatrics, 2017, 17, 56.	2.7	4

#	Article	IF	Citations
91	Reaction Time and Postural Sway Modify the Effect of Executive Function on Risk of Falls in Older People with Mild to Moderate Cognitive Impairment. American Journal of Geriatric Psychiatry, 2017, 25, 397-406.	1.2	35
92	Wavelet-Based Sit-To-Stand Detection and Assessment of Fall Risk in Older People Using a Wearable Pendant Device. IEEE Transactions on Biomedical Engineering, 2017, 64, 1602-1607.	4.2	54
93	Does dual task training improve walking performance of older adults with concern of falling?. BMC Geriatrics, 2017, 17, 213.	2.7	53
94	Kinect-Based Five-Times-Sit-to-Stand Test for Clinical and In-Home Assessment of Fall Risk in Older People. Gerontology, 2016, 62, 118-124.	2.8	75
95	Use of a physiological profile to document motor impairment in ageing and in clinical groups. Journal of Physiology, 2016, 594, 4513-4523.	2.9	38
96	S2â€02â€02: Indigenous Australians: Lifespan, Health, Ageing and Dementia. Alzheimer's and Dementia, 2016, 12, P212.	0.8	0
97	Exercise for reducing fear of falling in older people living in the community: Cochrane systematic review and meta-analysis. Age and Ageing, 2016, 45, 345-352.	1.6	174
98	Intraindividual Stepping Reaction Time Variability Predicts Falls in Older Adults With Mild Cognitive Impairment. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 72, glw164.	3.6	9
99	The influence of age, anxiety and concern about falling on postural sway when standing at an elevated level. Human Movement Science, 2016, 49, 206-215.	1.4	31
100	A Bespoke Kinect Stepping Exergame for Improving Physical and Cognitive Function in Older People: A Pilot Study. Games for Health Journal, 2016, 5, 382-388.	2.0	36
101	Exploring user experience and technology acceptance for a fall prevention system: results from a randomized clinical trial and a living lab. European Review of Aging and Physical Activity, 2016, 13, 6.	2.9	65
102	Validity and reliability of a simple †low-tech†test for measuring choice stepping reaction time in older people. Clinical Rehabilitation, 2016, 30, 1128-1135.	2.2	16
103	Effectiveness of a home-based cognitive behavioral program to manage concerns about falls in community-dwelling, frail older people: results of a randomized controlled trial. BMC Geriatrics, 2016, 16, 2.	2.7	51
104	Regional Gray Matter Volumes Are Related to Concern About Falling in Older People: A Voxel-Based Morphometric Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 138-144.	3.6	34
105	Kinect-based choice reaching and stepping reaction time tests for clinical and in-home assessment of fall risk in older people: a prospective study. European Review of Aging and Physical Activity, 2016, 13, 2.	2.9	24
106	A Kinect and Inertial Sensor-Based System for the Self-Assessment of Fall Risk: A Home-Based Study in Older People. Human-Computer Interaction, 2016, 31, 261-293.	4.4	30
107	Wearable pendant device monitoring using new wavelet-based methods shows daily life and laboratory gaits are different. Medical and Biological Engineering and Computing, 2016, 54, 663-674.	2.8	126
108	Exercise for reducing fear of falling in older people living in the community. The Cochrane Library, 2015, 2015, CD009848.	2.8	176

#	Article	IF	Citations
109	Multiple sclerosis severity and concern about falling: Physical, cognitive and psychological mediating factors. NeuroRehabilitation, 2015, 37, 139-147.	1.3	8
110	Evaluating the effectiveness of a home-based exercise programme delivered through a tablet computer for preventing falls in older community-dwelling people over 2â€years: study protocol for the Standing Tall randomised controlled trial. BMJ Open, 2015, 5, e009173.	1.9	56
111	ICT-based system to predict and prevent falls (iStoppFalls): results from an international multicenter randomized controlled trial. European Review of Aging and Physical Activity, 2015, 12, 10.	2.9	92
112	The effect of sensor-based exercise at home on functional performance associated with fall risk in older people $\hat{a} \in \hat{a}$ a comparison of two exergame interventions. European Review of Aging and Physical Activity, 2015, 12, 11.	2.9	56
113	The design of a purpose-built exergame for fall prediction and prevention for older people. European Review of Aging and Physical Activity, 2015, 12, 13.	2.9	28
114	Fear of Falling in Vision Impairment. Optometry and Vision Science, 2015, 92, 730-735.	1.2	33
115	Eight-Week Remote Monitoring Using a Freely Worn Device Reveals Unstable Gait Patterns in Older Fallers. IEEE Transactions on Biomedical Engineering, 2015, 62, 2588-2594.	4.2	78
116	Predicting Cognitive, Functional, and Diagnostic Change over 4 Years Using Baseline Subjective Cognitive Complaints in Athe Sydney Memory and Ageing Study. American Journal of Geriatric Psychiatry, 2015, 23, 906-914.	1.2	45
117	Characteristics and Effectiveness of Fall Prevention Programs in Nursing Homes: A Systematic Review and Metaâ€Analysis of Randomized Controlled Trials. Journal of the American Geriatrics Society, 2015, 63, 211-221.	2.6	120
118	Neuroticism scores increase with lateâ€life cognitive decline. International Journal of Geriatric Psychiatry, 2015, 30, 985-993.	2.7	15
119	Prevalence of dementia in urban and regional Aboriginal Australians. Alzheimer's and Dementia, 2015, 11, 271-279.	0.8	71
120	Comparison of Three Cognitive Screening Tools in Older Urban and Regional Aboriginal Australians. Dementia and Geriatric Cognitive Disorders, 2015, 40, 22-32.	1.5	30
121	New Methods to Monitor Stair Ascents Using a Wearable Pendant Device Reveal How Behavior, Fear, and Frailty Influence Falls in Octogenarians. IEEE Transactions on Biomedical Engineering, 2015, 62, 2595-2601.	4.2	22
122	Depressive symptoms increase fall risk in older people, independent of antidepressant use, and reduced executive and physical functioning. Archives of Gerontology and Geriatrics, 2015, 60, 190-195.	3.0	95
123	Good Lateral Harmonic Stability Combined with Adequate Gait Speed Is Required for Low Fall Risk in Older People. Gerontology, 2015, 61, 69-78.	2.8	28
124	Interactive Cognitive-Motor Step Training Improves Cognitive Risk Factors of Falling in Older Adults – A Randomized Controlled Trial. PLoS ONE, 2015, 10, e0145161.	2.5	106
125	Inertial measurements of free-living activities: Assessing mobility to predict falls., 2014, 2014, 6892-5.		9
126	Neuropsychological, Physical, and Functional Mobility Measures Associated With Falls in Cognitively Impaired Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 987-995.	3.6	105

#	Article	IF	CITATIONS
127	Gait as a biomarker? Accelerometers reveal that reduced movement quality while walking is associated with Parkinson's disease, ageing and fall risk., 2014, 2014, 5968-71.		18
128	Choice stepping reaction time test using exergame technology for fall risk assessment in older people. , 2014, 2014, 6957-60.		17
129	New methods for fall risk prediction. Current Opinion in Clinical Nutrition and Metabolic Care, 2014, 17, 407-411.	2.5	44
130	Incidental and Planned Exercise Questionnaire for Seniors. Medicine and Science in Sports and Exercise, 2014, 46, 947-954.	0.4	29
131	A Stroop Stepping Test (SST) using low-cost computer game technology discriminates between older fallers and non-fallers. Age and Ageing, 2014, 43, 285-289.	1.6	56
132	High Arterial Pulse Wave Velocity Is a Risk Factor for Falls in Communityâ€Dwelling Older People. Journal of the American Geriatrics Society, 2014, 62, 1534-1539.	2.6	14
133	A comparison of activity classification in younger and older cohorts using a smartphone. Physiological Measurement, 2014, 35, 2269-2286.	2.1	64
134	ICT-based system to predict and prevent falls (iStoppFalls): study protocol for an international multicenter randomized controlled trial. BMC Geriatrics, 2014, 14, 91.	2.7	58
135	Sub-Cortical Infarcts and the Risk of Falls in Older People: Combined Results of TASCOG and Sydney MAS Studies. International Journal of Stroke, 2014, 9, 55-60.	5.9	16
136	Rol van fysieke activiteit bij ouder worden: CoMBAT, een wapen in de strijd tegen vallen. , 2014, , 127-145.		0
137	Falls Prevention Interventions., 2013,, 1649-1666.		2
138	Depressive Symptomatology as a Risk Factor for Falls in Older People: Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2013, 61, 694-706.	2.6	151
139	Feasibility of implementing a practice guideline for fall prevention on geriatric wards: A multicentre study. International Journal of Nursing Studies, 2013, 50, 495-507.	5.6	19
140	Development of a standard fall data format for signals from body-worn sensors. Zeitschrift Fur Gerontologie Und Geriatrie, 2013, 46, 720-726.	1.8	22
141	Validation of the Iconographical Falls Efficacy Scale in Cognitively Impaired Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1098-1102.	3.6	36
142	The Impact of Peripheral Neuropathy and Cognitive Decrements on Gait in Older Adults With Type 2 Diabetes Mellitus. Archives of Physical Medicine and Rehabilitation, 2013, 94, 1074-1079.	0.9	39
143	Falls Efficacy Scale-International: A Cross-Sectional Validation in People With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2013, 94, 883-889.	0.9	97
144	Pain and Anxiety Mediate the Relationship Between Dizziness and Falls in Older People. Journal of the American Geriatrics Society, 2013, 61, 423-428.	2.6	23

#	Article	IF	Citations
145	Discriminative Ability and Predictive Validity of the Timed Up and Go Test in Identifying Older People Who Fall: Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2013, 61, 202-208.	2.6	340
146	Gait parameter risk factors for falls under simple and dual task conditions in cognitively impaired older people. Gait and Posture, 2013, 37, 126-130.	1.4	141
147	Angiotensin System–Blocking Medications Are Associated with Fewer Falls over 12 Months in Communityâ€Dwelling Older People. Journal of the American Geriatrics Society, 2013, 61, 776-781.	2.6	41
148	Physical impairments in cognitively impaired older people: implications for risk of falls. International Psychogeriatrics, 2013, 25, 148-156.	1.0	51
149	Change in Vision, Visual Disability, and Health After Cataract Surgery. Optometry and Vision Science, 2013, 90, 392-399.	1.2	15
150	A Randomized Controlled Pilot Study of Home-Based Step Training in Older People Using Videogame Technology. PLoS ONE, 2013, 8, e57734.	2.5	209
151	Understanding the Relationship between Type 2 Diabetes Mellitus and Falls in Older Adults: A Prospective Cohort Study. PLoS ONE, 2013, 8, e67055.	2.5	91
152	Force-Controlled Balance Perturbations Associated with Falls in Older People: A Prospective Cohort Study. PLoS ONE, 2013, 8, e70981.	2.5	72
153	Good memory as a predictor of falls: fact or artefact. Age and Ageing, 2012, 41, 404-408.	1.6	17
154	The relationship of fear of falling and balance confidence with balance and dual tasking performance Psychology and Aging, 2012, 27, 1-13.	1.6	62
155	Physiological Fall Risk Factors in Cognitively Impaired Older People: A One-Year Prospective Study. Dementia and Geriatric Cognitive Disorders, 2012, 34, 181-189.	1.5	52
156	Gait impairment and falls in cognitively impaired older adults: an explanatory model of sensorimotor and neuropsychological mediators. Age and Ageing, 2012, 41, 665-669.	1.6	54
157	White Matter Hyperintensities Are an Independent Predictor of Physical Decline in Community-Dwelling Older People. Gerontology, 2012, 58, 398-406.	2.8	35
158	Managing falls in older patients with cognitive impairment. Aging Health, 2012, 8, 573-588.	0.3	23
159	White matter hyperintensities and impaired choice stepping reaction time in older people. Neurobiology of Aging, 2012, 33, 1177-1185.	3.1	12
160	Relationships between <scp>HMGâ€CoA</scp> reductase inhibitors (statin) use and strength, balance and falls in older people. Internal Medicine Journal, 2012, 42, 1329-1334.	0.8	27
161	Sensorimotor and neuropsychological correlates of force perturbations that induce stepping in older adults. Gait and Posture, 2012, 36, 356-360.	1.4	33
162	Mild Cognitive Impairment as a Predictor of Falls in Community-Dwelling Older People. American Journal of Geriatric Psychiatry, 2012, 20, 845-853.	1.2	171

#	Article	IF	Citations
163	Brain White Matter Hyperintensities, Executive Dysfunction, Instability, and Falls in Older People: A Prospective Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2012, 67, 1085-1091.	3.6	65
164	Relationships between serum vitamin D levels, neuromuscular and neuropsychological function and falls in older men and women. Osteoporosis International, 2012, 23, 981-989.	3.1	65
165	Depressive symptoms and quality of life in people with age―related macular degeneration. Ophthalmic and Physiological Optics, 2011, 31, 375-380.	2.0	61
166	RESPONSE TO KATHLEEN MICHELLE CONNELL. Journal of the American Geriatrics Society, 2011, 59, 770-771.	2.6	0
167	Evaluating an in-home multicomponent cognitive behavioural programme to manage concerns about falls and associated activity avoidance in frail community-dwelling older people: Design of a randomised control trial [NCT01358032]. BMC Health Services Research, 2011, 11, 228.	2.2	21
168	Reconceptualizing the Role of Fear of Falling and Balance Confidence in Fall Risk. Journal of Aging and Health, 2011, 23, 3-23.	1.7	256
169	Development and Initial Validation of the Iconographical Falls Efficacy Scale. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 674-680.	3.6	100
170	Impact of White Matter Lesions on Physical Functioning and Fall Risk in Older People. Stroke, 2011, 42, 2086-2090.	2.0	139
171	Implementing falls prevention research into policy and practice: an overview of a new National Health and Medical Research Council Partnership Grant. NSW Public Health Bulletin, 2011, 22, 84.	0.3	6
172	Consequences of lower extremity and trunk muscle fatigue on balance and functional tasks in older people: A systematic literature review. BMC Geriatrics, 2010, 10, 56.	2.7	98
173	A Multifactorial Approach to Understanding Fall Risk in Older People. Journal of the American Geriatrics Society, 2010, 58, 1679-1685.	2.6	251
174	A Falls Concern Scale for people with spinal cord injury (SCI-FCS). Spinal Cord, 2010, 48, 704-709.	1.9	52
175	Physiological and Cognitive Mediators for the Association Between Self-reported Depressed Mood and Impaired Choice Stepping Reaction Time in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 538-544.	3.6	29
176	Evaluation of the incidental and planned activity questionnaire for older people. British Journal of Sports Medicine, 2010, 44, 1029-1034.	6.7	153
177	The association between choice stepping reaction time and falls in older adults-a path analysis model. Age and Ageing, 2010, 39, 99-104.	1.6	<b>7</b> 5
178	Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study. BMJ: British Medical Journal, 2010, 341, c4165-c4165.	2.3	305
179	The Falls Efficacy Scale International (FES-I). A comprehensive longitudinal validation study. Age and Ageing, 2010, 39, 210-216.	1.6	592
180	Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study. BMJ: British Medical Journal, 2010, 341, c4165-c4165.	2.3	110

#	Article	IF	CITATIONS
181	Sleep Quality and Falls in Older People Living in Self- and Assisted-Care Villages. Gerontology, 2009, 55, 162-168.	2.8	48
182	Concern About Falls Elicits Changes in Gait Parameters in Conditions of Postural Threat in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2009, 64A, 237-242.	3.6	122
183	Socio-demographic, health-related and psychosocial correlates of fear of falling and avoidance of activity in community-living older persons who avoid activity due to fear of falling. BMC Public Health, 2009, 9, 170.	2.9	133
184	Falls and catastrophic thoughts about falls predict mobility restriction in community-dwelling older people: A structural equation modelling approach. Aging and Mental Health, 2009, 13, 587-592.	2.8	50
185	Development and validation of fall risk screening tools for use in residential aged care facilities. Medical Journal of Australia, 2008, 189, 193-196.	1.7	43
186	The Physical Performance Test as a predictor of frequent fallers: a prospective community-based cohort study. Clinical Rehabilitation, 2006, 20, 83-90.	2.2	76
187	The risk of being fearful or fearless of falls in older people: An empirical validation. Disability and Rehabilitation, 2006, 28, 751-756.	1.8	60
188	A prospective study of gait related risk factors for exercise-related lower leg pain. Gait and Posture, 2006, 23, 91-98.	1.4	215
189	A HOME-BASED MULTIDIMENSIONAL EXERCISE PROGRAM REDUCED PHYSICAL IMPAIRMENT AND FEAR OF FALLING. Acta Clinica Belgica, 2006, 61, 340-350.	1.2	26
190	Intrinsic risk factors for inversion ankle sprains in females - a prospective study. Scandinavian Journal of Medicine and Science in Sports, 2005, 15, 336-345.	2.9	124
191	Intrinsic Risk Factors for Inversion Ankle Sprains in Male Subjects: A Prospective Study. American Journal of Sports Medicine, 2005, 33, 415-423.	4.2	231
192	Relationship between gait biomechanics and inversion sprains: a prospective study of risk factors. Gait and Posture, 2005, 21, 379-387.	1.4	149
193	Fear-related avoidance of activities, falls and physical frailty. A prospective community-based cohort study. Age and Ageing, 2004, 33, 368-373.	1.6	497
194	Age-related changes in concentric and eccentric muscle strength in the lower and upper extremity: A cross-sectional study. Isokinetics and Exercise Science, 2003, 11, 145-151.	0.4	9
195	Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study. , 0, .		1
196	Risk factors for falls in community-dwelling older people with mild cognitive impairment: a prospective one-year study. PeerJ, 0, 10, e13484.	2.0	13