
Ann John

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5104195/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Multidisciplinary research priorities for the COVID-19 pandemic: a call for action for mental health science. Lancet Psychiatry,the, 2020, 7, 547-560.	7.4	4,086
2	Mental health before and during the COVID-19 pandemic: a longitudinal probability sample survey of the UK population. Lancet Psychiatry,the, 2020, 7, 883-892.	7.4	1,921
3	Suicide risk and prevention during the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 468-471.	7.4	1,054
4	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. Lancet Psychiatry,the, 2021, 8, 579-588.	7.4	455
5	Says who? The significance of sampling in mental health surveys during COVID-19. Lancet Psychiatry,the, 2020, 7, 567-568.	7.4	317
6	Self-Harm, Suicidal Behaviours, and Cyberbullying in Children and Young People: Systematic Review. Journal of Medical Internet Research, 2018, 20, e129.	4.3	272
7	Mental health responses to the COVID-19 pandemic: a latent class trajectory analysis using longitudinal UK data. Lancet Psychiatry,the, 2021, 8, 610-619.	7.4	268
8	A systematic review of the relationship between internet use, self-harm and suicidal behaviour in young people: The good, the bad and the unknown. PLoS ONE, 2017, 12, e0181722.	2.5	264
9	The incidence and aetiology of acute pancreatitis across Europe. Pancreatology, 2017, 17, 155-165.	1.1	244
10	Screening for type 2 diabetes: literature review and economic modelling. Health Technology Assessment, 2007, 11, iii-iv, ix-xi, 1-125.	2.8	224
11	Mental health in UK Biobank – development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. BJPsych Open, 2020, 6, e18.	0.7	210
12	Trends in suicide during the covid-19 pandemic. BMJ, The, 2020, 371, m4352.	6.0	184
13	A Large-Scale Study of Anxiety and Depression in People with Multiple Sclerosis: A Survey via the Web Portal of the UK MS Register. PLoS ONE, 2012, 7, e41910.	2.5	144
14	Effectiveness of Web-Delivered Acceptance and Commitment Therapy in Relation to Mental Health and Well-Being: A Systematic Review and Meta-Analysis. Journal of Medical Internet Research, 2016, 18, e221.	4.3	142
15	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. F1000Research, 2020, 9, 1097.	1.6	141
16	Gamification and Adherence to Web-Based Mental Health Interventions: A Systematic Review. JMIR Mental Health, 2016, 3, e39.	3.3	137
17	Premature mortality among people with severe mental illness — New evidence from linked primary care data. Schizophrenia Research, 2018, 199, 154-162.	2.0	125
18	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: update of living systematic review. F1000Research, 2020, 9, 1097.	1.6	123

#	Article	IF	CITATIONS
19	Anxiety and depression following traumatic limb amputation: A systematic review. Injury, 2014, 45, 1859-1866.	1.7	109
20	Case-finding for common mental disorders of anxiety and depression in primary care: an external validation of routinely collected data. BMC Medical Informatics and Decision Making, 2016, 16, 35.	3.0	104
21	COVID-19: The Hidden Impact on Mental Health and Drug Addiction. Frontiers in Psychiatry, 2020, 11, 767.	2.6	101
22	Suicide Research, Prevention, and COVID-19. Crisis, 2020, 41, 321-330.	1.2	93
23	ls screen time associated with anxiety or depression in young people? Results from a UK birth cohort. BMC Public Health, 2019, 19, 82.	2.9	81
24	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. Wellcome Open Research, 2020, 5, 82.	1.8	81
25	Clustering of suicides in children and adolescents. The Lancet Child and Adolescent Health, 2020, 4, 58-67.	5.6	79
26	Survey of digestive health across Europe: Final report. Part 1: The burden of gastrointestinal diseases and the organisation and delivery of gastroenterology services across Europe. United European Gastroenterology Journal, 2014, 2, 539-543.	3.8	76
27	A systematic review of interventions to prevent suicidal behaviors and reduce suicidal ideation in older people. International Psychogeriatrics, 2017, 29, 1801-1824.	1.0	73
28	Modification of the home environment for the reduction of injuries. The Cochrane Library, 2011, , CD003600.	2.8	71
29	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. Wellcome Open Research, 2020, 5, 82.	1.8	71
30	A Systematic Review and Meta-analysis of Paediatric Inflammatory Bowel Disease Incidence and Prevalence Across Europe. Journal of Crohn's and Colitis, 2020, 14, 1119-1148.	1.3	68
31	Traffic calming policy can reduce inequalities in child pedestrian injuries: database study. Injury Prevention, 2005, 11, 152-156.	2.4	66
32	Current eating disorder healthcare services – the perspectives and experiences of individuals with eating disorders, their families and health professionals: systematic review and thematic synthesis. BJPsych Open, 2019, 5, e59.	0.7	66
33	How People with Multiple Sclerosis Rate Their Quality of Life: An EQ-5D Survey via the UK MS Register. PLoS ONE, 2013, 8, e65640.	2.5	62
34	Shining the light on eating disorders, incidence, prognosis and profiling of patients in primary and secondary care: national data linkage study. British Journal of Psychiatry, 2020, 216, 105-112.	2.8	61
35	Living alone, loneliness and lack of emotional support as predictors of suicide and self-harm: A nine-year follow up of the UK Biobank cohort. Journal of Affective Disorders, 2021, 279, 316-323.	4.1	58
36	Incidence of Campylobacter and Salmonella Infections Following First Prescription for PPI: A Cohort Study Using Routine Data. American Journal of Gastroenterology, 2013, 108, 1094-1100.	0.4	53

Ann John

#	Article	IF	CITATIONS
37	Understanding and responding to COVID-19 in Wales: protocol for a privacy-protecting data platform for enhanced epidemiology and evaluation of interventions. BMJ Open, 2020, 10, e043010.	1.9	50
38	Recent trends in primary-care antidepressant prescribing to children and young people: an e-cohort study. Psychological Medicine, 2016, 46, 3315-3327.	4.5	49
39	Data science for mental health: a UK perspective on a global challenge. Lancet Psychiatry,the, 2016, 3, 993-998.	7.4	47
40	Characteristics of Children Prescribed Antipsychotics: Analysis of Routinely Collected Data. Journal of Child and Adolescent Psychopharmacology, 2018, 28, 180-191.	1.3	47
41	Recent trends in the incidence of anxiety and prescription of anxiolytics and hypnotics in children and young people: An e-cohort study. Journal of Affective Disorders, 2015, 183, 134-141.	4.1	46
42	Genetic aetiology of self-harm ideation and behaviour. Scientific Reports, 2020, 10, 9713.	3.3	45
43	Physical Disability, Anxiety and Depression in People with MS: An Internet-Based Survey via the UK MS Register. PLoS ONE, 2014, 9, e104604.	2.5	43
44	Perceptions of paramedic and emergency care workers of those who self harm: A systematic review of the quantitative literature. Journal of Psychosomatic Research, 2014, 77, 449-456.	2.6	42
45	Risk of Adverse Outcomes for Older People with Dementia Prescribed Antipsychotic Medication: A Population Based e-Cohort Study. Neurology and Therapy, 2017, 6, 57-77.	3.2	39
46	The effect of the COVID-19 pandemic on mental health in individuals with pre-existing mental illness. BJPsych Open, 2022, 8, e59.	0.7	39
47	Development of an algorithm for determining smoking status and behaviour over the life course from UK electronic primary care records. BMC Medical Informatics and Decision Making, 2017, 17, 2.	3.0	38
48	The incidence of suicide in University students in England and Wales 2000/2001–2016/2017: Record linkage study. Journal of Affective Disorders, 2020, 261, 113-120.	4.1	38
49	School achievement as a predictor of depression and self-harm in adolescence: linked education and health record study. British Journal of Psychiatry, 2018, 212, 215-221.	2.8	37
50	How data science can advance mental health research. Nature Human Behaviour, 2019, 3, 24-32.	12.0	37
51	Contacts with primary and secondary healthcare prior to suicide: case–control whole-population-based study using person-level linked routine data in Wales, UK, 2000–2017. British Journal of Psychiatry, 2020, 217, 717-724.	2.8	35
52	Self-harm presentation across healthcare settings by sex in young people: an e-cohort study using routinely collected linked healthcare data in Wales, UK. Archives of Disease in Childhood, 2020, 105, 347-354.	1.9	35
53	Behavioural responses to Covid-19 health certification: a rapid review. BMC Public Health, 2021, 21, 1205.	2.9	35
54	Using Neural Networks with Routine Health Records to Identify Suicide Risk: Feasibility Study. JMIR Mental Health, 2018, 5, e10144.	3.3	35

#	Article	IF	CITATIONS
55	Improving Mental Health Through the Regeneration of Deprived Neighborhoods: A Natural Experiment. American Journal of Epidemiology, 2017, 186, 473-480.	3.4	34
56	Identifying Probable Suicide Clusters in Wales Using National Mortality Data. PLoS ONE, 2013, 8, e71713.	2.5	33
57	Risk of Unnatural Mortality in People With Epilepsy. JAMA Neurology, 2018, 75, 929.	9.0	32
58	Multidisciplinary research priorities for the COVID-19 pandemic – Authors' reply. Lancet Psychiatry,the, 2020, 7, e44-e45.	7.4	32
59	Risk of emergency hospital admission in children associated with mental disorders and alcohol misuse in the household: an electronic birth cohort study. Lancet Public Health, The, 2018, 3, e279-e288.	10.0	31
60	Changes in daily mental health service use and mortality at the commencement and lifting of COVID-19 â€lockdown' policy in 10 UK sites: a regression discontinuity in time design. BMJ Open, 2021, 11, e049721.	1.9	28
61	Problem gambling and suicidality in England: secondary analysis of a representative cross-sectional survey. Public Health, 2020, 184, 11-16.	2.9	27
62	Systematic review and metaâ€analysis: the incidence and prevalence of paediatric coeliac disease across Europe. Alimentary Pharmacology and Therapeutics, 2021, 54, 109-128.	3.7	27
63	Area deprivation, urbanicity, severe mental illness and social drift — A population-based linkage study using routinely collected primary and secondary care data. Schizophrenia Research, 2020, 220, 130-140.	2.0	26
64	Association of school absence and exclusion with recorded neurodevelopmental disorders, mental disorders, disorders, or self-harm: a nationwide, retrospective, electronic cohort study of children and young people in Wales, UK. Lancet Psychiatry,the, 2022, 9, 23-34.	7.4	24
65	Pharmacoepidemiology research: delivering evidence about drug safety and effectiveness in mental health. Lancet Psychiatry,the, 2020, 7, 363-370.	7.4	23
66	Suicide in India during the first year of the COVID-19 pandemic. Journal of Affective Disorders, 2022, 307, 215-220.	4.1	23
67	Modification of the home environment for the reduction of injuries. , 2006, , CD003600.		22
68	The Physical and Psychological Impact of Multiple Sclerosis Using the MSIS-29 via the Web Portal of the UK MS Register. PLoS ONE, 2013, 8, e55422.	2.5	22
69	Defining adolescent common mental disorders using electronic primary care data: a comparison with outcomes measured using the CIS-R. BMJ Open, 2016, 6, e013167.	1.9	21
70	How do emergency ambulance paramedics view the care they provide to people who self harm?: Ways and means. International Journal of Law and Psychiatry, 2017, 50, 61-67.	0.9	21
71	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. PLOS Global Public Health, 2022, 2, e0000282.	1.6	21
72	Associations between common mental disorders and the Mental Illness Needs Index in community settings. British Journal of Psychiatry, 2007, 191, 158-163.	2.8	19

#	Article	IF	CITATIONS
73	Suicide Information Database-Cymru: a protocol for a population-based, routinely collected data linkage study to explore risks and patterns of healthcare contact prior to suicide to identify opportunities for intervention. BMJ Open, 2014, 4, e006780.	1.9	19
74	ls Google Trends a useful tool for tracking mental and social distress during a public health emergency? A time–series analysis. Journal of Affective Disorders, 2021, 294, 737-744.	4.1	19
75	Epidemiology of eating disorders in primary care in children and young people: a Clinical Practice Research Datalink study in England. BMJ Open, 2019, 9, e026691.	1.9	18
76	The challenges and opportunities of mental health data sharing in the UK. The Lancet Digital Health, 2021, 3, e333-e336.	12.3	18
77	Evidence of increasing recorded diagnosis of autism spectrum disorders in Wales, UK: An e-cohort study. Autism, 2022, 26, 1499-1508.	4.1	18
78	Early and late mortality following unscheduled admissions for severe liver disease across England and Wales. Alimentary Pharmacology and Therapeutics, 2019, 49, 1334-1345.	3.7	17
79	Newspaper Reporting on a Cluster of Suicides in the UK. Crisis, 2017, 38, 17-25.	1.2	17
80	The impact of the COVID-19 pandemic on presentations to health services following self-harm: systematic review. British Journal of Psychiatry, 2022, 221, 603-612.	2.8	17
81	Suicide following acute admissions for physical illnesses across England and Wales. Psychological Medicine, 2018, 48, 578-591.	4.5	16
82	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. F1000Research, 0, 9, 644.	1.6	16
83	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. Journal of Affective Disorders Reports, 2021, 6, 100271.	1.7	16
84	Loneliness, coping, suicidal thoughts and self-harm during the COVID-19 pandemic: a repeat cross-sectional UK population survey. BMJ Open, 2021, 11, e048123.	1.9	16
85	Maternal health, pregnancy and birth outcomes for women involved in care proceedings in Wales: a linked data study. BMC Pregnancy and Childbirth, 2020, 20, 697.	2.4	15
86	Adverse childhood experiences and child mental health: an electronic birth cohort study. BMC Medicine, 2021, 19, 172.	5.5	15
87	A national population-based e-cohort of people with psychosis (PsyCymru) linking prospectively ascertained phenotypically rich and genetic data to routinely collected records: Overview, recruitment and linkage. Schizophrenia Research, 2015, 166, 131-136.	2.0	14
88	Risk of suicide following an alcohol-related emergency hospital admission: An electronic cohort study of 2.8 million people. PLoS ONE, 2018, 13, e0194772.	2.5	14
89	Means restriction for the prevention of suicide by jumping. The Cochrane Library, 2020, 2020, CD013543.	2.8	14
90	Paramedics' perceptions of the care they provide to people who self-harm: A qualitative study using evolved grounded theory methodology. PLoS ONE, 2018, 13, e0205813.	2.5	13

#	Article	IF	CITATIONS
91	PRINTQUAL – A Measure for Assessing the Quality of Newspaper Reporting of Suicide. Crisis, 2014, 35, 431-435.	1.2	13
92	Cohort Profile: The Housing Regeneration and Health Study. International Journal of Epidemiology, 2014, 43, 52-60.	1.9	12
93	Protocol for the development of the Wales Multimorbidity e-Cohort (WMC): data sources and methods to construct a population-based research platform to investigate multimorbidity. BMJ Open, 2021, 11, e047101.	1.9	12
94	Educational Attainment at Age 10–11ÂYears Predicts Health Risk Behaviors and Injury Risk During Adolescence. Journal of Adolescent Health, 2017, 61, 212-218.	2.5	11
95	What are emergency ambulance services doing to meet the needs of people who call frequently? A national survey of current practice in the United Kingdom. BMC Emergency Medicine, 2019, 19, 82.	1.9	11
96	Sources of potential bias when combining routine data linkage and a national survey of secondary school-aged children: a record linkage study. BMC Medical Research Methodology, 2020, 20, 178.	3.1	11
97	Impact of Web-Based Sharing and Viewing of Self-Harm–Related Videos and Photographs on Young People: Systematic Review. Journal of Medical Internet Research, 2021, 23, e18048.	4.3	11
98	Healthcare contacts with self-harm during COVID-19: An e-cohort whole-population-based study using individual-level linked routine electronic health records in Wales, UK, 2016—March 2021. PLoS ONE, 2022, 17, e0266967.	2.5	11
99	Evidence of a Task-Independent Neural Signature in the Spectral Shape of the Electroencephalogram. International Journal of Neural Systems, 2018, 28, 1750035.	5.2	10
100	Mental health in the pandemic: a repeated cross-sectional mixed-method study protocol to investigate the mental health impacts of the coronavirus pandemic in the UK. BMJ Open, 2021, 11, e046422.	1.9	9
101	A Content Analysis and Comparison of Two Peaks of Newspaper Reporting During a Suicide Cluster to Examine Implications for Imitation, Suggestion, and Prevention. Crisis, 2020, 41, 398-406.	1.2	9
102	COVIDâ€19â€related posttraumatic stress disorder in adults with lived experience of psychiatric disorder. Depression and Anxiety, 2022, 39, 564-572.	4.1	9
103	Trauma exposure and coâ€occurring <scp>ICD</scp> â€11 postâ€traumatic stress disorder and complex postâ€traumatic stress disorder in adults with lived experience of psychiatric disorder. Acta Psychiatrica Scandinavica, 2022, 146, 258-271.	4.5	9
104	Schizophrenia in high risk opioid users: A short communication on an autopsy study. Psychiatry Research, 2019, 276, 112-114.	3.3	8
105	Adverse childhood experiences during childhood and academic attainment at age 7 and 11 years: an electronic birth cohort study. Public Health, 2020, 189, 37-47.	2.9	8
106	Asylum seekers' and refugees' experiences of accessing health care: a qualitative study. BJGP Open, 2021, 5, BJGPO.2021.0059.	1.8	8
107	Local Modelling Techniques for Assessing Micro-Level Impacts of Risk Factors in Complex Data: Understanding Health and Socioeconomic Inequalities in Childhood Educational Attainments. PLoS ONE, 2014, 9, e113592.	2.5	7
108	The Communities First (ComFi) study: protocol for a prospective controlled quasi-experimental study to evaluate the impact of area-wide regeneration on mental health and social cohesion in deprived communities. BMJ Open, 2014, 4, e006530.	1.9	7

#	Article	IF	CITATIONS
109	Using Anonymized, Routinely Collected Health Data in Wales to Estimate the Incidence of Depression After Burn Injury. Journal of Burn Care and Research, 2013, 34, 644-648.	0.4	6
110	Examining the role of borderline personality traits in the relationship between major depression and nonsuicidal self-injury. Comprehensive Psychiatry, 2018, 86, 96-101.	3.1	6
111	Tracking online searches for emotional wellbeing concerns and coping strategies in the UK during the COVID-19 pandemic: a Google Trends analysis. Wellcome Open Research, 0, 5, 220.	1.8	6
112	A Web-Delivered Acceptance and Commitment Therapy Intervention With Email Reminders to Enhance Subjective Well-Being and Encourage Engagement With Lifestyle Behavior Change in Health Care Staff: Randomized Cluster Feasibility Stud. JMIR Formative Research, 2020, 4, e18586.	1.4	6
113	Understanding suicide clusters through exploring self-harm: Semi-structured interviews with individuals presenting with near-fatal self-harm during a suicide cluster. Social Science and Medicine, 2022, 292, 114566.	3.8	6
114	Weekend admissions and mortality for major acute disorders across England and Wales: record linkage cohort studies. BMC Health Services Research, 2019, 19, 619.	2.2	5
115	Developing a standardised approach to the aggregation of inpatient episodes into person-based spells in all specialties and psychiatric specialties. BMC Medical Informatics and Decision Making, 2019, 19, 246.	3.0	5
116	Shared decision-making preferences in mental health: does age matter? A systematic review. Journal of Mental Health, 2021, 30, 634-645.	1.9	5
117	Identifying long-term and imminent suicide predictors in a general population and a clinical sample with machine learning. BMC Psychiatry, 2022, 22, 120.	2.6	5
118	SARS-CoV-2 Infection and the Risk of Suicidal and Self-Harm Thoughts and Behaviour: A Systematic Review. Canadian Journal of Psychiatry, 2022, 67, 813-828.	1.9	5
119	Access to firearms and adolescent suicide. BMJ, The, 2020, 370, m2829.	6.0	4
120	Clinical management and mortality risk in those with eating disorders and self-harm: e-cohort study using the SAIL databank. BJPsych Open, 2021, 7, e67.	0.7	4
121	Alcohol-Specific Mortality in People With Epilepsy: Cohort Studies in Two Independent Population-Based Datasets. Frontiers in Neurology, 2020, 11, 623139.	2.4	4
122	Incidence, Mortality and Survival in Young People with Co-Occurring Mental Disorders and Substance Use: A Retrospective Linked Routine Data Study in Wales. Clinical Epidemiology, 2022, Volume 14, 21-38.	3.0	4
123	Prevalence of neurodevelopmental disorders and their impact on the health and social well-being among looked after children (LAC): a systematic review protocol. Systematic Reviews, 2022, 11, 49.	5.3	4
124	Non-accidental non-fatal poisonings attended by emergency ambulance crews: an observational study of data sources and epidemiology. BMJ Open, 2016, 6, e011049.	1.9	3
125	Is increased screen time associated with the development of anxiety or depression in young people?. European Psychiatry, 2017, 41, S530-S531.	0.2	3
126	Care-pathways for patients presenting to emergency ambulance services with self-harm: national survey. Emergency Medicine Journal, 2020, 37, emermed-2019-208967.	1.0	3

#	Article	IF	CITATIONS
127	Structured Professional Judgment to Assist the Evaluation and Safety Planning of Suicide Risk: The Risk of Suicide Protocol (RoSP). Frontiers in Psychiatry, 2021, 12, 607120.	2.6	3
128	Childhood adversity, mental health and suicide (CHASE): a protocol for a longitudinal case-control linked data study. International Journal of Population Data Science, 2020, 5, 1338.	0.1	3
129	Development of a Web-Based Acceptance and Commitment Therapy Intervention to Support Lifestyle Behavior Change and Well-Being in Health Care Staff: Participatory Design Study. JMIR Formative Research, 2020, 4, e22507.	1.4	3
130	Anxiety and depression among children and young people involved in family justice court proceedings: longitudinal national data linkage study. BJPsych Open, 2022, 8, e47.	0.7	3
131	Mental wellbeing and psychological distress in the UK during the COVID-19 pandemic: a comparison across time. Advances in Mental Health, 0, , 1-13.	0.7	3
132	INVESTIGATING THE VOLUME OF MENTAL HEALTH EMERGENCY CALLS IN THE WELSH AMBULANCE SERVICE TRUST (WAST) AND DEVELOPING A PRE-HOSPITAL MENTAL HEALTH MODEL OF CARE FOR APPLICATION AND TESTING. Emergency Medicine Journal, 2015, 32, e3.2-e3.	1.0	2
133	Community-based interventions to prevent fatal overdose from illegal drugs: a systematic review protocol: TableÂ1. BMJ Open, 2015, 5, e008981.	1.9	2
134	Investigating the feasibility of an enhanced contact intervention in self-harm and suicidal behaviour: a protocol for a randomised controlled trial delivering a Social support and Wellbeing Intervention following Self Harm (SWISH). BMJ Open, 2016, 6, e012043.	1.9	2
135	Impact of schizophrenia genetic liability on the association between schizophrenia and physical illness: data-linkage study. BJPsych Open, 2020, 6, e139.	0.7	2
136	Means restriction for the prevention of suicide on roads. The Cochrane Library, 2020, 9, CD013738.	2.8	2
137	Forgotten fatalities: British military, mining and maritime accidents since 1900. Occupational Medicine, 2021, 71, 277-283.	1.4	2
138	Suicide, fatal injuries and drowning among the crews of United Kingdom and Bermuda registered cruise and passenger ships from 1976 to 2018. International Maritime Health, 2020, 71, 12-19.	0.7	2
139	The Socio-Demographics and Health Service Use of Opioid Overdose Decedents in Wales: A Cross-Sectional Data Linkage Study. European Addiction Research, 2022, 28, 226-230.	2.4	2
140	STRategies to manage Emergency ambulance Telephone Callers with sustained High needs: an Evaluation using linked Data (STRETCHED) – a study protocol. BMJ Open, 2022, 12, e053123.	1.9	2
141	Self-harm risk in pregnancy: recurrent-event survival analysis using UK primary care data. British Journal of Psychiatry, 2022, 221, 621-627.	2.8	2
142	A population level study into health vulnerabilities of mothers and fathers involved in public law care proceedings in Wales, UK between 2011 and 2019 International Journal of Population Data Science, 2022, 7, 1723.	0.1	2
143	Early detection and primary prevention of type 2 diabetes: what's happening in your locality?. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2006, 23, 157-160.	0.2	1
144	Following self-harm, there are shared and differing risk factors for subsequent suicide death or accidental death. Evidence-Based Mental Health, 2012, 15, 101-101.	4.5	1

#	Article	IF	CITATIONS
145	Trajectory of achievement in primary school and development of mental health conditions in adolescence: a cohort study using linked health and education data. Lancet, The, 2016, 388, S1.	13.7	1
146	Recent trends in diagnosis and prescribing of psychotropic medicines in children and young people: four retrospective e-cohort studies. Lancet, The, 2016, 388, S61.	13.7	1
147	Identification of Suicidal Ideation in the Canadian Community Health Survey—Mental Health Component Using Deep Learning. Frontiers in Artificial Intelligence, 2021, 4, 561528.	3.4	1
148	Establishing the impact of COVID-19 on the health outcomes of domiciliary care workers in Wales using routine data: a protocol for the OSCAR study International Journal of Population Data Science, 2020, 5, 1656.	0.1	1
149	CHERISH: Understanding Suicide Clusters tHrough ExploRIng Self Harm behaviours. International Journal of Population Data Science, 2017, 1, .	0.1	1
150	Status report - Individual, programmatic and systemic indicators of the quality of mental health care using a large health administrative database: an avenue for preventing suicide mortality. Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice, 2018, 38, 295-304.	1.1	1
151	Achievement of European Society of Cardiology/European Atherosclerosis Society lipid targets in very high-risk patients: Influence of depression and sex. PLoS ONE, 2022, 17, e0264529.	2.5	1
152	Cochrane review: Modification of the home environment for the reduction of injuries. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 899-928.	2.0	0
153	Delivering Care to the Population. , 0, , 438-448.		0
154	Response to Fujita et al American Journal of Gastroenterology, 2014, 109, 138-139.	0.4	0
155	P115â€Case definitions for common mental health disorders among adolescents using electronic primary care data: a comparison with self-reported data from the Avon Longitudinal Study of Parents and Children. Journal of Epidemiology and Community Health, 2016, 70, A104.1-A104.	3.7	0
156	Improving mental health through the regeneration of deprived neighbourhoods: a prospective controlled quasi-experimental study. Lancet, The, 2016, 388, S110.	13.7	0
157	Authors' reply. British Journal of Psychiatry, 2019, 214, 113-114.	2.8	0
158	03â€Opioid overdose death in wales from 2012 to 2015: a linked data autopsy study. Emergency Medicine Journal, 2019, 36, e3.1-e3.	1.0	0
159	Primary Care Service Utilization Among People at High Risk of Fatal Opioid Overdose: A Short Communication on an Autopsy Study. Journal of Primary Care and Community Health, 2020, 11, 215013272092595.	2.1	0
160	The enduring effect of early life adversities on health trajectories. Lancet Public Health, The, 2021, 6, e785-e786.	10.0	0
161	Linking education and health data to examine the characteristics of children prescribed antipsychotic medication International Journal of Population Data Science, 2017, 1, .	0.1	0
162	Psychiatric research platform within SAIL - Linkage of prospectively ascertained phenotypically rich and genetic data to routinely collected anonymised records International Journal of Population Data Science, 2017, 1, .	0.1	0

#	Article	IF	CITATIONS
163	Reusable, set-based selection algorithm for matched control groups. International Journal of Population Data Science, 2017, 1, .	0.1	ο
164	Case definitions for common mental health disorders among adolescents using electronic primary care data: a comparison with self-reported data from ALSPAC. International Journal of Population Data Science, 2017, 1, .	0.1	0
165	Non-communicable Diseases, Injuries, Suicide and Self-harm. , 0, , 142-158.		Ο