Ole Mors

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5105289/publications.pdf

Version: 2024-02-01

9334 22132 25,676 209 59 143 citations h-index g-index papers 233 233 233 27281 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681. | 9.4 | 2,224 |
| 2 | Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. Nature Genetics, 2019, 51, 63-75. | 9.4 | 1,594 |
| 3 | ldentification of common genetic risk variants for autism spectrum disorder. Nature Genetics, 2019, 51, 431-444. | 9.4 | 1,538 |
| 4 | Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. Cell, 2020, 180, 568-584.e23. | 13.5 | 1,422 |
| 5 | Genome-wide association analysis identifies 13 new risk loci for schizophrenia. Nature Genetics, 2013, 45, 1150-1159. | 9.4 | 1,395 |
| 6 | Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. Nature Genetics, 2018, 50, 381-389. | 9.4 | 1,332 |
| 7 | The Danish Psychiatric Central Research Register. Scandinavian Journal of Public Health, 2011, 39, 54-57. | 1.2 | 1,248 |
| 8 | Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803. | 9.4 | 1,191 |
| 9 | Modeling Linkage Disequilibrium Increases Accuracy of Polygenic Risk Scores. American Journal of Human Genetics, 2015, 97, 576-592. | 2.6 | 1,098 |
| 10 | Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. Cell, 2019, 179, 1469-1482.e11. | 13.5 | 935 |
| 11 | Effects of Family History and Place and Season of Birth on the Risk of Schizophrenia. New England Journal of Medicine, 1999, 340, 603-608. | 13.9 | 745 |
| 12 | Effect of Anti-inflammatory Treatment on Depression, Depressive Symptoms, and Adverse Effects. JAMA Psychiatry, 2014, 71, 1381. | 6.0 | 727 |
| 13 | A Comprehensive Nationwide Study of the Incidence Rate and Lifetime Risk for Treated Mental Disorders. JAMA Psychiatry, 2014, 71, 573. | 6.0 | 434 |
| 14 | Exploring Comorbidity Within Mental Disorders Among a Danish National Population. JAMA Psychiatry, 2019, 76, 259. | 6.0 | 374 |
| 15 | International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. Nature Communications, 2019, 10, 4558. | 5.8 | 363 |
| 16 | Genome-Wide Pharmacogenetics of Antidepressant Response in the GENDEP Project. American Journal of Psychiatry, 2010, 167, 555-564. | 4.0 | 314 |
| 17 | Association between Mental Disorders and Subsequent Medical Conditions. New England Journal of Medicine, 2020, 382, 1721-1731. | 13.9 | 258 |
| 18 | The iPSYCH2012 case–cohort sample: new directions for unravelling genetic and environmental architectures of severe mental disorders. Molecular Psychiatry, 2018, 23, 6-14. | 4.1 | 257 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | A major role for common genetic variation in anxiety disorders. Molecular Psychiatry, 2020, 25, 3292-3303. | 4.1 | 243 |
| 20 | Polygenic Risk Score, Parental Socioeconomic Status, Family History of Psychiatric Disorders, and the Risk for Schizophrenia. JAMA Psychiatry, 2015, 72, 635. | 6.0 | 242 |
| 21 | Measuring depression: comparison and integration of three scales in the GENDEP study. Psychological Medicine, 2008, 38, 289-300. | 2.7 | 227 |
| 22 | Common Genetic Variation and Antidepressant Efficacy in Major Depressive Disorder: A Meta-Analysis of Three Genome-Wide Pharmacogenetic Studies. American Journal of Psychiatry, 2013, 170, 207-217. | 4.0 | 216 |
| 23 | Minimal phenotyping yields genome-wide association signals of low specificity for major depression. Nature Genetics, 2020, 52, 437-447. | 9.4 | 207 |
| 24 | Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression. Brain, Behavior, and Immunity, 2017, 62, 344-350. | 2.0 | 202 |
| 25 | A large-scale genome-wide association study meta-analysis of cannabis use disorder. Lancet Psychiatry,the, 2020, 7, 1032-1045. | 3.7 | 200 |
| 26 | Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. Biological Psychiatry, 2017, 81, 325-335. | 0.7 | 175 |
| 27 | Differential efficacy of escitalopram and nortriptyline on dimensional measures of depression. British Journal of Psychiatry, 2009, 194, 252-259. | 1.7 | 170 |
| 28 | Genome-wide study of association and interaction with maternal cytomegalovirus infection suggests new schizophrenia loci. Molecular Psychiatry, 2014, 19, 325-333. | 4.1 | 163 |
| 29 | Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. Translational Psychiatry, 2017, 7, e1155-e1155. | 2.4 | 150 |
| 30 | Combining clinical variables to optimize prediction of antidepressant treatment outcomes. Journal of Psychiatric Research, 2016, 78, 94-102. | 1.5 | 149 |
| 31 | Autism spectrum disorder and attention deficit hyperactivity disorder have a similar burden of rare protein-truncating variants. Nature Neuroscience, 2019, 22, 1961-1965. | 7.1 | 148 |
| 32 | A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. Biological Psychiatry, 2018, 83, 1044-1053. | 0.7 | 146 |
| 33 | The Hypercholesterolemia-Risk Gene SORT1 Facilitates PCSK9 Secretion. Cell Metabolism, 2014, 19, 310-318. | 7.2 | 144 |
| 34 | A Nationwide Study in Denmark of the Association Between Treated Infections and the Subsequent Risk of Treated Mental Disorders in Children and Adolescents. JAMA Psychiatry, 2019, 76, 271. | 6.0 | 141 |
| 35 | Genetic Variants Associated With Anxiety and Stress-Related Disorders. JAMA Psychiatry, 2019, 76, 924. | 6.0 | 140 |
| 36 | Sequencing and de novo assembly of 150 genomes from Denmark as a population reference. Nature, 2017, 548, 87-91. | 13.7 | 130 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Ten-Year Follow-up of the OPUS Specialized Early Intervention Trial for Patients With a First Episode of Psychosis. Schizophrenia Bulletin, 2015, 41, 617-626. | 2.3 | 127 |
| 38 | Genetics of suicide attempts in individuals with and without mental disorders: a population-based genome-wide association study. Molecular Psychiatry, 2020, 25, 2410-2421. | 4.1 | 124 |
| 39 | The CHANGE trial: no superiority of lifestyle coaching plus care coordination plus treatment as usual compared to treatment as usual alone in reducing risk of cardiovascular disease in adults with schizophrenia spectrum disorders and abdominal obesity. World Psychiatry, 2016, 15, 155-165. | 4.8 | 112 |
| 40 | Genetic Predictors of Response to Serotonergic and Noradrenergic Antidepressants in Major Depressive Disorder: A Genome-Wide Analysis of Individual-Level Data and a Meta-Analysis. PLoS Medicine, 2012, 9, e1001326. | 3.9 | 110 |
| 41 | Endogenous and Antipsychotic-Related Risks for Diabetes Mellitus in Young People With Schizophrenia: A Danish Population-Based Cohort Study. American Journal of Psychiatry, 2017, 174, 686-694. | 4.0 | 103 |
| 42 | Quantifying the Impact of Rare and Ultra-rare Coding Variation across the Phenotypic Spectrum. American Journal of Human Genetics, 2018, 102, 1204-1211. | 2.6 | 102 |
| 43 | Prevalence of rearrangements in the 22q11.2 region and population-based risk of neuropsychiatric and developmental disorders in a Danish population: a case-cohort study. Lancet Psychiatry,the, 2018, 5, 573-580. | 3.7 | 102 |
| 44 | Obsessive-Compulsive Disorder as a Risk Factor for Schizophrenia. JAMA Psychiatry, 2014, 71, 1215. | 6.0 | 93 |
| 45 | Infections and exposure to antiâ€infective agents and the risk of severe mental disorders: a nationwide study. Acta Psychiatrica Scandinavica, 2017, 135, 97-105. | 2.2 | 88 |
| 46 | Elevated polygenic burden for autism is associated with differential DNA methylation at birth. Genome Medicine, 2018, 10, 19. | 3.6 | 88 |
| 47 | Infantile Autism and Associated Autosomal Chromosome Abnormalities: A Register-based Study and a Literature Survey. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999, 40, 335-345. | 3.1 | 87 |
| 48 | Common variant at 16p11.2 conferring risk of psychosis. Molecular Psychiatry, 2014, 19, 108-114. | 4.1 | 85 |
| 49 | An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. Biological Psychiatry, 2017, 82, 322-329. | 0.7 | 84 |
| 50 | Genome-wide scans using archived neonatal dried blood spot samples. BMC Genomics, 2009, 10, 297. | 1.2 | 80 |
| 51 | Antipsychotic medication and remission of psychotic symptoms 10 years after a first-episode psychosis. Schizophrenia Research, 2017, 182, 42-48. | 1.1 | 80 |
| 52 | Robustness of genome-wide scanning using archived dried blood spot samples as a DNA source. BMC Genetics, 2011, 12, 58. | 2.7 | 79 |
| 53 | PANSSâ€6: a brief rating scale for the measurement of severity in schizophrenia. Acta Psychiatrica Scandinavica, 2016, 133, 436-444. | 2.2 | 79 |
| 54 | Five years of specialised early intervention versus two years of specialised early intervention followed by three years of standard treatment for patients with a first episode psychosis: randomised, superiority, parallel group trial in Denmark (OPUS II). BMJ: British Medical Journal, 2017, 356, i6681. | 2.4 | 79 |

| # | Article | IF | CITATIONS |
|----|--|-----|------------|
| 55 | Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. World Journal of Biological Psychiatry, 2017, 18, 5-28. | 1.3 | 7 5 |
| 56 | Obsessive-Compulsive Disorder and Autism Spectrum Disorders: Longitudinal and Offspring Risk. PLoS ONE, 2015, 10, e0141703. | 1.1 | 71 |
| 57 | Secondary depression in severe anxiety disorders: a population-based cohort study in Denmark. Lancet Psychiatry,the, 2015, 2, 515-523. | 3.7 | 71 |
| 58 | Pharmacogenetics of antidepressant response: A polygenic approach. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 128-134. | 2.5 | 71 |
| 59 | The Danish High Risk and Resilience Study – VIA 7 - a cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. BMC Psychiatry, 2015, 15, 233. | 1.1 | 67 |
| 60 | Genetic effects influencing risk for major depressive disorder in China and Europe. Translational Psychiatry, 2017, 7, e1074-e1074. | 2.4 | 64 |
| 61 | Effect of cytochrome CYP2C19 metabolizing activity on antidepressant response and side effects: Meta-analysis of data from genome-wide association studies. European Neuropsychopharmacology, 2018, 28, 945-954. | 0.3 | 64 |
| 62 | The Effect of Concomitant Treatment With SSRIs and Statins: A Population-Based Study. American Journal of Psychiatry, 2016, 173, 807-815. | 4.0 | 63 |
| 63 | Dietary patterns and physical activity in people with schizophrenia and increased waist circumference. Schizophrenia Research, 2018, 199, 109-115. | 1.1 | 61 |
| 64 | Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. Biological Psychiatry, 2022, 91, 102-117. | 0.7 | 61 |
| 65 | Psychopathology in 7â€yearâ€old children with familial high risk of developing schizophrenia spectrum psychosis or bipolar disorder – The Danish High Risk and Resilience Study ―VIA 7, a populationâ€based cohort study. World Psychiatry, 2018, 17, 210-219. | 4.8 | 60 |
| 66 | Cuba: Exploring the History of Admixture and the Genetic Basis of Pigmentation Using Autosomal and Uniparental Markers. PLoS Genetics, 2014, 10, e1004488. | 1.5 | 57 |
| 67 | A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. BMC Medicine, 2015, 13, 86. | 2.3 | 56 |
| 68 | Reduced neonatal brain-derived neurotrophic factor is associated with autism spectrum disorders. Translational Psychiatry, 2019, 9, 252. | 2.4 | 56 |
| 69 | Inflammation and depression: combined use of selective serotonin reuptake inhibitors and NSAIDs or paracetamol and psychiatric outcomes. Brain and Behavior, 2015, 5, e00338. | 1.0 | 55 |
| 70 | Antidepressant drug-specific prediction of depression treatment outcomes from genetic and clinical variables. Scientific Reports, 2018, 8, 5530. | 1.6 | 51 |
| 71 | Genetic correlates of phenotypic heterogeneity in autism. Nature Genetics, 2022, 54, 1293-1304. | 9.4 | 51 |
| 72 | Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring. JAMA Psychiatry, 2016, 73, 1015. | 6.0 | 49 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Systematic Integration of Brain eQTL and GWAS Identifies <i>ZNF323</i> as a Novel Schizophrenia Risk Gene and Suggests Recent Positive Selection Based on Compensatory Advantage on Pulmonary Function. Schizophrenia Bulletin, 2015, 41, 1294-1308. | 2.3 | 48 |
| 74 | Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. World Journal of Biological Psychiatry, 2017, 18, 492-505. | 1.3 | 48 |
| 75 | Support of association between <i>BRD1</i> and both schizophrenia and bipolar affective disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 582-591. | 1.1 | 47 |
| 76 | Impairments of motor function among children with a familial risk of schizophrenia or bipolar disorder at 7 years old in Denmark: an observational cohort study. Lancet Psychiatry,the, 2017, 4, 400-408. | 3.7 | 47 |
| 77 | Genetic liability to ADHD and substance use disorders in individuals with ADHD. Addiction, 2020, 115, 1368-1377. | 1.7 | 47 |
| 78 | Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. Pharmacogenomics Journal, 2020, 20, 329-341. | 0.9 | 45 |
| 79 | Neurotrophic factors in depression in response to treatment. Journal of Affective Disorders, 2015, 183, 287-294. | 2.0 | 43 |
| 80 | A MBD-seq protocol for large-scale methylome-wide studies with (very) low amounts of DNA. Epigenetics, 2017, 12, 743-750. | 1.3 | 42 |
| 81 | Associations between clinical and psychosocial factors and metabolic and cardiovascular risk factors in overweight patients with schizophrenia spectrum disorders – Baseline and two-years findings from the CHANGE trial. Schizophrenia Research, 2018, 199, 96-102. | 1.1 | 41 |
| 82 | New insights into the pharmacogenomics of antidepressant response from the GENDEP and STAR*D studies: rare variant analysis and high-density imputation. Pharmacogenomics Journal, 2018, 18, 413-421. | 0.9 | 40 |
| 83 | Influence of Polygenic Risk Scores on the Association Between Infections and Schizophrenia. Biological Psychiatry, 2016, 80, 609-616. | 0.7 | 38 |
| 84 | Trends in the psychopharmacological treatment of bipolar disorder: a nationwide register-based study. Acta Neuropsychiatrica, 2016, 28, 75-84. | 1.0 | 38 |
| 85 | Bipolar and panic disorders may be associated with hereditary defects in the innate immune system. Journal of Affective Disorders, 2014, 164, 148-154. | 2.0 | 36 |
| 86 | Genome-wide DNA methylation profiling with MeDIP-seq using archived dried blood spots. Clinical Epigenetics, 2016, 8, 81. | 1.8 | 36 |
| 87 | Modelling the contribution of family history and variation in single nucleotide polymorphisms to risk of schizophrenia: A Danish national birth cohort-based study. Schizophrenia Research, 2012, 134, 246-252. | 1.1 | 33 |
| 88 | Effect of lifestyle coaching versus care coordination versus treatment as usual in people with severe mental illness and overweight: Two-years follow-up of the randomized CHANGE trial. PLoS ONE, 2017, 12, e0185881. | 1.1 | 33 |
| 89 | Risk of Early-Onset Depression Associated With Polygenic Liability, Parental Psychiatric History, and Socioeconomic Status. JAMA Psychiatry, 2021, 78, 387. | 6.0 | 33 |
| 90 | Hippocampal volume and serotonin transporter polymorphism in major depressive disorder. Acta Neuropsychiatrica, 2013, 25, 206-214. | 1.0 | 32 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder onset in adulthood. British Journal of Psychiatry, 2018, 213, 555-560. | 1.7 | 32 |
| 92 | Meta-analysis of GWA studies provides new insights on the genetic architecture of skin pigmentation in recently admixed populations. BMC Genetics, 2019, 20, 59. | 2.7 | 32 |
| 93 | Predicting ADHD by Assessment of Rutter's Indicators of Adversity in Infancy. PLoS ONE, 2016, 11, e0157352. | 1.1 | 32 |
| 94 | Statin treatment and the risk of depression. Journal of Affective Disorders, 2019, 246, 706-715. | 2.0 | 31 |
| 95 | Polygenic Risk Scores, School Achievement, and Risk for Schizophrenia: A Danish Population-Based Study. Biological Psychiatry, 2018, 84, 684-691. | 0.7 | 30 |
| 96 | Increased use of primary care during 6Âyears of prodromal schizophrenia. Acta Psychiatrica Scandinavica, 2016, 134, 225-233. | 2.2 | 29 |
| 97 | Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. JAMA Network Open, 2019, 2, e1914401. | 2.8 | 29 |
| 98 | Whole-Exome Sequencing Reveals Increased Burden ofÂRare Functional and Disruptive Variants in CandidateÂRisk Genes in Individuals With Persistent Attention-Deficit/Hyperactivity Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 521-523. | 0.3 | 28 |
| 99 | Blood DNA methylation age is not associated with cognitive functioning in middle-aged monozygotic twins. Neurobiology of Aging, 2017, 50, 60-63. | 1.5 | 28 |
| 100 | Association of the polygenic risk score for schizophrenia with mortality and suicidal behavior - A Danish population-based study. Schizophrenia Research, 2017, 184, 122-127. | 1.1 | 27 |
| 101 | The Danish High Risk and Resilience Study—VIA 11: Study Protocol for the First Follow-Up of the VIA 7 Cohort â^522 Children Born to Parents With Schizophrenia Spectrum Disorders or Bipolar Disorder and Controls Being Re-examined for the First Time at Age 11. Frontiers in Psychiatry, 2018, 9, 661. | 1.3 | 27 |
| 102 | Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. Biological Psychiatry, 2020, 87, 419-430. | 0.7 | 27 |
| 103 | Identification of genetic loci associated with nocturnal enuresis: a genome-wide association study. The Lancet Child and Adolescent Health, 2021, 5, 201-209. | 2.7 | 27 |
| 104 | TAILOR – tapered discontinuation versus maintenance therapy of antipsychotic medication in patients with newly diagnosed schizophrenia or persistent delusional disorder in remission of psychotic symptoms: study protocol for a randomized clinical trial. Trials, 2017, 18, 445. | 0.7 | 26 |
| 105 | Sustained Attention and Interference Control Among 7-Year-Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorder—A Nationwide Observational Cohort Study. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 704-712. | 1.1 | 26 |
| 106 | Home visits in the Danish High Risk and Resilience Study – <scp>VIA</scp> 7: assessment of the home environment of 508 7â€yearâ€old children born to parents diagnosed with schizophrenia or bipolar disorder. Acta Psychiatrica Scandinavica, 2019, 140, 126-134. | 2.2 | 26 |
| 107 | The Validity and Sensitivity of PANSS-6 in the Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) Study. Schizophrenia Bulletin, 2018, 44, 453-462. | 2.3 | 25 |
| 108 | Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. Biological Psychiatry, 2019, 85, 1065-1073. | 0.7 | 25 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Depression and inflammation: Correlation between changes in inflammatory markers with antidepressant response and long-term prognosis. European Neuropsychopharmacology, 2022, 54, 116-125. | 0.3 | 25 |
| 110 | Investigation of blood mRNA biomarkers for suicidality in an independent sample. Translational Psychiatry, 2014, 4, e474-e474. | 2.4 | 24 |
| 111 | Hypomethylation of FAM63B in bipolar disorder patients. Clinical Epigenetics, 2016, 8, 52. | 1.8 | 24 |
| 112 | Visual attention in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study VIA 7. Journal of Affective Disorders, 2019, 258, 56-65. | 2.0 | 23 |
| 113 | Polygenic risk score, psychosocial environment and the risk of attention-deficit/hyperactivity disorder. Translational Psychiatry, 2020, 10, 335. | 2.4 | 22 |
| 114 | Familiality and SNP heritability of age at onset and episodicity in major depressive disorder. Psychological Medicine, 2015, 45, 2215-2225. | 2.7 | 21 |
| 115 | Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. Biological Psychiatry, 2016, 79, 329-336. | 0.7 | 21 |
| 116 | Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. Biological Psychiatry, 2022, 91, 626-636. | 0.7 | 21 |
| 117 | Copy number variants and therapeutic response to antidepressant medication in major depressive disorder. Pharmacogenomics Journal, 2014, 14, 395-399. | 0.9 | 20 |
| 118 | Stakeholders in psychiatry and their attitudes toward receiving pertinent and incident findings in genomic research. American Journal of Medical Genetics, Part A, 2017, 173, 2649-2658. | 0.7 | 20 |
| 119 | A functional variant in the serotonin receptor 7 gene (HTR7), rs7905446, is associated with good response to SSRIs in bipolar and unipolar depression. Molecular Psychiatry, 2020, 25, 1312-1322. | 4.1 | 20 |
| 120 | Transcriptomics and the mechanisms of antidepressant efficacy. European Neuropsychopharmacology, 2016, 26, 105-112. | 0.3 | 19 |
| 121 | The Schizophrenia-Associated BRD1 Gene Regulates Behavior, Neurotransmission, and Expression of Schizophrenia Risk Enriched Gene Sets in Mice. Biological Psychiatry, 2017, 82, 62-76. | 0.7 | 19 |
| 122 | Genes associated with anhedonia: a new analysis in a large clinical trial (GENDEP). Translational Psychiatry, 2018, 8, 150. | 2.4 | 19 |
| 123 | Association between Global Assessment of Functioning scores and indicators of functioning, severity, and prognosis in first-time schizophrenia. Clinical Epidemiology, 2016, Volume 8, 323-332. | 1.5 | 18 |
| 124 | Familial confounding of the association between maternal smoking during pregnancy and internalizing disorders in offspring. Psychological Medicine, 2017, 47, 1417-1426. | 2.7 | 18 |
| 125 | Genetic disposition to inflammation and response to antidepressants in major depressive disorder. Journal of Psychiatric Research, 2018, 105, 17-22. | 1.5 | 18 |
| 126 | Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. Psychoneuroendocrinology, 2019, 106, 284-292. | 1.3 | 18 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | The validity and sensitivity of <scp>PANSS</scp> â€6 in treatmentâ€resistant schizophrenia. Acta Psychiatrica Scandinavica, 2018, 138, 420-431. | 2.2 | 17 |
| 128 | Inter-rater reliability of ratings on the six-item Positive and Negative Syndrome Scale (PANSS-6) obtained using the Simplified Negative and Positive Symptoms Interview (SNAPSI). Nordic Journal of Psychiatry, 2018, 72, 431-436. | 0.7 | 17 |
| 129 | A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. Schizophrenia Bulletin, 2021, 47, 1342-1350. | 2.3 | 17 |
| 130 | Mice heterozygous for an inactivated allele of the schizophrenia associated Brd1 gene display selective cognitive deficits with translational relevance to schizophrenia. Neurobiology of Learning and Memory, 2017, 141, 44-52. | 1.0 | 16 |
| 131 | Students' Learning Experiences from Didactic Teaching Sessions Including Patient Case Examples as Either Text or Video: A Qualitative Study. Academic Psychiatry, 2018, 42, 622-629. | 0.4 | 16 |
| 132 | Accounting for age of onset and family history improves power in genome-wide association studies. American Journal of Human Genetics, 2022, 109, 417-432. | 2.6 | 16 |
| 133 | Investigating the genetic variation underlying episodicity in major depressive disorder: Suggestive evidence for a bipolar contribution. Journal of Affective Disorders, 2014, 155, 81-89. | 2.0 | 15 |
| 134 | Attitudes of stakeholders in psychiatry towards the inclusion of children in genomic research. Human Genomics, 2018, 12, 12. | 1.4 | 15 |
| 135 | Schizophrenia-associated mt-DNA SNPs exhibit highly variable haplogroup affiliation and nuclear ancestry: Bi-genomic dependence raises major concerns for link to disease. PLoS ONE, 2018, 13, e0208828. | 1.1 | 15 |
| 136 | Latent toxoplasmosis and psychiatric symptoms $\hat{a}\in$ A role of tryptophan metabolism?. Journal of Psychiatric Research, 2019, 110, 45-50. | 1.5 | 15 |
| 137 | Genetic predictors of educational attainment and intelligence test performance predict voter turnout. Nature Human Behaviour, 2021, 5, 281-291. | 6.2 | 15 |
| 138 | Methodology for clinical genotyping of CYP2D6 and CYP2C19. Translational Psychiatry, 2021, 11, 596. | 2.4 | 15 |
| 139 | Psychopharmacological treatment of psychotic mania and psychotic bipolar depression compared to nonâ€psychotic mania and nonâ€psychotic bipolar depression. Bipolar Disorders, 2017, 19, 505-512. | 1.1 | 14 |
| 140 | Brain proteome changes in female Brd1 mice unmask dendritic spine pathology and show enrichment for schizophrenia risk. Neurobiology of Disease, 2019, 124, 479-488. | 2.1 | 14 |
| 141 | Salivary cortisol and depression in public sector employees: Cross-sectional and short term follow-up findings. Psychoneuroendocrinology, 2014, 41, 63-74. | 1.3 | 13 |
| 142 | Protocol for CHANGE: a randomized clinical trial assessing lifestyle coaching plus care coordination versus care coordination alone versus treatment as usual to reduce risks of cardiovascular disease in adults with schizophrenia and abdominal obesity. BMC Psychiatry, 2015, 15, 119. | 1.1 | 13 |
| 143 | Exome sequencing in large, multiplex bipolar disorder families from Cuba. PLoS ONE, 2018, 13, e0205895. | 1.1 | 13 |
| 144 | Are changes in workplace bullying status related to changes in salivary cortisol? A longitudinal study among Danish employees. Journal of Psychosomatic Research, 2015, 79, 435-442. | 1.2 | 12 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | The Serotonin Transporter Gene Polymorphisms and Risk of Ischemic Stroke. Cerebrovascular Diseases, 2018, 45, 187-192. | 0.8 | 12 |
| 146 | Neurocognitive Development in Children at Familial High Risk of Schizophrenia or Bipolar Disorder. JAMA Psychiatry, 2022, 79, 589. | 6.0 | 12 |
| 147 | MBL and MASP-2 concentrations in serum and MBL2 promoter polymorphisms are associated to schizophrenia. Acta Neuropsychiatrica, 2012, 24, 199-207. | 1.0 | 11 |
| 148 | Concomitant NSAID use during antipsychotic treatment and risk of 2-year relapse – a population-based study of 16,253 incident patients with schizophrenia. Expert Opinion on Pharmacotherapy, 2016, 17, 1055-1062. | 0.9 | 11 |
| 149 | Enhanced Automatic Action Imitation and Intact Imitation-Inhibition in Schizophrenia. Schizophrenia Bulletin, 2019, 45, 87-95. | 2.3 | 11 |
| 150 | Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. British Journal of Psychiatry, 2020, 217, 390-396. | 1.7 | 11 |
| 151 | Effect of antidepressant switching between nortriptyline and escitalopram after a failed first antidepressant treatment among patients with major depressive disorder. British Journal of Psychiatry, 2019, 215, 494-501. | 1.7 | 10 |
| 152 | Psychotic experiences in seven-year-old children with familial high risk of schizophrenia or bipolar disorder in: The Danish High Risk and Resilience Study $\hat{a} \in \text{``VIA 7'}$; A population-based cohort study. Schizophrenia Research, 2021, 228, 510-518. | 1.1 | 9 |
| 153 | Saliva as a Blood Alternative for Genome-Wide DNA Methylation Profiling by Methylated DNA Immunoprecipitation (MeDIP) Sequencing. Epigenomes, 2017, 1, 14. | 0.8 | 8 |
| 154 | Genetic factors underlying the bidirectional relationship between autoimmune and mental disorders $\hat{a} \in \text{``Findings from a Danish population-based study. Brain, Behavior, and Immunity, 2021, 91, 10-23.}$ | 2.0 | 8 |
| 155 | Family disadvantage, gender, and the returns to genetic human capital*. Scandinavian Journal of Economics, 2022, 124, 550-578. | 0.7 | 8 |
| 156 | Analysis of risk factors for schizophrenia with two different case definitions: A nationwide register-based external validation study. Schizophrenia Research, 2015, 162, 74-78. | 1.1 | 7 |
| 157 | Investigating interactions between early life stress and two single nucleotide polymorphisms in HSD11B2 on the risk of schizophrenia. Psychoneuroendocrinology, 2015, 60, 18-27. | 1.3 | 7 |
| 158 | Familial Confounding of the Association Between Maternal Smoking During Pregnancy and Schizophrenia. American Journal of Psychiatry, 2017, 174, 187-187. | 4.0 | 7 |
| 159 | Schizophrenia and attendance in primary healthcare: a population-based matched cohort study. Scandinavian Journal of Primary Health Care, 2019, 37, 358-365. | 0.6 | 7 |
| 160 | Executive functions in 7-year-old children of parents with schizophrenia or bipolar disorder compared with controls: The Danish High Risk and Resilience Studyâ€"VIA 7, a population-based cohort study. European Child and Adolescent Psychiatry, 2021, 30, 1871-1884. | 2.8 | 7 |
| 161 | Taking others into account: combining directly experienced and indirect information in schizophrenia. Brain, 2021, 144, 1603-1614. | 3.7 | 7 |
| 162 | Combinations of genetic variants associated with bipolar disorder. PLoS ONE, 2017, 12, e0189739. | 1.1 | 6 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 163 | Complex spatio-temporal distribution and genomic ancestry of mitochondrial DNA haplogroups in 24,216 Danes. PLoS ONE, 2018, 13, e0208829. | 1.1 | 5 |
| 164 | Association of the leucine-7 to proline-7 variation in the signal sequence of neuropeptide Y with major depression. Acta Neuropsychiatrica, 2012, 24, 81-90. | 1.0 | 4 |
| 165 | Combinations of Genetic Data Present in Bipolar Patients, but Absent in Control Persons. PLoS ONE, 2015, 10, e0143432. | 1.1 | 4 |
| 166 | The association between genetically determined ABO blood types and major depressive disorder. Psychiatry Research, 2021, 299, 113837. | 1.7 | 4 |
| 167 | Examining sex differences in neurodevelopmental and psychiatric genetic risk in anxiety and depression. PLoS ONE, 2021, 16, e0248254. | 1.1 | 4 |
| 168 | Socially Learned Attitude Change is not reduced in Medicated Patients with Schizophrenia. Scientific Reports, 2019, 9, 992. | 1.6 | 3 |
| 169 | Polygenic risk score for bipolar disorder and school grades. Journal of Affective Disorders, 2020, 263, 555-557. | 2.0 | 3 |
| 170 | Decision making and its associations to neurocognitive functions, psychopathology, and the home environment in seven-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish High Risk and Resilience Study VIA 7. Journal of Affective Disorders, 2021, 281, 609-617. | 2.0 | 3 |
| 171 | Neurocognitive heterogeneity in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study - VIA 7. Journal of Affective Disorders, 2022, 302, 214-223. | 2.0 | 3 |
| 172 | The Danish High-Risk and Resilience Study—VIA 15 – A Study Protocol for the Third Clinical Assessment of a Cohort of 522 Children Born to Parents Diagnosed With Schizophrenia or Bipolar Disorder and Population-Based Controls. Frontiers in Psychiatry, 2022, 13, 809807. | 1.3 | 3 |
| 173 | Exploring the sortilin related receptor, SorLA, in depression. Journal of Affective Disorders, 2018, 232, 260-267. | 2.0 | 2 |
| 174 | S48. INTER-RATER RELIABILITY OF PANSS-6 SCHIZOPHRENIA SEVERITY RATINGS OBTAINED USING THE SIMPLIFIED NEGATIVE AND POSITIVE SYMPTOMS INTERVIEW (SNAPSI). Schizophrenia Bulletin, 2018, 44, S342-S343. | 2.3 | 2 |
| 175 | T54. TAILOR – TAPERED DISCONTINUATION VERSUS MAINTENANCE THERAPY OF ANTIPSYCHOTIC MEDICATION IN PATIENTS WITH NEWLY DIAGNOSED SCHIZOPHRENIA SPECTRUM DISORDERS IN REMISSION OF PSYCHOTIC SYMPTOMS. Schizophrenia Bulletin, 2018, 44, S134-S135. | 2.3 | 2 |
| 176 | T22. CLINICAL VALIDATION OF THE SIX-ITEM POSITIVE AND NEGATIVE SYNDROME SCALE (PANSS-6). Schizophrenia Bulletin, 2019, 45, S211-S212. | 2.3 | 2 |
| 177 | Standardized training in the rating of the six-item Positive And Negative Syndrome Scale (PANSS-6). Schizophrenia Research, 2021, 228, 438-446. | 1.1 | 2 |
| 178 | Post-error adjustment among children aged 7 years with a familial high risk of schizophrenia or bipolar disorder: A population-based cohort study. Development and Psychopathology, 2022, 34, 2023-2033. | 1.4 | 2 |
| 179 | Is the Association Between Parents' Mental Illness and Child Psychopathology Mediated via Home Environment and Caregiver's Psychosocial Functioning? A Mediation Analysis of the Danish High Risk and Resilience Study—VIA7, a Population-Based Cohort Study. Schizophrenia Bulletin Open, 2021, 2, . | 0.9 | 2 |
| 180 | Home environment of 11-year-old children born to parents with schizophrenia or bipolar disorder – a controlled, 4-year follow-up study: The Danish High Risk and Resilience Study – VIA 11. Psychological Medicine, 2023, 53, 2563-2573. | 2.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Jumping to Conclusions and Its Associations With Psychotic Experiences in Preadolescent Children at Familial High Risk of Schizophrenia or Bipolar Disorder-The Danish High Risk and Resilience Study, VIA 11. Schizophrenia Bulletin, 2022, 48, 1363-1372. | 2.3 | 2 |
| 182 | Is the association between offspring intelligence and parents' educational attainment influenced by schizophrenia or mood disorder in parents?. Schizophrenia Research: Cognition, 2017, 9, 18-22. | 0.7 | 1 |
| 183 | F84. ASSOCIATIONS BETWEEN INTELLIGENCE, VERBAL WORKING MEMORY AND PROCESSING SPEED IN PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER AND THEIR 7-YEAR OLD OFFSPRING. Schizophrenia Bulletin, 2018, 44, S252-S252. | 2.3 | 1 |
| 184 | Attitudes Toward Psychiatric Genetic Testing and Research: A Comparative Study Between Denmark and Cuba. Genetic Testing and Molecular Biomarkers, 2019, 23, 857-864. | 0.3 | 1 |
| 185 | Odor identification in 7-year-old children at familial high risk of schizophrenia or bipolar disorder - the Danish high risk and resilience study VIA 7. Schizophrenia Research, 2020, 216, 77-84. | 1.1 | 1 |
| 186 | Discrepancies between staff and gold standard ratings of schizophrenia symptom severity. Psychiatry Research, 2021, 301, 113963. | 1.7 | 1 |
| 187 | Association of Positive and Negative Syndrome Scale (PANSS) short forms with global functioning and quality of life. Acta Psychiatrica Scandinavica, 2016, 134, 565-566. | 2.2 | 0 |
| 188 | The Association Between School Achievement and Subsequent Development of Bipolar Disorder. European Psychiatry, 2017, 41, S208-S209. | 0.1 | 0 |
| 189 | The Impact of the Change Trial on Physical Health in People With Schizophrenia. European Psychiatry, 2017, 41, S10-S10. | 0.1 | O |
| 190 | The Genome-Wide DNA Methylation Profile of Peripheral Blood Is Not Systematically Changed by Short-Time Storage at Room Temperature. Epigenomes, 2017, 1, 23. | 0.8 | 0 |
| 191 | O12.5. GENETIC AND ENVIRONMENTAL PREDICTORS OF MAIN OUTCOMES IN THE DANISH HIGH RISK AND RESILIENCE STUDY - VIA 7. A STUDY OF 522 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA, BIPOLAR DISORDER OR NEITHER OF THESE DISORDERS. Schizophrenia Bulletin, 2018, 44, S110-S111. | 2.3 | 0 |
| 192 | S34. DEVELOPMENTAL TRAJECTORIES OF PSYCHOTIC EXPERIENCES AND THEORY OF MIND IN 11-YEAR-OLD OFFSPRING OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2018, 44, S336-S337. | 2.3 | 0 |
| 193 | F67. NEUROCOGNITION IN 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2018, 44, S245-S246. | 2.3 | 0 |
| 194 | S46. THE VALIDITY AND SENSITIVITY OF PANSS-6 IN TREATMENT-RESISTANT SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S341-S342. | 2.3 | 0 |
| 195 | Problematic definitions of bipolar I disorder and mixed episode in the upcoming ICDâ€11. Acta Psychiatrica Scandinavica, 2018, 138, 361-362. | 2.2 | 0 |
| 196 | S67. INTEGRATION OF SENSORY AND SOCIAL INFORMATION DURING DECISION MAKING IN SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S350-S350. | 2.3 | 0 |
| 197 | T123. PERSISTENT NEGATIVE SYMPTOMS IN FIRST EPISODE PSYCHOSIS: PREVALENCE, PREDICTORS AND PROGNOSIS. Schizophrenia Bulletin, 2018, 44, S163-S163. | 2.3 | 0 |
| 198 | F28. CLINICAL VALIDATION OF THE GLASGOW ANTIPSYCHOTIC SIDE EFFECT SCALE (GASS). Schizophrenia Bulletin, 2019, 45, S265-S265. | 2.3 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | F18. PSYCHOPATHOLOGY AND SELF-CONCEPT IN A LONGITUDINAL COHORT OF CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2019, 45, S261-S261. | 2.3 | 0 |
| 200 | F52. WHO CO-PARENT CHILDREN WITH MOTHERS AND FATHERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER? CHARACTERIZING INDIVIDUALS WHO HAVE CHILDREN TOGETHER WITH INDIVIDUALS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2019, 45, S275-S275. | 2.3 | 0 |
| 201 | 7.2 PSYCHOTIC LIKE EXPERIENCES AND THEIR ASSOCIATIONS IN SEVEN-YEAR-OLD CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2019, 45, S98-S98. | 2.3 | 0 |
| 202 | T128. ATTACHMENT REPRESENTATIONS IN CHILDREN AT FAMILIAL HIGH RISK OF SEVERE MENTAL DISORDERS. ASSOCIATIONS WITH PSYCHOPATHOLOGY, LEVEL OF FUNCTIONING, AND PSYCHOTIC EXPERIENCES. Schizophrenia Bulletin, 2020, 46, S279-S279. | 2.3 | 0 |
| 203 | S244. RELIABILITY OF CORE SCHIZOPHRENIA SYMPTOMS RATINGS USING THE SIX-ITEM POSITIVE AND NEGATIVE SYNDROME SCALE (PANSS-6) PERFORMED BY MEDICAL STUDENTS. Schizophrenia Bulletin, 2020, 46, S131-S132. | 2.3 | 0 |
| 204 | M57. NEUROCOGNITIVE HETEROGENEITY IN 7-YEAR-OLD CHILDREN AT FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER - THE DANISH HIGH RISK AND RESILIENCE STUDY VIA 7. Schizophrenia Bulletin, 2020, 46, S156-S156. | 2.3 | 0 |
| 205 | Accumulation of disadvantages across multiple domains amongst subgroups of children of parents with schizophrenia or bipolar disorder. Clustering data from the Danish High Risk and Resilience Study VIA 7. Schizophrenia Bulletin Open, 0, , . | 0.9 | 0 |
| 206 | Standardized training in the rating of the six-item positive and negative syndrome scale (PANSS-6). European Psychiatry, 2021, 64, S592-S593. | 0.1 | 0 |
| 207 | Association between early risk factors and level of functioning at age seven in children at familial risk for schizophrenia or bipolar disorder - The Danish High Risk and Resilience Study VIA 7. Scandinavian Journal of Child and Adolescent Psychiatry and Psychology, 2022, 10, 12-23. | 0.3 | 0 |
| 208 | Physical Activity and Sleep in 11-Year Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorder. The Danish High Risk and Resilience Studyâ€"VIA 11. Schizophrenia Bulletin Open, 2022, 3, . | 0.9 | 0 |
| 209 | School performance and genetic propensities for educational attainment and depression in the etiology of self-harm: a Danish population-based study. Nordic Journal of Psychiatry, 0, , 1-9. | 0.7 | 0 |