Ramon Gomez Arrayas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5107679/publications.pdf

Version: 2024-02-01

105 papers 6,952 citations

45 h-index 81 g-index

152 all docs

152 docs citations

152 times ranked

4913 citing authors

#	Article	IF	CITATIONS
1	Remote <i>ortho</i> -Câ€"H functionalization <i>via</i> medium-sized cyclopalladation. Chemical Communications, 2022, 58, 2034-2040.	4.1	10
2	<i>E/Z</i> Photoisomerization of Olefins as an Emergent Strategy for the Control of Stereodivergence in Catalysis. Advanced Synthesis and Catalysis, 2022, 364, 1348-1370.	4.3	24
3	Interplay between the Directing Group and Multifunctional Acetate Ligand in Pd-Catalyzed <i>anti</i> Acetoxylation of Unsymmetrical Dialkyl-Substituted Alkynes. ACS Catalysis, 2022, 12, 6596-6605.	11.2	8
4	Beyond classical sulfone chemistry: metal- and photocatalytic approaches for C–S bond functionalization of sulfones. Chemical Society Reviews, 2022, 51, 6774-6823.	38.1	37
5	One-Metal/Two-Ligand for Dual Activation Tandem Catalysis: Photoinduced Cu-Catalyzed Anti-hydroboration of Alkynes. Journal of the American Chemical Society, 2022, 144, 13006-13017.	13.7	24
6	Mechanistic understanding enables chemoselective sp3 over sp2 Câ€"H activation in Pd-catalyzed carbonylative cyclization of amino acids. Catalysis Science and Technology, 2021, 11, 1590-1601.	4.1	7
7	Overcoming the Necessity of γ-Substitution in δ-C(sp ³)–H Arylation: Pd-Catalyzed Derivatization of α-Amino Acids. ACS Catalysis, 2021, 11, 5310-5317.	11.2	18
8	Transition-Metal-Catalyzed Functionalization of Alkynes with Organoboron Reagents: New Trends, Mechanistic Insights, and Applications. ACS Catalysis, 2021, 11, 7513-7551.	11.2	100
9	Dynamic multiligand catalysis: A polar to radical crossover strategy expands alkyne carboboration to unactivated secondary alkyl halides. CheM, 2021, 7, 2212-2226.	11.7	27
10	Remote C(sp ³)â€"H functionalization <i>via</i> catalytic cyclometallation: beyond five-membered ring metallacycle intermediates. Organic Chemistry Frontiers, 2021, 8, 4914-4946.	4.5	25
11	<i>anti</i> -Hydroarylation of Activated Internal Alkynes: Merging Pd and Energy Transfer Catalysis. Organic Letters, 2020, 22, 6473-6478.	4.6	30
12	Metal- and Photocatalysis To Gain Regiocontrol and Stereodivergence in Hydroarylations of Unsymmetrical Dialkyl Alkynes. ACS Catalysis, 2019, 9, 10567-10574.	11.2	16
13	Access to Benzazepinones by Pd-Catalyzed Remote C–H Carbonylation of γ-Arylpropylamine Derivatives. Organic Letters, 2019, 21, 4345-4349.	4.6	16
14	Rhodiumâ€Catalyzed Copperâ€Assisted Intermolecular Domino Câ^'H Annulation of 1,3â€Diynes with Picolinamides: Access to Pentacyclic Ï€â€Extended Systems. Chemistry - A European Journal, 2019, 25, 5733-5742.	3.3	22
15	Palladium-catalyzed ortho-olefination of 2-arylpyrrolidines: A tool for increasing structural complexity in nitrogen heterocycles. Tetrahedron, 2018, 74, 3947-3954.	1.9	3
16	Rationalizing the Role of NaO ^{<i>t</i>} Bu in Copper-Catalyzed Carboboration of Alkynes: Assembly of Allylic All-Carbon Quaternary Stereocenters. ACS Catalysis, 2018, 8, 8993-9005.	11.2	31
17	Cobaltâ€Catalyzed <i>ortho</i> â€Câ^'H Functionalization/Alkyne Annulation of Benzylamine Derivatives: Access to Dihydroisoquinolines. Chemistry - A European Journal, 2017, 23, 11669-11676.	3.3	53
18	Hybridizing Feature Selection and Feature Learning Approaches in QSAR Modeling for Drug Discovery. Scientific Reports, 2017, 7, 2403.	3.3	48

#	Article	IF	Citations
19	Palladium-Catalyzed Carbonylative Cyclization of Amines via γ-C(sp ³)–H Activation: Late-Stage Diversification of Amino Acids and Peptides. ACS Catalysis, 2016, 6, 6868-6882.	11.2	121
20	Palladiumâ€Catalyzed Remote <i>ortho</i> â€Cï£;H Alkenylation of Alkyl Aryl Sulfones: Access to Densely Functionalized Indane Derivatives. Advanced Synthesis and Catalysis, 2016, 358, 1065-1072.	4.3	18
21	Pd-Catalyzed Directed <i>ortho</i> -C–H Alkenylation of Phenylalanine Derivatives. Journal of Organic Chemistry, 2015, 80, 3321-3331.	3.2	39
22	Rh ^I /Rh ^{III} catalyst-controlled divergent aryl/heteroaryl C–H bond functionalization of picolinamides with alkynes. Chemical Science, 2015, 6, 5802-5814.	7.4	100
23	Cu-Catalyzed Silylation of Alkynes: A Traceless 2-Pyridylsulfonyl Controller Allows Access to Either Regioisomer on Demand. Journal of the American Chemical Society, 2015, 137, 6857-6865.	13.7	65
24	Copper-catalyzed ortho-C–H amination of protected anilines with secondary amines. Chemical Communications, 2014, 50, 2801.	4.1	122
25	Synthesis of alkylidene pyrrolo[3,4-b]pyridin-7-one derivatives via Rh ^{III} -catalyzed cascade oxidative alkenylation/annulation of picolinamides. Chemical Communications, 2014, 50, 6105-6107.	4.1	45
26	Copperâ€Catalyzed Mild Nitration of Protected Anilines. Chemistry - A European Journal, 2014, 20, 13854-13859.	3.3	45
27	Copper-catalyzed ortho-halogenation of protected anilines. Chemical Communications, 2013, 49, 11044.	4.1	88
28	Pd ^{II} -Catalyzed Di- <i>o</i> oolefination of Carbazoles Directed by the Protecting <i>N</i> -(2-Pyridyl)sulfonyl Group. Organic Letters, 2013, 15, 1120-1123.	4.6	112
29	Formal Regiocontrolled Hydroboration of Unbiased Internal Alkynes via Borylation/Allylic Alkylation of Terminal Alkynes. Organic Letters, 2013, 15, 2054-2057.	4.6	87
30	Regiocontrolled Cu ^I -Catalyzed Borylation of Propargylic-Functionalized Internal Alkynes. Journal of the American Chemical Society, 2012, 134, 7219-7222.	13.7	149
31	Catalytic asymmetric Mannich reaction of glycine Schiff bases with \hat{l}_{\pm} -amido sulfones as precursors of aliphatic imines. Chemical Communications, 2012, 48, 9622.	4.1	36
32	Catalytic asymmetric conjugate boration of \hat{l}_{\pm},\hat{l}^2 -unsaturated sulfones. Chemical Communications, 2011, 47, 6701.	4.1	91
33	Palladium-Catalyzed Coupling of Arene C–H Bonds with Methyl- and Arylboron Reagents Assisted by the Removable 2-Pyridylsulfinyl Group. Journal of Organic Chemistry, 2011, 76, 9525-9530.	3.2	78
34	Chiral thioether-based catalysts in asymmetric synthesis: recent advances. Chemical Communications, 2011, 47, 2207-2211.	4.1	66
35	Pd ^{II} â€Catalyzed CH Olefination of <i>N</i> â€(2â€Pyridyl)sulfonyl Anilines and Arylalkylamines. Angewandte Chemie - International Edition, 2011, 50, 10927-10931.	13.8	132
36	2â€Pyridyl Sulfoxide: A Versatile and Removable Directing Group for the Pd ^{II} atalyzed Direct CH Olefination of Arenes. Chemistry - A European Journal, 2011, 17, 3567-3570.	3.3	109

#	Article	IF	CITATIONS
37	Enantiocontrolled Synthesis of βâ€Branched αâ€Amino Acids by Using Cu ^I â€Catalyzed 1,4â€Additio of Glycine Imines to βâ€Substituted <i>gem</i> â€Diactivated Olefins. Chemistry - A European Journal, 2011, 17, 6334-6337.	n 3.3	26
38	Coordinating Sulfonyl Substrates in Metal-Catalyzed Reactions. Phosphorus, Sulfur and Silicon and the Related Elements, 2011, 186, 1019-1031.	1.6	6
39	Substrateâ€Controlled Diastereoselectivity Switch in Catalytic Asymmetric Direct Mannich Reaction of Glycine Derivatives with Imines: From <i>anti</i> 倕to <i>syn</i> 倕to diamino Acids. Chemistry - A European Journal, 2010, 16, 1153-1157.	3.3	59
40	Pd ^{II} â€Catalysed CH Functionalisation of Indoles and Pyrroles Assisted by the Removable <i>N</i> â€(2â€Pyridyl)sulfonyl Group: C2â€Alkenylation and Dehydrogenative Homocoupling. Chemistry - A European Journal, 2010, 16, 9676-9685.	3.3	177
41	Inverse-Electron-Demand Diels-Alder Reactions of N-(Heteroarylsulfonyl)-1-aza-1,3-dienes Catalyzed by Chiral Lewis Acids. Synthesis, 2009, 2009, 113-126.	2.3	3
42	Palladium(II)â€Catalyzed Regioselective Direct C2 Alkenylation of Indoles and Pyrroles Assisted by the <i>N</i> â€(2â€Pyridyl)sulfonyl Protecting Group. Angewandte Chemie - International Edition, 2009, 48, 6511-6515.	13.8	328
43	Catalytic Asymmetric 1,3-Dipolar Cycloaddition of Azomethine Ylides with $\hat{l}\pm,\hat{l}^2$ -Unsaturated Ketones. Organic Letters, 2009, 11, 393-396.	4.6	97
44	Catalytic asymmetric direct Mannich reaction: a powerful tool for the synthesis of \hat{l}_{\pm},\hat{l}^2 -diamino acids. Chemical Society Reviews, 2009, 38, 1940.	38.1	295
45	Direct Mannich Reaction of Glycinate Schiff Bases with $\langle i \rangle N \langle i \rangle - (8-Quinolyl)$ sulfonyl Imines: A Catalytic Asymmetric Approach to $\langle i \rangle$ anti $\langle i \rangle - \hat{l} \pm \hat{l}^2$ -Diamino Esters. Journal of the American Chemical Society, 2008, 130, 16150-16151.	13.7	106
46	Catalytic Asymmetric Vinylogous Mannich Reaction of $\langle i \rangle N \langle i \rangle - (2-Thienyl)$ sulfonylimines. Organic Letters, 2008, 10, 4335-4337.	4.6	88
47	Understanding the Behavior of <i>N</i> -Tosyl and <i>N</i> -2-Pyridylsulfonyl Imines in Cu ^{II} -Catalyzed Aza-Friedelâ°Crafts Reactions. Journal of Organic Chemistry, 2008, 73, 6401-6404.	3.2	59
48	Copper(I)-Catalyzed Enantioselective 1,3-Dipolar Cycloaddition of Azomethine Ylides with Vinyl Sulfones. Synthesis, 2007, 2007, 950-956.	2.3	10
49	Catalytic Enantioselective Approach to the Stereodivergent Synthesis of (+)-Lasubines I and II. Journal of Organic Chemistry, 2007, 72, 10294-10297.	3.2	50
50	The Enantiomeric Scaffold Approach to Highly Functionalized 1-Oxadecalines:Â Enantio- and Regiocontrolled [4 + 2] Cycloadditions of 5-Alkenyl-Î-3-Pyranylmolybdenum Complexes. Journal of the American Chemical Society, 2007, 129, 1816-1825.	13.7	15
51	Catalytic Asymmetric Conjugate Reduction of \hat{l}^2 , \hat{l}^2 -Disubstituted \hat{l}_{\pm} , \hat{l}^2 -Unsaturated Sulfones. Angewandte Chemie - International Edition, 2007, 46, 3329-3332.	13.8	113
52	Alkylation of Aryl <i>N</i> à€(2â€Pyridylsulfonyl)aldimines with Organozinc Halides: Conciliation of Reactivity and Chemoselectivity. Angewandte Chemie - International Edition, 2007, 46, 9257-9260.	13.8	38
53	Cul–Fesulphos complexes: efficient chiral catalysts for asymmetric 1,3-dipolar cycloaddition of azomethine ylides. Tetrahedron, 2007, 63, 6587-6602.	1.9	119
54	Catalytic Asymmetric Inverse-Electron-Demand Dielsâ^'Alder Reaction of N-Sulfonyl-1-Aza-1,3-Dienes. Journal of the American Chemical Society, 2007, 129, 1480-1481.	13.7	180

#	Article	IF	CITATIONS
55	Catalytic Enantioselective 1,3-Dipolar Cycloaddition of Azomethine Ylides with Vinyl Sulfones. Organic Letters, 2006, 8, 1795-1798.	4.6	148
56	Copper(I)-Fesulphos Lewis Acid Catalysts for Enantioselective Mannich-Type Reaction of N-Sulfonyl Imines. Organic Letters, 2006, 8, 2977-2980.	4.6	81
57	Copper-Catalyzed Enantioselective Conjugate Addition of Dialkylzinc Reagents to (2-Pyridyl)sulfonyl Imines of Chalcones ChemInform, 2006, 37, no.	0.0	0
58	A Copper(II)-Catalyzed Aza-Friedel-Crafts Reaction of N-(2-Pyridyl) sulfonyl Aldimines: Synthesis of Unsymmetrical Diaryl Amines and Triaryl Methanes. Angewandte Chemie - International Edition, 2006, 45, 629-633.	13.8	218
59	Recent Applications of Chiral Ferrocene Ligands in Asymmetric Catalysis. Angewandte Chemie - International Edition, 2006, 45, 7674-7715.	13.8	689
60	Copper-Catalyzed Ring-Opening of Heterobicyclic Alkenes with Grignard Reagents: Remarkably Highanti-Stereocontrol. Synthesis, 2006, 2006, 1205-1219.	2.3	33
61	Sulfenylphosphinoferrocenes: Novel planar chiral ligands in enantioselective catalysis. Pure and Applied Chemistry, 2006, 78, 257-265.	1.9	25
62	Copper-Catalyzed anti-Stereocontrolled Ring-Opening of Azabicyclic Alkenes with Grignard Reagents ChemInform, 2005, 36, no.	0.0	0
63	Cationic Pdll Complexes of Fesulphos Ligands: Highly Efficient Catalysts for the Enantioselective Ring Opening of Oxa- and Azabicyclic Alkenes with Dialkylzinc Reagents. ChemInform, 2005, 36, no.	0.0	0
64	Transition Metal Complexes of Fesulphos Ligands in Enantioselective Catalytic Transformations. ChemInform, 2005, 36, no.	0.0	1
65	Copper(I) Complexes of Fesulphos Ligands: Highly Efficient Chiral Lewis Acids for the Formal Aza Diels—Alder Reaction of N-Sulfonyl Imines. ChemInform, 2005, 36, no.	0.0	0
66	Cationic Pd II Complexes of Fesulphos Ligands: Highly Efficient Catalysts for the Enantioselective Ring Opening of Oxa- and Azabicyclic Alkenes with Dialkylzinc Reagents. Phosphorus, Sulfur and Silicon and the Related Elements, 2005, 180, 1513-1514.	1.6	5
67	Copper-Catalyzed Anti-Stereocontrolled Ring-Opening of Azabicyclic Alkenes with Grignard Reagents. Organic Letters, 2005, 7, 219-221.	4.6	45
68	Copper(I) Complexes of Fesulphos Ligands: Highly Efficient Chiral Lewis Acids for the Formal Aza Diels–Alder Reaction of N-Sulfonyl Imines. Phosphorus, Sulfur and Silicon and the Related Elements, 2005, 180, 1515-1516.	1.6	2
69	Transition Metal Complexes of Fesulphos Ligands in Enantioselective Catalytic Transformations. Phosphorus, Sulfur and Silicon and the Related Elements, 2005, 180, 1259-1265.	1.6	4
70	Copper-Catalyzed Enantioselective Conjugate Addition of Dialkylzinc Reagents to (2-Pyridyl)sulfonyl Imines of Chalcones. Journal of Organic Chemistry, 2005, 70, 7451-7454.	3. 2	72
71	Fesulphos-Palladium(II) Complexes as Well-Defined Catalysts for Enantioselective Ring Opening of Meso Heterobicyclic Alkenes with Organozinc Reagents. Journal of the American Chemical Society, 2005, 127, 17938-17947.	13.7	99
72	Highly Enantioselective Copper(I)â^Fesulphos-Catalyzed 1,3-Dipolar Cycloaddition of Azomethine Ylides. Journal of the American Chemical Society, 2005, 127, 16394-16395.	13.7	259

#	Article	IF	CITATIONS
73	Palladium Complexes of Chiral Planar 1-Phosphino-2-sulfenylferrocenes as Efficient Catalysts in Enantioselective Dielsâ°'Alder Reactions. Organometallics, 2005, 24, 557-561.	2.3	41
74	Cationic Planar Chiral Palladium P,S Complexes as Highly Efficient Catalysts in the Enantioselective Ring Opening of Oxa- and Azabicyclic Alkenes. Angewandte Chemie - International Edition, 2004, 43, 3944-3947.	13.8	89
75	Chelation-Induced Catalytic Multiple Arylation of Allylic 2-Pyridyl Sulfones. Advanced Synthesis and Catalysis, 2004, 346, 1651-1654.	4.3	28
76	Chiral Copper Complexes of Phosphino Sulfenyl Ferrocenes as Efficient Catalysts for Enantioselective Formal Aza Diels—Alder Reactions of N-Sulfonyl Imines ChemInform, 2004, 35, no.	0.0	0
77	Cationic Planar Chiral Palladium P,S Complexes as Highly Efficient Catalysts in the Enantioselective Ring Opening of Oxa- and Azabicyclic Alkenes ChemInform, 2004, 35, no.	0.0	0
78	First Planar Chiral Bidentate Ligand Based on a (Î-5-Cyclopentadienyl) (Î-4-cyclobutadiene) Cobalt Backbone: High Efficiency in Enantioselective Palladium-Catalyzed Allylic Substitutions ChemInform, 2004, 35, no.	0.0	0
79	First planar chiral bidentate ligand based on a (Î-5-cyclopentadienyl)(Î-4-cyclobutadiene) cobalt backbone: high efficiency in enantioselective palladium-catalyzed allylic substitutions. Chemical Communications, 2004, , 1654-1655.	4.1	25
80	Synthesis of Enantiopure Planar Chiral Bisferrocenes Bearing Sulfur or Nitrogen Substituents. Organometallics, 2004, 23, 1991-1996.	2.3	9
81	Chiral Copper Complexes of Phosphino Sulfenyl Ferrocenes as Efficient Catalysts for Enantioselective Formal Aza Dielsâ°'Alder Reactions ofN-Sulfonyl Imines. Journal of the American Chemical Society, 2004, 126, 456-457.	13.7	197
82	New Oxidative Demetalation Protocol for Molybdenum π-Complexes: Enantiocontrolled Synthesis of Unsaturated Ketones and Lactones ChemInform, 2003, 34, no.	0.0	0
83	1-Phosphino-2-sulfenylferrocenes: Efficient Ligands in Enantioselective Palladium-Catalyzed Allylic Substitutions and Ring Opening of 7-Oxabenzonorbornadienes ChemInform, 2003, 34, no.	0.0	0
84	Copper-Catalyzed anti-Stereocontrolled Ring Opening of Oxabicyclic Alkenes with Grignard Reagents ChemInform, 2003, 34, no.	0.0	0
85	1-Phosphino-2-sulfenylferrocenes as Planar Chiral Ligands in Enantioselective Palladium-Catalyzed Allylic Substitutions ChemInform, 2003, 34, no.	0.0	0
86	1-Phosphino-2-sulfenylferrocenes as Planar Chiral Ligands in Enantioselective Palladium-Catalyzed Allylic Substitutions. Journal of Organic Chemistry, 2003, 68, 3679-3686.	3.2	124
87	Copper-Catalyzed Anti-Stereocontrolled Ring Opening of Oxabicyclic Alkenes with Grignard Reagents. Organic Letters, 2003, 5, 1333-1336.	4.6	60
88	η3-Pyranyl and η3-Pyridinyl Molybdenum π-Complexes as Chiral Scaffolds for the Enantioselective Construction of Substituted Oxa- and Aza[3.3.1]bicyclics:  First Enantio- and Regiocontrolled [5+3] Cycloaddition Reactions. Journal of the American Chemical Society, 2003, 125, 9026-9027.	13.7	33
89	First Epoxidation Reaction of Carbonyl Compounds via Ferrocenyl Sulfur Ylides. Synthesis, 2003, 2003, 2249-2254.	2.3	0
90	New Oxidative Demetalation Protocol for Molybdenum π-Complexes: Enantiocontrolled Synthesis of Unsaturated Ketones and Lactones. Journal of Organic Chemistry, 2002, 67, 5773-5778.	3.2	31

#	Article	IF	Citations
91	1-Phosphino-2-sulfenylferrocenes: efficient ligands in enantioselective palladium-catalyzed allylic substitutions and ring opening of 7-oxabenzonorbornadienes. Chemical Communications, 2002, , 2512-2513.	4.1	61
92	Synthesis of Medium-Sized Cyclic Amines by Selective Ring Cleavage of Sulfonylated Bicyclic Amines. Organic Letters, 2001, 3, 2957-2960.	4.6	34
93	Chiral Scaffolds for Enantiocontrolled Synthesis:Â Enantio- and Regiocontrolled [4 + 2] Cycloaddition to 3-Alkenyl-Î-3-Pyranylmolybdenum Complexes. Journal of the American Chemical Society, 2001, 123, 6185-6186.	13.7	21
94	Facile Enantiodivergent Approach to 5-Hydroxy-5,6-dihydro-2(1H)-pyridones. First Total Synthesis of Both Enantiomers of Pipermethystineâ€. Organic Letters, 2001, 3, 3381-3383.	4.6	33
95	Heterologous Over-expression of $\hat{l}\pm 1$, 6-Fucosyltransferase from Rhizobium sp.: Application to the Synthesis of the Trisaccharide \hat{l}^2 -D-GlcNAc(\hat{l} at'4)- [$\hat{l}\pm 1$ -Fuc-(\hat{l} at'6)]-D-GlcNAc, Study of the Acceptor Specificity and Evaluation of Polyhydroxylated Indolizidines as Inhibitors. Chemistry - A European Journal, 2001, 7, 2390-2397.	3.3	33
96	Recent Applications of Vinyl Sulfones and Vinyl Sulfoxides in Asymmetric Synthesis. Phosphorus, Sulfur and Silicon and the Related Elements, 1999, 153, 259-273.	1.6	18
97	An efficient and stereoselective synthesis of enantiopure 1,2,7-trihydroxylated pyrrolizidines. Tetrahedron Letters, 1999, 40, 6083-6086.	1.4	24
98	Stereoselective Synthesis of Polyhydroxylated Indolizidines from \hat{l}^3 -Hydroxy \hat{l}_{\pm} , \hat{l}^2 -Unsaturated Sulfones. Journal of Organic Chemistry, 1998, 63, 2993-3005.	3.2	57
99	Efficient Synthesis of Indolizidine Alkaloids from \hat{I}^3 -Hydroxy- $\hat{I}\pm$, \hat{I}^2 -unsaturated Sulfones. Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 120, 347-348.	1.6	2
100	Sulfoxide-Mediated Asymmetric Synthesis of Glycosidase Inhibitor Precursors. Journal of Organic Chemistry, 1997, 62, 2139-2143.	3.2	19
101	A stereoselective approach to polyhydroxylated quinolizidine alkaloids. Tetrahedron Letters, 1997, 38, 8537-8540.	1.4	41
102	Stereoselective synthesis of hydroxypyrrolidines and hydroxypiperidines by cyclization of \hat{l}^3 -oxygenated- $\hat{l}\pm,\hat{l}^2$ -unsaturated sulfones. Tetrahedron Letters, 1996, 37, 3379-3382.	1.4	26
103	5- and 6-Exo Radical Cyclizations of γ-Oxygenated-α,β-Unsaturated Sulfones. Synlett, 1996, 1996, 640-642.	1.8	20
104	Efficient stereoselective access to polyhydroxylated indolizidine compounds based on .gammahydroxyalpha.,.betaunsaturated sulfones. Journal of Organic Chemistry, 1995, 60, 6000-6001.	3.2	27
105	Sulfones in Asymmetric Catalysis. , 0, , 291-320.		10