

Anders Björklund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5113169/publications.pdf>

Version: 2024-02-01

78
papers

9,687
citations

66343

42
h-index

71685

76
g-index

79
all docs

79
docs citations

79
times ranked

10525
citing authors

#	ARTICLE	IF	CITATIONS
1	Grafts Derived from an α -Synuclein Triplication Patient Mediate Functional Recovery but Develop Disease-Associated Pathology in the 6-OHDA Model of Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2021, 11, 515-528.	2.8	3
2	Stem Cell-Derived Dopamine Neurons: Will They Replace DBS as the Leading Neurosurgical Treatment for Parkinson's Disease?. <i>Journal of Parkinson's Disease</i> , 2021, 11, 909-917.	2.8	3
3	GDNF Therapy: Can We Make It Work?. <i>Journal of Parkinson's Disease</i> , 2021, 11, 1019-1022.	2.8	5
4	Repairing the Parkinsonian Brain. <i>Journal of Parkinson's Disease</i> , 2021, 11, S123-S125.	2.8	1
5	Dopamine Cell Therapy: From Cell Replacement to Circuitry Repair. <i>Journal of Parkinson's Disease</i> , 2021, 11, S159-S165.	2.8	13
6	In vivo conversion of dopamine neurons in mouse models of Parkinson's disease – a future approach for regenerative therapy?. <i>Current Opinion in Genetics and Development</i> , 2021, 70, 76-82.	3.3	6
7	BDNF Overexpression Increases Striatal D3 Receptor Level at Striatal Neurons and Exacerbates D1-Receptor Agonist-Induced Dyskinesia. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1503-1514.	2.8	9
8	Animal Models of Parkinson's Disease: Are They Useful or Not?. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1335-1342.	2.8	22
9	Impact of α -synuclein pathology on transplanted hESC-derived dopaminergic neurons in a humanized α -synuclein rat model of PD. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15209-15220.	7.1	40
10	GDNF and Parkinson's Disease: Where Next? A Summary from a Recent Workshop. <i>Journal of Parkinson's Disease</i> , 2020, 10, 875-891.	2.8	63
11	Neuronal Replacement as a Tool for Basal Ganglia Circuitry Repair: 40 Years in Perspective. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 146.	3.7	14
12	From Skin to Brain: A Parkinson's Disease Patient Transplanted with His Own Cells. <i>Cell Stem Cell</i> , 2020, 27, 8-10.	11.1	11
13	Transsynaptic tracing and its emerging use to assess graft-reconstructed neural circuits. <i>Stem Cells</i> , 2020, 38, 716-726.	3.2	7
14	Animal models for preclinical Parkinson's research: An update and critical appraisal. <i>Progress in Brain Research</i> , 2020, 252, 27-59.	1.4	30
15	Preface: The evolving scenario of Parkinson's research. <i>Progress in Brain Research</i> , 2020, 252, xix-xx.	1.4	0
16	Vector-mediated l-3,4-dihydroxyphenylalanine delivery reverses motor impairments in a primate model of Parkinson's disease. <i>Brain</i> , 2019, 142, 2402-2416.	7.6	16
17	hESC-Derived Dopaminergic Transplants Integrate into Basal Ganglia Circuitry in a Preclinical Model of Parkinson's Disease. <i>Cell Reports</i> , 2019, 28, 3462-3473.e5.	6.4	65
18	The Amphetamine Induced Rotation Test: A Re-Assessment of Its Use as a Tool to Monitor Motor Impairment and Functional Recovery in Rodent Models of Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2019, 9, 17-29.	2.8	60

#	ARTICLE	IF	CITATIONS
19	The serotonergic system in L-DOPA-induced dyskinesia: pre-clinical evidence and clinical perspective. <i>Journal of Neural Transmission</i> , 2018, 125, 1195-1202.	2.8	31
20	Synapsin III deficiency hampers α -synuclein aggregation, striatal synaptic damage and nigral cell loss in an AAV-based mouse model of Parkinson's disease. <i>Acta Neuropathologica</i> , 2018, 136, 621-639.	7.7	53
21	Target-specific forebrain projections and appropriate synaptic inputs of hESC-derived dopamine neurons grafted to the midbrain of parkinsonian rats. <i>Journal of Comparative Neurology</i> , 2018, 526, 2133-2146.	1.6	50
22	Modeling Parkinson's disease pathology by combination of fibril seeds and α -synuclein overexpression in the rat brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E8284-E8293.	7.1	161
23	BDNF over-expression induces striatal serotonin fiber sprouting and increases the susceptibility to L-DOPA-induced dyskinesia in 6-OHDA-lesioned rats. <i>Experimental Neurology</i> , 2017, 297, 73-81.	4.1	48
24	Mechanisms and use of neural transplants for brain repair. <i>Progress in Brain Research</i> , 2017, 230, 1-51.	1.4	11
25	α -Synuclein induced toxicity in brain stem serotonin neurons mediated by an AAV vector driven by the tryptophan hydroxylase promoter. <i>Scientific Reports</i> , 2016, 6, 26285.	3.3	12
26	Extensive graft-derived dopaminergic innervation is maintained 24 years after transplantation in the degenerating parkinsonian brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 6544-6549.	7.1	235
27	Are Stem Cell-Based Therapies for Parkinson's Disease Ready for the Clinic in 2016?. <i>Journal of Parkinson's Disease</i> , 2016, 6, 57-63.	2.8	57
28	Alpha-Synuclein Produces Early Behavioral Alterations via Striatal Cholinergic Synaptic Dysfunction by Interacting With GluN2D N-Methyl-D-Aspartate Receptor Subunit. <i>Biological Psychiatry</i> , 2016, 79, 402-414.	1.3	77
29	Cyclosporin promotes neurorestoration and cell replacement therapy in pre-clinical models of Parkinson's disease. <i>Acta Neuropathologica Communications</i> , 2015, 3, 84.	5.2	26
30	Transcriptome analysis reveals transmembrane targets on transplantable midbrain dopamine progenitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E1946-E1955.	7.1	52
31	GDNF is not required for catecholaminergic neuron survival in vivo. <i>Nature Neuroscience</i> , 2015, 18, 319-322.	14.8	53
32	Monosynaptic Tracing using Modified Rabies Virus Reveals Early and Extensive Circuit Integration of Human Embryonic Stem Cell-Derived Neurons. <i>Stem Cell Reports</i> , 2015, 4, 975-983.	4.8	92
33	Reconstruction of brain circuitry by neural transplants generated from pluripotent stem cells. <i>Neurobiology of Disease</i> , 2015, 79, 28-40.	4.4	56
34	The role of pallidal serotonergic function in Parkinson's disease dyskinesias: a positron emission tomography study. <i>Neurobiology of Aging</i> , 2015, 36, 1736-1742.	3.1	42
35	Etopirazine counteracts L-DOPA-induced dyskinesias in Parkinson's disease: a dose-finding study. <i>Brain</i> , 2015, 138, 963-973.	7.6	140
36	Nurr1 and Retinoid X Receptor Ligands Stimulate Ret Signaling in Dopamine Neurons and Can Alleviate α -Synuclein Disrupted Gene Expression. <i>Journal of Neuroscience</i> , 2015, 35, 14370-14385.	3.6	52

#	ARTICLE	IF	CITATIONS
37	Long-term Clinical Outcome of Fetal Cell Transplantation for Parkinson Disease. <i>JAMA Neurology</i> , 2014, 71, 83.	9.0	257
38	The anti-dyskinetic effect of dopamine receptor blockade is enhanced in parkinsonian rats following dopamine neuron transplantation. <i>Neurobiology of Disease</i> , 2014, 62, 233-240.	4.4	15
39	Noradrenaline neuron degeneration contributes to motor impairments and development of L-DOPA-induced dyskinesia in a rat model of Parkinson's disease. <i>Experimental Neurology</i> , 2014, 257, 25-38.	4.1	52
40	NURR1 in Parkinson disease— from pathogenesis to therapeutic potential. <i>Nature Reviews Neurology</i> , 2013, 9, 629-636.	10.1	206
41	Cell Therapy for Parkinson's Disease: What Next?. <i>Movement Disorders</i> , 2013, 28, 110-115.	3.9	57
42	Transcription factor Nurr1 maintains fiber integrity and nuclear-encoded mitochondrial gene expression in dopamine neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 2360-2365.	7.1	143
43	TFEB-mediated autophagy rescues midbrain dopamine neurons from α -synuclein toxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E1817-26.	7.1	600
44	α -Synuclein-Induced Down-Regulation of Nurr1 Disrupts GDNF Signaling in Nigral Dopamine Neurons. <i>Science Translational Medicine</i> , 2012, 4, 163ra156.	12.4	221
45	Nurr1 Is Required for Maintenance of Maturing and Adult Midbrain Dopamine Neurons. <i>Journal of Neuroscience</i> , 2009, 29, 15923-15932.	3.6	320
46	Gene Therapy for Dopamine Replacement in Parkinson's Disease. <i>Science Translational Medicine</i> , 2009, 1, 2ps2.	12.4	29
47	In vivo gene delivery to proliferating cells in the striatum generated in response to a 6-hydroxydopamine lesion of the nigro-striatal dopamine pathway. <i>Neurobiology of Disease</i> , 2008, 30, 343-352.	4.4	5
48	Cell Therapy for Parkinson's Disease: Problems and Prospects. <i>Novartis Foundation Symposium</i> , 2008, , 174-187.	1.1	34
49	Dopamine neuron systems in the brain: an update. <i>Trends in Neurosciences</i> , 2007, 30, 194-202.	8.6	1,414
50	Cell therapy for Parkinson's disease: problems and prospects. <i>Novartis Foundation Symposium</i> , 2005, 265, 174-86; discussion 187, 204-211.	1.1	15
51	Neural transplantation for the treatment of Parkinson's disease. <i>Lancet Neurology</i> , The, 2003, 2, 437-445.	10.2	322
52	Delayed infusion of GDNF promotes recovery of motor function in the partial lesion model of Parkinson's disease. <i>European Journal of Neuroscience</i> , 2001, 13, 1589-1599.	2.6	115
53	Injury induced c-Jun expression and phosphorylation in the dopaminergic nigral neurons of the rat: correlation with neuronal death and modulation by glial cell-derived neurotrophic factor. <i>European Journal of Neuroscience</i> , 2001, 13, 1-14.	2.6	15
54	Preservation of a functional nigrostriatal dopamine pathway by GDNF in the intrastriatal 6-OHDA lesion model depends on the site of administration of the trophic factor. <i>European Journal of Neuroscience</i> , 2000, 12, 3871-3882.	2.6	182

#	ARTICLE	IF	CITATIONS
55	Cell replacement therapies for central nervous system disorders. <i>Nature Neuroscience</i> , 2000, 3, 537-544.	14.8	897
56	Parkinson disease gene therapy moves toward the clinic. <i>Nature Medicine</i> , 2000, 6, 1207-1208.	30.7	44
57	Self-repair in the brain. <i>Nature</i> , 2000, 405, 893-895.	27.8	73
58	Cell Replacement Strategies for Neurodegenerative Disorders. <i>Novartis Foundation Symposium</i> , 2000, 231, 7-20.	1.1	57
59	Protection and regeneration of nigral dopaminergic neurons by neurturin or GDNF in a partial lesion model of Parkinson's disease after administration into the striatum or the lateral ventricle. <i>European Journal of Neuroscience</i> , 1999, 11, 1554-1566.	2.6	219
60	Breaking the brain-blood barrier. <i>Nature</i> , 1999, 397, 569-570.	27.8	26
61	Prospects for new restorative and neuroprotective treatments in Parkinson's disease. <i>Nature</i> , 1999, 399, A32-A39.	27.8	442
62	Survival of expanded dopaminergic precursors is critical for clinical trials. <i>Nature Neuroscience</i> , 1998, 1, 537-537.	14.8	39
63	In utero gene transfer reveals survival effects of nerve growth factor on rat brain cholinergic neurones during development. <i>European Journal of Neuroscience</i> , 1998, 10, 263-271.	2.6	8
64	Learning Deficit in BDNF Mutant Mice. <i>European Journal of Neuroscience</i> , 1997, 9, 2581-2587.	2.6	418
65	Short- and long-term survival and function of unilateral intrastriatal dopaminergic grafts in Parkinson's disease. <i>Annals of Neurology</i> , 1997, 42, 95-107.	5.3	331
66	Grafts of EGF-responsive neural stem cells derived from GFAP-hNGF transgenic mice: Trophic and tropic effects in a rodent model of Huntington's disease. , 1997, 387, 96-113.		96
67	Extensive reinnervation of the hippocampus by embryonic basal forebrain cholinergic neurons grafted into the septum of neonatal rats with selective cholinergic lesions. <i>Journal of Comparative Neurology</i> , 1996, 373, 355-372.	1.6	21
68	Ex Vivo Gene Transfer of Brain-derived Neurotrophic Factor to the Intact Rat Forebrain: Neurotrophic Effects on Cholinergic Neurons. <i>European Journal of Neuroscience</i> , 1996, 8, 727-735.	2.6	50
69	Extensive reinnervation of the hippocampus by embryonic basal forebrain cholinergic neurons grafted into the septum of neonatal rats with selective cholinergic lesions. <i>Journal of Comparative Neurology</i> , 1996, 373, 355-372.	1.6	1
70	Acetylcholine revisited. <i>Nature</i> , 1995, 375, 446-446.	27.8	15
71	Evidence for long-term survival and function of dopaminergic grafts in progressive Parkinson's disease. <i>Annals of Neurology</i> , 1994, 35, 172-180.	5.3	412
72	A question of making it work. <i>Nature</i> , 1994, 367, 112-113.	27.8	14

#	ARTICLE	IF	CITATIONS
73	Prefrontal Corticostriatal Afferents Maintain Increased Enkephalin Gene Expression in the Dopamine-denervated Rat Striatum. <i>European Journal of Neuroscience</i> , 1994, 6, 1371-1383.	2.6	64
74	Better cells for brain repair. <i>Nature</i> , 1993, 362, 414-415.	27.8	105
75	Basal Forebrain Grafts in the Hippocampus and Neocortex: Regulation of Acetylcholine Release. <i>Annals of the New York Academy of Sciences</i> , 1993, 695, 267-273.	3.8	7
76	Reformation of long axon pathways in adult rat central nervous system by human forebrain neuroblasts. <i>Nature</i> , 1990, 347, 556-558.	27.8	258
77	Endogenous Release of Neuronal Serotonin and 5-Hydroxyindoleacetic Acid in the Caudate-Putamen of the Rat as Revealed by Intracerebral Dialysis Coupled to High-Performance Liquid Chromatography with Fluorimetric Detection. <i>Journal of Neurochemistry</i> , 1988, 51, 1422-1435.	3.9	237
78	Functional Activity of Substantia Nigra Grafts Reinnervating the Striatum: Neurotransmitter Metabolism and [¹⁴ C]2-Deoxy-d-glucose Autoradiography. <i>Journal of Neurochemistry</i> , 1982, 38, 737-748.	3.9	235