Bernard Burnand

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5114115/publications.pdf

Version: 2024-02-01

91 papers 2,862 citations

279798 23 h-index 49 g-index

93 all docs 93 docs citations

93 times ranked 5082 citing authors

#	Article	IF	CITATIONS
1	Use of GRADE for assessment of evidence about prognosis: rating confidence in estimates of event rates in broad categories of patients. BMJ, The, 2015, 350, h870-h870.	6.0	532
2	Prevalence, Characteristics, and Publication of Discontinued Randomized Trials. JAMA - Journal of the American Medical Association, 2014, 311, 1045.	7.4	265
3	Adaptation of clinical guidelines: literature review and proposition for a framework and procedure. International Journal for Quality in Health Care, 2006, 18, 167-176.	1.8	250
4	Cohort Profile: The Swiss Inflammatory Bowel Disease Cohort Study (SIBDCS). International Journal of Epidemiology, 2009, 38, 922-931.	1.9	140
5	Delirium: Guidelines for general hospitals. Journal of Psychosomatic Research, 2007, 62, 371-383.	2.6	123
6	A systematic review of cost-effectiveness studies comparing conventional, biological and surgical interventions for inflammatory bowel disease. PLoS ONE, 2017, 12, e0185500.	2.5	87
7	Electronic Monitoring of Compliance to Lipid-Lowering Therapy in Clinical Practice. Journal of Clinical Pharmacology, 1999, 39, 402-409.	2.0	72
8	Five-Year Outcome in Patients With Isolated Proximal Left Anterior Descending Coronary Artery Stenosis Treated by Angioplasty or Left Internal Mammary Artery Grafting. Circulation, 1999, 99, 3255-3259.	1.6	69
9	When do we dare to stop biological or immunomodulatory therapy for Crohn's disease? Results of a multidisciplinary European expert panel. Journal of Crohn's and Colitis, 2013, 7, 820-826.	1.3	55
10	Adding non-randomised studies to a Cochrane review brings complementary information for healthcare stakeholders: an augmented systematic review and meta-analysis. BMC Health Services Research, 2016, 16, 598.	2.2	53
11	Health outcomes of online consumer health information: A systematic mixed studies review with framework synthesis. Journal of the Association for Information Science and Technology, 2019, 70, 643-659.	2.9	46
12	Case Management may Reduce Emergency Department Frequent use in a Universal Health Coverage System: a Randomized Controlled Trial. Journal of General Internal Medicine, 2017, 32, 508-515.	2.6	45
13	Multimorbidity and patterns of chronic conditions in a primary care population in Switzerland: a cross-sectional study. BMJ Open, 2017, 7, e013664.	1.9	43
14	Internetâ€based brief intervention for young men with unhealthy alcohol use: a randomized controlled trial in a general population sample. Addiction, 2015, 110, 1735-1743.	3.3	42
15	Adverse events related to hospital care: a retrospective medical records review in a Swiss hospital. International Journal for Quality in Health Care, 2017, 29, 527-533.	1.8	40
16	Information Needs and Concerns of Patients with Inflammatory Bowel Disease: What Can We Learn from Participants in a Bilingual Clinical Cohort?. PLoS ONE, 2016, 11, e0150620.	2.5	35
17	Development and Content Validation of the Information Assessment Method for Patients and Consumers. JMIR Research Protocols, 2014, 3, e7.	1.0	34
18	Effectiveness of drug interventions to prevent sudden cardiac death in patients with heart failure and reduced ejection fraction: an overview of systematic reviews. BMJ Open, 2018, 8, e021108.	1.9	32

#	Article	IF	CITATIONS
19	Role of Health Professionals Regarding the Impact of Climate Change on Health—An Exploratory Review. International Journal of Environmental Research and Public Health, 2021, 18, 3222.	2.6	30
20	No benefits of statins for sudden cardiac death prevention in patients with heart failure and reduced ejection fraction: A meta-analysis of randomized controlled trials. PLoS ONE, 2017, 12, e0171168.	2.5	30
21	Higher occurrence of nausea and vomiting after total hip arthroplasty using general versus spinal anesthesia: an observational study. BMC Anesthesiology, 2015, 16, 44.	1.8	29
22	From chronic conditions to relevance in multimorbidity: a four-step study in family medicine. Family Practice, 2016, 33, 439-444.	1.9	28
23	Major depressive disorder in the general hospital: adaptation of clinical practice guidelines. General Hospital Psychiatry, 2003, 25, 185-193.	2.4	27
24	Universal Screening and Decolonization for Control of MRSA in Nursing Homes: A Cluster Randomized Controlled Study. Infection Control and Hospital Epidemiology, 2015, 36, 401-408.	1.8	27
25	Cohort Profile Update: The Swiss Inflammatory Bowel Disease Cohort Study (SIBDCS). International Journal of Epidemiology, 2019, 48, 385-386f.	1.9	26
26	Premature Discontinuation of Pediatric Randomized Controlled Trials: A Retrospective Cohort Study. Journal of Pediatrics, 2017, 184, 209-214.e1.	1.8	23
27	Factors associated with health literacy in multimorbid patients in primary care: a cross-sectional study in Switzerland. BMJ Open, 2018, 8, e018281.	1.9	23
28	Case management for frequent users of the emergency department: study protocol of a randomised controlled trial. BMC Health Services Research, 2014, 14, 264.	2.2	22
29	Association between education and quality of diabetes care in Switzerland. International Journal of General Medicine, 2015, 8, 87.	1.8	20
30	Agreements between Industry and Academia on Publication Rights: A Retrospective Study of Protocols and Publications of Randomized Clinical Trials. PLoS Medicine, 2016, 13, e1002046.	8.4	20
31	Patients and gastroenterologists' perceptions of treatments for inflammatory bowel diseases: do their perspectives match?. Scandinavian Journal of Gastroenterology, 2016, 51, 1056-1061.	1.5	20
32	Health literacy and quality of care of patients with diabetes: A cross-sectional analysis. Primary Care Diabetes, 2017, 11, 233-240.	1.8	20
33	Patient self-reported concerns in inflammatory bowel diseases: A gender-specific subjective quality-of-life indicator. PLoS ONE, 2017, 12, e0171864.	2.5	20
34	Chronic disease management: a qualitative study investigating the barriers, facilitators and incentives perceived by Swiss healthcare stakeholders. BMC Health Services Research, 2012, 12, 176.	2.2	19
35	Meeting physicians' needs: a bottom-up approach for improving the implementation of medical knowledge into practice. Health Research Policy and Systems, 2016, 14, 49.	2.8	19
36	Enhanced capture of healthcare-related harms and injuries in the 11th revision of the International Classification of Diseases (ICD-11). International Journal for Quality in Health Care, 2016, 28, 136-142.	1.8	19

#	Article	IF	CITATIONS
37	Pooled individual patient data from five countries were used to derive a clinical prediction rule for coronary artery disease in primary care. Journal of Clinical Epidemiology, 2017, 81, 120-128.	5.0	18
38	Knowledge Translation and Evidence-Based Practice: A Qualitative Study on Clinical Dietitians' Perceptions and Practices in Switzerland. Journal of the Academy of Nutrition and Dietetics, 2019, 119, 1882-1889.	0.8	18
39	Techno-social reconfigurations in diabetes (self-) care. Social Studies of Science, 2020, 50, 198-220.	2.5	18
40	Internet-Based Brief Intervention to Prevent Unhealthy Alcohol Use among Young Men: A Randomized Controlled Trial. PLoS ONE, 2015, 10, e0144146.	2.5	17
41	Team-based care for improving hypertension management among outpatients (TBC-HTA): study protocol for a pragmatic randomized controlled trial. BMC Cardiovascular Disorders, 2017, 17, 39.	1.7	17
42	Are mind–body therapies effective for relieving cancerâ€related pain in adults? A systematic review and metaâ€analysis. Psycho-Oncology, 2022, 31, 345-371.	2.3	17
43	Development and validation of a knowledge-based score to predict Fried's frailty phenotype across multiple settings using one-year hospital discharge data: The electronic frailty score. EClinicalMedicine, 2022, 44, 101260.	7.1	17
44	Multimorbidity in primary care: protocol of a national cross-sectional study in Switzerland. BMJ Open, 2015, 5, e009165.	1.9	16
45	Associations between perceived discrimination and health status among frequent Emergency Department users. European Journal of Emergency Medicine, 2017, 24, 136-141.	1.1	16
46	Using case management in a universal health coverage system to improve quality of life of frequent Emergency Department users: a randomized controlled trial. Quality of Life Research, 2018, 27, 503-513.	3.1	16
47	General Practitioners Can Evaluate the Material, Social and Health Dimensions of Patient Social Status. PLoS ONE, 2014, 9, e84828.	2.5	15
48	Implementing a case management intervention for frequent users of the emergency department (I-CaM): an effectiveness-implementation hybrid trial study protocol. BMC Health Services Research, 2019, 19, 28.	2.2	14
49	Complementary and alternative medicine use by pediatric oncology patients before, during, and after treatment. BMC Complementary Medicine and Therapies, 2021, 21, 96.	2.7	14
50	Are young men who overestimate drinking by others more likely to respond to an electronic normative feedback brief intervention for unhealthy alcohol use?. Addictive Behaviors, 2016, 63, 97-101.	3.0	13
51	Community-based pharmacies: an opportunity to recruit patients?. International Journal of Public Health, 2013, 58, 319-322.	2.3	12
52	Chronic low back pain patients' use of, level of knowledge of and perceived benefits of complementary medicine: a cross-sectional study at an academic pain center. BMC Complementary and Alternative Medicine, 2017, 17, 193.	3.7	12
53	Feasibility, acceptability and effectiveness of integrated care for COPD patients: a mixed methods evaluation of a pilot community-based programme. Swiss Medical Weekly, 2017, 147, w14567.	1.6	12
54	Reproducibility of diabetes quality of care indicators as reported by patients and physicians. European Journal of Public Health, 2014, 24, 1004-1009.	0.3	11

#	Article	IF	Citations
55	CoDiab-VD: protocol of a prospective population-based cohort study on diabetes care in Switzerland. BMC Health Services Research, 2015, 15, 329.	2.2	11
56	Health care costs of case management for frequent users of the emergency department: Hospital and insurance perspectives. PLoS ONE, 2018, 13, e0199691.	2.5	10
57	Primary care physicians' attitude and reported prescribing behavior for chronic low back pain: An exploratory cross-sectional study. PLoS ONE, 2018, 13, e0204613.	2.5	10
58	Increasing prehospital emergency medical service interventions for nursing home residents. Swiss Medical Weekly, 2015, 145, w14126.	1.6	10
59	Infliximab for Crohn $\hat{E}^1\!\!/\!\!4$ s disease in the Swiss IBD Cohort Study. European Journal of Gastroenterology and Hepatology, 2010, 22, 1352-1357.	1.6	9
60	Swiss family physiciansâ \in ™ perceptions and attitudes towards knowledge translation practices. BMC Family Practice, 2015, 16, 177.	2.9	9
61	Baseline data of a population-based cohort of patients with diabetes in Switzerland (CoDiab-VD). Swiss Medical Weekly, 2014, 144, w13951.	1.6	9
62	No consistent association between processes-of-care and health-related quality of life among patients with diabetes: a missing link?. BMJ Open Diabetes Research and Care, 2015, 3, e000042.	2.8	8
63	Assessing the impact of DRGs on patient care and professional practice in Switzerland (IDoC) – a potential model for monitoring and evaluating healthcare reform. Swiss Medical Weekly, 2015, 145, w14034.	1.6	8
64	Are internists in an non-prescriptive setting favourable to guidelines? A survey in a Department of Internal Medicine in Switzerland. Swiss Medical Weekly, 2002, 132, 201-6.	1.6	8
65	Acceptance of Inflammatory Bowel Disease Treatment Recommendations Based on Appropriateness Ratings: do Practicing Gastroenterologists Agree with Experts?. Journal of Crohn's and Colitis, 2015, 9, 132-139.	1.3	7
66	Primary care patients' use of conventional and complementary medicine for chronic low back pain. Journal of Pain Research, 2019, Volume 12, 2101-2112.	2.0	7
67	A cross-sectional study of Swiss ambulatory care services use by multimorbid patients in primary care in the light of the Andersen model. BMC Family Practice, 2020, 21, 150.	2.9	7
68	Osteopathy in the French-speaking part of Switzerland: Practitioners' profile and scope of back pain management. PLoS ONE, 2020, 15, e0232607.	2.5	7
69	Family practitioners' top medical priorities when managing patients with multimorbidity: a cross-sectional study. BJGP Open, 2019, 3, bjgpopen18X101622.	1.8	7
70	Independent drug bulletins to promote the prescription of appropriate drugs: a necessary but difficult task. Bulletin of the World Health Organization, 2013, 91, 391-391A.	3.3	6
71	Reproducibility of Vertebral Fracture Assessment Readings From Dual-energy X-ray Absorptiometry in Both a Population-based and Clinical Cohort: Cohen's and Uniform Kappa. Journal of Clinical Densitometry, 2015, 18, 233-238.	1.2	6
72	Clinical and Health System Determinants of Venous Thromboembolism Event Rates After Hip Arthroplasty. Medical Care, 2018, 56, 862-869.	2.4	6

#	Article	IF	CITATIONS
73	Multimorbidity: can general practitioners identify the health conditions most important to their patients? Results from a national cross-sectional study in Switzerland. BMC Family Practice, 2018, 19, 66.	2.9	6
74	Characteristics of complementary medicine therapists in Switzerland: A cross-sectional study. PLoS ONE, 2019, 14, e0224098.	2.5	6
75	Fourâ€year followâ€up of an internetâ€based brief intervention for unhealthy alcohol use in young men. Addiction, 2018, 113, 1517-1521.	3.3	5
76	Hospital discharge data is not accurate enough to monitor the incidence of postpartum hemorrhage. PLoS ONE, 2021, 16, e0246119.	2.5	5
77	Test Result–Based Sampling. Medical Decision Making, 2012, 32, E1-E12.	2.4	4
78	Appropriateness and long-term discontinuation rate of biological therapies in ulcerative colitis. Journal of Crohn's and Colitis, 2014, 8, 825-834.	1.3	4
79	Complementary medicine use among general internal medicine inpatients in a Swiss university hospital. International Journal of Clinical Practice, 2017, 71, e12952.	1.7	4
80	Geriatric Patient Safety Indicators Based on Linked Administrative Health Data to Assess Anticoagulant-Related Thromboembolic and Hemorrhagic Adverse Events in Older Inpatients: A Study Proposal. JMIR Research Protocols, 2017, 6, e82.	1.0	4
81	Major depressive disorders in the general hospital: How to implement guidelines. Journal of Psychosomatic Research, 2006, 60, 455-459.	2.6	3
82	The probability of having advanced medical interventions is associated with age in out-of-hospital life-threatening situations. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2016, 24, 103.	2.6	3
83	Complementary Medicine Provision in an Academic Hospital: Evaluation and Structuring Project. Journal of Alternative and Complementary Medicine, 2019, 25, 606-612.	2.1	3
84	Effects of Statins to Reduce All-Cause Mortality in Heart Failure Patients: Findings from the EPICAL2 Cohort Study. American Journal of Cardiovascular Drugs, 2019, 19, 497-508.	2.2	3
85	Impact of forgoing care because of costs on the quality of diabetes care: A three-year cohort study. European Journal of Internal Medicine, 2017, 41, e35-e37.	2.2	2
86	Complementary Medicine Use and Self-perceived Discrimination Among Asylum Seekers in Switzerland: A Cross-sectional Study. Journal of Immigrant and Minority Health, 2020, 22, 61-65.	1.6	1
87	A randomized trial of brief web-based prevention of unhealthy alcohol use: Participant self-selection compared to a male young adult source population. Internet Interventions, 2020, 19, 100298.	2.7	1
88	Automatic Detection of Adverse Drug Events in Geriatric Care: Study Proposal. JMIR Research Protocols, 2022, 11, e40456.	1.0	1
89	Clinical Epidemiology, The Study of the Outcome of Illness, Noel S. Weiss. New York and Oxford: Oxford University Press, 1986, 144 pp International Journal of Technology Assessment in Health Care, 1987, 3, 632-633.	0.5	0
90	Authors? reply to commentators. International Journal of Public Health, 2003, 48, S25.	2.6	0

#	Article	IF	CITATIONS
91	A multicentre study of the trend of adverse events during outpatient anaesthesia in Switzerland during 2000-2016. Swiss Medical Weekly, 2020, 150, w20365.	1.6	0