

# Bernard Burnand

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5114115/publications.pdf>

Version: 2024-02-01

91  
papers

2,862  
citations

279798

23  
h-index

197818

49  
g-index

93  
all docs

93  
docs citations

93  
times ranked

5082  
citing authors

#	ARTICLE	IF	CITATIONS
1	Are mindâ€‘body therapies effective for relieving cancerâ€‘related pain in adults? A systematic review and metaâ€‘analysis. <i>Psycho-Oncology</i> , 2022, 31, 345-371.	2.3	17
2	Development and validation of a knowledge-based score to predict Fried's frailty phenotype across multiple settings using one-year hospital discharge data: The electronic frailty score. <i>EClinicalMedicine</i> , 2022, 44, 101260.	7.1	17
3	Automatic Detection of Adverse Drug Events in Geriatric Care: Study Proposal. <i>JMIR Research Protocols</i> , 2022, 11, e40456.	1.0	1
4	Hospital discharge data is not accurate enough to monitor the incidence of postpartum hemorrhage. <i>PLoS ONE</i> , 2021, 16, e0246119.	2.5	5
5	Complementary and alternative medicine use by pediatric oncology patients before, during, and after treatment. <i>BMC Complementary Medicine and Therapies</i> , 2021, 21, 96.	2.7	14
6	Role of Health Professionals Regarding the Impact of Climate Change on Healthâ€‘An Exploratory Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3222.	2.6	30
7	Complementary Medicine Use and Self-perceived Discrimination Among Asylum Seekers in Switzerland: A Cross-sectional Study. <i>Journal of Immigrant and Minority Health</i> , 2020, 22, 61-65.	1.6	1
8	A randomized trial of brief web-based prevention of unhealthy alcohol use: Participant self-selection compared to a male young adult source population. <i>Internet Interventions</i> , 2020, 19, 100298.	2.7	1
9	A cross-sectional study of Swiss ambulatory care services use by multimorbid patients in primary care in the light of the Andersen model. <i>BMC Family Practice</i> , 2020, 21, 150.	2.9	7
10	Osteopathy in the French-speaking part of Switzerland: Practitionersâ€™ profile and scope of back pain management. <i>PLoS ONE</i> , 2020, 15, e0232607.	2.5	7
11	Techno-social reconfigurations in diabetes (self-) care. <i>Social Studies of Science</i> , 2020, 50, 198-220.	2.5	18
12	A multicentre study of the trend of adverse events during outpatient anaesthesia in Switzerland during 2000-2016. <i>Swiss Medical Weekly</i> , 2020, 150, w20365.	1.6	0
13	Knowledge Translation and Evidence-Based Practice: A Qualitative Study on Clinical Dietitiansâ€™ Perceptions and Practices in Switzerland. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019, 119, 1882-1889.	0.8	18
14	<p>Primary care patientsâ€™ use of conventional and complementary medicine for chronic low back pain</p>. <i>Journal of Pain Research</i> , 2019, Volume 12, 2101-2112.	2.0	7
15	Characteristics of complementary medicine therapists in Switzerland: A cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0224098.	2.5	6
16	Cohort Profile Update: The Swiss Inflammatory Bowel Disease Cohort Study (SIBDCS). <i>International Journal of Epidemiology</i> , 2019, 48, 385-386f.	1.9	26
17	Implementing a case management intervention for frequent users of the emergency department (I-CaM): an effectiveness-implementation hybrid trial study protocol. <i>BMC Health Services Research</i> , 2019, 19, 28.	2.2	14
18	Complementary Medicine Provision in an Academic Hospital: Evaluation and Structuring Project. <i>Journal of Alternative and Complementary Medicine</i> , 2019, 25, 606-612.	2.1	3

#	ARTICLE	IF	CITATIONS
19	Health outcomes of online consumer health information: A systematic mixed studies review with framework synthesis. <i>Journal of the Association for Information Science and Technology</i> , 2019, 70, 643-659.	2.9	46
20	Effects of Statins to Reduce All-Cause Mortality in Heart Failure Patients: Findings from the EPICAL2 Cohort Study. <i>American Journal of Cardiovascular Drugs</i> , 2019, 19, 497-508.	2.2	3
21	Family practitioners' top medical priorities when managing patients with multimorbidity: a cross-sectional study. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101622.	1.8	7
22	Four-year follow-up of an internet-based brief intervention for unhealthy alcohol use in young men. <i>Addiction</i> , 2018, 113, 1517-1521.	3.3	5
23	Using case management in a universal health coverage system to improve quality of life of frequent Emergency Department users: a randomized controlled trial. <i>Quality of Life Research</i> , 2018, 27, 503-513.	3.1	16
24	Clinical and Health System Determinants of Venous Thromboembolism Event Rates After Hip Arthroplasty. <i>Medical Care</i> , 2018, 56, 862-869.	2.4	6
25	Health care costs of case management for frequent users of the emergency department: Hospital and insurance perspectives. <i>PLoS ONE</i> , 2018, 13, e0199691.	2.5	10
26	Primary care physicians' attitude and reported prescribing behavior for chronic low back pain: An exploratory cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0204613.	2.5	10
27	Effectiveness of drug interventions to prevent sudden cardiac death in patients with heart failure and reduced ejection fraction: an overview of systematic reviews. <i>BMJ Open</i> , 2018, 8, e021108.	1.9	32
28	Multimorbidity: can general practitioners identify the health conditions most important to their patients? Results from a national cross-sectional study in Switzerland. <i>BMC Family Practice</i> , 2018, 19, 66.	2.9	6
29	Factors associated with health literacy in multimorbid patients in primary care: a cross-sectional study in Switzerland. <i>BMJ Open</i> , 2018, 8, e018281.	1.9	23
30	Associations between perceived discrimination and health status among frequent Emergency Department users. <i>European Journal of Emergency Medicine</i> , 2017, 24, 136-141.	1.1	16
31	Team-based care for improving hypertension management among outpatients (TBC-HTA): study protocol for a pragmatic randomized controlled trial. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 39.	1.7	17
32	Chronic low back pain patients' use of, level of knowledge of and perceived benefits of complementary medicine: a cross-sectional study at an academic pain center. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 193.	3.7	12
33	Complementary medicine use among general internal medicine inpatients in a Swiss university hospital. <i>International Journal of Clinical Practice</i> , 2017, 71, e12952.	1.7	4
34	Premature Discontinuation of Pediatric Randomized Controlled Trials: A Retrospective Cohort Study. <i>Journal of Pediatrics</i> , 2017, 184, 209-214.e1.	1.8	23
35	Health literacy and quality of care of patients with diabetes: A cross-sectional analysis. <i>Primary Care Diabetes</i> , 2017, 11, 233-240.	1.8	20
36	Impact of forgoing care because of costs on the quality of diabetes care: A three-year cohort study. <i>European Journal of Internal Medicine</i> , 2017, 41, e35-e37.	2.2	2

#	ARTICLE	IF	CITATIONS
37	Multimorbidity and patterns of chronic conditions in a primary care population in Switzerland: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e013664.	1.9	43
38	Adverse events related to hospital care: a retrospective medical records review in a Swiss hospital. <i>International Journal for Quality in Health Care</i> , 2017, 29, 527-533.	1.8	40
39	Pooled individual patient data from five countries were used to derive a clinical prediction rule for coronary artery disease in primary care. <i>Journal of Clinical Epidemiology</i> , 2017, 81, 120-128.	5.0	18
40	Case Management may Reduce Emergency Department Frequent use in a Universal Health Coverage System: a Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2017, 32, 508-515.	2.6	45
41	A systematic review of cost-effectiveness studies comparing conventional, biological and surgical interventions for inflammatory bowel disease. <i>PLoS ONE</i> , 2017, 12, e0185500.	2.5	87
42	No benefits of statins for sudden cardiac death prevention in patients with heart failure and reduced ejection fraction: A meta-analysis of randomized controlled trials. <i>PLoS ONE</i> , 2017, 12, e0171168.	2.5	30
43	Patient self-reported concerns in inflammatory bowel diseases: A gender-specific subjective quality-of-life indicator. <i>PLoS ONE</i> , 2017, 12, e0171864.	2.5	20
44	Geriatric Patient Safety Indicators Based on Linked Administrative Health Data to Assess Anticoagulant-Related Thromboembolic and Hemorrhagic Adverse Events in Older Inpatients: A Study Proposal. <i>JMIR Research Protocols</i> , 2017, 6, e82.	1.0	4
45	Feasibility, acceptability and effectiveness of integrated care for COPD patients: a mixed methods evaluation of a pilot community-based programme. <i>Swiss Medical Weekly</i> , 2017, 147, w14567.	1.6	12
46	The probability of having advanced medical interventions is associated with age in out-of-hospital life-threatening situations. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 103.	2.6	3
47	Agreements between Industry and Academia on Publication Rights: A Retrospective Study of Protocols and Publications of Randomized Clinical Trials. <i>PLoS Medicine</i> , 2016, 13, e1002046.	8.4	20
48	Adding non-randomised studies to a Cochrane review brings complementary information for healthcare stakeholders: an augmented systematic review and meta-analysis. <i>BMC Health Services Research</i> , 2016, 16, 598.	2.2	53
49	From chronic conditions to relevance in multimorbidity: a four-step study in family medicine. <i>Family Practice</i> , 2016, 33, 439-444.	1.9	28
50	Are young men who overestimate drinking by others more likely to respond to an electronic normative feedback brief intervention for unhealthy alcohol use?. <i>Addictive Behaviors</i> , 2016, 63, 97-101.	3.0	13
51	Meeting physicians' needs: a bottom-up approach for improving the implementation of medical knowledge into practice. <i>Health Research Policy and Systems</i> , 2016, 14, 49.	2.8	19
52	Enhanced capture of healthcare-related harms and injuries in the 11th revision of the International Classification of Diseases (ICD-11). <i>International Journal for Quality in Health Care</i> , 2016, 28, 136-142.	1.8	19
53	Patients and gastroenterologists' perceptions of treatments for inflammatory bowel diseases: do their perspectives match?. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1056-1061.	1.5	20
54	Information Needs and Concerns of Patients with Inflammatory Bowel Disease: What Can We Learn from Participants in a Bilingual Clinical Cohort?. <i>PLoS ONE</i> , 2016, 11, e0150620.	2.5	35

#	ARTICLE	IF	CITATIONS
55	Higher occurrence of nausea and vomiting after total hip arthroplasty using general versus spinal anesthesia: an observational study. <i>BMC Anesthesiology</i> , 2015, 16, 44.	1.8	29
56	Swiss family physicians' perceptions and attitudes towards knowledge translation practices. <i>BMC Family Practice</i> , 2015, 16, 177.	2.9	9
57	Internet-based brief intervention for young men with unhealthy alcohol use: a randomized controlled trial in a general population sample. <i>Addiction</i> , 2015, 110, 1735-1743.	3.3	42
58	Association between education and quality of diabetes care in Switzerland. <i>International Journal of General Medicine</i> , 2015, 8, 87.	1.8	20
59	Internet-Based Brief Intervention to Prevent Unhealthy Alcohol Use among Young Men: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0144146.	2.5	17
60	Acceptance of Inflammatory Bowel Disease Treatment Recommendations Based on Appropriateness Ratings: do Practicing Gastroenterologists Agree with Experts?. <i>Journal of Crohn's and Colitis</i> , 2015, 9, 132-139.	1.3	7
61	CoDiab-VD: protocol of a prospective population-based cohort study on diabetes care in Switzerland. <i>BMC Health Services Research</i> , 2015, 15, 329.	2.2	11
62	Use of GRADE for assessment of evidence about prognosis: rating confidence in estimates of event rates in broad categories of patients. <i>BMJ, The</i> , 2015, 350, h870-h870.	6.0	532
63	Multimorbidity in primary care: protocol of a national cross-sectional study in Switzerland. <i>BMJ Open</i> , 2015, 5, e009165.	1.9	16
64	No consistent association between processes-of-care and health-related quality of life among patients with diabetes: a missing link?. <i>BMJ Open Diabetes Research and Care</i> , 2015, 3, e000042.	2.8	8
65	Reproducibility of Vertebral Fracture Assessment Readings From Dual-energy X-ray Absorptiometry in Both a Population-based and Clinical Cohort: Cohen's and Uniform Kappa. <i>Journal of Clinical Densitometry</i> , 2015, 18, 233-238.	1.2	6
66	Universal Screening and Decolonization for Control of MRSA in Nursing Homes: A Cluster Randomized Controlled Study. <i>Infection Control and Hospital Epidemiology</i> , 2015, 36, 401-408.	1.8	27
67	Increasing prehospital emergency medical service interventions for nursing home residents. <i>Swiss Medical Weekly</i> , 2015, 145, w14126.	1.6	10
68	Assessing the impact of DRGs on patient care and professional practice in Switzerland (IDoC) – a potential model for monitoring and evaluating healthcare reform. <i>Swiss Medical Weekly</i> , 2015, 145, w14034.	1.6	8
69	General Practitioners Can Evaluate the Material, Social and Health Dimensions of Patient Social Status. <i>PLoS ONE</i> , 2014, 9, e84828.	2.5	15
70	Reproducibility of diabetes quality of care indicators as reported by patients and physicians. <i>European Journal of Public Health</i> , 2014, 24, 1004-1009.	0.3	11
71	Prevalence, Characteristics, and Publication of Discontinued Randomized Trials. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 1045.	7.4	265
72	Appropriateness and long-term discontinuation rate of biological therapies in ulcerative colitis. <i>Journal of Crohn's and Colitis</i> , 2014, 8, 825-834.	1.3	4

#	ARTICLE	IF	CITATIONS
73	Case management for frequent users of the emergency department: study protocol of a randomised controlled trial. <i>BMC Health Services Research</i> , 2014, 14, 264.	2.2	22
74	Development and Content Validation of the Information Assessment Method for Patients and Consumers. <i>JMIR Research Protocols</i> , 2014, 3, e7.	1.0	34
75	Baseline data of a population-based cohort of patients with diabetes in Switzerland (CoDiab-VD). <i>Swiss Medical Weekly</i> , 2014, 144, w13951.	1.6	9
76	Community-based pharmacies: an opportunity to recruit patients?. <i>International Journal of Public Health</i> , 2013, 58, 319-322.	2.3	12
77	When do we dare to stop biological or immunomodulatory therapy for Crohn's disease? Results of a multidisciplinary European expert panel. <i>Journal of Crohn's and Colitis</i> , 2013, 7, 820-826.	1.3	55
78	Independent drug bulletins to promote the prescription of appropriate drugs: a necessary but difficult task. <i>Bulletin of the World Health Organization</i> , 2013, 91, 391-391A.	3.3	6
79	Test Resultâ€‘Based Sampling. <i>Medical Decision Making</i> , 2012, 32, E1-E12.	2.4	4
80	Chronic disease management: a qualitative study investigating the barriers, facilitators and incentives perceived by Swiss healthcare stakeholders. <i>BMC Health Services Research</i> , 2012, 12, 176.	2.2	19
81	Infliximab for Crohn's disease in the Swiss IBD Cohort Study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 1352-1357.	1.6	9
82	Cohort Profile: The Swiss Inflammatory Bowel Disease Cohort Study (SIBDCS). <i>International Journal of Epidemiology</i> , 2009, 38, 922-931.	1.9	140
83	Delirium: Guidelines for general hospitals. <i>Journal of Psychosomatic Research</i> , 2007, 62, 371-383.	2.6	123
84	Major depressive disorders in the general hospital: How to implement guidelines. <i>Journal of Psychosomatic Research</i> , 2006, 60, 455-459.	2.6	3
85	Adaptation of clinical guidelines: literature review and proposition for a framework and procedure. <i>International Journal for Quality in Health Care</i> , 2006, 18, 167-176.	1.8	250
86	Authors' reply to commentators. <i>International Journal of Public Health</i> , 2003, 48, S25.	2.6	0
87	Major depressive disorder in the general hospital: adaptation of clinical practice guidelines. <i>General Hospital Psychiatry</i> , 2003, 25, 185-193.	2.4	27
88	Are internists in a non-prescriptive setting favourable to guidelines? A survey in a Department of Internal Medicine in Switzerland. <i>Swiss Medical Weekly</i> , 2002, 132, 201-6.	1.6	8
89	Five-Year Outcome in Patients With Isolated Proximal Left Anterior Descending Coronary Artery Stenosis Treated by Angioplasty or Left Internal Mammary Artery Grafting. <i>Circulation</i> , 1999, 99, 3255-3259.	1.6	69
90	Electronic Monitoring of Compliance to Lipid-Lowering Therapy in Clinical Practice. <i>Journal of Clinical Pharmacology</i> , 1999, 39, 402-409.	2.0	72

#	ARTICLE	IF	CITATIONS
91	Clinical Epidemiology, The Study of the Outcome of Illness, Noel S. Weiss. New York and Oxford: Oxford University Press, 1986, 144 pp.. International Journal of Technology Assessment in Health Care, 1987, 3, 632-633.	0.5	0