

Licia Peruzzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5126310/publications.pdf>

Version: 2024-02-01

114
papers

6,542
citations

87888

38
h-index

66911

78
g-index

119
all docs

119
docs citations

119
times ranked

7360
citing authors

#	ARTICLE	IF	CITATIONS
1	Survival of infants treated with CKRT: comparing adapted adult platforms with the Carpediemâ„¢. Pediatric Nephrology, 2022, 37, 667-675.	1.7	24
2	COVID-19 and idiopathic nephrotic syndrome in children: systematic review of the literature and recommendations from a highly affected area. Pediatric Nephrology, 2022, 37, 757-764.	1.7	28
3	Generation of Spike-Extracellular Vesicles (S-EVs) as a Tool to Mimic SARS-CoV-2 Interaction with Host Cells. Cells, 2022, 11, 146.	4.1	9
4	Primary hyperoxaluria in Italy: the past 30Âyears and the near future of a (not so) rare disease. Journal of Nephrology, 2022, 35, 841-850.	2.0	3
5	Spectrum of Kidney Injury Following COVID-19 Disease: Renal Biopsy Findings in a Single Italian Pathology Service. Biomolecules, 2022, 12, 298.	4.0	13
6	Biomarkers in Nephropathic Cystinosis: Current and Future Perspectives. Cells, 2022, 11, 1839.	4.1	2
7	Management of the congenital solitary kidney: consensus recommendations of the Italian Society of Pediatric Nephrology. Pediatric Nephrology, 2022, 37, 2185-2207.	1.7	14
8	Timing of reconstruction of the lower urinary tract in pediatric kidney transplant recipients: A <sc>CERTAIN</sc> multicenter analysis of current practice. Pediatric Transplantation, 2022, 26, .	1.0	1
9	IgA vasculitis nephritis in children and adults: one or different entities?. Pediatric Nephrology, 2021, 36, 2615-2625.	1.7	17
10	The switch from proteasome to immunoproteasome is increased in circulating cells of patients with fast progressive immunoglobulin A nephropathy and associated with defective CD46 expression. Nephrology Dialysis Transplantation, 2021, 36, 1389-1398.	0.7	4
11	Updating the International IgA Nephropathy Prediction Tool for use in children. Kidney International, 2021, 99, 1439-1450.	5.2	26
12	Development and testing of an artificial intelligence tool for predicting end-stage kidney disease in patients with immunoglobulin A nephropathy. Kidney International, 2021, 99, 1179-1188.	5.2	47
13	Long-term risks after kidney donation: how do we inform potential donors? A survey from DESCARTES and EKITA transplantation working groups. Nephrology Dialysis Transplantation, 2021, 36, 1742-1753.	0.7	13
14	Combined liver kidney transplantation for primary hyperoxaluria type 1: Will there still be a future? Current transplantation strategies and monocentric experience. Pediatric Transplantation, 2021, 25, e14003.	1.0	3
15	Reduced mortality in COVID-19 patients treated with colchicine: Results from a retrospective, observational study. PLoS ONE, 2021, 16, e0248276.	2.5	29
16	Prevalence of SARS-CoV-2-IgG Antibodies in Children with CKD or Immunosuppression. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 1097-1099.	4.5	8
17	Management of Hepatitisâ€B Virus Infection in Immunocompromised Children. Journal of Pediatric Gastroenterology and Nutrition, 2021, 72, 597-602.	1.8	3
18	Impact of COVID-19 Pandemic in Children with CKD or Immunosuppression. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 449-451.	4.5	32

#	ARTICLE	IF	CITATIONS
19	A novel COLEC10 mutation in a child with 3MC syndrome. <i>European Journal of Medical Genetics</i> , 2021, 64, 104374.	1.3	3
20	The frequency of rare and monogenic diseases in pediatric organ transplant recipients in Italy. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 374.	2.7	5
21	Is there long-term value of pathology scoring in immunoglobulin A nephropathy? A validation study of the Oxford Classification for IgA Nephropathy (VALIGA) update. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1002-1009.	0.7	66
22	Post-transplant recurrence of steroid resistant nephrotic syndrome in children: the Italian experience. <i>Journal of Nephrology</i> , 2020, 33, 849-857.	2.0	28
23	Acute and chronic glomerular damage is associated with reduced CD133 expression in urinary extracellular vesicles. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F486-F495.	2.7	25
24	Point of view of the Italian pediatric scientific societies about the pediatric care during the COVID-19 lockdown: what has changed and future prospects for restarting. <i>Italian Journal of Pediatrics</i> , 2020, 46, 142.	2.6	23
25	Clinical exome sequencing is a powerful tool in the diagnostic flow of monogenic kidney diseases: an Italian experience. <i>Journal of Nephrology</i> , 2020, 34, 1767-1781.	2.0	11
26	Malnutrition and chyle leakage: A life-threatening duo in heart transplantation post-Fontan procedure. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 2055-2059.	0.5	1
27	P0056 USE OF CLINICAL EXOME SEQUENCING IN THE DIAGNOSTIC FLOW OF MONOGENIC KIDNEY DISEASES: THE PIEDMONT EXPERIENCE. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	1
28	Continuous kidney replacement therapy in critically ill neonates and infants: a retrospective analysis of clinical results with a dedicated device. <i>Pediatric Nephrology</i> , 2020, 35, 1699-1705.	1.7	34
29	COVID-19 and kidney transplantation: an Italian Survey and Consensus. <i>Journal of Nephrology</i> , 2020, 33, 667-680.	2.0	40
30	How should I manage immunosuppression in a kidney transplant patient with COVID-19? An ERA-EDTA DESCARTES expert opinion. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 899-904.	0.7	96
31	COVID-19 in kidney transplant recipients. <i>American Journal of Transplantation</i> , 2020, 20, 1941-1943.	4.7	184
32	Genetic Analyses in Dent Disease and Characterization of CLCN5 Mutations in Kidney Biopsies. <i>International Journal of Molecular Sciences</i> , 2020, 21, 516.	4.1	17
33	Reverse Phenotyping after Whole-Exome Sequencing in Steroid-Resistant Nephrotic Syndrome. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 89-100.	4.5	60
34	Improving treatment decisions using personalized risk assessment from the International IgA Nephropathy Prediction Tool. <i>Kidney International</i> , 2020, 98, 1009-1019.	5.2	35
35	Standard work-up of the low-risk kidney transplant candidate: a European expert survey of the ERA-EDTA Developing Education Science and Care for Renal Transplantation in European States Working Group. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1605-1611.	0.7	12
36	Severe arterial hypertension and hyperandrogenism in a boy: a rare case of catecholamine- and β^2 -HCG-secreting pheochromocytoma. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2019, 32, 1193-1197.	0.9	0

#	ARTICLE	IF	CITATIONS
37	Primary trichodysplasia spinulosa polyomavirus infection in a kidney transplant child displaying virusâ€infecting decoy cells in the urine. <i>Journal of Medical Virology</i> , 2019, 91, 1896-1900.	5.0	11
38	Old and New Treatment Options in IgA Nephropathy and Henoch Schœnlein Purpura Nephritis/IgA Vasculitis in Children. <i>Current Treatment Options in Pediatrics</i> , 2019, 5, 236-254.	0.6	0
39	Antibiotics in Critically Ill Newborns and Children. , 2019, , 1247-1263.e2.		0
40	Colchicine: An Impressive Effect on Posttransplant Capillary Leak Syndrome and Renal Failure. <i>Pediatrics</i> , 2019, 143, .	2.1	6
41	Pre-existing malignancies in renal transplant candidatesâ€time to reconsider waiting times. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1292-1300.	0.7	15
42	Low levels of urinary epidermal growth factorâpredict chronic kidney disease progressionâin children. <i>Kidney International</i> , 2019, 96, 214-221.	5.2	43
43	Epidemiology of and Risk Factors for BK Polyomavirus Replication and Nephropathy in Pediatric Renal Transplant Recipients: An International CERTAIN Registry Study. <i>Transplantation</i> , 2019, 103, 1224-1233.	1.0	43
44	Not only Alagille syndrome. Syndromic paucity of interlobular bile ducts secondary to HNF1Î² deficiency: a case report and literature review. <i>Italian Journal of Pediatrics</i> , 2019, 45, 27.	2.6	13
45	Continuous Veno-Venous Hemodialysis Using the Cardio-Renal Pediatric Dialysis Emergency Machine<sup>>TM</sup>: First Clinical Experiences. <i>Blood Purification</i> , 2019, 47, 149-155.	1.8	16
46	Defective gene expression of the membrane complement inhibitor CD46 in patients with progressive immunoglobulin A nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 587-596.	0.7	19
47	Clinical and molecular diagnosis, screening and management of Beckwithâ€Wiedemann syndrome: an international consensus statement. <i>Nature Reviews Endocrinology</i> , 2018, 14, 229-249.	9.6	388
48	Recent advances in kidney transplantation: a viewpoint from the Descartes advisory board*. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1699-1707.	0.7	42
49	Differential response to renal replacement therapy in neonatalâ€onset inborn errors of metabolism. <i>Nephrology</i> , 2018, 23, 957-961.	1.6	9
50	Updated genetic testing of Italian patients referred with a clinical diagnosis of primary hyperoxaluria. <i>Journal of Nephrology</i> , 2017, 30, 219-225.	2.0	9
51	The Italian Society for Pediatric Nephrology (SINePe) consensus document on the management of nephrotic syndrome in children: Part I - Diagnosis and treatment of the first episode and the first relapse. <i>Italian Journal of Pediatrics</i> , 2017, 43, 41.	2.6	58
52	Direct Bacterial Infection of the Renal Parenchyma: Pyelonephritis in Native Kidneys. , 2017, , 161-193.		2
53	Variability of diagnostic criteria and treatment of idiopathic nephrotic syndrome across European countries. <i>European Journal of Pediatrics</i> , 2017, 176, 647-654.	2.7	18
54	Plasma exchange in kidney transplantation: Still a valuable option for nephrotic syndrome recurrence. <i>Transfusion and Apheresis Science</i> , 2017, 56, 525-530.	1.0	2

#	ARTICLE	IF	CITATIONS
55	Risk factors for progression in children and young adults with IgA nephropathy: an analysis of 261 cases from the VALIGA European cohort. <i>Pediatric Nephrology</i> , 2017, 32, 139-150.	1.7	71
56	Outcome of childhood-onset full-house nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2016, 32, gfw230.	0.7	19
57	Tonsillectomy in a European Cohort of 1,147 Patients with IgA Nephropathy. <i>Nephron</i> , 2016, 132, 15-24.	1.8	60
58	Does pre-emptive transplantation versus post start of dialysis transplantation with a kidney from a living donor improve outcomes after transplantation? A systematic literature review and position statement by the Descartes Working Group and ERBP. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 691-697.	0.7	62
59	Liver transplantation for aHUS: still needed in the eculizumab era?. <i>Pediatric Nephrology</i> , 2016, 31, 759-768.	1.7	22
60	The MEST score provides earlier risk prediction in IgA nephropathy. <i>Kidney International</i> , 2016, 89, 167-175.	5.2	190
61	Liver transplantation in severe methylmalonic acidemia: The sooner, the better. <i>Journal of Pediatrics</i> , 2015, 167, 1173.	1.8	23
62	Early Liver Transplantation for Neonatal-Onset Methylmalonic Acidemia. <i>Pediatrics</i> , 2015, 136, e252-e256.	2.1	43
63	Anterior Ischemic Optical Neuropathy in Children on Chronic Peritoneal Dialysis: Report of 7 Cases. <i>Peritoneal Dialysis International</i> , 2015, 35, 135-139.	2.3	20
64	Can tonsillectomy modify the innate and adaptive immunity pathways involved in IgA nephropathy?. <i>Journal of Nephrology</i> , 2015, 28, 51-58.	2.0	23
65	Dramatic effects of eculizumab in a child with diffuse proliferative lupus nephritis resistant to conventional therapy. <i>Pediatric Nephrology</i> , 2015, 30, 167-172.	1.7	62
66	Validation of the Oxford classification of IgA nephropathy in cohorts with different presentations and treatments. <i>Kidney International</i> , 2014, 86, 828-836.	5.2	373
67	Discovery of new risk loci for IgA nephropathy implicates genes involved in immunity against intestinal pathogens. <i>Nature Genetics</i> , 2014, 46, 1187-1196.	21.4	505
68	Toll-like receptors, immunoproteasome and regulatory T cells in children with Henoch-Schönlein purpura and primary IgA nephropathy. <i>Pediatric Nephrology</i> , 2014, 29, 1545-1551.	1.7	57
69	Neonatal Sepsis with Multi-Organ Failure and Treated with a New Dialysis Device Specifically Designed for Newborns. <i>Case Reports in Nephrology and Urology</i> , 2014, 4, 113-119.	1.5	12
70	Challenges in pediatric renal transplantation. <i>World Journal of Transplantation</i> , 2014, 4, 222.	1.6	17
71	Lupus nephritis in children and adolescents: results of the Italian Collaborative Study. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1487-1496.	0.7	49
72	Saquinavir in steroid-dependent and -resistant nephrotic syndrome: a pilot study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1902-1910.	0.7	23

#	ARTICLE	IF	CITATIONS
73	Nephrological findings and genotype-phenotype correlation in Beckwith-Wiedemann syndrome. <i>Pediatric Nephrology</i> , 2012, 27, 397-406.	1.7	55
74	Genome-wide association study identifies susceptibility loci for IgA nephropathy. <i>Nature Genetics</i> , 2011, 43, 321-327.	21.4	528
75	Oxidative Stress and Galactose-Deficient IgA1 as Markers of Progression in IgA Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1903-1911.	4.5	102
76	Oxidative Stress in IgA Nephropathy. <i>Nephron Clinical Practice</i> , 2010, 116, c196-c199.	2.3	26
77	Aberrantly glycosylated IgA1 induces mesangial cells to produce platelet-activating factor that mediates nephrin loss in cultured podocytes. <i>Kidney International</i> , 2010, 77, 417-427.	5.2	54
78	Innate immunity and IgA nephropathy. <i>Journal of Nephrology</i> , 2010, 23, 626-32.	2.0	68
79	Upregulation of the immunoproteasome in peripheral blood mononuclear cells of patients with IgA nephropathy. <i>Kidney International</i> , 2009, 75, 536-541.	5.2	64
80	Strict Blood-Pressure Control and Progression of Renal Failure in Children. <i>New England Journal of Medicine</i> , 2009, 361, 1639-1650.	27.0	798
81	Novel mutations of the CLCN5 gene including a complex allele and a 5' UTR mutation in Dent disease 1. <i>Clinical Genetics</i> , 2009, 76, 413-416.	2.0	12
82	Longitudinal evaluation of mycophenolic acid pharmacokinetics in pediatric kidney transplant recipients. The role of post-transplant clinical and therapeutic variables. <i>Clinical Transplantation</i> , 2009, 23, 264-270.	1.6	17
83	Toll-like receptor 4 expression is increased in circulating mononuclear cells of patients with immunoglobulin A nephropathy. <i>Clinical and Experimental Immunology</i> , 2009, 159, 73-81.	2.6	99
84	Treatment for IgA Nephropathy: Renin-Angiotensin Blockade. , 2009, , 321-337.		0
85	Reduced Systolic Myocardial Function in Children with Chronic Renal Insufficiency. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 593-598.	6.1	63
86	IgACE. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 1880-1888.	6.1	218
87	Presenting phenotype and clinical evaluation in a cohort of 22 Williams-Beuren syndrome patients. <i>European Journal of Medical Genetics</i> , 2007, 50, 327-337.	1.3	64
88	Serological and genetic factors in early recurrence of IgA nephropathy after renal transplantation. <i>Clinical Transplantation</i> , 2007, 21, 070907013908001-???	1.6	29
89	Predictors of Outcome in Henoch-Schönlein Nephritis in Children and Adults. <i>American Journal of Kidney Diseases</i> , 2006, 47, 993-1003.	1.9	207
90	Phenotypic and genetic heterogeneity in Dent's disease—the results of an Italian collaborative study. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2452-2463.	0.7	50

#	ARTICLE	IF	CITATIONS
91	LOW RENIN-ANGIOTENSIN SYSTEM ACTIVITY GENE POLYMORPHISM AND DYSPLASIA ASSOCIATED WITH POSTERIOR URETHRAL VALVES. <i>Journal of Urology</i> , 2005, 174, 713-717.	0.4	19
92	In human IgA nephropathy uteroglobin does not play the role inferred from transgenic mice. <i>American Journal of Kidney Diseases</i> , 2002, 40, 495-503.	1.9	27
93	Reference values of the bioelectrical impedance vector in neonates in the first week after birth. <i>Nutrition</i> , 2002, 18, 383-387.	2.4	40
94	Cyclosporin induces apoptosis of renal cells by enhancing nitric oxide synthesis: modulating effect of angiotensin II inhibitors. <i>Transplantation Proceedings</i> , 2001, 33, 276-277.	0.6	5
95	Graft endothelium and chronic allograft nephropathy: insight from in vitro trans-differentiation of smooth muscle cells induced by mismatched lymphocytes. <i>Transplantation Proceedings</i> , 2001, 33, 3347-3348.	0.6	0
96	Tubular cells trans-differentiation induced by allogenic response can be modulated by cyclo-oxygenase-2 inhibitors. <i>Transplantation Proceedings</i> , 2001, 33, 3349-3350.	0.6	0
97	Polymorphisms in the promoter region and at codon 54 of the MBL2 gene are not associated with IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 759-764.	0.7	16
98	Glycosylation of Circulating IgA in Patients with IgA Nephropathy Modulates Proliferation and Apoptosis of Mesangial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 1862-1871.	6.1	108
99	Integrin expression and IgA nephropathy: In vitro modulation by IgA with altered glycosylation and macromolecular IgA1. See Editorial by Steffes, p. 2592. <i>Kidney International</i> , 2000, 58, 2331-2340.	5.2	35
100	Normal values of the bioelectrical impedance vector in childhood and puberty. <i>Nutrition</i> , 2000, 16, 417-424.	2.4	86
101	Aberrantly glycosylated IgA molecules downregulate the synthesis and secretion of vascular endothelial growth factor in human mesangial cells. <i>American Journal of Kidney Diseases</i> , 2000, 36, 1242-1252.	1.9	45
102	Accidental hypothermia in a child. <i>Paediatric Anaesthesia</i> , 1999, 9, 342-344.	1.1	7
103	Neonatal end-stage renal failure associated with maternal ingestion of cyclo-oxygenase-type-1 selective inhibitor nimesulide as tocolytic. <i>Lancet, The</i> , 1999, 354, 1615.	13.7	107
104	Polymorphisms in angiotensin-converting enzyme gene and severity of renal disease in Henoch-Schoenlein patients. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 3184-3188.	0.7	46
105	The role of integrins in IgA nephropathy. <i>Nephrology</i> , 1997, 3, 73-78.	1.6	3
106	Nonenzymatically glycosylated albumin (Amadori adducts) enhances nitric oxide synthase activity and gene expression in endothelial cells. <i>Kidney International</i> , 1997, 51, 27-35.	5.2	72
107	Adriamycin-induced proteinuria in nude mice: an immune-system-mediated toxic effect. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 1012-1018.	0.7	10
108	Tubulointerstitial responses in the progression of glomerular diseases: Albuminuria modulates $\alpha 5 \beta 1$ integrin. <i>Kidney International</i> , 1996, 50, 1310-1320.	5.2	31

#	ARTICLE	IF	CITATIONS
109	Inhibition of Experimental IgA Nephropathy by Colchicine. Contributions To Nephrology, 1995, 111, 155-161.	1.1	3
110	A possible role for nitric oxide in modulating the functional cyclosporine toxicity by arginine. Kidney International, 1995, 47, 1507-1514.	5.2	55
111	Functional Consequences of the Binding of Gliadin to Cultured Rat Mesangial Cells: Bridging Immunoglobulin A to Cells and Modulation of Eicosanoid Synthesis and Altered Cytokine Production. American Journal of Kidney Diseases, 1994, 23, 290-301.	1.9	30
112	Angiotensin II Local Hyperreactivity in the Progression of IgA Nephropathy. American Journal of Kidney Diseases, 1993, 21, 593-602.	1.9	68
113	Identification of a new epitope of the 4F2/44D7 molecular complex present on sarcolemma and isolated cardiac fibers. European Journal of Immunology, 1989, 19, 1-8.	2.9	24
114	Generation and Characterization of a Murine Monoclonal Antibody Specific for the Human T1-Cd5 Molecule. International Journal of Biological Markers, 1987, 2, 143-150.	1.8	2