
Pilar A Saiz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5126800/publications.pdf Version: 2024-02-01



DILAD A SAIZ

#	Article	IF	CITATIONS
1	Suicide prevention strategies revisited: 10-year systematic review. Lancet Psychiatry,the, 2016, 3, 646-659.	7.4	1,160
2	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry,the, 2019, 6, 427-436.	7.4	528
3	Prevalence of pathological internet use among adolescents in <scp>E</scp> urope: demographic and social factors. Addiction, 2012, 107, 2210-2222.	3.3	517
4	School-based suicide prevention programmes: the SEYLE cluster-randomised, controlled trial. Lancet, The, 2015, 385, 1536-1544.	13.7	452
5	Adolescent subthresholdâ€depression and anxiety: psychopathology, functional impairment and increased suicide risk. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 670-677.	5.2	387
6	Physical activity in European adolescents and associations with anxiety, depression and well-being. European Child and Adolescent Psychiatry, 2017, 26, 111-122.	4.7	358
7	Lifeâ€time prevalence and psychosocial correlates of adolescent direct selfâ€injurious behavior: A comparative study of findings in 11 European countries. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 337-348.	5.2	298
8	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. American Journal of Psychiatry, 2013, 170, 852-859.	7.2	269
9	Quality of life and disability in patients with obsessive-compulsive disorder. European Psychiatry, 2001, 16, 239-245.	0.2	201
10	Pathological Internet use among European adolescents: psychopathology and self-destructive behaviours. European Child and Adolescent Psychiatry, 2014, 23, 1093-1102.	4.7	184
11	Bullying Victimization and Suicide Ideation and Behavior Among Adolescents in Europe: A 10-Country Study. Journal of Adolescent Health, 2017, 61, 179-186.	2.5	167
12	Pro-/Anti-inflammatory Dysregulation in Patients With First Episode of Psychosis: Toward an Integrative Inflammatory Hypothesis of Schizophrenia. Schizophrenia Bulletin, 2014, 40, 376-387.	4.3	156
13	Efficacy of prospective pharmacogenetic testing in the treatment of major depressive disorder: results of a randomized, double-blind clinical trial. BMC Psychiatry, 2017, 17, 250.	2.6	148
14	Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation. Sleep Medicine, 2014, 15, 248-254.	1.6	144
15	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. World Psychiatry, 2019, 18, 173-182.	10.4	127
16	A newly identified group of adolescents at "invisible―risk for psychopathology and suicidal behavior: findings from the SEYLE study. World Psychiatry, 2014, 13, 78-86.	10.4	126
17	Saving and Empowering Young Lives in Europe (SEYLE): a randomized controlled trial. BMC Public Health, 2010, 10, 192.	2.9	124
18	The prevalence of metabolic syndrome in patients with bipolar disorder. Journal of Affective Disorders, 2008, 106, 197-201.	4.1	107

#	Article	IF	CITATIONS
19	Biâ€directional longitudinal associations between different types of bullying victimization, suicide ideation/attempts, and depression among a large sample of European adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 209-215.	5.2	106
20	Pathological Internet Use and Risk-Behaviors among European Adolescents. International Journal of Environmental Research and Public Health, 2016, 13, 294.	2.6	105
21	Results of the COVID-19 mental health international for the general population (COMET-G) study. European Neuropsychopharmacology, 2022, 54, 21-40.	0.7	84
22	Quality of life measures in schizophrenia. European Psychiatry, 2005, 20, S313-S317.	0.2	79
23	Are older adults also at higher psychological risk from COVID-19?. Aging and Mental Health, 2021, 25, 1297-1304.	2.8	78
24	Peripheral Endocannabinoid System Dysregulation in First-Episode Psychosis. Neuropsychopharmacology, 2013, 38, 2568-2577.	5.4	73
25	Cardiovascular risk in patients with bipolar disorder. Journal of Affective Disorders, 2009, 115, 302-308.	4.1	68
26	Validación de la versión española de la escala de Funcionamiento Personal y Social en pacientes ambulatorios con esquizofrenia estable o inestable. Revista De PsiquiatrÃa Y Salud Mental, 2011, 4, 9-18.	1.8	65
27	¿Se observarán cambios en el consumo de alcohol y tabaco durante el confinamiento por COVID-19?. Revista De Psicologia De La Salud, 2020, 32, 85.	0.5	65
28	Using Topiramate or Naltrexone for the Treatment of Alcoholâ€Đependent Patients. Alcoholism: Clinical and Experimental Research, 2008, 32, 1251-1259.	2.4	64
29	COVID-19 lockdown in people with severe mental disorders in Spain: Do they have a specific psychological reaction compared with other mental disorders and healthy controls?. Schizophrenia Research, 2020, 223, 192-198.	2.0	64
30	Risk-behaviour screening for identifying adolescents with mental health problems in Europe. European Child and Adolescent Psychiatry, 2014, 23, 611-620.	4.7	60
31	The Saving and Empowering Young Lives in Europe (SEYLE) Randomized Controlled Trial (RCT): methodological issues and participant characteristics. BMC Public Health, 2013, 13, 479.	2.9	57
32	Early psychological impact of the 2019 coronavirus disease (COVID-19) pandemic and lockdown in a large Spanish sample. Journal of Global Health, 2020, 10, 020505.	2.7	57
33	DRD3, but not COMT or DRD2, genotype affects executive functions in healthy and firstâ€episode psychosis adolescents. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 873-879.	1.7	53
34	BDNF and NGF Signalling in Early Phases of Psychosis: Relationship With Inflammation and Response to Antipsychotics After 1 Year. Schizophrenia Bulletin, 2016, 42, sbv078.	4.3	52
35	A 25-year follow-up of patients admitted to methadone treatment for the first time: Mortality and gender differences. Addictive Behaviors, 2011, 36, 1184-1190.	3.0	51
36	Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. European Psychiatry, 2020, 63, e14.	0.2	51

#	Article	IF	CITATIONS
37	Uso y abuso de sustancias psicotrópicas e internet, psicopatologÃa e ideación suicida en adolescentes. Revista De Psicologia De La Salud, 2017, 29, 97.	0.5	51
38	Psychometric evaluation of the negative syndrome of schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 559-566.	3.2	50
39	Validación de la versión en español de la Columbia-Suicide Severity Rating Scale (Escala Columbia para) Tj E	TQq1 1 0.7	784314 rgBT
40	Is attempted suicide different in adolescent and adults?. Psychiatry Research, 2008, 157, 131-137.	3.3	49
41	Topiramate for the Treatment of Alcohol Dependence: Comparison with Naltrexone. European Addiction Research, 2011, 17, 29-36.	2.4	49
42	Impact of childhood trauma on cognitive profile in bipolar disorder. Bipolar Disorders, 2017, 19, 363-374.	1.9	49
43	Association study between obsessive–compulsive disorder and serotonergic candidate genes. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 765-770.	4.8	47
44	Genetic variability at IMPA2, INPP1 and GSK3Î ² increases the risk of suicidal behavior in bipolar patients. European Neuropsychopharmacology, 2013, 23, 1452-1462.	0.7	46
45	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. Schizophrenia Bulletin, 2019, 45, 960-965.	4.3	46
46	Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. European Neuropsychopharmacology, 2017, 27, 418-421.	0.7	45
47	The role of genetic variability in the SLC6A4, BDNF and GABRA6 genes in anxietyâ€related traits. Acta Psychiatrica Scandinavica, 2012, 125, 194-202.	4.5	41
48	Predictive factors of functional capacity and real-world functioning in patients with schizophrenia. European Psychiatry, 2015, 30, 622-627.	0.2	40
49	Association study of serotonin 2A receptor (5-HT2A) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 741-745.	4.8	38
50	Reasons for Attempted Suicide in Europe: Prevalence, Associated Factors, and Risk of Repetition. Archives of Suicide Research, 2016, 20, 45-58.	2.3	38
51	Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 26-31.	4.8	37
52	Long term outcomes of pharmacological treatments for opioid dependence: does methadone still lead the pack?. British Journal of Clinical Pharmacology, 2014, 77, 272-284.	2.4	36
53	Prevención del suicidio en España: una necesidad clÃnica no resuelta. Revista De PsiquiatrÃa Y Salud Mental, 2014, 7, 1-4.	1.8	36
54	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case–control sample from Spain. Schizophrenia Research, 2014, 159, 107-113.	2.0	36

#	Article	IF	CITATIONS
55	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. Epidemiology and Psychiatric Sciences, 2020, 29, e182.	3.9	36
56	PET neuroimaging with [11C]venlafaxine:. European Neuropsychopharmacology, 1997, 7, 195-200.	0.7	35
57	Differential role of serotonergic polymorphisms in alcohol and heroin dependence. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 695-700.	4.8	35
58	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. Acta Psychiatrica Scandinavica, 2016, 133, 266-276.	4.5	35
59	Rare genotype combination of the serotonin transporter gene associated with treatment response in severe personality disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1494-1497.	1.7	34
60	Suicidio, desempleo y recesión económica en España. Revista De PsiquiatrÃa Y Salud Mental, 2017, 10, 70-77.	1.8	33
61	Regulation of inflammatory pathways in schizophrenia: A comparative study with bipolar disorder and healthy controls. European Psychiatry, 2018, 47, 50-59.	0.2	32
62	Impact of substance use on the physical health of patients with bipolar disorder. Acta Psychiatrica Scandinavica, 2010, 121, 437-445.	4.5	31
63	Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2013, 150, 421-426.	2.0	31
64	A longitudinal examination of the interpersonal theory of suicide and effects of schoolâ€based suicide prevention interventions in a multinational study of adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 1104-1111.	5.2	31
65	Life Events Predicting the First Onset of Adolescent Direct Self-Injurious Behavior—A Prospective Multicenter Study. Journal of Adolescent Health, 2020, 66, 195-201.	2.5	31
66	A cost-effectiveness analysis of school-based suicide prevention programmes. European Child and Adolescent Psychiatry, 2018, 27, 1295-1304.	4.7	30
67	Early Psychological Correlates Associated With COVID-19 in A Spanish Older Adult Sample. American Journal of Geriatric Psychiatry, 2020, 28, 1287-1298.	1.2	30
68	Use of MDMA and Other Illicit Drugs by Young Adult Males in Northern Spain. European Addiction Research, 2002, 8, 147-154.	2.4	29
69	Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. Psychiatric Genetics, 2008, 18, 213-218.	1.1	29
70	Association study of serotonergic gene variants with antipsychotic-induced adverse reactions. Psychiatric Genetics, 2009, 19, 305-311.	1.1	28
71	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene–environment interaction. The EUGEI study. Psychological Medicine, 2020, 50, 1884-1897.	4.5	28
72	Association Between the Stin2 VNTR Polymorphism of the Serotonin Transporter Gene and Treatment Outcome in Alcohol-Dependent Patients. Alcohol and Alcoholism, 2008, 43, 516-522.	1.6	26

#	Article	IF	CITATIONS
73	Pro-/Antiinflammatory Dysregulation in Early Psychosis: Results from a 1-Year Follow-Up Study. International Journal of Neuropsychopharmacology, 2015, 18, pyu037-pyu037.	2.1	26
74	Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. Acta Psychiatrica Scandinavica, 2019, 139, 369-380.	4.5	26
75	Alcohol Consumption Patterns among Adolescents are Related to Family Structure and Exposure to Drunkenness within the Family: Results from the SEYLE Project. International Journal of Environmental Research and Public Health, 2014, 11, 12700-12715.	2.6	25
76	Association between GSK3β gene and increased impulsivity in bipolar disorder. European Neuropsychopharmacology, 2014, 24, 510-518.	0.7	25
77	Psychometric Properties of the Spanish Version of the Changes in Sexual Functioning Questionnaire Short-Form (CSFQ-14) in Patients with Severe Mental Disorders. Journal of Sexual Medicine, 2011, 8, 1371-1382.	0.6	24
78	Factors associated with alcohol and tobacco consumption as a coping strategy to deal with the coronavirus disease (COVID-19) pandemic and lockdown in Spain. Addictive Behaviors, 2021, 121, 107003.	3.0	23
79	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. Molecular Psychiatry, 2021, 26, 4529-4543.	7.9	23
80	An investigation of the <i>α</i> _{1A} â€adrenergic receptor gene and antipsychoticâ€induced sideâ€effects. Human Psychopharmacology, 2008, 23, 107-114.	1.5	22
81	It is feasible and effective to help patients with severe mental disorders to quit smoking: An ecological pragmatic clinical trial with transdermal nicotine patches and varenicline. Schizophrenia Research, 2016, 176, 272-280.	2.0	22
82	Rendimiento psicométrico del Cuestionario Oviedo de Sueño en pacientes con trastorno mental grave. Revista De PsiquiatrÃa Y Salud Mental, 2009, 2, 169-177.	1.8	21
83	Role of serotonergic-related systems in suicidal behavior: Data from a case–control association study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1518-1524.	4.8	21
84	Biomarcadores sanguÃneos diferenciales de las dimensiones psicopatológicas de la esquizofrenia. Revista De PsiquiatrÃa Y Salud Mental, 2016, 9, 219-227.	1.8	21
85	Mental health difficulties and suicidal behaviours among young migrants: multicentre study of European adolescents. BJPsych Open, 2017, 3, 291-299.	0.7	21
86	Association between Heroin Dependence and 5-HT _{2A} Receptor Gene Polymorphisms. European Addiction Research, 2008, 14, 47-52.	2.4	20
87	Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response. Journal of Clinical Psychopharmacology, 2015, 35, 600-604.	1.4	20
88	Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. Journal of Affective Disorders, 2019, 255, 15-22.	4.1	20
89	Excessive and pathological Internet use – Risk-behavior or psychopathology?. Addictive Behaviors, 2021, 123, 107045.	3.0	20
90	The Incidence of Hospital-Treated Attempted Suicide in Oviedo, Spain. Crisis, 2012, 33, 46-53.	1.2	20

#	Article	IF	CITATIONS
91	Polymorphisms of the ILâ€I Gene Complex Are Associated With Alcohol Dependence in Spanish Caucasians: Data From an Association Study. Alcoholism: Clinical and Experimental Research, 2009, 33, 2147-2153.	2.4	19
92	Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. Psychiatric Genetics, 2010, 20, 171-178.	1.1	19
93	Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2016, 9, 134-142.	0.3	19
94	Predicting real-world functioning in outpatients with schizophrenia: Role of inflammation and psychopathology. Psychiatry Research, 2019, 280, 112509.	3.3	19
95	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. Journal of Psychiatric Research, 2016, 75, 14-21.	3.1	18
96	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. European Psychiatry, 2021, 64, e25.	0.2	18
97	<i>>5-HTTLPR–</i> brain-derived neurotrophic factor (<i>BDNF</i>) gene interactions and early adverse life events effect on impulsivity in suicide attempters. World Journal of Biological Psychiatry, 2019, 20, 137-149.	2.6	17
98	Influence of coping strategies on the efficacy of YAM (Youth Aware of Mental Health): a universal school-based suicide preventive program. European Child and Adolescent Psychiatry, 2020, 29, 1671-1681.	4.7	17
99	The effect of different degrees of lockdown and self-identified gender on anxiety, depression and suicidality during the COVID-19 pandemic: Data from the international COMET-G study Psychiatry Research, 2022, 315, 114702.	3.3	17
100	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. European Neuropsychopharmacology, 2018, 28, 863-874.	0.7	16
101	Prevalence of Passive Suicidal Ideation in the Early Stage of the Coronavirus Disease 2019 (COVID-19) Pandemic and Lockdown in a Large Spanish Sample. Journal of Clinical Psychiatry, 2020, 81, .	2.2	16
102	Factors Associated with Hospitalization after Suicide Spectrum Behaviors: Results from a Multicenter Study in Spain. Archives of Suicide Research, 2015, 19, 17-34.	2.3	15
103	Biomarcadores de estrés oxidativo y dimensiones clÃnicas en los 10 primeros años de esquizofrenia. Revista De PsiquiatrÃa Y Salud Mental, 2018, 11, 130-140.	1.8	15
104	Estadificación clÃnica en los trastornos mentales graves: trastorno bipolar, depresión y esquizofrenia. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 106-115.	1.8	15
105	Early Impact of the COVID-19 Outbreak on Sleep in a Large Spanish Sample. Behavioral Sleep Medicine, 2022, 20, 100-115.	2.1	15
106	Cognition in Recent Suicide Attempts: Altered Executive Function. Frontiers in Psychiatry, 2021, 12, 701140.	2.6	15
107	Apolipoprotein E genotype and schizophrenia: further negative evidence. Acta Psychiatrica Scandinavica, 2002, 105, 71-75.	4.5	14
108	Clinician ratings of the Comprehensive Assessment of Psychopathic Personality (CAPP) in a representative sample of Spanish prison inmates: New validity evidence. PLoS ONE, 2018, 13, e0195483.	2.5	14

#	Article	IF	CITATIONS
109	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529.	4.3	14
110	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. Psychological Medicine, 2022, 52, 1910-1922.	4.5	14
111	Doing Nothing is Sometimes Worse: Comparing Avoidant versus Approach Coping Strategies with Peer Victimization and Their Association to Depression and Suicide Ideation. Journal of School Violence, 2020, 19, 456-469.	1.9	14
112	Diferencias de género en la gravedad de la adicción. Revista De Psicologia De La Salud, 2016, 28, 221.	0.5	14
113	Comparison between the Psychopathy Checklist-Revised and the Comprehensive Assessment of Psychopathic Personality in a representative sample of Spanish prison inmates. PLoS ONE, 2020, 15, e0228384.	2.5	13
114	Suicidal behaviour and cognition: A systematic review with special focus on prefrontal deficits. Journal of Affective Disorders, 2021, 278, 488-496.	4.1	13
115	Inflammation biomarkers in suicide attempts and their relation to abuse, global functioning and cognition. World Journal of Biological Psychiatry, 2022, 23, 307-317.	2.6	13
116	Interleukin-1 Gene Complex in Schizophrenia: An Association Study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 678-680.	1.7	12
117	A cross-cultural comparison between Spain and the USA: Temperament and character distribution by sex and age. Psychiatry Research, 2011, 186, 397-401.	3.3	12
118	Factores asociados con consumo de tabaco en pacientes con depresión. Revista De Psicologia De La Salud, 2019, 31, 298.	0.5	12
119	Use of Cocaine by Secondary School Students in Northern Spain. European Addiction Research, 2003, 9, 138-143.	2.4	11
120	Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. Psychiatric Genetics, 2008, 18, 147-150.	1.1	11
121	Predictors of Posttreatment Drinking Outcomes in Patients with Alcohol Dependence. European Addiction Research, 2015, 21, 19-30.	2.4	11
122	Impulsivity, implicit attitudes and explicit cognitions, and alcohol dependence as predictors of pathological gambling. Psychiatry Research, 2016, 245, 392-397.	3.3	11
123	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. Journal of Affective Disorders, 2019, 249, 199-207.	4.1	11
124	High Degree of Tolerability for Monotherapy With High Doses of Quetiapine. Journal of Clinical Psychiatry, 2002, 63, 1048-1049.	2.2	11
125	Self-Perceived Needs Are Related to Violent Behavior Among Schizophrenia Outpatients. Journal of Nervous and Mental Disease, 2011, 199, 666-671.	1.0	10
126	Reading Books and Watching Films as a Protective Factor against Suicidal Ideation. International Journal of Environmental Research and Public Health, 2015, 12, 15937-15942.	2.6	10

7

#	Article	IF	CITATIONS
127	Differences in the regulation of inflammatory pathways in adolescent- and adult-onset first-episode psychosis. European Child and Adolescent Psychiatry, 2019, 28, 1395-1405.	4.7	10
128	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. Psychological Medicine, 2022, 52, 1777-1783.	4.5	10
129	Sex-dependent grades of haematopoietic modulation in patients with major depressive episodes are associated with suicide attempts. European Neuropsychopharmacology, 2020, 40, 17-30.	0.7	10
130	Factores predictores de riesgo de repetición de intento de suicidio en una muestra de pacientes ambulatorios. Revista De PsiquiatrÃa Y Salud Mental, 2020, 13, 11-21.	1.8	10
131	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 113, 110440.	4.8	10
132	Sociodemographic factors associated with personality traits assessed through the TCI. Personality and Individual Differences, 2010, 48, 809-814.	2.9	9
133	Estudio farmacogenético del tratamiento a largo plazo con antipsicóticos de segunda generación y sus efectos adversos metabólicos (Estudio SLiM): justificación, objetivos, diseño y descripción de la muestra. Revista De PsiquiatrÃa Y Salud Mental, 2014, 7, 166-178.	1.8	9
134	Suicide prevention in Spain: An uncovered clinical need. Revista De PsiquiatrÃa Y Salud Mental (English) Tj ETQq	0 0 0 ggBT	/Oyerlock 10
135	Los cambios estructurales de la retina, ¿nuevos biomarcadores de los trastornos mentales? Una revisión sistemática y sÃntesis temática de la literatura. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 116-129.	1.8	9
136	Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. Schizophrenia Research, 2020, 223, 271-278.	2.0	9
137	Association of cannabinoid receptor genes (CNR1 and CNR2) polymorphisms and panic disorder. Anxiety, Stress and Coping, 2020, 33, 256-265.	2.9	9
138	Evolución de la prevalencia administrativa de los trastornos mentales durante 13 años en Asturias (norte de España). Revista De PsiquiatrÃa Y Salud Mental, 2013, 6, 60-66.	1.8	8
139	Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. Journal of Affective Disorders, 2018, 232, 229-236.	4.1	8
140	Genome wide analysis of rare copy number variations in alcohol abuse or dependence. Journal of Psychiatric Research, 2018, 103, 212-218.	3.1	8
141	¿Pueden ser la interleucina-2 y la interleucina-1β biomarcadores especÃficos de la sintomatologÃa negativa en la esquizofrenia?. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 9-16.	1.8	8
142	Real-World Functioning in Patients With Schizophrenia: Beyond Negative and Cognitive Symptoms. Frontiers in Psychiatry, 2021, 12, 700747.	2.6	8
143	PatologÃa dual en trastornos de ansiedad: recomendaciones en el tratamiento farmacológico. Revista De Psicologia De La Salud, 2014, 26, 254.	0.5	8

144Searching for a predictive peripherical biological model in parasuicidal behaviour. European
Psychiatry, 1997, 12, 75-81.0.2

#	Article	IF	CITATIONS
145	EUDOR-A multi-centre research program: A naturalistic, European Multi-centre Clinical study of EDOR Test in adult patients with primary depression. BMC Psychiatry, 2017, 17, 108.	2.6	7
146	Elevated C-reactive protein as a predictor of a random one-year clinical course in the first ten years of schizophrenia. Psychiatry Research, 2018, 269, 688-691.	3.3	7
147	Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2018, 11, 130-140.	0.3	7
148	History of Lifetime Cannabis Use Is Associated with Better Cognition and Worse Real-World Functioning in Schizophrenia Spectrum Disorders. European Addiction Research, 2019, 25, 111-118.	2.4	7
149	The Mediating Role of Impulsivity in the Relationship Between Suicidal Behavior and Early Traumatic Experiences in Depressed Subjects. Frontiers in Psychiatry, 2020, 11, 538172.	2.6	7
150	Does COVID-19 psychological fatigue exist? Results of three online cross-sectional studies conducted in Spain from April 2020 to March 2021. Journal of Global Health, 2022, 12, 05001.	2.7	7
151	Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. Behavioral and Brain Functions, 2007, 3, 32.	3.3	6
152	Effectiveness of a Multi-Component Smoking Cessation Support Programme (McSCSP) for Patients with Severe Mental Disorders: Study Design. International Journal of Environmental Research and Public Health, 2014, 11, 373-389.	2.6	6
153	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a firstâ€episode psychosis cohort. Acta Psychiatrica Scandinavica, 2020, 141, 541-552.	4.5	6
154	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. Journal of Affective Disorders, 2022, 296, 208-215.	4.1	6
155	Negative evidences in association between apolipoprotein E polymorphism and panic disorder. European Psychiatry, 2006, 21, 59-61.	0.2	5
156	N-acetyltransferase-2 polymorphisms and schizophrenia. European Psychiatry, 2006, 21, 333-337.	0.2	5
157	Implicación de polimorfismos serotoninérgicos en la gravedad clÃnica del trastorno de pánico. Revista De PsiquiatrÃa Y Salud Mental, 2009, 2, 35-41.	1.8	5
158	The state of psychiatry in Spain. International Review of Psychiatry, 2012, 24, 347-355.	2.8	5
159	Psychometric properties of a Spanish-version of the Schizophrenia Objective Functioning Instrument (Sp-SOFI). International Journal of Clinical and Health Psychology, 2016, 16, 58-75.	5.1	5
160	Validación española de la escala de evaluación de los sÃntomas negativos-16 (NSA-16) en pacientes con esquizofrenia. Revista De PsiquiatrÃa Y Salud Mental, 2018, 11, 169-175.	1.8	5
161	Novel validity evidence of the Psychopathy Checklist- Revised (PCL-R) in a representative sample of Spanish inmates. Forensic Science International, 2018, 291, 175-183.	2.2	5
162	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. Frontiers in Psychiatry, 2019, 10, 676.	2.6	5

#	Article	IF	CITATIONS
163	Cognitive impairment and C-reactive protein in clinically stable schizophrenia outpatients: a focus on sex differences. Scientific Reports, 2020, 10, 15963.	3.3	5
164	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. Schizophrenia Research, 2021, 236, 19-28.	2.0	5
165	Deterioro cognitivo y dependencia alcohólica, implicaciones clÃnicas. Revista De Psicologia De La Salud, 2019, 31, 3.	0.5	5
166	Prevention of recurrent suicidal behavior: Case management and psychoeducation. Psicothema, 2019, 31, 107-113.	0.9	5
167	A Smart Band for Automatic Supervision of Restrained Patients in a Hospital Environment. Sensors, 2020, 20, 5211.	3.8	4
168	Consumo de alcohol y factores de riesgo de conductas autolesivas en adolescentes españoles. Revista De Psicologia De La Salud, 2021, 33, 53.	0.5	4
169	Tabaco y rendimiento cognitivo en pacientes con esquizofrenia: diseño del estudio COGNICO. Revista De Psicologia De La Salud, 2017, 29, 6.	0.5	4
170	Searching for bridges between psychopathology and real-world functioning in first-episode psychosis: A network analysis from the OPTiMiSE trial. European Psychiatry, 2022, 65, .	0.2	4
171	Psychometric properties of the Spanish version of the Body Weight, Image and Self-Esteem Evaluation questionnaire in patients with severe mental disorders. Comprehensive Psychiatry, 2012, 53, 1237-1242.	3.1	3
172	Study protocol of a prevention of recurrent suicidal behaviour program based on case management (PSyMAC). Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2014, 7, 131-138.	0.3	3
173	"Readiness to Change―Predicts Efficacy of Reduction among Smokers with Severe Mental Illness. European Addiction Research, 2019, 25, 256-262.	2.4	3
174	¿Es la alteración en el reconocimiento emocional un factor de riesgo especÃfico de tentativa suicida?. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 196-198.	1.8	3
175	Early versus late stage schizophrenia. What markers make the difference?. World Journal of Biological Psychiatry, 2019, 20, 159-165.	2.6	3
176	Genetic predisposition to alcohol dependence: The combined role of polygenic risk to general psychopathology and to high alcohol consumption. Drug and Alcohol Dependence, 2021, 221, 108556.	3.2	3
177	Suicidal Ideation Trends and Associated Factors in Different Large Spanish Samples During the First Year of the COVID-19 Pandemic. Journal of Clinical Psychiatry, 2022, 83, .	2.2	3
178	Is it possible to stage schizophrenia? A systematic review. Translational Psychiatry, 2022, 12, 197.	4.8	3
179	The prevalence of the metabolic syndrome in bipolar patients. European Psychiatry, 2007, 22, S252.	0.2	2
180	Recommendations for the prevention and management of suicidal behaviour. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2012, 5, 8-23.	0.3	2

#	Article	IF	CITATIONS
181	Childhood trauma in suicide attempters: Case-control study. European Psychiatry, 2016, 33, S111-S111.	0.2	2
182	Relevant risk factors of repeated suicidal attempts in a sample of outpatients. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2020, 13, 11-21.	0.3	2
183	GuÃa de práctica clÃnica para el tratamiento farmacológico y psicológico de los pacientes adultos con un trastorno del espectro esquizofrénico y un diagnóstico comórbido de trastorno por uso de sustancias. Revista De Psicologia De La Salud, 2021, 0, 1504.	0.5	2
184	Amisulpride en el tratamiento de la dependencia alcohólica. Revista De Psicologia De La Salud, 2011, 23, 149.	0.5	2
185	Factores predictores del consumo de alcohol en adolescentes: datos de un estudio prospectivo de 1 año de seguimiento. Revista De Psicologia De La Salud, 2019, 31, 52-63.	0.5	2
186	Funcionamiento cognitivo en pacientes con trastorno por uso de alcohol que inician tratamiento ambulatorio de deshabituación alcohólica. Revista De Psicologia De La Salud, 2021, 33, 161.	0.5	2
187	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia. Revista De PsiquiatrÃa Y Salud Mental, 2020, , .	1.8	2
188	A Naturalistic, European Multi-Center Clinical Study of Electrodermal Reactivity and Suicide Risk Among Patients With Depression. Frontiers in Psychiatry, 2021, 12, 765128.	2.6	2
189	Substance Use and Physical Health in Patients with Bipolar Disorder Under Maintenance Treatment. European Psychiatry, 2009, 24, .	0.2	1
190	Role of serotonergic polymorphisms in the clinical severity of the panic disorder. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2009, 2, 35-41.	0.3	1
191	P.2.d.014 Genetic variability at IMPA2 and INPP1 genes is associated to lithium response in bipolar patients. European Neuropsychopharmacology, 2013, 23, S370-S371.	0.7	1
192	Differential Biomarkers of Negative Dimension in Schizophrenia. European Psychiatry, 2015, 30, 1697.	0.2	1
193	Inflammatory and metabolic biomarkers of psychopathological dimensions of schizophrenia. European Psychiatry, 2016, 33, s250-s250.	0.2	1
194	Effects of nicotine abstinence on clinical symptoms. Study at 3 and 6-months follow-up of outpatients with schizophrenia. European Psychiatry, 2016, 33, s261-s262.	0.2	1
195	Usefulness of the Short Personality and Life Event Scale (S-PLE) for detection of suicide attempters. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2017, 10, 218-219.	0.3	1
196	Estrategias de intervención en la prevención de comportamiento suicida en pacientes con trastorno por consumo de sustancias en tiempos de COVID-19. Revista De Psicologia De La Salud, 2021, 33, 185.	0.5	1
197	Insomnia associated with neutrophil/lymphocyte ratio in female patients with schizophrenia. European Psychiatry, 2021, 64, S806-S806.	0.2	1
198	Differences Observed by ASI-6 among users of Alcohol, Cocaine and Opiates. European Psychiatry, 2009, 24, .	0.2	0

#	Article	IF	CITATIONS
199	Physical Health of Patients with Drug use Disorders. European Psychiatry, 2009, 24, .	0.2	0
200	P.7.e.003 Sleep in adolescents: association with emotional problems and suicidal ideation. European Neuropsychopharmacology, 2013, 23, S613-S614.	0.7	0
201	P.6.d.014 Psychopathological tolerability of varenicline and nicotine patches for smoking cessation in severe mental disorders. European Neuropsychopharmacology, 2014, 24, S694.	0.7	0
202	Impact of long-acting injectable antipsychotics on the illness progression in schizophrenia. European Psychiatry, 2015, 30, S50-S50.	0.2	0
203	Short-term weight gain in antipsychotic-naÃ ⁻ ve pediatric and adult patients with psychosis treated with second-generation antipsychotics. European Neuropsychopharmacology, 2016, 26, S570.	0.7	0
204	Neutrophin signalling in first-episode psychosis: relationship with treatment response 1 year after the illness onset. European Psychiatry, 2016, 33, s258-s258.	0.2	0
205	Follow-up and chain of care in the prevention of suicide recurrence. European Psychiatry, 2016, 33, S49-S50.	0.2	0
206	S240. DETERMINANT FACTORS OF REAL-WORLD FUNCTIONING IN SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S420-S420.	4.3	0
207	T17. OXIDATIVE STRESS BIOMARKERS AND NEGATIVE DIMENSION IN THE FIRST TEN YEARS OF SCHIZOPHRENIA: A 1-YEAR FOLLOW-UP STUDY. Schizophrenia Bulletin, 2018, 44, S119-S119.	4.3	0
208	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. Schizophrenia Bulletin, 2018, 44, S222-S223.	4.3	0
209	Can interleukin-2 and interleukin-1β be specific biomarkers of negative symptoms in schizophrenia?. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 9-16.	0.3	0
210	Emotion recognition in major depressed patients: Evidence of lack of relationship with suicidal behavior. European Neuropsychopharmacology, 2019, 29, S376-S377.	0.7	0
211	P.378 Metabolic syndrome and quality of life in schizophrenia and bipolar disorder. European Neuropsychopharmacology, 2019, 29, S268-S269.	0.7	0
212	P.436 Cognitive function in alcohol dependent patients after six months of out-patient treatment. European Neuropsychopharmacology, 2019, 29, S308-S309.	0.7	0
213	P.586 Comorbid depression in patients with schizophrenia: does it have an impact on their neurocognitive functioning?. European Neuropsychopharmacology, 2019, 29, S407-S408.	0.7	0
214	P.247 Psychological impact of COVID-19 confinement among people with history of mental disorders (bipolar, anxiety, depression) and general population in Spain. European Neuropsychopharmacology, 2020, 40, S141-S142.	0.7	0
215	P.502 Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. European Neuropsychopharmacology, 2020, 40, S281-S282.	0.7	0
216	P.690 Post-traumatic stress symptoms during the COVID-19 in different regions of Spain. European Neuropsychopharmacology, 2020, 40, S393-S394.	0.7	0

#	Article	IF	CITATIONS
217	Smoking cessation improves clinical outcome in severe mental disorders and is modulated by genetic variability at CHRNA5 gene. Schizophrenia Research, 2020, 222, 516-519.	2.0	0
218	Spanish validation of the Empirically Developed Clinical Staging Model (EmDe-5) for patients with bipolar disorder. Revista De PsiquiatrÃa Y Salud Mental, 2021, , .	1.8	0
219	Revista Adicciones: Continuidad e Innovación. Revista De Psicologia De La Salud, 2014, 26, 279.	0.5	Ο
220	Viejas drogas, nuevos fármacos. Revista De Psicologia De La Salud, 2020, 32, 3.	0.5	0
221	The mediating role of impulsivity in the relationship between suicidal behaviour and early traumatic experiences in depressed subjects. European Psychiatry, 2021, 64, S583-S583.	0.2	Ο
222	Suicidal behaviour and cognition: A systematic review with special focus on prefrontal deficits. European Psychiatry, 2021, 64, S584-S584.	0.2	0
223	Association of traumatic events in childhood, impulsivity and decision-making with previous suicide attempt and/or current suicidal ideation in adult patients with major depressive disorder. European Psychiatry, 2021, 64, S177-S178.	0.2	0
224	COVID-19 psychological impact in patients with depressive disorder: Differences based on their age. European Psychiatry, 2021, 64, S674-S675.	0.2	0
225	Spanish Validation of the MAP-SR: Two Heads Better Than One for the Assessment of Negative Symptoms of Schizophrenia. Psicothema, 2021, 33, 473-480.	0.9	Ο