

# Pilar A Saiz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5126800/publications.pdf>

Version: 2024-02-01

225  
papers

9,412  
citations

61984

43  
h-index

46799

89  
g-index

258  
all docs

258  
docs citations

258  
times ranked

11918  
citing authors

#	ARTICLE	IF	CITATIONS
1	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2022, 52, 1777-1783.	4.5	10
2	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2022, 52, 1910-1922.	4.5	14
3	Early Impact of the COVID-19 Outbreak on Sleep in a Large Spanish Sample. <i>Behavioral Sleep Medicine</i> , 2022, 20, 100-115.	2.1	15
4	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022, 296, 208-215.	4.1	6
5	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440.	4.8	10
6	Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , 2022, 54, 21-40.	0.7	84
7	Inflammation biomarkers in suicide attempts and their relation to abuse, global functioning and cognition. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 307-317.	2.6	13
8	Suicidal Ideation Trends and Associated Factors in Different Large Spanish Samples During the First Year of the COVID-19 Pandemic. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	2.2	3
9	Does COVID-19 psychological fatigue exist? Results of three online cross-sectional studies conducted in Spain from April 2020 to March 2021. <i>Journal of Global Health</i> , 2022, 12, 05001.	2.7	7
10	Is it possible to stage schizophrenia? A systematic review. <i>Translational Psychiatry</i> , 2022, 12, 197.	4.8	3
11	Searching for bridges between psychopathology and real-world functioning in first-episode psychosis: A network analysis from the OPTiMiSE trial. <i>European Psychiatry</i> , 2022, 65, .	0.2	4
12	The effect of different degrees of lockdown and self-identified gender on anxiety, depression and suicidality during the COVID-19 pandemic: Data from the international COMET-G study.. <i>Psychiatry Research</i> , 2022, 315, 114702.	3.3	17
13	Are older adults also at higher psychological risk from COVID-19?. <i>Aging and Mental Health</i> , 2021, 25, 1297-1304.	2.8	78
14	Suicidal behaviour and cognition: A systematic review with special focus on prefrontal deficits. <i>Journal of Affective Disorders</i> , 2021, 278, 488-496.	4.1	13
15	Consumo de alcohol y factores de riesgo de conductas autolesivas en adolescentes espaÃ±oles. <i>Revista De Psicología De La Salud</i> , 2021, 33, 53.	0.5	4
16	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021, 64, e25.	0.2	18
17	GuÃ­a de prÃ¡ctica clÃ­nica para el tratamiento farmacolÃ³gico y psicolÃ³gico de los pacientes adultos con un trastorno del espectro esquizofrÃ©nico y un diagnÃ³stico comÃ³rbido de trastorno por uso de sustancias. <i>Revista De Psicología De La Salud</i> , 2021, 0, 1504.	0.5	2
18	Genetic predisposition to alcohol dependence: The combined role of polygenic risk to general psychopathology and to high alcohol consumption. <i>Drug and Alcohol Dependence</i> , 2021, 221, 108556.	3.2	3

#	ARTICLE	IF	CITATIONS
19	Cognition in Recent Suicide Attempts: Altered Executive Function. <i>Frontiers in Psychiatry</i> , 2021, 12, 701140.	2.6	15
20	Estrategias de intervenci3n en la prevenci3n de comportamiento suicida en pacientes con trastorno por consumo de sustancias en tiempos de COVID-19. <i>Revista De Psicología De La Salud</i> , 2021, 33, 185.	0.5	1
21	Real-World Functioning in Patients With Schizophrenia: Beyond Negative and Cognitive Symptoms. <i>Frontiers in Psychiatry</i> , 2021, 12, 700747.	2.6	8
22	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 236, 19-28.	2.0	5
23	Factors associated with alcohol and tobacco consumption as a coping strategy to deal with the coronavirus disease (COVID-19) pandemic and lockdown in Spain. <i>Addictive Behaviors</i> , 2021, 121, 107003.	3.0	23
24	Excessive and pathological Internet use – Risk-behavior or psychopathology?. <i>Addictive Behaviors</i> , 2021, 123, 107045.	3.0	20
25	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
26	Spanish validation of the Empirically Developed Clinical Staging Model (EmDe-5) for patients with bipolar disorder. <i>Revista De PsiquiatrÍa Y Salud Mental</i> , 2021, , .	1.8	0
27	Funcionamiento cognitivo en pacientes con trastorno por uso de alcohol que inician tratamiento ambulatorio de deshabituaci3n alcoh3lica. <i>Revista De Psicología De La Salud</i> , 2021, 33, 161.	0.5	2
28	A Naturalistic, European Multi-Center Clinical Study of Electrodermal Reactivity and Suicide Risk Among Patients With Depression. <i>Frontiers in Psychiatry</i> , 2021, 12, 765128.	2.6	2
29	The mediating role of impulsivity in the relationship between suicidal behaviour and early traumatic experiences in depressed subjects. <i>European Psychiatry</i> , 2021, 64, S583-S583.	0.2	0
30	Suicidal behaviour and cognition: A systematic review with special focus on prefrontal deficits. <i>European Psychiatry</i> , 2021, 64, S584-S584.	0.2	0
31	Insomnia associated with neutrophil/lymphocyte ratio in female patients with schizophrenia. <i>European Psychiatry</i> , 2021, 64, S806-S806.	0.2	1
32	Association of traumatic events in childhood, impulsivity and decision-making with previous suicide attempt and/or current suicidal ideation in adult patients with major depressive disorder. <i>European Psychiatry</i> , 2021, 64, S177-S178.	0.2	0
33	COVID-19 psychological impact in patients with depressive disorder: Differences based on their age. <i>European Psychiatry</i> , 2021, 64, S674-S675.	0.2	0
34	Spanish Validation of the MAP-SR: Two Heads Better Than One for the Assessment of Negative Symptoms of Schizophrenia. <i>Psicothema</i> , 2021, 33, 473-480.	0.9	0
35	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene–environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020, 50, 1884-1897.	4.5	28
36	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	4.3	14

#	ARTICLE	IF	CITATIONS
37	Life Events Predicting the First Onset of Adolescent Direct Self-Injurious Behavior—A Prospective Multicenter Study. <i>Journal of Adolescent Health</i> , 2020, 66, 195-201.	2.5	31
38	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a first-episode psychosis cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 541-552.	4.5	6
39	Relevant risk factors of repeated suicidal attempts in a sample of outpatients. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020, 13, 11-21.	0.3	2
40	Early Psychological Correlates Associated With COVID-19 in A Spanish Older Adult Sample. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 1287-1298.	1.2	30
41	A Smart Band for Automatic Supervision of Restrained Patients in a Hospital Environment. <i>Sensors</i> , 2020, 20, 5211.	3.8	4
42	Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. <i>Schizophrenia Research</i> , 2020, 223, 271-278.	2.0	9
43	P.247 Psychological impact of COVID-19 confinement among people with history of mental disorders (bipolar, anxiety, depression) and general population in Spain. <i>European Neuropsychopharmacology</i> , 2020, 40, S141-S142.	0.7	0
44	P.502 Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2020, 40, S281-S282.	0.7	0
45	P.690 Post-traumatic stress symptoms during the COVID-19 in different regions of Spain. <i>European Neuropsychopharmacology</i> , 2020, 40, S393-S394.	0.7	0
46	The Mediating Role of Impulsivity in the Relationship Between Suicidal Behavior and Early Traumatic Experiences in Depressed Subjects. <i>Frontiers in Psychiatry</i> , 2020, 11, 538172.	2.6	7
47	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e182.	3.9	36
48	COVID-19 lockdown in people with severe mental disorders in Spain: Do they have a specific psychological reaction compared with other mental disorders and healthy controls?. <i>Schizophrenia Research</i> , 2020, 223, 192-198.	2.0	64
49	Smoking cessation improves clinical outcome in severe mental disorders and is modulated by genetic variability at CHRNA5 gene. <i>Schizophrenia Research</i> , 2020, 222, 516-519.	2.0	0
50	Early psychological impact of the 2019 coronavirus disease (COVID-19) pandemic and lockdown in a large Spanish sample. <i>Journal of Global Health</i> , 2020, 10, 020505.	2.7	57
51	Cognitive impairment and C-reactive protein in clinically stable schizophrenia outpatients: a focus on sex differences. <i>Scientific Reports</i> , 2020, 10, 15963.	3.3	5
52	Sex-dependent grades of haematopoietic modulation in patients with major depressive episodes are associated with suicide attempts. <i>European Neuropsychopharmacology</i> , 2020, 40, 17-30.	0.7	10
53	Influence of coping strategies on the efficacy of YAM (Youth Aware of Mental Health): a universal school-based suicide preventive program. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1671-1681.	4.7	17
54	Association of cannabinoid receptor genes (CNR1 and CNR2) polymorphisms and panic disorder. <i>Anxiety, Stress and Coping</i> , 2020, 33, 256-265.	2.9	9

#	ARTICLE	IF	CITATIONS
55	Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. <i>European Psychiatry</i> , 2020, 63, e14.	0.2	51
56	Factores predictores de riesgo de repetición de intento de suicidio en una muestra de pacientes ambulatorios. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020, 13, 11-21.	1.8	10
57	Comparison between the Psychopathy Checklist-Revised and the Comprehensive Assessment of Psychopathic Personality in a representative sample of Spanish prison inmates. <i>PLoS ONE</i> , 2020, 15, e0228384.	2.5	13
58	Doing Nothing is Sometimes Worse: Comparing Avoidant versus Approach Coping Strategies with Peer Victimization and Their Association to Depression and Suicide Ideation. <i>Journal of School Violence</i> , 2020, 19, 456-469.	1.9	14
59	¿Se observarán cambios en el consumo de alcohol y tabaco durante el confinamiento por COVID-19?. <i>Revista De Psicología De La Salud</i> , 2020, 32, 85.	0.5	65
60	Prevalence of Passive Suicidal Ideation in the Early Stage of the Coronavirus Disease 2019 (COVID-19) Pandemic and Lockdown in a Large Spanish Sample. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	16
61	Viejas drogas, nuevos fármacos. <i>Revista De Psicología De La Salud</i> , 2020, 32, 3.	0.5	0
62	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020, , .	1.8	2
63	Bi-directional longitudinal associations between different types of bullying victimization, suicide ideation/attempts, and depression among a large sample of European adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 209-215.	5.2	106
64	“Readiness to Change” Predicts Efficacy of Reduction among Smokers with Severe Mental Illness. <i>European Addiction Research</i> , 2019, 25, 256-262.	2.4	3
65	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 960-965.	4.3	46
66	A longitudinal examination of the interpersonal theory of suicide and effects of school-based suicide prevention interventions in a multinational study of adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 1104-1111.	5.2	31
67	Predicting real-world functioning in outpatients with schizophrenia: Role of inflammation and psychopathology. <i>Psychiatry Research</i> , 2019, 280, 112509.	3.3	19
68	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019, 10, 676.	2.6	5
69	Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. <i>Journal of Affective Disorders</i> , 2019, 255, 15-22.	4.1	20
70	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019, 18, 173-182.	10.4	127
71	Can interleukin-2 and interleukin-1 <sup>β</sup> be specific biomarkers of negative symptoms in schizophrenia?. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 9-16.	0.3	0
72	History of Lifetime Cannabis Use Is Associated with Better Cognition and Worse Real-World Functioning in Schizophrenia Spectrum Disorders. <i>European Addiction Research</i> , 2019, 25, 111-118.	2.4	7

#	ARTICLE	IF	CITATIONS
73	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	7.4	528
74	Differences in the regulation of inflammatory pathways in adolescent- and adult-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1395-1405.	4.7	10
75	Emotion recognition in major depressed patients: Evidence of lack of relationship with suicidal behavior. <i>European Neuropsychopharmacology</i> , 2019, 29, S376-S377.	0.7	0
76	Los cambios estructurales de la retina, ¿nuevos biomarcadores de los trastornos mentales? Una revisión sistemática y síntesis temática de la literatura. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 116-129.	1.8	9
77	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019, 249, 199-207.	4.1	11
78	Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 369-380.	4.5	26
79	P.378 Metabolic syndrome and quality of life in schizophrenia and bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, S268-S269.	0.7	0
80	P.436 Cognitive function in alcohol dependent patients after six months of out-patient treatment. <i>European Neuropsychopharmacology</i> , 2019, 29, S308-S309.	0.7	0
81	P.586 Comorbid depression in patients with schizophrenia: does it have an impact on their neurocognitive functioning?. <i>European Neuropsychopharmacology</i> , 2019, 29, S407-S408.	0.7	0
82	Estadificación clínica en los trastornos mentales graves: trastorno bipolar, depresión y esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 106-115.	1.8	15
83	¿Es la alteración en el reconocimiento emocional un factor de riesgo específico de tentativa suicida?. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 196-198.	1.8	3
84	Early versus late stage schizophrenia. What markers make the difference?. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 159-165.	2.6	3
85	5-HTTLPR brain-derived neurotrophic factor (BDNF) gene interactions and early adverse life events effect on impulsivity in suicide attempters. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 137-149.	2.6	17
86	¿Pueden ser la interleucina-2 y la interleucina-1 <sup>2</sup> biomarcadores específicos de la sintomatología negativa en la esquizofrenia?. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 9-16.	1.8	8
87	Factores asociados con consumo de tabaco en pacientes con depresión. <i>Revista De Psicología De La Salud</i> , 2019, 31, 298.	0.5	12
88	Deterioro cognitivo y dependencia alcohólica, implicaciones clínicas. <i>Revista De Psicología De La Salud</i> , 2019, 31, 3.	0.5	5
89	Prevention of recurrent suicidal behavior: Case management and psychoeducation. <i>Psicothema</i> , 2019, 31, 107-113.	0.9	5
90	Factores predictores del consumo de alcohol en adolescentes: datos de un estudio prospectivo de 1 año de seguimiento. <i>Revista De Psicología De La Salud</i> , 2019, 31, 52-63.	0.5	2

#	ARTICLE	IF	CITATIONS
91	Validación española de la escala de evaluación de los síntomas negativos-16 (NSA-16) en pacientes con esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 169-175.	1.8	5
92	A cost-effectiveness analysis of school-based suicide prevention programmes. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 1295-1304.	4.7	30
93	Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 232, 229-236.	4.1	8
94	Biomarcadores de estrés oxidativo y dimensiones clínicas en los 10 primeros años de esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 130-140.	1.8	15
95	Regulation of inflammatory pathways in schizophrenia: A comparative study with bipolar disorder and healthy controls. <i>European Psychiatry</i> , 2018, 47, 50-59.	0.2	32
96	S240. DETERMINANT FACTORS OF REAL-WORLD FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S420-S420.	4.3	0
97	T17. OXIDATIVE STRESS BIOMARKERS AND NEGATIVE DIMENSION IN THE FIRST TEN YEARS OF SCHIZOPHRENIA: A 1-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S119-S119.	4.3	0
98	Novel validity evidence of the Psychopathy Checklist- Revised (PCL-R) in a representative sample of Spanish inmates. <i>Forensic Science International</i> , 2018, 291, 175-183.	2.2	5
99	Elevated C-reactive protein as a predictor of a random one-year clinical course in the first ten years of schizophrenia. <i>Psychiatry Research</i> , 2018, 269, 688-691.	3.3	7
100	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. <i>Schizophrenia Bulletin</i> , 2018, 44, S222-S223.	4.3	0
101	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018, 28, 863-874.	0.7	16
102	Genome wide analysis of rare copy number variations in alcohol abuse or dependence. <i>Journal of Psychiatric Research</i> , 2018, 103, 212-218.	3.1	8
103	Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2018, 11, 130-140.	0.3	7
104	Clinician ratings of the Comprehensive Assessment of Psychopathic Personality (CAPP) in a representative sample of Spanish prison inmates: New validity evidence. <i>PLoS ONE</i> , 2018, 13, e0195483.	2.5	14
105	Physical activity in European adolescents and associations with anxiety, depression and well-being. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 111-122.	4.7	358
106	Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. <i>European Neuropsychopharmacology</i> , 2017, 27, 418-421.	0.7	45
107	EUDOR-A multi-centre research program: A naturalistic, European Multi-centre Clinical study of EDOR Test in adult patients with primary depression. <i>BMC Psychiatry</i> , 2017, 17, 108.	2.6	7
108	Bullying Victimization and Suicide Ideation and Behavior Among Adolescents in Europe: A 10-Country Study. <i>Journal of Adolescent Health</i> , 2017, 61, 179-186.	2.5	167

#	ARTICLE	IF	CITATIONS
109	Suicidio, desempleo y recesi3n econ3mica en Espa3a. Revista De Psiquiatr3a Y Salud Mental, 2017, 10, 70-77.	1.8	33
110	Impact of childhood trauma on cognitive profile in bipolar disorder. Bipolar Disorders, 2017, 19, 363-374.	1.9	49
111	Usefulness of the Short Personality and Life Event Scale (S-PLE) for detection of suicide attempters. Revista De Psiquiatr3a Y Salud Mental (English Edition), 2017, 10, 218-219.	0.3	1
112	Mental health difficulties and suicidal behaviours among young migrants: multicentre study of European adolescents. BJPsych Open, 2017, 3, 291-299.	0.7	21
113	Efficacy of prospective pharmacogenetic testing in the treatment of major depressive disorder: results of a randomized, double-blind clinical trial. BMC Psychiatry, 2017, 17, 250.	2.6	148
114	Tabaco y rendimiento cognitivo en pacientes con esquizofrenia: dise3o del estudio COGNICO. Revista De Psicología De La Salud, 2017, 29, 6.	0.5	4
115	Uso y abuso de sustancias psicotr3picas e internet, psicopatolog3a e ideaci3n suicida en adolescentes. Revista De Psicología De La Salud, 2017, 29, 97.	0.5	51
116	BDNF and NGF Signalling in Early Phases of Psychosis: Relationship With Inflammation and Response to Antipsychotics After 1 Year. Schizophrenia Bulletin, 2016, 42, sbv078.	4.3	52
117	Pathological Internet Use and Risk-Behaviors among European Adolescents. International Journal of Environmental Research and Public Health, 2016, 13, 294.	2.6	105
118	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. Acta Psychiatrica Scandinavica, 2016, 133, 266-276.	4.5	35
119	Short-term weight gain in antipsychotic-na3ve pediatric and adult patients with psychosis treated with second-generation antipsychotics. European Neuropsychopharmacology, 2016, 26, S570.	0.7	0
120	Inflammatory and metabolic biomarkers of psychopathological dimensions of schizophrenia. European Psychiatry, 2016, 33, s250-s250.	0.2	1
121	Neutrophin signalling in first-episode psychosis: relationship with treatment response 1 year after the illness onset. European Psychiatry, 2016, 33, s258-s258.	0.2	0
122	Follow-up and chain of care in the prevention of suicide recurrence. European Psychiatry, 2016, 33, S49-S50.	0.2	0
123	Biomarcadores sangu3neos diferenciales de las dimensiones psicopatol3gicas de la esquizofrenia. Revista De Psiquiatr3a Y Salud Mental, 2016, 9, 219-227.	1.8	21
124	Impulsivity, implicit attitudes and explicit cognitions, and alcohol dependence as predictors of pathological gambling. Psychiatry Research, 2016, 245, 392-397.	3.3	11
125	Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). Revista De Psiquiatr3a Y Salud Mental (English Edition), 2016, 9, 134-142.	0.3	19
126	Suicide prevention strategies revisited: 10-year systematic review. Lancet Psychiatry,the, 2016, 3, 646-659.	7.4	1,160



#	ARTICLE	IF	CITATIONS
127	Childhood trauma in suicide attempters: Case-control study. <i>European Psychiatry</i> , 2016, 33, S111-S111.	0.2	2
128	Effects of nicotine abstinence on clinical symptoms. Study at 3 and 6-months follow-up of outpatients with schizophrenia. <i>European Psychiatry</i> , 2016, 33, s261-s262.	0.2	1
129	Psychometric properties of a Spanish-version of the Schizophrenia Objective Functioning Instrument (Sp-SOFI). <i>International Journal of Clinical and Health Psychology</i> , 2016, 16, 58-75.	5.1	5
130	Validación de la versión en español de la Columbia-Suicide Severity Rating Scale (Escala Columbia para Tj ETQq0 0 0 rgBT/Overlock	1.8	50
131	It is feasible and effective to help patients with severe mental disorders to quit smoking: An ecological pragmatic clinical trial with transdermal nicotine patches and varenicline. <i>Schizophrenia Research</i> , 2016, 176, 272-280.	2.0	22
132	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2016, 75, 14-21.	3.1	18
133	Reasons for Attempted Suicide in Europe: Prevalence, Associated Factors, and Risk of Repetition. <i>Archives of Suicide Research</i> , 2016, 20, 45-58.	2.3	38
134	Diferencias de género en la gravedad de la adicción. <i>Revista De Psicología De La Salud</i> , 2016, 28, 221.	0.5	14
135	Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 600-604.	1.4	20
136	Reading Books and Watching Films as a Protective Factor against Suicidal Ideation. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 15937-15942.	2.6	10
137	Predictors of Posttreatment Drinking Outcomes in Patients with Alcohol Dependence. <i>European Addiction Research</i> , 2015, 21, 19-30.	2.4	11
138	Pro-/Antiinflammatory Dysregulation in Early Psychosis: Results from a 1-Year Follow-Up Study. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu037-pyu037.	2.1	26
139	Differential Biomarkers of Negative Dimension in Schizophrenia. <i>European Psychiatry</i> , 2015, 30, 1697.	0.2	1
140	Predictive factors of functional capacity and real-world functioning in patients with schizophrenia. <i>European Psychiatry</i> , 2015, 30, 622-627.	0.2	40
141	School-based suicide prevention programmes: the SEYLE cluster-randomised, controlled trial. <i>Lancet, The</i> , 2015, 385, 1536-1544.	13.7	452
142	Psychometric evaluation of the negative syndrome of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 559-566.	3.2	50
143	Impact of long-acting injectable antipsychotics on the illness progression in schizophrenia. <i>European Psychiatry</i> , 2015, 30, S50-S50.	0.2	0
144	Factors Associated with Hospitalization after Suicide Spectrum Behaviors: Results from a Multicenter Study in Spain. <i>Archives of Suicide Research</i> , 2015, 19, 17-34.	2.3	15

#	ARTICLE	IF	CITATIONS
145	Effectiveness of a Multi-Component Smoking Cessation Support Programme (McSCSP) for Patients with Severe Mental Disorders: Study Design. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 373-389.	2.6	6
146	Alcohol Consumption Patterns among Adolescents are Related to Family Structure and Exposure to Drunkenness within the Family: Results from the SEYLE Project. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 12700-12715.	2.6	25
147	Pro-/Anti-inflammatory Dysregulation in Patients With First Episode of Psychosis: Toward an Integrative Inflammatory Hypothesis of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 376-387.	4.3	156
148	A newly identified group of adolescents at "invisible" risk for psychopathology and suicidal behavior: findings from the SEYLE study. <i>World Psychiatry</i> , 2014, 13, 78-86.	10.4	126
149	Long term outcomes of pharmacological treatments for opioid dependence: does methadone still lead the pack?. <i>British Journal of Clinical Pharmacology</i> , 2014, 77, 272-284.	2.4	36
150	Prevalencia del suicidio en España: una necesidad clínica no resuelta. <i>Revista De Psiquiatría Y Salud Mental</i> , 2014, 7, 1-4.	1.8	36
151	Risk-behaviour screening for identifying adolescents with mental health problems in Europe. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 611-620.	4.7	60
152	Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation. <i>Sleep Medicine</i> , 2014, 15, 248-254.	1.6	144
153	Estudio farmacogenético del tratamiento a largo plazo con antipsicóticos de segunda generación y sus efectos adversos metabólicos (Estudio SLiM): justificación, objetivos, diseño y descripción de la muestra. <i>Revista De Psiquiatría Y Salud Mental</i> , 2014, 7, 166-178.	1.8	9
154	Study protocol of a prevention of recurrent suicidal behaviour program based on case management (PSyMAC). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2014, 7, 131-138.	0.3	3
155	Life-time prevalence and psychosocial correlates of adolescent direct self-injurious behavior: A comparative study of findings in 11 European countries. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 337-348.	5.2	298
156	Pathological Internet use among European adolescents: psychopathology and self-destructive behaviours. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1093-1102.	4.7	184
157	P.6.d.014 Psychopathological tolerability of varenicline and nicotine patches for smoking cessation in severe mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, S694.	0.7	0
158	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , 2014, 159, 107-113.	2.0	36
159	Suicide prevention in Spain: An uncovered clinical need. <i>Revista De Psiquiatría Y Salud Mental (English)</i> Tj ETQq1 1,0,784314,rgBT /Ove	0,3	0
160	Association between GSK3 $\beta$ gene and increased impulsivity in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014, 24, 510-518.	0.7	25
161	Patología dual en trastornos de ansiedad: recomendaciones en el tratamiento farmacológico. <i>Revista De Psicología De La Salud</i> , 2014, 26, 254.	0.5	8
162	Revista Adicciones: Continuidad e Innovación. <i>Revista De Psicología De La Salud</i> , 2014, 26, 279.	0.5	0

#	ARTICLE	IF	CITATIONS
163	The Saving and Empowering Young Lives in Europe (SEYLE) Randomized Controlled Trial (RCT): methodological issues and participant characteristics. <i>BMC Public Health</i> , 2013, 13, 479.	2.9	57
164	Genetic variability at IMPA2, INPP1 and GSK3 $\beta$ increases the risk of suicidal behavior in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013, 23, 1452-1462.	0.7	46
165	Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013, 150, 421-426.	2.0	31
166	P.7.e.003 Sleep in adolescents: association with emotional problems and suicidal ideation. <i>European Neuropsychopharmacology</i> , 2013, 23, S613-S614.	0.7	0
167	P.2.d.014 Genetic variability at IMPA2 and INPP1 genes is associated to lithium response in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013, 23, S370-S371.	0.7	1
168	Evoluci3n de la prevalencia administrativa de los trastornos mentales durante 13 a±os en Asturias (norte de Espa±a). <i>Revista De Psiquiatra Y Salud Mental</i> , 2013, 6, 60-66.	1.8	8
169	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.	7.2	269
170	Peripheral Endocannabinoid System Dysregulation in First-Episode Psychosis. <i>Neuropsychopharmacology</i> , 2013, 38, 2568-2577.	5.4	73
171	Adolescent subthreshold depression and anxiety: psychopathology, functional impairment and increased suicide risk. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013, 54, 670-677.	5.2	387
172	The state of psychiatry in Spain. <i>International Review of Psychiatry</i> , 2012, 24, 347-355.	2.8	5
173	Recommendations for the prevention and management of suicidal behaviour. <i>Revista De Psiquiatra Y Salud Mental (English Edition)</i> , 2012, 5, 8-23.	0.3	2
174	Psychometric properties of the Spanish version of the Body Weight, Image and Self-Esteem Evaluation questionnaire in patients with severe mental disorders. <i>Comprehensive Psychiatry</i> , 2012, 53, 1237-1242.	3.1	3
175	The role of genetic variability in the SLC6A4, BDNF and GABRA6 genes in anxiety-related traits. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 194-202.	4.5	41
176	Prevalence of pathological internet use among adolescents in Europe: demographic and social factors. <i>Addiction</i> , 2012, 107, 2210-2222.	3.3	517
177	The Incidence of Hospital-Treated Attempted Suicide in Oviedo, Spain. <i>Crisis</i> , 2012, 33, 46-53.	1.2	20
178	A 25-year follow-up of patients admitted to methadone treatment for the first time: Mortality and gender differences. <i>Addictive Behaviors</i> , 2011, 36, 1184-1190.	3.0	51
179	Role of serotonergic-related systems in suicidal behavior: Data from a case-control association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1518-1524.	4.8	21
180	A cross-cultural comparison between Spain and the USA: Temperament and character distribution by sex and age. <i>Psychiatry Research</i> , 2011, 186, 397-401.	3.3	12

#	ARTICLE	IF	CITATIONS
181	Self-Perceived Needs Are Related to Violent Behavior Among Schizophrenia Outpatients. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 666-671.	1.0	10
182	Psychometric Properties of the Spanish Version of the Changes in Sexual Functioning Questionnaire Short-Form (CSFQ-14) in Patients with Severe Mental Disorders. <i>Journal of Sexual Medicine</i> , 2011, 8, 1371-1382.	0.6	24
183	Validación de la versión española de la escala de Funcionamiento Personal y Social en pacientes ambulatorios con esquizofrenia estable o inestable. <i>Revista De Psiquiatría Y Salud Mental</i> , 2011, 4, 9-18.	1.8	65
184	Topiramate for the Treatment of Alcohol Dependence: Comparison with Naltrexone. <i>European Addiction Research</i> , 2011, 17, 29-36.	2.4	49
185	Amisulpride en el tratamiento de la dependencia alcohólica. <i>Revista De Psicología De La Salud</i> , 2011, 23, 149.	0.5	2
186	Impact of substance use on the physical health of patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 437-445.	4.5	31
187	Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. <i>Psychiatric Genetics</i> , 2010, 20, 171-178.	1.1	19
188	Sociodemographic factors associated with personality traits assessed through the TCI. <i>Personality and Individual Differences</i> , 2010, 48, 809-814.	2.9	9
189	Saving and Empowering Young Lives in Europe (SEYLE): a randomized controlled trial. <i>BMC Public Health</i> , 2010, 10, 192.	2.9	124
190	Rare genotype combination of the serotonin transporter gene associated with treatment response in severe personality disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1494-1497.	1.7	34
191	Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 26-31.	4.8	37
192	Cardiovascular risk in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2009, 115, 302-308.	4.1	68
193	Polymorphisms of the IL6 Gene Complex Are Associated With Alcohol Dependence in Spanish Caucasians: Data From an Association Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 2147-2153.	2.4	19
194	Differential role of serotonergic polymorphisms in alcohol and heroin dependence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 695-700.	4.8	35
195	Differences Observed by ASI-6 among users of Alcohol, Cocaine and Opiates. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
196	Physical Health of Patients with Drug use Disorders. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
197	Substance Use and Physical Health in Patients with Bipolar Disorder Under Maintenance Treatment. <i>European Psychiatry</i> , 2009, 24, .	0.2	1
198	Implicación de polimorfismos serotoninérgicos en la gravedad clínica del trastorno de pánico. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009, 2, 35-41.	1.8	5

#	ARTICLE	IF	CITATIONS
199	Rendimiento psicométrico del Cuestionario Oviedo de Sueño en pacientes con trastorno mental grave. Revista De Psiquiatría Y Salud Mental, 2009, 2, 169-177.	1.8	21
200	Role of serotonergic polymorphisms in the clinical severity of the panic disorder. Revista De Psiquiatría Y Salud Mental (English Edition), 2009, 2, 35-41.	0.3	1
201	Association study of serotonergic gene variants with antipsychotic-induced adverse reactions. Psychiatric Genetics, 2009, 19, 305-311.	1.1	28
202	An investigation of the <i>1A</i> adrenergic receptor gene and antipsychotic-induced side effects. Human Psychopharmacology, 2008, 23, 107-114.	1.5	22
203	DRD3, but not COMT or DRD2, genotype affects executive functions in healthy and first episode psychosis adolescents. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 873-879.	1.7	53
204	Using Topiramate or Naltrexone for the Treatment of Alcohol-Dependent Patients. Alcoholism: Clinical and Experimental Research, 2008, 32, 1251-1259.	2.4	64
205	The prevalence of metabolic syndrome in patients with bipolar disorder. Journal of Affective Disorders, 2008, 106, 197-201.	4.1	107
206	Is attempted suicide different in adolescent and adults?. Psychiatry Research, 2008, 157, 131-137.	3.3	49
207	Association study between obsessive-compulsive disorder and serotonergic candidate genes. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 765-770.	4.8	47
208	Association between Heroin Dependence and 5-HT <sub>2A</sub> Receptor Gene Polymorphisms. European Addiction Research, 2008, 14, 47-52.	2.4	20
209	Association Between the Stin2 VNTR Polymorphism of the Serotonin Transporter Gene and Treatment Outcome in Alcohol-Dependent Patients. Alcohol and Alcoholism, 2008, 43, 516-522.	1.6	26
210	Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. Psychiatric Genetics, 2008, 18, 147-150.	1.1	11
211	Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. Psychiatric Genetics, 2008, 18, 213-218.	1.1	29
212	Association study of serotonin 2A receptor (5-HT <sub>2A</sub> ) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 741-745.	4.8	38
213	The prevalence of the metabolic syndrome in bipolar patients. European Psychiatry, 2007, 22, S252.	0.2	2
214	Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. Behavioral and Brain Functions, 2007, 3, 32.	3.3	6
215	Negative evidences in association between apolipoprotein E polymorphism and panic disorder. European Psychiatry, 2006, 21, 59-61.	0.2	5
216	N-acetyltransferase-2 polymorphisms and schizophrenia. European Psychiatry, 2006, 21, 333-337.	0.2	5

#	ARTICLE	IF	CITATIONS
217	Interleukin-1 Gene Complex in Schizophrenia: An Association Study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 678-680.	1.7	12
218	Quality of life measures in schizophrenia. European Psychiatry, 2005, 20, S313-S317.	0.2	79
219	Use of Cocaine by Secondary School Students in Northern Spain. European Addiction Research, 2003, 9, 138-143.	2.4	11
220	Apolipoprotein E genotype and schizophrenia: further negative evidence. Acta Psychiatrica Scandinavica, 2002, 105, 71-75.	4.5	14
221	Use of MDMA and Other Illicit Drugs by Young Adult Males in Northern Spain. European Addiction Research, 2002, 8, 147-154.	2.4	29
222	High Degree of Tolerability for Monotherapy With High Doses of Quetiapine. Journal of Clinical Psychiatry, 2002, 63, 1048-1049.	2.2	11
223	Quality of life and disability in patients with obsessive-compulsive disorder. European Psychiatry, 2001, 16, 239-245.	0.2	201
224	Searching for a predictive peripheral biological model in parasuicidal behaviour. European Psychiatry, 1997, 12, 75-81.	0.2	7
225	PET neuroimaging with [11C]venlafaxine:. European Neuropsychopharmacology, 1997, 7, 195-200.	0.7	35