

# Yi-Ming Kuo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5129940/publications.pdf>

Version: 2024-02-01

37  
papers

634  
citations

516710

16  
h-index

610901

24  
g-index

37  
all docs

37  
docs citations

37  
times ranked

616  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation of High-Transparency, Superhydrophilic Visible Photo-Induced Photocatalytic Film via a Rapid Plasma-Modification Process. <i>Coatings</i> , 2021, 11, 784.	2.6	6
2	An alternative approach to reclaim spent nickel-metal hydride batteries. <i>Environmental Progress and Sustainable Energy</i> , 2020, 39, e13433.	2.3	4
3	Recycling of spent nickel-cadmium battery using a thermal separation process. <i>Environmental Progress and Sustainable Energy</i> , 2018, 37, 645-654.	2.3	17
4	Ecological risk assessment of heavy metals sampled in sediments and water of the Houjing River, Taiwan. <i>Environmental Earth Sciences</i> , 2018, 77, 1.	2.7	20
5	Two-stage plasma nitridation approach for rapidly synthesizing aluminum nitride powders. <i>Journal of Materials Research</i> , 2017, 32, 1279-1286.	2.6	11
6	Evaluation of Thermal Treatments for Elutriated Mixed Incinerator Ashes. Part 1: Co-Incineration with Laboratory Waste. <i>Aerosol and Air Quality Research</i> , 2016, 16, 2278-2286.	2.1	1
7	Characteristics and determinants of ambient volatile organic compounds in primary schools. <i>Environmental Sciences: Processes and Impacts</i> , 2016, 18, 1458-1468.	3.5	7
8	Characterization of the products attained from a thermal treatment of a mix of zinc-carbon and alkaline batteries. <i>Environmental Technology (United Kingdom)</i> , 2016, 37, 1490-1500.	2.2	3
9	Characterization of spent nickel-metal hydride batteries and a preliminary economic evaluation of the recovery processes. <i>Journal of the Air and Waste Management Association</i> , 2016, 66, 296-306.	1.9	33
10	Role of sodium ions in the vitrification process: Glass matrix modification, slag structure depolymerization, and influence of metal immobilization. <i>Journal of the Air and Waste Management Association</i> , 2014, 64, 774-784.	1.9	3
11	Production and isolation of chitosan from <i>Aspergillus terreus</i> and application in tin(II) adsorption. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	6
12	Evaluation of effect of reducing additives during vitrification via simulation and experiment. <i>Journal of the Air and Waste Management Association</i> , 2013, 63, 1182-1189.	1.9	5
13	Recovery of valuable metals from electroplating sludge with reducing additives via vitrification. <i>Journal of Environmental Management</i> , 2013, 129, 586-592.	7.8	46
14	Hierarchically porous cobalt oxyhydroxide derived from <i>Morpho</i> butterfly wings: Preparation, characterization, and carbon monoxide detection at low temperatures. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 494-502.	1.8	6
15	Preparation of Cu <sub>2</sub> O nanowires by thermal oxidation-plasma reduction method. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 108, 133-141.	2.3	14
16	An alternative approach to recovering valuable metals from zinc phosphating sludge. <i>Journal of Hazardous Materials</i> , 2012, 201-202, 265-272.	12.4	23
17	Stabilization of Residues Obtained from the Treatment of Laboratory Waste: Part 2—Transformation of Plasma Vitrified Slag into Composites. <i>Journal of the Air and Waste Management Association</i> , 2011, 61, 78-84.	1.9	2
18	Effect of NaOH on the vitrification process of waste Ni-Cr sludge. <i>Journal of Hazardous Materials</i> , 2011, 185, 1522-1527.	12.4	24

#	ARTICLE	IF	CITATIONS
19	Preparation and characterization of chitosan-coated hydroxyapatite nanoparticles as a promising non-viral vector for gene delivery. <i>Journal of Applied Polymer Science</i> , 2011, 121, 3531-3540.	2.6	27
20	Effect of experimental parameters on the formation of chitosan-poly(acrylic acid) nanofibrous scaffolds and evaluation of their potential application as DNA carrier. <i>Journal of Applied Polymer Science</i> , 2010, 115, 1769-1780.	2.6	5
21	Stabilization of Residues Obtained from the Treatment of Laboratory Waste. Part 1 Treatment Path of Metals in a Plasma Melting System. <i>Journal of the Air and Waste Management Association</i> , 2010, 60, 429-438.	1.9	10
22	Vitrification for reclaiming spent alkaline batteries. <i>Waste Management</i> , 2009, 29, 2132-2139.	7.4	20
23	Chemical and physical properties of plasma slags containing various amorphous volume fractions. <i>Journal of Hazardous Materials</i> , 2009, 162, 469-475.	12.4	14
24	Effect of Al <sub>2</sub> O <sub>3</sub> mole fraction and cooling method on vitrification of an artificial hazardous material. Part 2: Encapsulation of metals and resistance to acid. <i>Journal of Hazardous Materials</i> , 2009, 169, 635-642.	12.4	8
25	Effect of Al <sub>2</sub> O <sub>3</sub> mole fraction and cooling method on vitrification of an artificial hazardous material. Part 1: Variation of crystalline phases and slag structures. <i>Journal of Hazardous Materials</i> , 2009, 169, 626-634.	12.4	16
26	Chitosan-poly(acrylic acid) nanofiber networks prepared by the doping induction of succinic acid and its ammonia-response studies. <i>Polymers for Advanced Technologies</i> , 2008, 19, 1343-1352.	3.2	12
27	Preparation and adsorption properties of chitosan-poly(acrylic acid) nanoparticles for the removal of nickel ions. <i>Journal of Applied Polymer Science</i> , 2008, 107, 2333-2342.	2.6	47
28	Effect of cooling rate and basicity during vitrification of fly ash. <i>Journal of Hazardous Materials</i> , 2008, 152, 554-562.	12.4	21
29	Effect of water quenching and SiO <sub>2</sub> addition during vitrification of fly ash. <i>Journal of Hazardous Materials</i> , 2008, 152, 994-1001.	12.4	51
30	An alternative approach for reusing slags from a plasma vitrification process. <i>Journal of Hazardous Materials</i> , 2008, 156, 442-447.	12.4	10
31	Color and COD Removal Using a Three-Dimensional Stacked Pt/Ti Screen Anode. <i>Environmental Engineering Science</i> , 2008, 25, 1009-1016.	1.6	3
32	Encapsulation Behaviors of Metals in Slags Containing Various Amorphous Volume Fractions. <i>Journal of the Air and Waste Management Association</i> , 2007, 57, 820-827.	1.9	9
33	Preparation of fructose-mediated (polyethylene glycol/chitosan) membrane and adsorption of heavy metal ions. <i>Journal of Applied Polymer Science</i> , 2007, 105, 1480-1489.	2.6	33
34	Immobilization and encapsulation during vitrification of incineration ashes in a coke bed furnace. <i>Journal of Hazardous Materials</i> , 2006, 133, 75-78.	12.4	23
35	Metal behavior during vitrification of incinerator ash in a coke bed furnace. <i>Journal of Hazardous Materials</i> , 2004, 109, 79-84.	12.4	45
36	Effect of SiO <sub>2</sub> on Immobilization of Metals and Encapsulation of a Glass Network in Slag. <i>Journal of the Air and Waste Management Association</i> , 2003, 53, 1412-1416.	1.9	20

#	ARTICLE	IF	CITATIONS
37	Fate of polycyclic aromatic hydrocarbons during vitrification of incinerator ash in a coke bed furnace. <i>Chemosphere</i> , 2003, 51, 313-319.	8.2	29