## Matthew P Longnecker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/513627/publications.pdf

Version: 2024-02-01

30070 38395 9,968 153 54 95 citations h-index g-index papers 158 158 158 9164 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Lactation and a Reduced Risk of Premenopausal Breast Cancer. New England Journal of Medicine, 1994, 330, 81-87.	27.0	446
2	THE HUMAN HEALTH EFFECTS OF DDT (DICHLORODIPHENYLTRICHLOROETHANE) AND PCBS (POLYCHLORINATED BIPHENYLS) AND AN OVERVIEW OF ORGANOCHLORINES IN PUBLIC HEALTH. Annual Review of Public Health, 1997, 18, 211-244.	17.4	406
3	Association between maternal serum concentration of the DDT metabolite DDE and preterm and small-for-gestational-age babies at birth. Lancet, The, 2001, 358, 110-114.	13.7	395
4	Alcoholic beverage consumption in relation to risk of breast cancer: meta-analysis and review. Cancer Causes and Control, 1994, 5, 73-82.	1.8	369
5	Fish Intake During Pregnancy and Early Cognitive Development of Offspring. Epidemiology, 2004, 15, 394-402.	2.7	312
6	Prevalence of Elevated Alanine Aminotransferase Among US Adolescents and Associated Factors: NHANES 1999–2004. Gastroenterology, 2007, 133, 1814-1820.	1.3	299
7	Evaluation of the Association between Arsenic and Diabetes: A National Toxicology Program Workshop Review. Environmental Health Perspectives, 2012, 120, 1658-1670.	6.0	299
8	Urinary metabolite concentrations of organophosphorous pesticides, bisphenol A, and phthalates among pregnant women in Rotterdam, the Netherlands: The Generation R study. Environmental Research, 2008, 108, 260-267.	7.5	273
9	Comparison of polychlorinated biphenyl levels across studies of human neurodevelopment Environmental Health Perspectives, 2003, 111, 65-70.	6.0	242
10	Anogenital distance in human male and female newborns: a descriptive, cross-sectional study. Environmental Health, 2004, 3, 8.	4.0	181
11	Maternal Serum Level of 1,1-Dichloro-2,2-bis(p-chlorophenyl)ethylene and Risk of Cryptorchidism, Hypospadias, and Polythelia among Male Offspring. American Journal of Epidemiology, 2002, 155, 313-322.	3.4	167
12	Associations of Perfluoroalkyl Substances (PFAS) with Lower Birth Weight: An Evaluation of Potential Confounding by Glomerular Filtration Rate Using a Physiologically Based Pharmacokinetic Model (PBPK). Environmental Health Perspectives, 2015, 123, 1317-1324.	6.0	164
13	Levels of metabolites of organophosphate pesticides, phthalates, and bisphenol A in pooled urine specimens from pregnant women participating in the Norwegian Mother and Child Cohort Study (MoBa). International Journal of Hygiene and Environmental Health, 2009, 212, 481-491.	4.3	151
14	Long-term Hormone Replacement Therapy and Risk of Breast Cancer in Postmenopausal Women. American Journal of Epidemiology, 1995, 142, 788-795.	3.4	143
15	Serum Dioxin Level in Relation to Diabetes Mellitus among Air Force Veterans with Background Levels of Exposure. Epidemiology, 2000, $11$ , 44-48.	2.7	143
16	Optimal Exposure Biomarkers for Nonpersistent Chemicals in Environmental Epidemiology. Environmental Health Perspectives, 2015, 123, A166-8.	6.0	137
17	Fetal Growth and Prenatal Exposure to Bisphenol A: The Generation R Study. Environmental Health Perspectives, 2013, 121, 393-398.	6.0	130
18	Maternal smoking during pregnancy in relation to child overweight: follow-up to age 8 years. International Journal of Epidemiology, 2006, 35, 121-130.	1.9	126

#	Article	IF	Citations
19	Blood mercury level and blood pressure among US women: results from the National Health and Nutrition Examination Survey 1999–2000. Environmental Research, 2005, 97, 195-200.	7.5	122
20	Perfluoroalkyl substances and lipid concentrations in plasma during pregnancy among women in the Norwegian Mother and Child Cohort Study. Environment International, 2014, 62, 104-112.	10.0	122
21	Association between Maternal Serum Perfluoroalkyl Substances during Pregnancy and Maternal and Cord Thyroid Hormones: Taiwan Maternal and Infant Cohort Study. Environmental Health Perspectives, 2014, 122, 529-534.	6.0	119
22	Perfluorinated Compounds and Subfecundity in Pregnant Women. Epidemiology, 2012, 23, 257-263.	2.7	116
23	Development of Pbpk Models for Pfoa and Pfos for Human Pregnancy and Lactation Life Stages. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2013, 76, 25-57.	2.3	116
24	Serial Levels of Serum Organochlorines During Pregnancy and Postpartum. Archives of Environmental Health, 1999, 54, 110-114.	0.4	111
25	Misuse of blood serum to assess exposure to bisphenol A and phthalates. Breast Cancer Research, 2013, 15, 403.	5.0	108
26	Probiotic milk consumption in pregnancy and infancy and subsequent childhood allergic diseases. Journal of Allergy and Clinical Immunology, 2014, 133, 165-171.e8.	2.9	105
27	Perfluorinated Compounds in Relation to Birth Weight in the Norwegian Mother and Child Cohort Study. American Journal of Epidemiology, 2012, 175, 1209-1216.	3.4	100
28	Strenuous physical activity in young adulthood and risk of breast cancer (United States). Cancer Causes and Control, 1995, 6, 347-353.	1.8	99
29	Maternal serum level of the DDT metabolite DDE in relation to fetal loss in previous pregnancies. Environmental Research, 2005, 97, 127-133.	7.5	98
30	Polychlorinated Biphenyl (PCB) Exposure in Relation to Thyroid Hormone Levels in Neonates. Epidemiology, 2000, 11, 249-254.	2.7	95
31	Maternal Levels of Polychlorinated Biphenyls in Relation to Preterm and Small-for-Gestational-Age Birth. Epidemiology, 2005, 16, 641-647.	2.7	93
32	Urinary Concentrations of Phthalate Metabolites and Bisphenol A and Associations with Follicular-Phase Length, Luteal-Phase Length, Fecundability, and Early Pregnancy Loss. Environmental Health Perspectives, 2016, 124, 321-328.	6.0	93
33	The Reproducibility and Validity of a Self-Administered Semiquantitative Food Frequency Questionnaire in Subjects from South Dakota and Wyoming. Epidemiology, 1993, 4, 356-365.	2.7	92
34	In Utero Exposure to the Antiandrogen 1,1-Dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) in Relation to Anogenital Distance in Male Newborns from Chiapas, Mexico. American Journal of Epidemiology, 2007, 165, 1015-1022.	3.4	89
35	In Utero Exposure to Background Levels of Polychlorinated Biphenyls and Cognitive Functioning among School-age Children. American Journal of Epidemiology, 2005, 162, 17-26.	3.4	77
36	Within-person variability in urinary bisphenol A concentrations: Measurements from specimens after long-term frozen storage. Environmental Research, 2009, 109, 734-737.	7.5	77

#	Article	IF	CITATIONS
37	<i>In Utero</i> Exposure to Maternal Tobacco Smoke and Subsequent Obesity, Hypertension, and Gestational Diabetes Among Women in The MoBa Cohort. Environmental Health Perspectives, 2012, 120, 355-360.	6.0	76
38	A Simple Pharmacokinetic Model of Prenatal and Postnatal Exposure to Perfluoroalkyl Substances (PFASs). Environmental Science & Echnology, 2016, 50, 978-986.	10.0	75
39	Postmenopausal hormone therapy and risk of breast cancer by histologic type (United States). Cancer Causes and Control, 2003, 14, 225-233.	1.8	74
40	Levels of hexachlorobenzene (HCB) in breast milk in relation to birth weight in a Norwegian cohort. Environmental Research, 2009, 109, 559-566.	<b>7.</b> 5	72
41	Prenatal Exposure to Low-Level Polychlorinated Biphenyls in Relation to Mental and Motor Development at 8 Months. American Journal of Epidemiology, 2003, 157, 485-492.	3.4	71
42	Polychlorinated Biphenyls and Menstrual Cycle Characteristics. Epidemiology, 2005, 16, 191-200.	2.7	71
43	Prenatal DDT Exposure in Relation to Anthropometric and Pubertal Measures in Adolescent Males. Environmental Health Perspectives, 2004, 112, 1761-1767.	6.0	70
44	Maternal Serum Levels of Polychlorinated Biphenyls and 1,1-Dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) and Time to Pregnancy. American Journal of Epidemiology, 2005, 162, 523-532.	3.4	69
45	Maternal Pregnancy Levels of Polychlorinated Biphenyls and Risk of Hypospadias and Cryptorchidism in Male Offspring. Environmental Health Perspectives, 2009, 117, 1472-1476.	6.0	69
46	Associations between brominated flame retardants in human milk and thyroid-stimulating hormone (TSH) in neonates. Environmental Research, 2011, 111, 737-743.	7.5	69
47	Prenatal Exposure to Persistent Organochlorines and Childhood Obesity in the U.S. Collaborative Perinatal Project. Environmental Health Perspectives, 2013, 121, 1103-1109.	6.0	67
48	Associations between Plasma DDE Levels and Immunologic Measures in African-American Farmers in North Carolina. Environmental Health Perspectives, 2004, 112, 1080-1084.	6.0	65
49	Measurement of Total and Free Urinary Phenol and Paraben Concentrations over the Course of Pregnancy: Assessing Reliability and Contamination of Specimens in the Norwegian Mother and Child Cohort Study. Environmental Health Perspectives, 2015, 123, 705-711.	6.0	62
50	Reliability of concentrations of organophosphate pesticide metabolites in serial urine specimens from pregnancy in the Generation R Study. Journal of Exposure Science and Environmental Epidemiology, 2015, 25, 286-294.	3.9	61
51	Invited Commentary: Why DDT Matters Now. American Journal of Epidemiology, 2005, 162, 726-728.	3.4	60
52	Perfluoroalkyl Substances During Pregnancy and Validated Preeclampsia Among Nulliparous Women in the Norwegian Mother and Child Cohort Study. American Journal of Epidemiology, 2014, 179, 824-833.	3.4	60
53	Correlations among polychlorinated biphenyls, dioxins, and furans in humans., 1999, 35, 15-20.		59
54	In utero exposure to tobacco smoke and subsequent reduced fertility in females. Human Reproduction, 2010, 25, 2901-2906.	0.9	58

#	Article	IF	Citations
55	DDT Metabolite and Androgens in African-American Farmers. Epidemiology, 2002, 13, 454-458.	2.7	57
56	Serum organochlorines and breast cancer: a case–control study among African-American women. Cancer Causes and Control, 2007, 18, 29-39.	1.8	56
57	Maternal smoking, demographic and lifestyle factors in relation to daughter's age at menarche. Paediatric and Perinatal Epidemiology, 2008, 22, 551-561.	1.7	54
58	Within-person variability in urinary phthalate metabolite concentrations: measurements from specimens after long-term frozen storage. Journal of Exposure Science and Environmental Epidemiology, 2010, 20, 169-175.	3.9	54
59	Correlations among human blood levels of specific PCB congeners and implications for epidemiologic studies. American Journal of Industrial Medicine, 1997, 32, 606-613.	2.1	51
60	Oral contraceptive use and risk of breast cancer by histologic type. International Journal of Cancer, 2003, 106, 961-964.	5.1	51
61	Reliability and determinants of anogenital distance and penis dimensions in male newborns from Chiapas, Mexico. Paediatric and Perinatal Epidemiology, 2007, 21, 219-228.	1.7	51
62	Prenatal exposure to the major DDT metabolite 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) and growth in boys from Mexico. Environmental Research, 2010, 110, 595-603.	7.5	50
63	Association between Perfluoroalkyl substances and thyroid stimulating hormone among pregnant women: a cross-sectional study. Environmental Health, 2013, 12, 76.	4.0	50
64	Determinants of organophosphate pesticide exposure in pregnant women: A population-based cohort study in the Netherlands. International Journal of Hygiene and Environmental Health, 2018, 221, 489-501.	4.3	49
65	Correlations among Human Plasma Levels of Dioxin-Like Compounds and Polychlorinated Biphenyls (PCBs) and Implications for Epidemiologic Studies. Archives of Environmental Health, 2000, 55, 195-200.	0.4	48
66	Reliability of triclosan measures in repeated urine samples from Norwegian pregnant women. Journal of Exposure Science and Environmental Epidemiology, 2014, 24, 517-521.	3.9	48
67	Maternal pregnancy serum level of heptachlor epoxide, hexachlorobenzene, and $\hat{l}^2$ -hexachlorocyclohexane and risk of cryptorchidism in offspring. Environmental Research, 2007, 105, 364-369.	7.5	47
68	Maternal Thyroid Function During Pregnancy or Neonatal Thyroid Function and Attention Deficit Hyperactivity Disorder. Epidemiology, 2019, 30, 130-144.	2.7	46
69	Risk factors for cryptorchism among populations at differing risks of testicular cancer. International Journal of Epidemiology, 2006, 35, 787-795.	1.9	45
70	Maternal Glomerular Filtration Rate in Pregnancy and Fetal Size. PLoS ONE, 2014, 9, e101897.	2.5	44
71	Variation in female breast cancer risk by occupation. , 1996, 30, 430-437.		43
72	Anti-Mýllerian Hormone and Lifestyle, Reproductive, and Environmental Factors Among Women in Rural South Africa. Epidemiology, 2015, 26, 429-435.	2.7	43

#	Article	IF	CITATIONS
<b>7</b> 3	Prenatal exposure to 1,1-dichloro-2,2-bis (p-chlorophenyl)ethylene (p,p′-DDE) in relation to child growth. International Journal of Epidemiology, 2006, 35, 853-858.	1.9	42
74	Nephrotoxicity, neurotoxicity, and mercury exposure among children with and without dental amalgam fillings. International Journal of Hygiene and Environmental Health, 2009, 212, 378-386.	4.3	42
<b>7</b> 5	Improving the risk assessment of lipophilic persistent environmental chemicals in breast milk. Critical Reviews in Toxicology, 2014, 44, 600-617.	3.9	42
76	Is the Relationship between Prenatal Exposure to PCB-153 and Decreased Birth Weight Attributable to Pharmacokinetics?. Environmental Health Perspectives, 2013, 121, 1219-1224.	6.0	41
77	Calculation of population attributable risk for alcohol and breast cancer (United States). Cancer Causes and Control, 1999, 10, 119-123.	1.8	40
78	Why is elevation of serum cholesterol associated with exposure to perfluoroalkyl substances (PFAS) in humans? A workshop report on potential mechanisms. Toxicology, 2021, 459, 152845.	4.2	40
79	Outcome-Dependent Sampling. Epidemiology, 2007, 18, 461-468.	2.7	39
80	An interlaboratory study of perfluorinated alkyl compound levels in human plasma. Environmental Research, 2008, 107, 152-159.	7.5	39
81	Can the observed association between serum perfluoroalkyl substances and delayed menarche be explained on the basis of puberty-related changes in physiology and pharmacokinetics?. Environment International, 2015, 82, 61-68.	10.0	39
82	Maternal dental history, child's birth outcome and early cognitive development. Paediatric and Perinatal Epidemiology, 2007, 21, 448-457.	1.7	37
83	Maternal Hormone Levels and Risk of Cryptorchism among Populations at High and Low Risk of Testicular Germ Cell Tumors. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1732-1737.	2.5	36
84	Pharmacologic sex hormones in pregnancy in relation to offspring obesity. Obesity, 2014, 22, 2406-2412.	3.0	36
85	Organophosphate pesticide metabolite concentrations in urine during pregnancy and offspring attention-deficit hyperactivity disorder and autistic traits. Environment International, 2019, 131, 105002.	10.0	36
86	Recent oral contraceptive use and risk of breast cancer (United States). Cancer Causes and Control, 1996, 7, 525-532.	1.8	35
87	In utero exposure to polychlorinated biphenyls and sensorineural hearing loss in 8-year-old children. Neurotoxicology and Teratology, 2004, 26, 629-637.	2.4	34
88	Physical Activity During Pregnancy and Language Development in the Offspring. Paediatric and Perinatal Epidemiology, 2013, 27, 283-293.	1.7	34
89	A sigmoidoscopy-based case–control study of polyps: macronutrients, fiber and meat consumption. , 1997, 73, 497-502.		33
90	Maternal Pregnancy Levels of <i>trans</i> -Nonachlor and Oxychlordane and Prevalence of Cryptorchidism and Hypospadias in Boys. Environmental Health Perspectives, 2012, 120, 478-482.	6.0	33

#	Article	IF	CITATIONS
91	Quantitative bias analysis for epidemiological associations of perfluoroalkyl substance serum concentrations and early onset of menopause. Environment International, 2017, 99, 245-254.	10.0	33
92	Pharmacokinetic Variability and the Miracle of Modern Analytical Chemistry. Epidemiology, 2006, 17, 350-351.	2.7	31
93	DDE, a Degradation Product of DDT, and Duration of Lactation in a Highly Exposed Area of Mexico. Environmental Health Perspectives, 2008, 116, 179-183.	6.0	31
94	Organophosphate Pesticide Metabolite Concentrations in Urine during Pregnancy and Offspring Nonverbal IQ at Age 6 Years. Environmental Health Perspectives, 2019, 127, 17007.	6.0	30
95	Eating frequency—a neglected risk factor for colon cancer?. Cancer Causes and Control, 1992, 3, 77-81.	1.8	29
96	Reliability of reported breastfeeding duration among reproductiveâ€aged women from Mexico. Maternal and Child Nutrition, 2009, 5, 125-137.	3.0	29
97	In-Utero Exposure to Dichlorodiphenyltrichloroethane and Cognitive Development Among Infants and School-aged Children. Epidemiology, 2012, 23, 689-698.	2.7	29
98	Reproducibility of urinary bisphenol A concentrations measured during pregnancy in the Generation R Study. Journal of Exposure Science and Environmental Epidemiology, 2014, 24, 532-536.	3.9	28
99	The concentration of several perfluoroalkyl acids in serum appears to be reduced by dietary fiber. Environment International, 2021, 146, 106292.	10.0	28
100	Reliability of perfluoroalkyl substances in plasma of 100 women in two consecutive pregnancies. Environmental Research, 2015, 140, 421-429.	7.5	27
101	Determinants of <i>p,p</i> '-Dichlorodiphenyldichloroethane (DDE) Concentration in Adipose Tissue in Women from Five European Cities. Archives of Environmental Health, 1999, 54, 277-283.	0.4	25
102	Exposure to Tobacco Smoke <i>in Utero</i> and Subsequent Plasma Lipids, ApoB, and CRP among Adult Women in the MoBa Cohort. Environmental Health Perspectives, 2012, 120, 1532-1537.	6.0	25
103	Eating Frequency in the Nationwide Food Consumption Survey (U.S.A.), 1987–1988. Appetite, 1997, 29, 55-59.	3.7	24
104	Multiple births and risk of breast cancer. International Journal of Cancer, 1995, 62, 162-164.	5.1	23
105	Persistent Organic Pollutants in Children: Commentary on the article by Karmaus et al. on page 331. Pediatric Research, 2001, 50, 322-323.	2.3	22
106	Birth weight and perfluorooctane sulfonic acid: a random-effects meta-regression analysis. Environmental Epidemiology, 2020, 4, e095.	3.0	22
107	Estimating effect of environmental contaminants on women's subfecundity for the MoBa study data with an outcome-dependent sampling scheme. Biostatistics, 2014, 15, 636-650.	1.5	21
108	Persistent organochlorines and hypertensive disorders of pregnancy. Environmental Research, 2014, 132, 1-5.	7.5	21

#	Article	IF	Citations
109	Menstrual cycle characteristics as determinants of plasma concentrations of perfluoroalkyl substances (PFASs) in the Norwegian Mother and Child Cohort (MoBa study). Environmental Research, 2018, 166, 78-85.	7.5	21
110	RELATION OF SERUM TETRACHLORODIBENZO-p-DIOXIN CONCENTRATION TO DIET AMONG VETERANS IN THE AIR FORCE HEALTH STUDY WITH BACKGROUND-LEVEL EXPOSURE. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2001, 63, 159-172.	2.3	20
111	On Confounded Fishy Results Regarding Arsenic and Diabetes. Epidemiology, 2009, 20, 821-823.	2.7	20
112	Predictors of Plasma DDT and DDE Concentrations among Women Exposed to Indoor Residual Spraying for Malaria Control in the South African Study of Women and Babies (SOWB). Environmental Health Perspectives, 2014, 122, 545-552.	6.0	19
113	Associations between smoking status and stage of colorectal cancer at diagnosis in massachusetts between 1982 and 1987. Cancer, 1989, 64, 1372-1374.	4.1	18
114	Preconception serum 1,1,1-trichloro-2,2,bis(p-chlorophenyl)ethane and B-vitamin status: independent and joint effects on women's reproductive outcomes. American Journal of Clinical Nutrition, 2014, 100, 1470-1478.	4.7	17
115	Oral contraceptive use as a determinant of plasma concentrations of perfluoroalkyl substances among women in the Norwegian Mother and Child Cohort (MoBa) study. Environment International, 2018, 112, 156-164.	10.0	17
116	Household fuel use and biomarkers of inflammation and respiratory illness among rural South African Women. Environmental Research, 2018, 166, 112-116.	7.5	17
117	An approach to assessment of endocrine disruption in the National Children's Study Environmental Health Perspectives, 2003, 111, 1691-1697.	6.0	16
118	Lipid Adjustment for Chemical Exposures. Epidemiology, 2013, 24, 921-928.	2.7	16
119	Ovarian cancer risk and use of phenolphthalein-containing laxatives. Pharmacoepidemiology and Drug Safety, 2004, 13, 35-39.	1.9	15
120	Recreational Exercise Before and During Pregnancy in Relation to Plasma C-Reactive Protein Concentrations in Pregnant Women. Journal of Physical Activity and Health, 2015, 12, 770-775.	2.0	15
121	Pharmacokinetic bias analysis of the epidemiological associations between serum polybrominated diphenyl ether (BDE-47) and timing of menarche. Environmental Research, 2016, 150, 541-548.	7.5	15
122	Placental Weight and Risk of Cryptorchidism and Hypospadias in the Collaborative Perinatal Project. American Journal of Epidemiology, 2018, 187, 1354-1361.	3.4	15
123	Frequency of eating and risk of colorectal cancer in women. Nutrition and Cancer, 1997, 27, 22-25.	2.0	14
124	Gestational Diabetes and the Risk of Cryptorchidism and Hypospadias. Epidemiology, 2014, 25, 152-153.	2.7	14
125	Neonatal thyroidâ€stimulating hormone and association with attentionâ€deficit/hyperactivity disorder. Paediatric and Perinatal Epidemiology, 2020, 34, 590-596.	1.7	14
126	Brief Report. Epidemiology, 2016, 27, 712-715.	2.7	12

#	Article	IF	CITATIONS
127	Quantitative bias analysis of a reported association between perfluoroalkyl substances (PFAS) and endometriosis: The influence of oral contraceptive use. Environment International, 2017, 104, 118-121.	10.0	12
128	Relation of Serum 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) Level to Hematological Examination Results in Veterans of Operation Ranch Hand. Archives of Environmental Health, 2001, 56, 396-405.	0.4	11
129	Maternal Hormone Levels and Perinatal Characteristics: Implications for Testicular Cancer. Annals of Epidemiology, 2007, 17, 85-92.	1.9	11
130	A Partial Linear Model in the Outcome-Dependent Sampling Setting to Evaluate the Effect of Prenatal PCB Exposure on Cognitive Function in Children. Biometrics, 2011, 67, 876-885.	1.4	11
131	Effects of Sample Handling and Analytical Procedures on Thyroid Hormone Concentrations in Pregnant Women's Plasma. Epidemiology, 2017, 28, 365-369.	2.7	11
132	Comment on "Enhanced Elimination of Perfluorooctanesulfonic Acid by Menstruating Women: Evidence from Population-Based Pharmacokinetic Modeling― Environmental Science & Camp; Technology, 2015, 49, 5836-5837.	10.0	9
133	Quantitative bias analysis of the association between subclinical thyroid disease and two perfluoroalkyl substances in a single study. Environmental Research, 2020, 182, 109017.	<b>7.</b> 5	9
134	Using quantitative modeling tools to assess pharmacokinetic bias in epidemiological studies showing associations between biomarkers and health outcomes at low exposures. Environmental Research, 2021, 197, 111183.	7.5	9
135	Eating Frequency and Risk of Colorectal Cancer. Nutrition and Cancer, 2000, 36, 170-176.	2.0	8
136	Prenatal exposure to p,p $\hat{a}$ e <sup>2</sup> -DDE and p,p $\hat{a}$ e <sup>2</sup> -DDT in relation to lower respiratory tract infections in boys from a highly exposed area of Mexico. Environmental Research, 2014, 132, 19-23.	7.5	8
137	An Unexpected Distribution of Sodium Concentration in Serum Specimens Stored for More Than 30 Years. Annals of Epidemiology, 2003, 13, 178-181.	1.9	7
138	A partially linear regression model for data from an outcome-dependent sampling design. Journal of the Royal Statistical Society Series C: Applied Statistics, 2011, 60, 559-574.	1.0	7
139	Protease inhibitor content of human dietary samples. Nutrition and Cancer, 1990, 14, 85-93.	2.0	6
140	Re: Blood Levels of Organochlorine Residues and Risk of Breast Cancer. Journal of the National Cancer Institute, 1993, 85, 1696-1696.	6.3	6
141	Human Data on Bisphenol A and Neurodevelopment. Environmental Health Perspectives, 2009, 117, A531-2.	6.0	6
142	Reproducibility of Reported In Utero Exposure to Tobacco Smoke. Annals of Epidemiology, 2011, 21, 48-52.	1.9	6
143	A model of functional thyroid disease status over the lifetime. PLoS ONE, 2019, 14, e0219769.	2.5	6
144	Pharmacokinetic bias analysis of an association between clinical thyroid disease and two perfluoroalkyl substances. Environment International, 2020, 141, 105784.	10.0	6

#	Article	IF	CITATIONS
145	Human Health Effects of Polychlorinated Biphenyls. , 2005, , 679-728.		5
146	Placental characteristics as a proxy measure of serum hormone and protein levels during pregnancy with a male fetus. Cancer Causes and Control, 2011, 22, 689-695.	1.8	5
147	Secondary outcome analysis for data from an outcomeâ€dependent sampling design. Statistics in Medicine, 2018, 37, 2321-2337.	1.6	4
148	Prenatal PCB-153 Exposure and Decreased Birth Weight: Verner et al. Respond. Environmental Health Perspectives, 2014, 122, A89-90.	6.0	2
149	Response to "Comment on â€~Optimal Exposure Biomarkers for Nonpersistent Chemicals in Environmental Epidemiology'― Environmental Health Perspectives, 2016, 124, A66-7.	6.0	2
150	In utero exposure to DDT and incidence of diarrhea among boys from tropical Mexico. Environmental Research, 2017, 159, 331-337.	7.5	2
151	The Ratio of Specific Polychlorinated Biphenyls as a Surrogate Biomarker of Cytochrome P4501A2 Activity—A Pharmaco-Metabonomic Study in Humans. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1013-1015.	2.5	1
152	Statistical inferences for data from studies conducted with an aggregated multivariate outcomeâ€dependent sample design. Statistics in Medicine, 2017, 36, 985-997.	1.6	1
153	Prenatal Exposure to Persistent Organochlorines and Childhood Obesity in the U.S. Collaborative Perinatal Project., 2015,, 89-109.		1