Matthew P Longnecker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/513627/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The concentration of several perfluoroalkyl acids in serum appears to be reduced by dietary fiber. Environment International, 2021, 146, 106292.	10.0	28
2	Using quantitative modeling tools to assess pharmacokinetic bias in epidemiological studies showing associations between biomarkers and health outcomes at low exposures. Environmental Research, 2021, 197, 111183.	7.5	9
3	Why is elevation of serum cholesterol associated with exposure to perfluoroalkyl substances (PFAS) in humans? A workshop report on potential mechanisms. Toxicology, 2021, 459, 152845.	4.2	40
4	Quantitative bias analysis of the association between subclinical thyroid disease and two perfluoroalkyl substances in a single study. Environmental Research, 2020, 182, 109017.	7.5	9
5	Pharmacokinetic bias analysis of an association between clinical thyroid disease and two perfluoroalkyl substances. Environment International, 2020, 141, 105784.	10.0	6
6	Neonatal thyroidâ€stimulating hormone and association with attentionâ€deficit/hyperactivity disorder. Paediatric and Perinatal Epidemiology, 2020, 34, 590-596.	1.7	14
7	Birth weight and perfluorooctane sulfonic acid: a random-effects meta-regression analysis. Environmental Epidemiology, 2020, 4, e095.	3.0	22
8	Organophosphate pesticide metabolite concentrations in urine during pregnancy and offspring attention-deficit hyperactivity disorder and autistic traits. Environment International, 2019, 131, 105002.	10.0	36
9	A model of functional thyroid disease status over the lifetime. PLoS ONE, 2019, 14, e0219769.	2.5	6
10	Organophosphate Pesticide Metabolite Concentrations in Urine during Pregnancy and Offspring Nonverbal IQ at Age 6 Years. Environmental Health Perspectives, 2019, 127, 17007.	6.0	30
11	Maternal Thyroid Function During Pregnancy or Neonatal Thyroid Function and Attention Deficit Hyperactivity Disorder. Epidemiology, 2019, 30, 130-144.	2.7	46
12	Placental Weight and Risk of Cryptorchidism and Hypospadias in the Collaborative Perinatal Project. American Journal of Epidemiology, 2018, 187, 1354-1361.	3.4	15
13	Determinants of organophosphate pesticide exposure in pregnant women: A population-based cohort study in the Netherlands. International Journal of Hygiene and Environmental Health, 2018, 221, 489-501.	4.3	49
14	Oral contraceptive use as a determinant of plasma concentrations of perfluoroalkyl substances among women in the Norwegian Mother and Child Cohort (MoBa) study. Environment International, 2018, 112, 156-164.	10.0	17
15	Secondary outcome analysis for data from an outcomeâ€dependent sampling design. Statistics in Medicine, 2018, 37, 2321-2337.	1.6	4
16	Household fuel use and biomarkers of inflammation and respiratory illness among rural South African Women. Environmental Research, 2018, 166, 112-116.	7.5	17
17	Menstrual cycle characteristics as determinants of plasma concentrations of perfluoroalkyl substances (PFASs) in the Norwegian Mother and Child Cohort (MoBa study). Environmental Research, 2018, 166, 78-85.	7.5	21
18	Quantitative bias analysis of a reported association between perfluoroalkyl substances (PFAS) and endometriosis: The influence of oral contraceptive use. Environment International, 2017, 104, 118-121.	10.0	12

MATTHEW P LONGNECKER

#	Article	IF	CITATIONS
19	Effects of Sample Handling and Analytical Procedures on Thyroid Hormone Concentrations in Pregnant Women's Plasma. Epidemiology, 2017, 28, 365-369.	2.7	11
20	Statistical inferences for data from studies conducted with an aggregated multivariate outcomeâ€dependent sample design. Statistics in Medicine, 2017, 36, 985-997.	1.6	1
21	Quantitative bias analysis for epidemiological associations of perfluoroalkyl substance serum concentrations and early onset of menopause. Environment International, 2017, 99, 245-254.	10.0	33
22	In utero exposure to DDT and incidence of diarrhea among boys from tropical Mexico. Environmental Research, 2017, 159, 331-337.	7.5	2
23	Urinary Concentrations of Phthalate Metabolites and Bisphenol A and Associations with Follicular-Phase Length, Luteal-Phase Length, Fecundability, and Early Pregnancy Loss. Environmental Health Perspectives, 2016, 124, 321-328.	6.0	93
24	Response to "Comment on â€~Optimal Exposure Biomarkers for Nonpersistent Chemicals in Environmental Epidemiology'― Environmental Health Perspectives, 2016, 124, A66-7.	6.0	2
25	Pharmacokinetic bias analysis of the epidemiological associations between serum polybrominated diphenyl ether (BDE-47) and timing of menarche. Environmental Research, 2016, 150, 541-548.	7.5	15
26	Brief Report. Epidemiology, 2016, 27, 712-715.	2.7	12
27	A Simple Pharmacokinetic Model of Prenatal and Postnatal Exposure to Perfluoroalkyl Substances (PFASs). Environmental Science & Technology, 2016, 50, 978-986.	10.0	75
28	Recreational Exercise Before and During Pregnancy in Relation to Plasma C-Reactive Protein Concentrations in Pregnant Women. Journal of Physical Activity and Health, 2015, 12, 770-775.	2.0	15
29	Anti-Müllerian Hormone and Lifestyle, Reproductive, and Environmental Factors Among Women in Rural South Africa. Epidemiology, 2015, 26, 429-435.	2.7	43
30	Measurement of Total and Free Urinary Phenol and Paraben Concentrations over the Course of Pregnancy: Assessing Reliability and Contamination of Specimens in the Norwegian Mother and Child Cohort Study. Environmental Health Perspectives, 2015, 123, 705-711.	6.0	62
31	Optimal Exposure Biomarkers for Nonpersistent Chemicals in Environmental Epidemiology. Environmental Health Perspectives, 2015, 123, A166-8.	6.0	137
32	Associations of Perfluoroalkyl Substances (PFAS) with Lower Birth Weight: An Evaluation of Potential Confounding by Glomerular Filtration Rate Using a Physiologically Based Pharmacokinetic Model (PBPK). Environmental Health Perspectives, 2015, 123, 1317-1324.	6.0	164
33	Can the observed association between serum perfluoroalkyl substances and delayed menarche be explained on the basis of puberty-related changes in physiology and pharmacokinetics?. Environment International, 2015, 82, 61-68.	10.0	39
34	Reliability of concentrations of organophosphate pesticide metabolites in serial urine specimens from pregnancy in the Generation R Study. Journal of Exposure Science and Environmental Epidemiology, 2015, 25, 286-294.	3.9	61
35	Comment on "Enhanced Elimination of Perfluorooctanesulfonic Acid by Menstruating Women: Evidence from Population-Based Pharmacokinetic Modeling― Environmental Science & Technology, 2015, 49, 5836-5837.	10.0	9
36	Reliability of perfluoroalkyl substances in plasma of 100 women in two consecutive pregnancies. Environmental Research, 2015, 140, 421-429.	7.5	27

#	Article	IF	CITATIONS
37	Prenatal Exposure to Persistent Organochlorines and Childhood Obesity in the U.S. Collaborative Perinatal Project. , 2015, , 89-109.		1
38	Prenatal PCB-153 Exposure and Decreased Birth Weight: Verner et al. Respond. Environmental Health Perspectives, 2014, 122, A89-90.	6.0	2
39	Reproducibility of urinary bisphenol A concentrations measured during pregnancy in the Generation R Study. Journal of Exposure Science and Environmental Epidemiology, 2014, 24, 532-536.	3.9	28
40	Improving the risk assessment of lipophilic persistent environmental chemicals in breast milk. Critical Reviews in Toxicology, 2014, 44, 600-617.	3.9	42
41	Association between Maternal Serum Perfluoroalkyl Substances during Pregnancy and Maternal and Cord Thyroid Hormones: Taiwan Maternal and Infant Cohort Study. Environmental Health Perspectives, 2014, 122, 529-534.	6.0	119
42	Predictors of Plasma DDT and DDE Concentrations among Women Exposed to Indoor Residual Spraying for Malaria Control in the South African Study of Women and Babies (SOWB). Environmental Health Perspectives, 2014, 122, 545-552.	6.0	19
43	Gestational Diabetes and the Risk of Cryptorchidism and Hypospadias. Epidemiology, 2014, 25, 152-153.	2.7	14
44	Estimating effect of environmental contaminants on women's subfecundity for the MoBa study data with an outcome-dependent sampling scheme. Biostatistics, 2014, 15, 636-650.	1.5	21
45	Preconception serum 1,1,1-trichloro-2,2,bis(p-chlorophenyl)ethane and B-vitamin status: independent and joint effects on women's reproductive outcomes. American Journal of Clinical Nutrition, 2014, 100, 1470-1478.	4.7	17
46	Perfluoroalkyl Substances During Pregnancy and Validated Preeclampsia Among Nulliparous Women in the Norwegian Mother and Child Cohort Study. American Journal of Epidemiology, 2014, 179, 824-833.	3.4	60
47	Perfluoroalkyl substances and lipid concentrations in plasma during pregnancy among women in the Norwegian Mother and Child Cohort Study. Environment International, 2014, 62, 104-112.	10.0	122
48	Pharmacologic sex hormones in pregnancy in relation to offspring obesity. Obesity, 2014, 22, 2406-2412.	3.0	36
49	Probiotic milk consumption in pregnancy and infancy and subsequent childhood allergic diseases. Journal of Allergy and Clinical Immunology, 2014, 133, 165-171.e8.	2.9	105
50	Reliability of triclosan measures in repeated urine samples from Norwegian pregnant women. Journal of Exposure Science and Environmental Epidemiology, 2014, 24, 517-521.	3.9	48
51	Persistent organochlorines and hypertensive disorders of pregnancy. Environmental Research, 2014, 132, 1-5.	7.5	21
52	Prenatal exposure to p,p′-DDE and p,p′-DDT in relation to lower respiratory tract infections in boys from a highly exposed area of Mexico. Environmental Research, 2014, 132, 19-23.	7.5	8
53	Maternal Clomerular Filtration Rate in Pregnancy and Fetal Size. PLoS ONE, 2014, 9, e101897.	2.5	44
54	Association between Perfluoroalkyl substances and thyroid stimulating hormone among pregnant women: a cross-sectional study. Environmental Health, 2013, 12, 76.	4.0	50

#	Article	IF	CITATIONS
55	Fetal Growth and Prenatal Exposure to Bisphenol A: The Generation R Study. Environmental Health Perspectives, 2013, 121, 393-398.	6.0	130
56	Misuse of blood serum to assess exposure to bisphenol A and phthalates. Breast Cancer Research, 2013, 15, 403.	5.0	108
57	Development of Pbpk Models for Pfoa and Pfos for Human Pregnancy and Lactation Life Stages. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2013, 76, 25-57.	2.3	116
58	Prenatal Exposure to Persistent Organochlorines and Childhood Obesity in the U.S. Collaborative Perinatal Project. Environmental Health Perspectives, 2013, 121, 1103-1109.	6.0	67
59	Is the Relationship between Prenatal Exposure to PCB-153 and Decreased Birth Weight Attributable to Pharmacokinetics?. Environmental Health Perspectives, 2013, 121, 1219-1224.	6.0	41
60	Lipid Adjustment for Chemical Exposures. Epidemiology, 2013, 24, 921-928.	2.7	16
61	Physical Activity During Pregnancy and Language Development in the Offspring. Paediatric and Perinatal Epidemiology, 2013, 27, 283-293.	1.7	34
62	Perfluorinated Compounds in Relation to Birth Weight in the Norwegian Mother and Child Cohort Study. American Journal of Epidemiology, 2012, 175, 1209-1216.	3.4	100
63	Maternal Pregnancy Levels of <i>trans</i> -Nonachlor and Oxychlordane and Prevalence of Cryptorchidism and Hypospadias in Boys. Environmental Health Perspectives, 2012, 120, 478-482.	6.0	33
64	Exposure to Tobacco Smoke <i>in Utero</i> and Subsequent Plasma Lipids, ApoB, and CRP among Adult Women in the MoBa Cohort. Environmental Health Perspectives, 2012, 120, 1532-1537.	6.0	25
65	Perfluorinated Compounds and Subfecundity in Pregnant Women. Epidemiology, 2012, 23, 257-263.	2.7	116
66	In-Utero Exposure to Dichlorodiphenyltrichloroethane and Cognitive Development Among Infants and School-aged Children. Epidemiology, 2012, 23, 689-698.	2.7	29
67	Evaluation of the Association between Arsenic and Diabetes: A National Toxicology Program Workshop Review. Environmental Health Perspectives, 2012, 120, 1658-1670.	6.0	299
68	<i>In Utero</i> Exposure to Maternal Tobacco Smoke and Subsequent Obesity, Hypertension, and Gestational Diabetes Among Women in The MoBa Cohort. Environmental Health Perspectives, 2012, 120, 355-360.	6.0	76
69	Reproducibility of Reported In Utero Exposure to Tobacco Smoke. Annals of Epidemiology, 2011, 21, 48-52.	1.9	6
70	Associations between brominated flame retardants in human milk and thyroid-stimulating hormone (TSH) in neonates. Environmental Research, 2011, 111, 737-743.	7.5	69
71	A partially linear regression model for data from an outcome-dependent sampling design. Journal of the Royal Statistical Society Series C: Applied Statistics, 2011, 60, 559-574.	1.0	7
72	A Partial Linear Model in the Outcome-Dependent Sampling Setting to Evaluate the Effect of Prenatal PCB Exposure on Cognitive Function in Children. Biometrics, 2011, 67, 876-885.	1.4	11

#	Article	IF	CITATIONS
73	Placental characteristics as a proxy measure of serum hormone and protein levels during pregnancy with a male fetus. Cancer Causes and Control, 2011, 22, 689-695.	1.8	5
74	Within-person variability in urinary phthalate metabolite concentrations: measurements from specimens after long-term frozen storage. Journal of Exposure Science and Environmental Epidemiology, 2010, 20, 169-175.	3.9	54
75	In utero exposure to tobacco smoke and subsequent reduced fertility in females. Human Reproduction, 2010, 25, 2901-2906.	0.9	58
76	Prenatal exposure to the major DDT metabolite 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) and growth in boys from Mexico. Environmental Research, 2010, 110, 595-603.	7.5	50
77	Human Data on Bisphenol A and Neurodevelopment. Environmental Health Perspectives, 2009, 117, A531-2.	6.0	6
78	Maternal Pregnancy Levels of Polychlorinated Biphenyls and Risk of Hypospadias and Cryptorchidism in Male Offspring. Environmental Health Perspectives, 2009, 117, 1472-1476.	6.0	69
79	Nephrotoxicity, neurotoxicity, and mercury exposure among children with and without dental amalgam fillings. International Journal of Hygiene and Environmental Health, 2009, 212, 378-386.	4.3	42
80	Levels of metabolites of organophosphate pesticides, phthalates, and bisphenol A in pooled urine specimens from pregnant women participating in the Norwegian Mother and Child Cohort Study (MoBa). International Journal of Hygiene and Environmental Health, 2009, 212, 481-491.	4.3	151
81	Reliability of reported breastfeeding duration among reproductiveâ€aged women from Mexico. Maternal and Child Nutrition, 2009, 5, 125-137.	3.0	29
82	Levels of hexachlorobenzene (HCB) in breast milk in relation to birth weight in a Norwegian cohort. Environmental Research, 2009, 109, 559-566.	7.5	72
83	Within-person variability in urinary bisphenol A concentrations: Measurements from specimens after long-term frozen storage. Environmental Research, 2009, 109, 734-737.	7.5	77
84	On Confounded Fishy Results Regarding Arsenic and Diabetes. Epidemiology, 2009, 20, 821-823.	2.7	20
85	Maternal smoking, demographic and lifestyle factors in relation to daughter's age at menarche. Paediatric and Perinatal Epidemiology, 2008, 22, 551-561.	1.7	54
86	An interlaboratory study of perfluorinated alkyl compound levels in human plasma. Environmental Research, 2008, 107, 152-159.	7.5	39
87	Urinary metabolite concentrations of organophosphorous pesticides, bisphenol A, and phthalates among pregnant women in Rotterdam, the Netherlands: The Generation R study. Environmental Research, 2008, 108, 260-267.	7.5	273
88	The Ratio of Specific Polychlorinated Biphenyls as a Surrogate Biomarker of Cytochrome P4501A2 Activity—A Pharmaco-Metabonomic Study in Humans. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1013-1015.	2.5	1
89	DDE, a Degradation Product of DDT, and Duration of Lactation in a Highly Exposed Area of Mexico. Environmental Health Perspectives, 2008, 116, 179-183.	6.0	31
90	In Utero Exposure to the Antiandrogen 1,1-Dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) in Relation to Anogenital Distance in Male Newborns from Chiapas, Mexico. American Journal of Epidemiology, 2007, 165, 1015-1022.	3.4	89

#	Article	IF	CITATIONS
91	Outcome-Dependent Sampling. Epidemiology, 2007, 18, 461-468.	2.7	39
92	Maternal Hormone Levels and Perinatal Characteristics: Implications for Testicular Cancer. Annals of Epidemiology, 2007, 17, 85-92.	1.9	11
93	Maternal pregnancy serum level of heptachlor epoxide, hexachlorobenzene, and β-hexachlorocyclohexane and risk of cryptorchidism in offspring. Environmental Research, 2007, 105, 364-369.	7.5	47
94	Prevalence of Elevated Alanine Aminotransferase Among US Adolescents and Associated Factors: NHANES 1999–2004. Gastroenterology, 2007, 133, 1814-1820.	1.3	299
95	Reliability and determinants of anogenital distance and penis dimensions in male newborns from Chiapas, Mexico. Paediatric and Perinatal Epidemiology, 2007, 21, 219-228.	1.7	51
96	Maternal dental history, child's birth outcome and early cognitive development. Paediatric and Perinatal Epidemiology, 2007, 21, 448-457.	1.7	37
97	Serum organochlorines and breast cancer: a case–control study among African-American women. Cancer Causes and Control, 2007, 18, 29-39.	1.8	56
98	Pharmacokinetic Variability and the Miracle of Modern Analytical Chemistry. Epidemiology, 2006, 17, 350-351.	2.7	31
99	Prenatal exposure to 1,1-dichloro-2,2-bis (p-chlorophenyl)ethylene (p,p′-DDE) in relation to child growth. International Journal of Epidemiology, 2006, 35, 853-858.	1.9	42
100	Risk factors for cryptorchism among populations at differing risks of testicular cancer. International Journal of Epidemiology, 2006, 35, 787-795.	1.9	45
101	Maternal smoking during pregnancy in relation to child overweight: follow-up to age 8 years. International Journal of Epidemiology, 2006, 35, 121-130.	1.9	126
102	Polychlorinated Biphenyls and Menstrual Cycle Characteristics. Epidemiology, 2005, 16, 191-200.	2.7	71
103	Maternal Levels of Polychlorinated Biphenyls in Relation to Preterm and Small-for-Gestational-Age Birth. Epidemiology, 2005, 16, 641-647.	2.7	93
104	Human Health Effects of Polychlorinated Biphenyls. , 2005, , 679-728.		5
105	Invited Commentary: Why DDT Matters Now. American Journal of Epidemiology, 2005, 162, 726-728.	3.4	60
106	In Utero Exposure to Background Levels of Polychlorinated Biphenyls and Cognitive Functioning among School-age Children. American Journal of Epidemiology, 2005, 162, 17-26.	3.4	77
107	Maternal Serum Levels of Polychlorinated Biphenyls and 1,1-Dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) and Time to Pregnancy. American Journal of Epidemiology, 2005, 162, 523-532.	3.4	69
108	Maternal serum level of the DDT metabolite DDE in relation to fetal loss in previous pregnancies. Environmental Research, 2005, 97, 127-133.	7.5	98

#	Article	IF	CITATIONS
109	Maternal Hormone Levels and Risk of Cryptorchism among Populations at High and Low Risk of Testicular Germ Cell Tumors. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1732-1737.	2.5	36
110	Blood mercury level and blood pressure among US women: results from the National Health and Nutrition Examination Survey 1999–2000. Environmental Research, 2005, 97, 195-200.	7.5	122
111	Prenatal DDT Exposure in Relation to Anthropometric and Pubertal Measures in Adolescent Males. Environmental Health Perspectives, 2004, 112, 1761-1767.	6.0	70
112	Associations between Plasma DDE Levels and Immunologic Measures in African-American Farmers in North Carolina. Environmental Health Perspectives, 2004, 112, 1080-1084.	6.0	65
113	Fish Intake During Pregnancy and Early Cognitive Development of Offspring. Epidemiology, 2004, 15, 394-402.	2.7	312
114	In utero exposure to polychlorinated biphenyls and sensorineural hearing loss in 8-year-old children. Neurotoxicology and Teratology, 2004, 26, 629-637.	2.4	34
115	Ovarian cancer risk and use of phenolphthalein-containing laxatives. Pharmacoepidemiology and Drug Safety, 2004, 13, 35-39.	1.9	15
116	Anogenital distance in human male and female newborns: a descriptive, cross-sectional study. Environmental Health, 2004, 3, 8.	4.0	181
117	Postmenopausal hormone therapy and risk of breast cancer by histologic type (United States). Cancer Causes and Control, 2003, 14, 225-233.	1.8	74
118	Oral contraceptive use and risk of breast cancer by histologic type. International Journal of Cancer, 2003, 106, 961-964.	5.1	51
119	An Unexpected Distribution of Sodium Concentration in Serum Specimens Stored for More Than 30 Years. Annals of Epidemiology, 2003, 13, 178-181.	1.9	7
120	Prenatal Exposure to Low-Level Polychlorinated Biphenyls in Relation to Mental and Motor Development at 8 Months. American Journal of Epidemiology, 2003, 157, 485-492.	3.4	71
121	Comparison of polychlorinated biphenyl levels across studies of human neurodevelopment Environmental Health Perspectives, 2003, 111, 65-70.	6.0	242
122	An approach to assessment of endocrine disruption in the National Children's Study Environmental Health Perspectives, 2003, 111, 1691-1697.	6.0	16
123	Maternal Serum Level of 1,1-Dichloro-2,2-bis(p-chlorophenyl)ethylene and Risk of Cryptorchidism, Hypospadias, and Polythelia among Male Offspring. American Journal of Epidemiology, 2002, 155, 313-322.	3.4	167
124	DDT Metabolite and Androgens in African-American Farmers. Epidemiology, 2002, 13, 454-458.	2.7	57
125	Association between maternal serum concentration of the DDT metabolite DDE and preterm and small-for-gestational-age babies at birth. Lancet, The, 2001, 358, 110-114.	13.7	395
126	RELATION OF SERUM TETRACHLORODIBENZO-p-DIOXIN CONCENTRATION TO DIET AMONG VETERANS IN THE AIR FORCE HEALTH STUDY WITH BACKGROUND-LEVEL EXPOSURE. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2001, 63, 159-172.	2.3	20

#	Article	IF	CITATIONS
127	Relation of Serum 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) Level to Hematological Examination Results in Veterans of Operation Ranch Hand. Archives of Environmental Health, 2001, 56, 396-405.	0.4	11
128	Persistent Organic Pollutants in Children: Commentary on the article by Karmaus et al. on page 331. Pediatric Research, 2001, 50, 322-323.	2.3	22
129	Eating Frequency and Risk of Colorectal Cancer. Nutrition and Cancer, 2000, 36, 170-176.	2.0	8
130	Correlations among Human Plasma Levels of Dioxin-Like Compounds and Polychlorinated Biphenyls (PCBs) and Implications for Epidemiologic Studies. Archives of Environmental Health, 2000, 55, 195-200.	0.4	48
131	Serum Dioxin Level in Relation to Diabetes Mellitus among Air Force Veterans with Background Levels of Exposure. Epidemiology, 2000, 11, 44-48.	2.7	143
132	Polychlorinated Biphenyl (PCB) Exposure in Relation to Thyroid Hormone Levels in Neonates. Epidemiology, 2000, 11, 249-254.	2.7	95
133	Serial Levels of Serum Organochlorines During Pregnancy and Postpartum. Archives of Environmental Health, 1999, 54, 110-114.	0.4	111
134	Calculation of population attributable risk for alcohol and breast cancer (United States). Cancer Causes and Control, 1999, 10, 119-123.	1.8	40
135	Correlations among polychlorinated biphenyls, dioxins, and furans in humans. , 1999, 35, 15-20.		59
136	Determinants of <i>p,p</i> '-Dichlorodiphenyldichloroethane (DDE) Concentration in Adipose Tissue in Women from Five European Cities. Archives of Environmental Health, 1999, 54, 277-283.	0.4	25
137	Frequency of eating and risk of colorectal cancer in women. Nutrition and Cancer, 1997, 27, 22-25.	2.0	14
138	Eating Frequency in the Nationwide Food Consumption Survey (U.S.A.), 1987–1988. Appetite, 1997, 29, 55-59.	3.7	24
139	THE HUMAN HEALTH EFFECTS OF DDT (DICHLORODIPHENYLTRICHLOROETHANE) AND PCBS (POLYCHLORINATED BIPHENYLS) AND AN OVERVIEW OF ORGANOCHLORINES IN PUBLIC HEALTH. Annual Review of Public Health, 1997, 18, 211-244.	17.4	406
140	A sigmoidoscopy-based case–control study of polyps: macronutrients, fiber and meat consumption. , 1997, 73, 497-502.		33
141	Correlations among human blood levels of specific PCB congeners and implications for epidemiologic studies. American Journal of Industrial Medicine, 1997, 32, 606-613.	2.1	51
142	Variation in female breast cancer risk by occupation. , 1996, 30, 430-437.		43
143	Recent oral contraceptive use and risk of breast cancer (United States). Cancer Causes and Control, 1996, 7, 525-532.	1.8	35
144	Long-term Hormone Replacement Therapy and Risk of Breast Cancer in Postmenopausal Women. American Journal of Epidemiology, 1995, 142, 788-795.	3.4	143

MATTHEW P LONGNECKER

#	Article	IF	CITATIONS
145	Multiple births and risk of breast cancer. International Journal of Cancer, 1995, 62, 162-164.	5.1	23
146	Strenuous physical activity in young adulthood and risk of breast cancer (United States). Cancer Causes and Control, 1995, 6, 347-353.	1.8	99
147	Alcoholic beverage consumption in relation to risk of breast cancer: meta-analysis and review. Cancer Causes and Control, 1994, 5, 73-82.	1.8	369
148	Lactation and a Reduced Risk of Premenopausal Breast Cancer. New England Journal of Medicine, 1994, 330, 81-87.	27.0	446
149	The Reproducibility and Validity of a Self-Administered Semiquantitative Food Frequency Questionnaire in Subjects from South Dakota and Wyoming. Epidemiology, 1993, 4, 356-365.	2.7	92
150	Re: Blood Levels of Organochlorine Residues and Risk of Breast Cancer. Journal of the National Cancer Institute, 1993, 85, 1696-1696.	6.3	6
151	Eating frequency—a neglected risk factor for colon cancer?. Cancer Causes and Control, 1992, 3, 77-81.	1.8	29
152	Protease inhibitor content of human dietary samples. Nutrition and Cancer, 1990, 14, 85-93.	2.0	6
153	Associations between smoking status and stage of colorectal cancer at diagnosis in massachusetts between 1982 and 1987. Cancer, 1989, 64, 1372-1374.	4.1	18