

Dimitri Pappas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5136378/publications.pdf>

Version: 2024-02-01

87
papers

1,817
citations

304743

22
h-index

315739

38
g-index

96
all docs

96
docs citations

96
times ranked

2300
citing authors

#	ARTICLE	IF	CITATIONS
1	Microfluidic Chips for. <i>Methods in Molecular Biology</i> , 2021, 2321, 207-219.	0.9	0
2	Microfluidics for sepsis early diagnosis and prognosis: a review of recent methods. <i>Analyst, The</i> , 2021, 146, 2110-2125.	3.5	7
3	A comparison of transferrin-receptor and epithelial cellular adhesion molecule targeting for microfluidic separation of cancer cells. <i>Biomedical Microdevices</i> , 2021, 23, 28.	2.8	3
4	A Review of Fluorescent Carbon Dots, Their Synthesis, Physical and Chemical Characteristics, and Applications. <i>Nanomaterials</i> , 2021, 11, 1448.	4.1	73
5	Protein-, polymer-, and silica-based luminescent nanomaterial probes for super resolution microscopy: a review. <i>Nanoscale Advances</i> , 2021, 3, 1853-1864.	4.6	2
6	Evaluating the Timeliness and Specificity of CD69, CD64, and CD25 as Biomarkers of Sepsis in Mice. <i>Shock</i> , 2021, 55, 507-518.	2.1	12
7	Nanoparticle modification of microfluidic cell separation for cancer cell detection and isolation. <i>Analyst, The</i> , 2020, 145, 257-267.	3.5	15
8	Tandem microfluidic chip isolation of prostate and breast cancer cells from simulated liquid biopsies using CD71 as an affinity ligand. <i>RSC Advances</i> , 2020, 10, 32628-32637.	3.6	5
9	Ten Years after the Texas Tech Accident. Part II: Changing Safety Cultures and the Current State of Academic Laboratory Safety at Texas Tech University. <i>Journal of Chemical Health and Safety</i> , 2020, 27, 150-159.	2.1	5
10	Core size does not affect blinking behavior of dye-doped Ag@SiO ₂ core-shell nanoparticles for super-resolution microscopy. <i>RSC Advances</i> , 2020, 10, 8735-8743.	3.6	3
11	Self-assembly of reversed bilayer vesicles through pnictogen bonding: water-stable supramolecular nanocontainers for organic solvents. <i>Chemical Science</i> , 2020, 11, 4374-4380.	7.4	12
12	Modulation and study of photoblinking behavior in dye doped silver-silica core-shell nanoparticles for localization super-resolution microscopy. <i>Nanotechnology</i> , 2019, 30, 455704.	2.6	4
13	Isolation of proliferating cells from whole blood using Human Transferrin Receptor in a two-stage separation system. <i>Talanta</i> , 2019, 204, 731-738.	5.5	5
14	The effect of protein expression on cancer cell capture using the Human Transferrin Receptor (CD71) as an affinity ligand. <i>Analytica Chimica Acta</i> , 2019, 1076, 154-161.	5.4	15
15	Detection of culture-negative sepsis in clinical blood samples using a microfluidic assay for combined CD64 and CD69 cell capture. <i>Analytica Chimica Acta</i> , 2019, 1062, 110-117.	5.4	14
16	Affinity separation and subsequent terminal differentiation of acute myeloid leukemia cells using the human transferrin receptor (CD71) as a capture target. <i>Analyst, The</i> , 2019, 144, 3369-3380.	3.5	13
17	Combined CD25, CD64, and CD69 biomarker panel for flow cytometry diagnosis of sepsis. <i>Talanta</i> , 2019, 191, 216-221.	5.5	22
18	A fluorescence toolbox: A review of investigation of electrophoretic separations, process, and interfaces. <i>Electrophoresis</i> , 2019, 40, 606-615.	2.4	6

#	ARTICLE	IF	CITATIONS
19	Fundamentals of affinity cell separations. <i>Electrophoresis</i> , 2018, 39, 732-741.	2.4	17
20	Detection of sepsis in patient blood samples using CD64 expression in a microfluidic cell separation device. <i>Analyst, The</i> , 2018, 143, 241-249.	3.5	31
21	Multiparameter Affinity Microchip for Early Sepsis Diagnosis Based on CD64 and CD69 Expression and Cell Capture. <i>Analytical Chemistry</i> , 2018, 90, 7204-7211.	6.5	22
22	Enhanced capture and release of circulating tumor cells using hollow glass microspheres with a nanostructured surface. <i>Nanoscale</i> , 2018, 10, 16795-16804.	5.6	21
23	Synthesis and Antineoplastic Evaluation of Mitochondrial Complex II (Succinate Dehydrogenase) Inhibitors Derived from Atpenin A5. <i>ChemMedChem</i> , 2017, 12, 1033-1044.	3.2	41
24	Microfluidic Separation of Lymphoblasts for the Isolation of Acute Lymphoblastic Leukemia Using the Human Transferrin Receptor as a Capture Target. <i>Analytical Chemistry</i> , 2017, 89, 7340-7347.	6.5	29
25	Observation of reversible, rapid changes in drug susceptibility of hypoxic tumor cells in a microfluidic device. <i>Analytica Chimica Acta</i> , 2016, 936, 179-184.	5.4	15
26	Microfluidic cell surface antigen expression analysis using a single antibody type. <i>Analyst, The</i> , 2016, 141, 1440-1447.	3.5	12
27	A review of chemical gradient systems for cell analysis. <i>Analytica Chimica Acta</i> , 2016, 907, 7-17.	5.4	92
28	Microfluidics and cancer analysis: cell separation, cell/tissue culture, cell mechanics, and integrated analysis systems. <i>Analyst, The</i> , 2016, 141, 525-535.	3.5	27
29	Synthesis of a Red Fluorescent Dye-Conjugated Ag@SiO ₂ Nanocomposite for Cell Immunofluorescence. <i>Applied Spectroscopy</i> , 2015, 69, 215-221.	2.2	7
30	A complementary method to CD4 counting: measurement of CD4+/CD8+ T lymphocyte ratio in a tandem affinity microfluidic system. <i>Biomedical Microdevices</i> , 2015, 17, 113.	2.8	13
31	On-chip gradient generation in 256 microfluidic cell cultures: simulation and experimental validation. <i>Analyst, The</i> , 2015, 140, 5029-5038.	3.5	18
32	Cell Affinity Separations on Microfluidic Devices. <i>Methods in Molecular Biology</i> , 2015, 1286, 55-65.	0.9	2
33	Detection of Apoptosis Using Fluorescent Probes. <i>Methods in Molecular Biology</i> , 2015, 1292, 151-161.	0.9	3
34	Microfluidic antibody arrays for simultaneous cell separation and stimulus. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 7867-7873.	3.7	7
35	Probing hypoxia-induced staurosporine resistance in prostate cancer cells with a microfluidic culture system. <i>Analyst, The</i> , 2014, 139, 3274-3280.	3.5	26
36	Facile functionalization of Ag@SiO ₂ core-shell metal enhanced fluorescence nanoparticles for cell labeling. <i>Analytical Methods</i> , 2014, 6, 1598.	2.7	10

#	ARTICLE	IF	CITATIONS
37	A microfluidic localized, multiple cell culture array using vacuum actuated cell seeding: integrated anticancer drug testing. <i>Biomedical Microdevices</i> , 2013, 15, 907-915.	2.8	32
38	High temporal resolution fluorescence measurements of a mitochondrial dye for detection of early stage apoptosis. <i>Analyst, The</i> , 2013, 138, 4892.	3.5	8
39	Generation of a chemical gradient across an array of 256 cell cultures in a single chip. <i>Analyst, The</i> , 2013, 138, 5566.	3.5	14
40	Recent advances in microfluidic cell separations. <i>Analyst, The</i> , 2013, 138, 4714.	3.5	63
41	Spatially selective reagent delivery into cancer cells using a two-layer microfluidic culture system. <i>Analytica Chimica Acta</i> , 2012, 743, 125-130.	5.4	17
42	Multiparameter Cell Affinity Chromatography: Separation and Analysis in a Single Microfluidic Channel. <i>Analytical Chemistry</i> , 2012, 84, 8140-8148.	6.5	29
43	Single molecule fluorescence correlation spectroscopy of single apoptotic cells using a red-fluorescent caspase probe. <i>Analyst, The</i> , 2012, 137, 2997.	3.5	11
44	Comparison of Inlet Geometry in Microfluidic Cell Affinity Chromatography. <i>Analytical Chemistry</i> , 2011, 83, 774-781.	6.5	28
45	Negative Enrichment of Target Cells by Microfluidic Affinity Chromatography. <i>Analytical Chemistry</i> , 2011, 83, 7863-7869.	6.5	28
46	Fluorescence Correlation Spectroscopy: A Review of Biochemical and Microfluidic Applications. <i>Applied Spectroscopy</i> , 2011, 65, 115-124.	2.2	72
47	Energy Transfer and Light Tolerance Studies in a Fluorescent Tandem Phycobiliprotein Conjugate. <i>Applied Spectroscopy</i> , 2011, 65, 991-995.	2.2	5
48	Ischemia/reperfusion injury of primary porcine cardiomyocytes in a low-shear microfluidic culture and analysis device. <i>Analyst, The</i> , 2011, 136, 3519.	3.5	66
49	Early detection of apoptosis in living cells by fluorescence correlation spectroscopy. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 1177-1185.	3.7	24
50	Temporal dynamics of receptor-induced apoptosis in an affinity microdevice. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 3387-3396.	3.7	11
51	The effects of flow type on aptamer capture in differential mobility cytometry cell separations. <i>Analytica Chimica Acta</i> , 2010, 673, 95-100.	5.4	13
52	Investigation of Saturation and Photobleaching of Allophycocyanin by Single-Molecule Recrossing Events. <i>Applied Spectroscopy</i> , 2010, 64, 324-327.	2.2	4
53	Detection of apoptosis: A review of conventional and novel techniques. <i>Analytical Methods</i> , 2010, 2, 996.	2.7	104
54	Simultaneous cell capture and induction of apoptosis using an anti-CD95 affinity microdevice. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 787-795.	3.7	18

#	ARTICLE	IF	CITATIONS
55	Rapid data analysis method for differential mobility cytometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 2411-2413.	3.7	2
56	Mapping vortex-like hydrodynamic flow in microfluidic networks using fluorescence correlation spectroscopy. <i>Analytica Chimica Acta</i> , 2009, 651, 85-90.	5.4	21
57	Differential Mobility Cytometry. <i>Analytical Chemistry</i> , 2009, 81, 3334-3343.	6.5	11
58	Characterization of PDMS-modified glass from cast-and-peel fabrication. <i>Talanta</i> , 2009, 79, 333-338.	5.5	11
59	Light Tolerance of R-Phycoerythrin and a Tandem Conjugate Observed by Single Molecule Recrossing Events. <i>Applied Spectroscopy</i> , 2009, 63, 709-715.	2.2	7
60	Comparison of methods to classify and quantify free and bound states of complexes using single molecule fluorescence anisotropy. <i>Analyst, The</i> , 2009, 134, 1911.	3.5	2
61	Measuring complexation by single-molecule fluorescence anisotropy. <i>Analyst, The</i> , 2008, 133, 870.	3.5	10
62	Cell Culture Chip Using Low-Shear Mass Transport. <i>Langmuir</i> , 2008, 24, 5955-5960.	3.5	52
63	Open-Tubular Capillary Cell Affinity Chromatography: Single and Tandem Blood Cell Separation. <i>Analytical Chemistry</i> , 2008, 80, 2118-2124.	6.5	46
64	Exploring biomolecular interactions by single-molecule fluorescence. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 884-894.	11.4	17
65	Investigation of photobleaching and saturation of single molecules by fluorophore recrossing events. <i>Analytica Chimica Acta</i> , 2007, 598, 135-142.	5.4	14
66	Isolation and counting of multiple cell types using an affinity separation device. <i>Analytica Chimica Acta</i> , 2007, 601, 1-9.	5.4	28
67	Cellular separations: A review of new challenges in analytical chemistry. <i>Analytica Chimica Acta</i> , 2007, 601, 26-35.	5.4	93
68	Evaluation of the Paratrend Multi-Analyte Sensor for Potential Utilization in Long-Duration Automated Cell Culture Monitoring. <i>Biomedical Microdevices</i> , 2004, 6, 241-249.	2.8	14
69	Raman imaging for two-dimensional chemical analysis. <i>Applied Spectroscopy Reviews</i> , 2004, 35, 1-23.	6.7	15
70	Moving object detection using a cesium resonance fluorescence monochromator. <i>Optics Communications</i> , 2003, 219, 27-31.	2.1	5
71	Sub-Doppler Spectral Resolution and Improved Sensitivity in a Cesium Resonance Fluorescence Imaging Monochromator. <i>Applied Spectroscopy</i> , 2002, 56, 677-681.	2.2	9
72	Detection of Mie Scattering Using a Resonance Fluorescence Monochromator. <i>Applied Spectroscopy</i> , 2002, 56, 1237-1240.	2.2	4

#	ARTICLE	IF	CITATIONS
73	Tunable resonance fluorescence monochromator with sub-Doppler spectral resolution. Optics Letters, 2001, 26, 1946.	3.3	13
74	Diffusion of resonance radiation in atomic vapor imaging. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2001, 56, 1761-1767.	2.9	7
75	A cesium resonance fluorescence imaging monochromator. Optics Communications, 2001, 191, 263-269.	2.1	15
76	Fluorescence monitoring of laser induced population changes of 6P and 6D levels in cesium vapor. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2000, 55, 1503-1509.	2.9	3
77	Sealed-cell mercury resonance ionization imaging detector. Applied Optics, 2000, 39, 4911.	2.1	12
78	Formation of a Cesium Plasma by Continuous-Wave Resonance Excitation. Applied Spectroscopy, 2000, 54, 1245-1249.	2.2	5
79	Raman spectroscopy in bioanalysis. Talanta, 2000, 51, 131-144.	5.5	98
80	Novel uses of lasers in atomic spectroscopy. Journal of Analytical Atomic Spectrometry, 2000, 15, 1161-1189.	3.0	83
81	Rubidium isotope measurements in solid samples by laser ablation-laser atomic absorption spectroscopy. Spectrochimica Acta, Part B: Atomic Spectroscopy, 1999, 54, 1771-1781.	2.9	39
82	Maintaining Cultures. , 0 , 65-88.		1
83	Separating Cells. , 0 , 125-163.		1
84	The Cell-Culture Laboratory (Tools of the Trade). , 0 , 35-63.		1
85	Flow Cytometry: Cell Analysis in the Fast Lane. , 0 , 165-193.		1
86	Analyzing Cells with Microfluidic Devices. , 0 , 195-228.		0
87	Statistical Considerations. , 0 , 229-246.		0