

Kerry Woolfall

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5136858/publications.pdf>

Version: 2024-02-01

47
papers

1,142
citations

516710

16
h-index

414414

32
g-index

47
all docs

47
docs citations

47
times ranked

1548
citing authors

#	ARTICLE	IF	CITATIONS
1	The information and support needs of patients living with inflammatory bowel disease: A qualitative study. <i>Chronic Illness</i> , 2022, 18, 356-369.	1.5	9
2	Community engagement in genomic research: Proposing a strategic model for effective participation of indigenous communities. <i>Developing World Bioethics</i> , 2022, 22, 189-202.	0.9	4
3	Timing of neonatal stoma closure: a survey of health professional perspectives and current practice. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2022, 107, 448-450.	2.8	3
4	Determining Optimal Outcome Measures in a Trial Investigating No Routine Gastric Residual Volume Measurement in Critically Ill Children. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021, 45, 79-86.	2.6	7
5	Seven-step framework to enhance practitioner explanations and parental understandings of research without prior consent in paediatric emergency and critical care trials. <i>Emergency Medicine Journal</i> , 2021, 38, 198-204.	1.0	3
6	Planning for success: overcoming challenges to recruitment and conduct of an open-label emergency department-led paediatric trial. <i>Emergency Medicine Journal</i> , 2021, 38, 191-197.	1.0	2
7	Can they stomach it? Parent and practitioner acceptability of a trial comparing gastric residual volume measurement versus no gastric residual volume in UK NNU and PICUs: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2021, 7, 49.	1.2	3
8	Establishing and augmenting views on the acceptability of a paediatric critical care randomised controlled trial (the FEVER trial): a mixed methods study. <i>BMJ Open</i> , 2021, 11, e041952.	1.9	8
9	Parental and professional perceptions of informed consent and participation in a time-critical neonatal trial: a mixed-methods study in India, Sri Lanka and Bangladesh. <i>BMJ Global Health</i> , 2021, 6, e005757.	4.7	4
10	Strategies to enhance recruitment and consent to intensive care studies: a qualitative study with researchers and patient-led public involvement contributors. <i>BMJ Open</i> , 2021, 11, e048193.	1.9	7
11	Parents' experiences of their child's assessment on an epilepsy surgery pathway: A qualitative study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 91, 456-461.	2.0	1
12	Optimal outcome measures for a trial of not routinely measuring gastric residual volume in neonatal care: a mixed methods consensus process. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2021, 106, 292-297.	2.8	1
13	Associations between parent-child relationship, and children's externalizing and internalizing symptoms, and lifestyle behaviors in China during the COVID-19 epidemic. <i>Scientific Reports</i> , 2021, 11, 23375.	3.3	13
14	Research without prior consent in paediatric emergency and critical care medicine. <i>Paediatrics and Child Health (United Kingdom)</i> , 2020, 30, 74-78.	0.4	2
15	Psychological impact of working in paediatric intensive care. A UK-wide prevalence study. <i>Archives of Disease in Childhood</i> , 2020, 105, 470-475.	1.9	45
16	Child and parent experiences of childhood epilepsy surgery and adjustment to life following surgery: A qualitative study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 83, 83-88.	2.0	10
17	The PLANES study: a protocol for a randomised controlled feasibility study of the placental growth factor (PlGF) blood test-informed care versus standard care alone for women with a small for gestational age fetus at or after 32 + 0 weeks gestation. <i>Pilot and Feasibility Studies</i> , 2020, 6, 179.	1.2	4
18	Gastric residual volume measurement in British neonatal intensive care units: a survey of practice. <i>BMJ Paediatrics Open</i> , 2020, 4, e000601.	1.4	9

#	ARTICLE	IF	CITATIONS
19	Loop-mediated isothermal amplification for the early diagnosis of invasive meningococcal disease in children. <i>Archives of Disease in Childhood</i> , 2020, 105, 1151-1156.	1.9	0
20	Routine gastric residual volume measurement to guide enteral feeding in mechanically ventilated infants and children: the GASTRIC feasibility study. <i>Health Technology Assessment</i> , 2020, 24, 1-120.	2.8	8
21	Levetiracetam as an alternative to phenytoin for second-line emergency treatment of children with convulsive status epilepticus: the EcLiPSE RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-96.	2.8	10
22	Restricted fluid bolus volume in early septic shock: results of the Fluids in Shock pilot trial. <i>Archives of Disease in Childhood</i> , 2019, 104, 426-431.	1.9	60
23	Levetiracetam versus phenytoin for second-line treatment of paediatric convulsive status epilepticus (EcLiPSE): a multicentre, open-label, randomised trial. <i>Lancet</i> , The, 2019, 393, 2125-2134.	13.7	160
24	Patient and public involvement (PPI) in UK surgical trials: a survey and focus groups with stakeholders to identify practices, views, and experiences. <i>Trials</i> , 2019, 20, 119.	1.6	22
25	Enhancing practitioners' confidence in recruitment and consent in the EcLiPSE trial: a mixed-method evaluation of site training – a Paediatric Emergency Research in the United Kingdom and Ireland (PERUKI) study. <i>Trials</i> , 2019, 20, 181.	1.6	7
26	Permissive versus restrictive temperature thresholds in critically ill children with fever and infection: a multicentre randomized clinical pilot trial. <i>Critical Care</i> , 2019, 23, 69.	5.8	18
27	Parents' prioritised outcomes for trials investigating treatments for paediatric severe infection: a qualitative synthesis. <i>Archives of Disease in Childhood</i> , 2019, 104, 1077-1082.	1.9	10
28	Parents' and clinicians' views on conducting paediatric diagnostic test accuracy studies without prior informed consent: qualitative insight from the Petechiae in Children study (PiC). <i>Archives of Disease in Childhood</i> , 2019, 104, 979-983.	1.9	7
29	Gastric Residual Volume Measurement in U.K. PICUs: A Survey of Practice*. <i>Pediatric Critical Care Medicine</i> , 2019, 20, 707-713.	0.5	15
30	Different temperature thresholds for antipyretic intervention in critically ill children with fever due to infection: the FEVER feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-148.	2.8	6
31	A qualitative feasibility study to inform a randomised controlled trial of fluid bolus therapy in septic shock. <i>Archives of Disease in Childhood</i> , 2018, 103, archdischild-2016-312515.	1.9	28
32	Consent and recruitment: the reporting of paediatric trials published in 2012. <i>BMJ Paediatrics Open</i> , 2018, 2, e000369.	1.4	8
33	Relative solidarity: Conceptualising communal participation in genomic research among potential research participants in a developing Sub-Saharan African setting. <i>PLoS ONE</i> , 2018, 13, e0195171.	2.5	13
34	Children's views on research without prior consent in emergency situations: a UK qualitative study. <i>BMJ Open</i> , 2018, 8, e022894.	1.9	15
35	Restricted fluid bolus versus current practice in children with septic shock: the FiSh feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-106.	2.8	8
36	Priorities for methodological research on patient and public involvement in clinical trials: A modified Delphi process. <i>Health Expectations</i> , 2017, 20, 1401-1410.	2.6	36

#	ARTICLE	IF	CITATIONS
37	Emergency treatment with levetiracetam or phenytoin in status epilepticus in children—the ECLIPSE study: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 283.	1.6	24
38	A patient and public involvement (PPI) toolkit for meaningful and flexible involvement in clinical trials—a work in progress. <i>Research Involvement and Engagement</i> , 2016, 2, 15.	2.9	140
39	Fifteen-minute consultation: an evidence-based approach to research without prior consent (deferred) Tj ETQq1 1 0.784314 rgBT /Ov and Practice Edition, 2016, 101, 49-53.	0.5	38
40	Deferred Consent for Randomized Controlled Trials in Emergency Care Settings. <i>Pediatrics</i> , 2015, 136, e1316-e1322.	2.1	44
41	How parents and practitioners experience research without prior consent (deferred consent) for emergency research involving children with life threatening conditions: a mixed method study. <i>BMJ Open</i> , 2015, 5, e008522.	1.9	84
42	Clinical Trial Decisions in Difficult Circumstances: Parental Consent Under Time Pressure. <i>Pediatrics</i> , 2015, 136, e983-e992.	2.1	32
43	Doing challenging research studies in a patient-centred way: a qualitative study to inform a randomised controlled trial in the paediatric emergency care setting. <i>BMJ Open</i> , 2014, 4, e005045.	1.9	57
44	How experience makes a difference: practitioners' views on the use of deferred consent in paediatric and neonatal emergency care trials. <i>BMC Medical Ethics</i> , 2013, 14, 45.	2.4	45
45	New European Union regulation of clinical trials is conflicting on deferred consent in emergency situations. <i>BMJ, The</i> , 2013, 346, f667-f667.	6.0	9
46	Parents' Agendas in Paediatric Clinical Trial Recruitment Are Different from Researchers' and Often Remain Unvoiced: A Qualitative Study. <i>PLoS ONE</i> , 2013, 8, e67352.	2.5	54
47	Standard 1: Consent and Recruitment. <i>Pediatrics</i> , 2012, 129, S118-S123.	2.1	49