

Shamshad Cockcroft

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5139242/publications.pdf>

Version: 2024-02-01

156
papers

8,493
citations

44069
48
h-index

48315
88
g-index

159
all docs

159
docs citations

159
times ranked

4604
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of guanine nucleotide binding protein in the activation of polyphosphoinositide phosphodiesterase. <i>Nature</i> , 1985, 314, 534-536.	27.8	985
2	Polyphosphoinositide phosphodiesterase: regulation by a novel guanine nucleotide binding protein, Gp. <i>Trends in Biochemical Sciences</i> , 1987, 12, 75-78.	7.5	359
3	Stimulated neutrophils from patients with autosomal recessive chronic granulomatous disease fail to phosphorylate a Mr-44,000 protein. <i>Nature</i> , 1985, 316, 547-549.	27.8	288
4	ATP induces nucleotide permeability in rat mast cells. <i>Nature</i> , 1979, 279, 541-542.	27.8	243
5	A new family of StART domain proteins at membrane contact sites has a role in ER-PM sterol transport. <i>ELife</i> , 2015, 4, .	6.0	227
6	An essential role for phosphatidylinositol transfer protein in phospholipase C-Mediated inositol lipid signaling. <i>Cell</i> , 1993, 74, 919-928.	28.9	224
7	Characterization of p150, an Adaptor Protein for the Human Phosphatidylinositol (PtdIns) 3-Kinase. <i>Journal of Biological Chemistry</i> , 1997, 272, 2477-2485.	3.4	199
8	Regulation of inositol lipid-specific phospholipase C β by changes in Ca ²⁺ ion concentrations. <i>Biochemical Journal</i> , 1997, 327, 545-552.	3.7	192
9	ARF and PITP restore GTP γ S-stimulated protein secretion from cytosol-depleted HL60 cells by promoting PIP ₂ synthesis. <i>Current Biology</i> , 1996, 6, 730-738.	3.9	171
10	Phosphatidylinositol transfer protein dictates the rate of inositol trisphosphate production by promoting the synthesis of PIP ₂ . <i>Current Biology</i> , 1995, 5, 775-783.	3.9	167
11	Type I Phosphatidylinositol 4-Phosphate 5-Kinase Directly Interacts with ADP-ribosylation Factor 1 and Is Responsible for Phosphatidylinositol 4,5-Bisphosphate Synthesis in the Golgi Compartment. <i>Journal of Biological Chemistry</i> , 2000, 275, 13962-13966.	3.4	159
12	Phospholipase D and membrane traffic. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999, 1439, 229-244.	2.4	158
13	Ca ²⁺ -dependent conversion of phosphatidylinositol to phosphatidate in neutrophils stimulated with fMet-Leu-Phe or ionophore A23187. <i>Lipids and Lipid Metabolism</i> , 1984, 795, 37-46.	2.6	149
14	ARF1 Mediates Paxillin Recruitment to Focal Adhesions and Potentiates Rho-stimulated Stress Fiber Formation in Intact and Permeabilized Swiss 3T3 Fibroblasts. <i>Journal of Cell Biology</i> , 1998, 143, 1981-1995.	5.2	146
15	Membrane targeting and activation of the Lowe syndrome protein OCRL1 by rab GTPases. <i>EMBO Journal</i> , 2006, 25, 3750-3761.	7.8	140
16	Yeast Sec14p Deficient in Phosphatidylinositol Transfer Activity Is Functional In Vivo. <i>Molecular Cell</i> , 1999, 4, 187-197.	9.7	131
17	The yeast and mammalian isoforms of phosphatidylinositol transfer protein can all restore phospholipase C-mediated inositol lipid signaling in cytosol-depleted RBL-2H3 and HL-60 cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 6589-6593.	7.1	115
18	The structure of rat ADP-ribosylation factor-1 (ARF-1) complexed to GDP determined from two different crystal forms. <i>Nature Structural and Molecular Biology</i> , 1995, 2, 797-806.	8.2	107

#	ARTICLE	IF	CITATIONS
19	Evidence for a role of phosphatidylinositol turnover in stimulusâ€“secretion coupling. Studies with rat peritoneal mast cells. <i>Biochemical Journal</i> , 1979, 178, 681-687.	3.7	105
20	Mechanism of ADP Ribosylation Factor-stimulated Phosphatidylinositol 4,5-Bisphosphate Synthesis in HL60 Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 5823-5831.	3.4	105
21	Continual Production of Phosphatidic Acid by Phospholipase D Is Essential for Antigen-stimulated Membrane Ruffling in Cultured Mast Cells. <i>Molecular Biology of the Cell</i> , 2002, 13, 3730-3746.	2.1	98
22	ATP stimulates secretion in human neutrophils and HL60 cells via a pertussis toxin-sensitive guanine nucleotide-binding protein coupled to phospholipase C. <i>FEBS Letters</i> , 1989, 245, 25-29.	2.8	96
23	ADP-ribosylation Factor and Rho Proteins Mediate fMLP-dependent Activation of Phospholipase D in Human Neutrophils. <i>Journal of Biological Chemistry</i> , 1998, 273, 13157-13164.	3.4	95
24	Receptor occupancy dose-response curve suggests that phosphatidyl-inositol breakdown may be intrinsic to the mechanism of the muscarinic cholinergic receptor. <i>FEBS Letters</i> , 1976, 69, 1-5.	2.8	91
25	Structure-Function Analysis of Phosphatidylinositol Transfer Protein Alpha Bound to Human Phosphatidylinositol. <i>Structure</i> , 2004, 12, 317-326.	3.3	90
26	Ionomycin stimulates mast cell histamine secretion by forming a lipid-soluble calcium complex. <i>Nature</i> , 1979, 282, 851-853.	27.8	86
27	Breakdown and synthesis of polyphosphoinositides in fMetLeuPhe-stimulated neutrophils. <i>FEBS Letters</i> , 1985, 181, 259-263.	2.8	85
28	Monomeric IgE Stimulates NFAT Translocation Into the Nucleus, a Rise in Cytosol Ca ²⁺ , Degranulation, and Membrane Ruffling in the Cultured Rat Basophilic Leukemia-2H3 Mast Cell Line. <i>Journal of Immunology</i> , 2004, 172, 4048-4058.	0.8	84
29	Phosphatidylinositol(4,5)bisphosphate: diverse functions at the plasma membrane. <i>Essays in Biochemistry</i> , 2020, 64, 513-531.	4.7	82
30	Phosphatidylinositol transfer proteins: a requirement in signal transduction and vesicle traffic. <i>BioEssays</i> , 1998, 20, 423-432.	2.5	81
31	Stimulation of phosphatidylinositol turnover in various tissues by cholinergic and adrenergic agonists, by histamine and by caerulein. <i>Biochemical Journal</i> , 1979, 182, 669-676.	3.7	79
32	Inositol Lipids as Spatial Regulators of Membrane Traffic. <i>Journal of Membrane Biology</i> , 2001, 180, 187-194.	2.1	75
33	Does phosphatidylinositol breakdown control the Ca ²⁺ -gating mechanism?. <i>Trends in Pharmacological Sciences</i> , 1981, 2, 340-342.	8.7	74
34	Biochemical and biological functions of class I phosphatidylinositol transfer proteins. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 677-691.	2.4	74
35	Subcellular localisation of inositol lipid kinases in rat liver. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1985, 845, 163-170.	4.1	73
36	Current thoughts on the phosphatidylinositol transfer protein family. <i>FEBS Letters</i> , 2002, 531, 74-80.	2.8	73

#	ARTICLE	IF	CITATIONS
37	Phosphatidylinositol Transfer Protein, Cytoplasmic 1 (PITPNC1) Binds and Transfers Phosphatidic Acid. <i>Journal of Biological Chemistry</i> , 2012, 287, 32263-32276.	3.4	72
38	Sticky fingers grab a lipid. <i>Nature</i> , 1998, 394, 426-427.	27.8	70
39	Endogenous phospholipase D2 localizes to the plasma membrane of RBL-2H3 mast cells and can be distinguished from ADP ribosylation factor-stimulated phospholipase D1 activity by its specific sensitivity to oleic acid. <i>Biochemical Journal</i> , 2003, 369, 319-329.	3.7	70
40	RDGB1, a PI-PA transfer protein regulates G-protein coupled PtdIns(4,5)P2 signalling during <i>Drosophila</i> phototransduction. <i>Journal of Cell Science</i> , 2015, 128, 3330-44.	2.0	69
41	Activation of exocytosis by cross-linking of the IgE receptor is dependent on ADP-ribosylation factor 1-regulated phospholipase D in RBL-2H3 mast cells: evidence that the mechanism of activation is via regulation of phosphatidylinositol 4,5-bisphosphate synthesis. <i>Biochemical Journal</i> , 2000, 346, 63-70.	3.7	67
42	Phospholipid transport protein function at organelle contact sites. <i>Current Opinion in Cell Biology</i> , 2018, 53, 52-60.	5.4	62
43	The latest phospholipase C, PLC β , is implicated in neuronal function. <i>Trends in Biochemical Sciences</i> , 2006, 31, 4-7.	7.5	59
44	CDP-Diacylglycerol Synthases (CDS): Gateway to Phosphatidylinositol and Cardiolipin Synthesis. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 63.	3.7	59
45	ADP ribosylation factor 1 mutants identify a phospholipase D effector region and reveal that phospholipase D participates in lysosomal secretion but is not sufficient for recruitment of coatamer I. <i>Biochemical Journal</i> , 1999, 341, 185-192.	3.7	58
46	f-MetLeuPhe-induced phosphatidylinositol turnover in rabbit neutrophils is dependent on extracellular calcium. <i>FEBS Letters</i> , 1980, 110, 115-118.	2.8	57
47	Co-operation of phosphatidylinositol transfer protein with phosphoinositide 3-kinase β in the formylmethionyl-leucylphenylalanine-dependent production of phosphatidylinositol 3,4,5-trisphosphate in human neutrophils. <i>Biochemical Journal</i> , 1997, 325, 299-301.	3.7	57
48	ARF-regulated phospholipase D: a potential role in membrane traffic. <i>Chemistry and Physics of Lipids</i> , 1996, 80, 59-80.	3.2	53
49	Mammalian phosphatidylinositol transfer proteins: emerging roles in signal transduction and vesicular traffic. <i>Chemistry and Physics of Lipids</i> , 1999, 98, 23-33.	3.2	51
50	Phosphatidic acid regulation of phosphatidylinositol 4-phosphate 5-kinases. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009, 1791, 905-912.	2.4	50
51	Phosphatidylinositol transfer proteins couple lipid transport to phosphoinositide synthesis. <i>Seminars in Cell and Developmental Biology</i> , 2001, 12, 183-191.	5.0	49
52	Regulation of PI3K signalling by the phosphatidylinositol transfer protein PITP β during axonal extension in hippocampal neurons. <i>Journal of Cell Science</i> , 2008, 121, 796-803.	2.0	49
53	Phosphatidylinositol- and phosphatidylcholine-transfer activity of PITP β is essential for COPI-mediated retrograde transport from the Golgi to the endoplasmic reticulum. <i>Journal of Cell Science</i> , 2010, 123, 1262-1273.	2.0	49
54	The PITP family of phosphatidylinositol transfer proteins. <i>Genome Biology</i> , 2001, 2, reviews3011.1.	9.6	48

#	ARTICLE	IF	CITATIONS
55	Phospholipase C families: Common themes and versatility in physiology and pathology. Progress in Lipid Research, 2020, 80, 101065.	11.6	48
56	The dual effector system for exocytosis in mast cells: Obligatory requirement for both Ca ²⁺ and GTP. Bioscience Reports, 1987, 7, 369-381.	2.4	47
57	Undifferentiated HL60 cells respond to extracellular ATP and UTP by stimulating phospholipase C activation and exocytosis. FEBS Letters, 1990, 262, 256-258.	2.8	47
58	Phosphatidylinositol synthesis at the endoplasmic reticulum. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2020, 1865, 158471.	2.4	47
59	Mammalian lipids: structure, synthesis and function. Essays in Biochemistry, 2021, 65, 813-845.	4.7	46
60	Phosphatidylinositol metabolism in mast cells and neutrophils. Cell Calcium, 1982, 3, 337-349.	2.4	41
61	Is phospholipase A2 activation regulated by G-proteins?. Biochemical Society Transactions, 1991, 19, 333-336.	3.4	40
62	Rat brain cytosol contains a factor which reconstitutes guanine-nucleotide-binding-protein-regulated phospholipase-D activation in HL60 cells previously permeabilized with streptolysin O. FEBS Journal, 1993, 215, 389-396.	0.2	40
63	Use of fluorescent Ca ²⁺ dyes with green fluorescent protein and its variants: problems and solutions. Biochemical Journal, 2001, 356, 345-352.	3.7	40
64	EGF Regulation of PITP Dynamics Is Blocked by Inhibitors of Phospholipase C and of the Ras-MAP Kinase Pathway. Current Biology, 2003, 13, 78-84.	3.9	40
65	Dynamics of Lipid Transfer by Phosphatidylinositol Transfer Proteins in Cells. Traffic, 2008, 9, 1743-1756.	2.7	39
66	Function of the phosphatidylinositol transfer protein gene family: is phosphatidylinositol transfer the mechanism of action?. Critical Reviews in Biochemistry and Molecular Biology, 2011, 46, 89-117.	5.2	38
67	Phosphatidylinositol transfer protein \hat{I}^2 displays minimal sphingomyelin transfer activity and is not required for biosynthesis and trafficking of sphingomyelin. Biochemical Journal, 2002, 366, 23-34.	3.7	37
68	Signalling role for ARF and phospholipase D in mast cell exocytosis stimulated by crosslinking of the high affinity Fc μ R1 receptor. Molecular Immunology, 2002, 38, 1277-1282.	2.2	35
69	A unique phosphatidylinositol 4-phosphate 5-kinase is activated by ADP-ribosylation factor in Plasmodium falciparum. International Journal for Parasitology, 2009, 39, 645-653.	3.1	35
70	Identification of a Plasmodium falciparum Phospholipid Transfer Protein. Journal of Biological Chemistry, 2013, 288, 31971-31983.	3.4	35
71	ARF1-regulated phospholipase D in human neutrophils is enhanced by PMA and MgATP. FEBS Letters, 1994, 352, 113-117.	2.8	33
72	The First 5 Amino Acids of the Carboxyl Terminus of Phosphatidylinositol Transfer Protein (PITP) \hat{I}^2 Play a Critical Role in Inositol Lipid Signaling. Journal of Biological Chemistry, 1997, 272, 14908-14913.	3.4	33

#	ARTICLE	IF	CITATIONS
73	Human ITPK1: A Reversible Inositol Phosphate Kinase/Phosphatase That Links Receptor-Dependent Phospholipase C to Ca ²⁺ -Activated Chloride Channels. <i>Science Signaling</i> , 2008, 1, pe5.	3.6	33
74	Resynthesis of phosphatidylinositol in permeabilized neutrophils following phospholipase C β activation: transport of the intermediate, phosphatidic acid, from the plasma membrane to the endoplasmic reticulum for phosphatidylinositol resynthesis is not dependent on soluble lipid carriers or vesicular transport. <i>Biochemical Journal</i> , 1999, 341, 435-444.	3.7	32
75	Identification of phospholipase B from Dictyostelium discoideum reveals a new lipase family present in mammals, flies and nematodes, but not yeast. <i>Biochemical Journal</i> , 2004, 382, 441-449.	3.7	32
76	Mitochondrial CDP-diacylglycerol synthase activity is due to the peripheral protein, TAMM41 and not due to the integral membrane protein, CDP-diacylglycerol synthase 1. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 284-298.	2.4	32
77	PA binding of phosphatidylinositol 4-phosphate 5-kinase. <i>Advances in Enzyme Regulation</i> , 2008, 48, 55-72.	2.6	31
78	The Diverse Functions of Phosphatidylinositol Transfer Proteins. <i>Current Topics in Microbiology and Immunology</i> , 2012, 362, 185-208.	1.1	31
79	Topological organisation of the phosphatidylinositol 4,5-bisphosphate \rightarrow phospholipase C resynthesis cycle: PITPs bridge the ER \leftrightarrow PM gap. <i>Biochemical Journal</i> , 2016, 473, 4289-4310.	3.7	29
80	Reversible bleb formation in mast cells stimulated with antigen is Ca ²⁺ /calmodulin-dependent and bleb size is regulated by ARF6. <i>Biochemical Journal</i> , 2010, 425, 179-193.	3.7	28
81	Activation of exocytosis by cross-linking of the IgE receptor is dependent on ADP-ribosylation factor 1-regulated phospholipase D in RBL-2H3 mast cells: evidence that the mechanism of activation is via regulation of phosphatidylinositol 4,5-bisphosphate synthesis. <i>Biochemical Journal</i> , 2000, 346, 63.	3.7	28
82	Acyl chain-based molecular selectivity for HL60 cellular phosphatidylinositol and of phosphatidylcholine by phosphatidylinositol transfer protein β . <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2004, 1686, 50-60.	2.4	27
83	Didecanoyl phosphatidylcholine is a superior substrate for assaying mammalian phospholipase D. <i>Biochemical Journal</i> , 1996, 319, 861-864.	3.7	26
84	Purification and cloning of phosphatidylinositol transfer proteins from Dictyostelium discoideum: homologues of both mammalian PITPs and Saccharomyces cerevisiae Sec14p are found in the same cell. <i>Biochemical Journal</i> , 2000, 347, 837-843.	3.7	26
85	The phosphatidylinositol transfer protein RdgB β binds 14-3-3 via its unstructured C-terminus, whereas its lipid-binding domain interacts with the integral membrane protein ATRAP (angiotensin II type I) Tj ETQq1 1 0.7843 14 rgB β Overl		
86	RdgB β reciprocally transfers PA and PI at ER \leftrightarrow PM contact sites to maintain PI(4,5)P ₂ homeostasis during phospholipase C signalling in <i>Drosophila</i> photoreceptors. <i>Biochemical Society Transactions</i> , 2016, 44, 286-292.	3.4	24
87	Pitpnc1a Regulates Zebrafish Sleep and Wake Behavior through Modulation of Insulin-like Growth Factor Signaling. <i>Cell Reports</i> , 2018, 24, 1389-1396.	6.4	24
88	Phorbol ester inhibits polyphosphoinositide phosphodiesterase activity stimulated by either Ca ²⁺ , fluoride or GTP analogue in HL60 membranes and in permeabilized HL60 cells. <i>Cellular Signalling</i> , 1989, 1, 165-172.	3.6	23
89	Phosphatidylinositol transfer protein- β in platelets is inconsequential for thrombosis yet is utilized for tumor metastasis. <i>Nature Communications</i> , 2017, 8, 1216.	12.8	22
90	Use of fluorescent Ca ²⁺ dyes with green fluorescent protein and its variants: problems and solutions. <i>Biochemical Journal</i> , 2001, 356, 345.	3.7	22

#	ARTICLE	IF	CITATIONS
91	ARF1(2-17) does not specifically interact with ARF1-dependent pathways. FEBS Letters, 1994, 349, 34-38.	2.8	21
92	ADP ribosylation factor 1 mutants identify a phospholipase D effector region and reveal that phospholipase D participates in lysosomal secretion but is not sufficient for recruitment of coatamer I. Biochemical Journal, 1999, 341, 185.	3.7	21
93	Phosphorylation of a Distinct Structural Form of Phosphatidylinositol Transfer Protein Î± at Ser166 by Protein Kinase C Disrupts Receptor-mediated Phospholipase C Signaling by Inhibiting Delivery of Phosphatidylinositol to Membranes. Journal of Biological Chemistry, 2004, 279, 47159-47171.	3.4	21
94	Potential role for phosphatidylinositol transfer protein (PITP) family in lipid transfer during phospholipase C signalling. Advances in Biological Regulation, 2013, 53, 280-291.	2.3	21
95	The differentiating agent, retinoic acid, causes an early inhibition of inositol lipid-specific phospholipase C activity in HL-60 cells. Cellular Signalling, 1991, 3, 11-23.	3.6	20
96	Differential expression of a C-terminal splice variant of phosphatidylinositol transfer protein Î² lacking the constitutive-phosphorylated Ser262 that localizes to the Golgi compartment. Biochemical Journal, 2006, 398, 411-421.	3.7	20
97	Phosphatidylinositol binding of <i>Saccharomyces cerevisiae</i> Pdr16p represents an essential feature of this lipid transfer protein to provide protection against azole antifungals. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2014, 1841, 1483-1490.	2.4	20
98	The <i>Drosophila</i> photoreceptor as a model system for studying signalling at membrane contact sites. Biochemical Society Transactions, 2016, 44, 447-451.	3.4	20
99	Chemotactic peptide stimulation of arachidonic acid release in HL60 cells, an interaction between G protein and phospholipase C mediated signal transduction. Biochimica Et Biophysica Acta - Molecular Cell Research, 1991, 1095, 83-89.	4.1	19
100	Deletion of 24 amino acids from the C-terminus of phosphatidylinositol transfer protein causes loss of phospholipase C-mediated inositol lipid signalling. Biochemical Journal, 1997, 324, 19-23.	3.7	19
101	Phosphatidylinositol transfer proteins: requirements in phospholipase C signaling and in regulated exocytosis. FEBS Letters, 1997, 410, 44-48.	2.8	18
102	Bromo-enol lactone, an inhibitor of Group VIa calcium-independent phospholipase A2 inhibits antigen-stimulated mast cell exocytosis without blocking Ca ²⁺ influx. Cell Calcium, 2007, 41, 145-153.	2.4	18
103	Signalling through phospholipase C interferes with clathrin-mediated endocytosis. Cellular Signalling, 2007, 19, 42-51.	3.6	18
104	Evidence that the CD45 phosphatase regulates the activity of the phospholipase C in mouse T lymphocytes. European Journal of Immunology, 1991, 21, 195-201.	2.9	17
105	[12] Use of cytosol-depleted HL-60 cells for reconstitution studies of G-protein-regulated phosphoinositide-specific phospholipase C-Î² isozymes. Methods in Enzymology, 1994, 238, 154-168.	1.0	16
106	Contrasting roles for receptor-stimulated inositol lipid metabolism in secretory cells. Biochemical Society Transactions, 1984, 12, 966-968.	3.4	15
107	Characterization of fMet-Leu-Phe-stimulated phospholipase C in streptolysin-O-permeabilised cells. FEBS Journal, 1991, 197, 119-125.	0.2	15
108	Co-operation of phosphatidylinositol transfer protein with phosphoinositide 3-kinase Î³ in vitro. Advances in Enzyme Regulation, 2002, 42, 53-61.	2.6	15

#	ARTICLE	IF	CITATIONS
109	Trafficking of phosphatidylinositol by phosphatidylinositol transfer proteins. Biochemical Society Symposia, 2007, 74, 259-271.	2.7	14
110	Courier service for phosphatidylinositol: PITPs deliver on demand. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2021, 1866, 158985.	2.4	14
111	Phorbol esters inhibit inositol phosphate and diacylglycerol formation in proliferating HL60 cells Relationship to differentiation. FEBS Letters, 1988, 233, 239-243.	2.8	12
112	The Role of Phosphatidylinositol Transfer Proteins (PITPs) in Intracellular Signalling. Trends in Endocrinology and Metabolism, 1998, 9, 324-328.	7.1	11
113	Resynthesis of phosphatidylinositol in permeabilized neutrophils following phospholipase C β activation: transport of the intermediate, phosphatidic acid, from the plasma membrane to the endoplasmic reticulum for phosphatidylinositol resynthesis is not dependent on soluble lipid carriers or vesicular transport. Biochemical Journal, 1999, 341, 435.	3.7	11
114	Spermine increases phosphatidylinositol 4,5-bisphosphate content in permeabilized and nonpermeabilized HL60 cells. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2002, 1584, 20-30.	2.4	11
115	14-3-3 protein and ATRAP bind to the soluble class IIB phosphatidylinositol transfer protein RdgB β at distinct sites. Biochemical Society Transactions, 2012, 40, 451-456.	3.4	11
116	Trafficking of phosphatidylinositol by phosphatidylinositol transfer proteins. Biochemical Society Symposia, 2007, 74, 259.	2.7	11
117	Purification and cloning of phosphatidylinositol transfer proteins from Dictyostelium discoideum: homologues of both mammalian PITPs and Saccharomyces cerevisiae Sec14p are found in the same cell. Biochemical Journal, 2000, 347, 837.	3.7	10
118	Sustained phospholipase C stimulation of H9c2 cardiomyoblasts by vasopressin induces an increase in CDP-diacylglycerol synthase 1 (CDS1) through protein kinase C and cFos. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2019, 1864, 1072-1082.	2.4	10
119	Regulation of cytosolic phosphoinositide-phospholipase C by G-protein, GP. Biochemical Society Transactions, 1991, 19, 299-302.	3.4	9
120	Insulin uptake across the luminal membrane of the rat proximal tubule in vivo and in vitro. American Journal of Physiology - Renal Physiology, 2009, 296, F1227-F1237.	2.7	9
121	Reconstitution of GTP γ S-Induced NADPH Oxidase Activity in Streptolysin-O-Permeabilized Neutrophils by Specific Cytosol Fractions. Biochemical and Biophysical Research Communications, 1999, 265, 29-37.	2.1	8
122	Special Issue on Phospholipase D. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2009, 1791, 837-838.	2.4	6
123	Ligand and membrane-binding behavior of the phosphatidylinositol transfer proteins PITP α and PITP β . Biochemistry and Cell Biology, 2016, 94, 528-533.	2.0	6
124	[13] Purification of phosphatidylinositol transfer protein from brain cytosol for reconstituting G-protein-regulated phosphoinositide-specific phospholipase C- β . Methods in Enzymology, 1994, 238, 168-181.	1.0	5
125	[38] Biological properties and measurement of phospholipase D activation by ADP-ribosylation factor (ARF). Methods in Enzymology, 2001, 329, 355-372.	1.0	5
126	Effects of phorbol ester on inositol trisphosphate production and secretion in permeabilized HL 60 cells. Biochemical Society Transactions, 1988, 16, 994-995.	3.4	4

#	ARTICLE	IF	CITATIONS
127	Mammalian PITPs at the Golgi and ER-Golgi Membrane Contact Sites. Contact (Thousand Oaks (Ventura) Tj ETQq1 1.0.784314 rgBT / Ov	1.3	3
128	Measurement of Phosphatidylinositol and Phosphatidylcholine Binding and Transfer Activity of the Lipid Transport Protein PITP. Methods in Molecular Biology, 2009, 462, 1-15.	0.9	3
129	G-proteins and exocytotic secretion in phagocytic cells. FEMS Microbiology Letters, 1990, 64, 3-8.	1.8	2
130	Crystallization and Preliminary X-ray Diffraction Studies on ADP-ribosylation Factor 1. Journal of Molecular Biology, 1994, 244, 651-653.	4.2	2
131	Measurement of Inositol (Poly)phosphate Formation Using [³ H]Inositol Labeling Protocols in Permeabilized Cells. , 1999, 114, 165-174.		2
132	Measurement of Phospholipase C by Monitoring Inositol Phosphates Using [3H]Inositol Labeling Protocols in Permeabilized Cells. Methods in Molecular Biology, 2013, 937, 163-174.	0.9	2
133	Yeast phosphatidylinositol transfer protein Pdr17 does not require high affinity phosphatidylinositol binding for its cellular function. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2019, 1864, 1412-1421.	2.4	2
134	Reconstitution System Based on Cytosol-Depleted Cells to Study the Regulation of Phospholipases C and D. , 1998, 84, 185-198.		1
135	Phosphatidylinositol transfer proteins: a requirement in signal transduction and vesicle traffic. BioEssays, 1998, 20, 423-432.	2.5	1
136	Effects of alkylating antagonists on the stimulated turnover of phosphatidylinositol produced by a variety of calcium-mobilising receptor systems. Cell Calcium, 1980, 1, 49-68.	2.4	0
137	Tricks for handling the slippery elements in signaling. Trends in Biochemical Sciences, 1998, 23, 407-408.	7.5	0
138	The art of learning. Trends in Cell Biology, 1999, 9, 121-122.	7.9	0
139	Phosphorylation and the Regulation of PITP \pm Function. Biochemical Society Transactions, 1999, 27, A102-A102.	3.4	0
140	PITP \pm availability limits IP3-mediated Ca ²⁺ signalling. Biochemical Society Transactions, 1999, 27, A102-A102.	3.4	0
141	The role of ARF and PLD in regulated exocytosis. Biochemical Society Transactions, 1999, 27, A103-A103.	3.4	0
142	ARF, a multi-functional GTPase as a co-ordinator of membrane traffic â€” Is ARF-regulated phospholipase D the answer to everything?. Biochemical Society Transactions, 1999, 27, A75-A75.	3.4	0
143	Identification of Phosphatidylinositol transfer proteins from Dictyostelium. Biochemical Society Transactions, 1999, 27, A102-A102.	3.4	0
144	LOCALISATION OF PHOSPHATIDYLINOSITOL TRANSFER PROTEINS IN GRANULOCYTES. Biochemical Society Transactions, 1999, 27, A103-A103.	3.4	0

#	ARTICLE	IF	CITATIONS
145	THE ROLE OF ARF AND PHOSPHOLIPASE D IN COAT RECRUITMENT AND REGULATED EXOCYTIC SECRETION. Biochemical Society Transactions, 1999, 27, A103-A103.	3.4	0
146	Regulatory roles of phosphatidylinositol (4,5) biphosphate in cell signaling, membrane traffic, and the cytoskeleton. Advances in Cellular and Molecular Biology of Membranes and Organelles, 1999, 5, 233-263.	0.3	0
147	Measurement of Phospholipase C by Monitoring Inositol Phosphates Using [³ H]Inositol-Labeling Protocols in Permeabilized Cells. , 2005, 312, 183-194.		0
148	Reconstitution System Based on Cytosol-Depleted Cells to Study the Regulation of Phospholipase D. , 2006, 332, 291-310.		0
149	Compartmentalized signalling in neurons. Journal of Physiology, 2007, 584, 371-372.	2.9	0
150	Phosphatidylinositol Transfer Proteins. , 2003, , 225-228.		0
151	Dynamics of lipid transfer by phosphatidylinositol transfer protein during membrane transport at the endoplasmic reticulum-Golgi membrane interface. FASEB Journal, 2009, 23, 320.1.	0.5	0
152	Phosphatidylinositol Transfer Proteins. , 2010, , 1151-1158.		0
153	DIRECT CONTROL OF CYTOSOL CALCIUM AND THE STIMULATION OF HISTAMINE SECRETION BY RAT MAST CELLS. , 1981, , 175-181.		0
154	The Role of G-Proteins in Exocytosis. , 1989, , 102-109.		0
155	Subcellular localisation of ARF1-regulated phospholipase D in HL60 cells. , 1997, , 99-112.		0
156	Special issue entitled Lipid transporters edited by Shamshad Cockcroft and Padinjat Raghu. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2022, 1867, 159152.	2.4	0