

# Aasis Unnanuntana

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5144429/publications.pdf>

Version: 2024-02-01

31  
papers

811  
citations

759233

12  
h-index

501196

28  
g-index

33  
all docs

33  
docs citations

33  
times ranked

994  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Assessment of Fracture Risk. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 743-753.	3.0	285
2	Atypical Femoral Fractures: What Do We Know About Them?. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, e8-1-13.	3.0	76
3	Diseases Affecting Bone Quality: Beyond Osteoporosis. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 2194-2206.	1.5	65
4	Atypical femoral fractures. <i>Current Opinion in Supportive and Palliative Care</i> , 2012, 6, 348-354.	1.3	42
5	Does Vitamin D Status Affect the Attainment of In-Hospital Functional Milestones After Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2012, 27, 482-489.	3.1	42
6	Validity and responsiveness of Barthel index for measuring functional recovery after hemiarthroplasty for femoral neck fracture. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1671-1677.	2.4	37
7	Low Vitamin D Status Does Not Adversely Affect Short-Term Functional Outcome After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2013, 28, 315-322.e2.	3.1	36
8	Performance-Based Tests and Self-Reported Questionnaires Provide Distinct Information for the Preoperative Evaluation of Total Hip Arthroplasty Patients. <i>Journal of Arthroplasty</i> , 2012, 27, 770-775.e1.	3.1	33
9	The Effect of Long-term Alendronate Treatment on Cortical Thickness of the Proximal Femur. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 291-298.	1.5	33
10	Validity and Responsiveness of the Two-Minute Walk Test for Measuring Functional Recovery After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 1737-1744.	3.1	26
11	Video-based learning versus traditional lecture-based learning for osteoporosis education: a randomized controlled trial. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 125-131.	2.9	22
12	Trunion Fracture of the Anatomic Medullary Locking A Plus Femoral Component. <i>Journal of Arthroplasty</i> , 2011, 26, 504.e13-504.e16.	3.1	16
13	Validity and reliability of the self-rated fall risk questionnaire in older adults with osteoporosis. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 757.	1.9	12
14	Cosmetic outcomes and patient satisfaction compared between staples and subcuticular suture technique for wound closure after primary total knee arthroplasty: a randomized controlled trial. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1255-1263.	2.4	11
15	Cost-effectiveness of denosumab for high-risk postmenopausal women with osteoporosis in Thailand. <i>Journal of Medical Economics</i> , 2020, 23, 776-785.	2.1	10
16	Management of chronic lateral instability due to lateral collateral ligament deficiency after total knee arthroplasty: a case report. <i>Journal of Medical Case Reports</i> , 2010, 4, 144.	0.8	8
17	Outcomes of cerclage wiring to manage intra-operative femoral fracture occurring during cementless hemiarthroplasty in older patients with femoral neck fractures. <i>International Orthopaedics</i> , 2019, 43, 2637-2647.	1.9	8
18	Randomized clinical trial comparing efficacy and safety of brand versus generic alendronate (Bonmax®) for osteoporosis treatment. <i>PLoS ONE</i> , 2017, 12, e0180325.	2.5	8

#	ARTICLE	IF	CITATIONS
19	Effect of bisphosphonate initiation at week 2 versus week 12 on short-term functional recovery after femoral neck fracture: a randomized controlled trial. Archives of Osteoporosis, 2017, 12, 27.	2.4	6
20	Midterm functional recovery of Total knee arthroplasty patients compared between the ATTUNE knee system and the press fit condylar (PFC) SIGMA knee system. BMC Musculoskeletal Disorders, 2021, 22, 620.	1.9	5
21	Evaluation of the implementation of multidisciplinary fast-track program for acute geriatric hip fractures at a University Hospital in resource-limited settings. BMC Geriatrics, 2021, 21, 548.	2.7	5
22	Surgical treatment for fragility hip fractures during the COVID-19 pandemic resulted in lower short-term postoperative functional outcome and a higher complication rate compared to the pre-pandemic period. Osteoporosis International, 2022, 33, 2217-2226.	3.1	5
23	High-dose versus low-dose ergocalciferol for correcting hypovitaminosis D after fragility hip fracture: a randomized controlled trial. BMC Geriatrics, 2021, 21, 72.	2.7	4
24	Osteitis Fibrosa Cystica and pathological fractures – the classic but neglected skeletal manifestation of primary hyperparathyroidism: a case report. BMC Musculoskeletal Disorders, 2021, 22, 443.	1.9	3
25	Neuropathic arthropathy of the elbow: a report of two cases. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2006, 89, 533-40.	0.1	3
26	The accuracy of preoperative templating in total knee arthroplasty. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2007, 90, 2338-43.	0.1	3
27	A Fracture Does Not Adversely Affect Bone Mineral Density Responses after Teriparatide Treatment. Clinical Orthopaedics and Related Research, 2012, 470, 927-936.	1.5	2
28	Minimally invasive and standard total knee arthroplasty result in similar clinical outcomes at a minimum of five-year follow-up. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2012, 95 Suppl 9, S29-35.	0.1	2
29	PREVALENCE OF OSTEOPOROSIS AND HYPOVITAMINOSIS D AT SIRIRAJ METABOLIC BONE DISEASE CLINIC. Acta Ortopedica Brasileira, 2017, 25, 262-265.	0.5	1
30	Stress Fracture of the Femoral Shaft in Paget's Disease of Bone: A Case Report. Journal of Bone Metabolism, 2021, 28, 171-178.	1.3	1
31	No Effect of Oral Mecobalamin on Skin Numbness at 3 Months After Total Knee Arthroplasty. JBJS Open Access, 2022, 7, .	1.5	1