

# Bo Bach

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5145295/publications.pdf>

Version: 2024-02-01

67  
papers

3,073  
citations

182225  
30  
h-index

206121  
51  
g-index

73  
all docs

73  
docs citations

73  
times ranked

2419  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mentalizing in Adolescents With and Without Prominent Borderline Features: Validation of the Reflective Functioning Questionnaire for Youths (RFQY) and an Investigation of the Factor Structure of Hypo- and Hypermentalizing. <i>Journal of Personality Assessment</i> , 2023, 105, 475-486.	1.3	3
2	Reconceptualization of borderline conditions through the lens of the alternative model of personality disorders.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2022, 13, 266-276.	1.0	3
3	The ICD-11 classification of personality disorders: a European perspective on challenges and opportunities. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2022, 9, 12.	1.1	40
4	Maladaptive personality traits may link childhood trauma history to current internalizing symptoms. <i>Scandinavian Journal of Psychology</i> , 2022, 63, 468-475.	0.8	5
5	Clinical utility of the alternative model of personality disorders: A 10th year anniversary review.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2022, 13, 369-379.	1.0	18
6	Level of alexithymia as a measure of personality dysfunction in avoidant personality disorder. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 266-274.	0.7	11
7	Diagnostic Systems and Models: DSM-5 Criteria, ICD-11 Guidelines, and Dimensional Horizons. , 2021, , .		2
8	Exploring Identity Disturbance and Psychotic Spectrum Symptoms as Predictors of Borderline and Schizotypal Personality Disorders. <i>Psychopathology</i> , 2021, 54, 193-202.	1.1	8
9	How does level of personality functioning inform clinical management and treatment? Implications for ICD-11 classification of personality disorder severity. <i>Current Opinion in Psychiatry</i> , 2021, 34, 54-63.	3.1	61
10	The ICD-11 Personality Disorder Trait Model Fits the Kurdish Population Better Than the DSM-5 Trait Model. <i>Frontiers in Psychiatry</i> , 2021, 12, 635813.	1.3	10
11	The Utility of ICD-11 and DSM-5 Traits for Differentiating Patients With Personality Disorders From Other Clinical Groups. <i>Frontiers in Psychiatry</i> , 2021, 12, 633882.	1.3	8
12	Transdiagnostic conceptualization of social avoidance through the lens of personality functioning and traits. <i>Journal of Clinical Psychology</i> , 2021, 77, 1249-1258.	1.0	5
13	Development and initial evaluation of the ICD-11 personality disorder severity scale: PDS-11. <i>Personality and Mental Health</i> , 2021, 15, 223-236.	0.6	45
14	Complex PTSD and personality disorder in ICD-11: when to assign one or two diagnoses?. <i>Australasian Psychiatry</i> , 2021, 29, 590-594.	0.4	11
15	The clinical utility of the ICD-11 classification of personality disorders and related traits: A preliminary scoping review. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 849-862.	1.3	15
16	Structure of ICD-11 complex PTSD and relationship with psychoform and somatoform dissociation. <i>European Journal of Trauma and Dissociation</i> , 2021, 5, 100233.	0.6	7
17	Editorial: Entering the Brave New World of ICD-11 Personality Disorder Diagnosis. <i>Frontiers in Psychiatry</i> , 2021, 12, 793133.	1.3	4
18	Patient-Reported ICD-11 Personality Disorder Severity and DSM-5 Level of Personality Functioning. <i>Journal of Personality Disorders</i> , 2020, 34, 231-249.	0.8	27

#	ARTICLE	IF	CITATIONS
19	Psychotherapeutic Treatment of Depressive Symptoms in Patients with Narcissistic Disturbances: A Review. <i>Journal of Contemporary Psychotherapy</i> , 2020, 50, 21-28.	0.7	3
20	Childhood trauma, stressful life events, and suicidality in Danish psychiatric outpatients. <i>Nordic Journal of Psychiatry</i> , 2020, 74, 280-286.	0.7	14
21	DSM-5 Personality Disorders and Traits in Patients With Severe Health Anxiety. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 108-117.	0.5	7
22	Prevalence and structure of self-reported problems in SAPAS screening for personality disorder in a National Sample. <i>Personality and Mental Health</i> , 2020, 14, 175-185.	0.6	8
23	Simplicity and Dynamics of the ICD-11 Trait Qualifiers in Relation to Treatment: Author Rejoinder to Commentaries on Using DSM-5 and ICD-11 Personality Traits in Clinical Treatment. , 2020, , 475-476.		3
24	International Assessment of DSM-5 and ICD-11 Personality Disorder Traits: Toward a Common Nosology in DSM-5.1. <i>Psychopathology</i> , 2020, 53, 179-188.	1.1	80
25	Using DSM-5 and ICD-11 Personality Traits in Clinical Treatment. , 2020, , 450-467.		13
26	Scripting the DSM-5 Alternative Model for Personality Disorders assessment procedure: A clinically feasible multi-informant multi-method approach. <i>Personality and Mental Health</i> , 2020, 14, 304-318.	0.6	6
27	Empirical structure of DSM-5 and ICD-11 personality disorder traits in Arabic-speaking Algerian culture. <i>International Journal of Mental Health</i> , 2020, 49, 186-200.	0.5	9
28	Perfectionism, Shame, and Aggression in Depressive Patients With Narcissistic Personality Disorder. <i>Journal of Personality Disorders</i> , 2020, 34, 25-41.	0.8	19
29	Redefining phenotypes to advance psychiatric genetics: Implications from hierarchical taxonomy of psychopathology.. <i>Journal of Abnormal Psychology</i> , 2020, 129, 143-161.	2.0	82
30	Integrating psychotherapy with the hierarchical taxonomy of psychopathology (HiTOP).. <i>Journal of Psychotherapy Integration</i> , 2020, 30, 477-497.	0.7	48
31	Validation of Personality Inventory for DSM-5 (PID-5) algorithms to assess ICD-11 personality trait domains in a psychiatric sample.. <i>Psychological Assessment</i> , 2020, 32, 40-49.	1.2	52
32	Structure of clinician-reported ICD-11 personality disorder trait qualifiers.. <i>Psychological Assessment</i> , 2020, 32, 50-59.	1.2	35
33	A Common Metric for Self-Reported Severity of Personality Disorder. <i>Psychopathology</i> , 2020, 53, 168-178.	1.1	56
34	Criterion A of the AMPD in HiTOP. <i>Journal of Personality Assessment</i> , 2019, 101, 345-355.	1.3	81
35	Characterological depression in patients with narcissistic personality disorder. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 539-545.	0.7	4
36	Psychometric validation of the Childhood Trauma Questionnaire-Short Form (CTQ-SF) in a Danish clinical sample. <i>Child Abuse and Neglect</i> , 2019, 94, 104026.	1.3	30

#	ARTICLE	IF	CITATIONS
37	Mental health professionals' perceived clinical utility of the <i>ICD-10</i> vs. <i>ICD-11</i> classification of personality disorders. <i>Personality and Mental Health</i> , 2019, 13, 84-95.	0.6	37
38	A Hierarchical Taxonomy of Psychopathology Can Transform Mental Health Research. <i>Perspectives on Psychological Science</i> , 2019, 14, 419-436.	5.2	243
39	Commentary on "The Challenge of Transforming the Diagnostic System of Personality Disorders". <i>Journal of Personality Disorders</i> , 2019, , 1-4.	0.8	7
40	Schema therapy conceptualization of personality functioning and traits in ICD-11 and DSM-5. <i>Current Opinion in Psychiatry</i> , 2019, 32, 38-49.	3.1	53
41	Integrating the Hierarchical Taxonomy of Psychopathology (HiTOP) into clinical practice.. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 1069-1084.	1.6	158
42	Level of Personality Functioning Scale" Brief Form 2.0: Utility in Capturing Personality Problems in Psychiatric Outpatients and Incarcerated Addicts. <i>Journal of Personality Assessment</i> , 2018, 100, 660-670.	1.3	71
43	Structure of DSM-5 and ICD-11 personality domains in Iranian community sample. <i>Personality and Mental Health</i> , 2018, 12, 155-169.	0.6	45
44	A new look at the schema therapy model: organization and role of early maladaptive schemas. <i>Cognitive Behaviour Therapy</i> , 2018, 47, 328-349.	1.9	97
45	Personality Inventory for <i>DSM-5</i> (PID-5) in Clinical Versus Nonclinical Individuals: Generalizability of Psychometric Features. <i>Assessment</i> , 2018, 25, 815-825.	1.9	47
46	Continuity between DSM-5 Section II and Section III personality traits for obsessive" compulsive personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 144-151.	1.4	9
47	ICD-11 and DSM-5 personality trait domains capture categorical personality disorders: Finding a common ground. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 425-434.	1.3	78
48	The time has come for dimensional personality disorder diagnosis. <i>Personality and Mental Health</i> , 2018, 12, 82-86.	0.6	203
49	Schemas and modes in borderline personality disorder: The mistrustful, shameful, angry, impulsive, and unhappy child. <i>Psychiatry Research</i> , 2018, 259, 323-329.	1.7	38
50	Treating comorbid depression and personality disorders in DSM-5 and ICD-11. <i>Lancet Psychiatry</i> , the, 2018, 5, 874-875.	3.7	10
51	Elucidating DSM-5 and ICD-11 Diagnostic Features of Borderline Personality Disorder Using Schemas and Modes. <i>Psychopathology</i> , 2018, 51, 400-407.	1.1	7
52	Application of the ICD-11 classification of personality disorders. <i>BMC Psychiatry</i> , 2018, 18, 351.	1.1	184
53	Progress in achieving quantitative classification of psychopathology. <i>World Psychiatry</i> , 2018, 17, 282-293.	4.8	329
54	Continuity between interview-rated personality disorders and self-reported DSM-5 traits in a Danish psychiatric sample.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017, 8, 261-267.	1.0	32

#	ARTICLE	IF	CITATIONS
55	Deriving ICD-11 personality disorder domains from DSM-5 traits: initial attempt to harmonize two diagnostic systems. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 108-117.	2.2	93
56	Transdiagnostic group CBT vs. standard group CBT for depression, social anxiety disorder and agoraphobia/panic disorder: Study protocol for a pragmatic, multicenter non-inferiority randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 37.	1.1	25
57	The role of DSM-5 borderline personality symptomatology and traits in the link between childhood trauma and suicidal risk in psychiatric patients. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2017, 4, 12.	1.1	25
58	Hierarchical Structure and Cross-Cultural Measurement Invariance of the Norwegian Version of the Personality Inventory for DSM-5. <i>Journal of Personality Assessment</i> , 2017, 99, 204-210.	1.3	26
59	The Young Schema Questionnaire 3 Short Form (YSQ-S3). <i>European Journal of Psychological Assessment</i> , 2017, 33, 134-143.	1.7	55
60	The Personality Inventory for DSM-5 Short Form (PID-5-SF): psychometric properties and association with big five traits and pathological beliefs in a Norwegian population. <i>BMC Psychology</i> , 2016, 4, 61.	0.9	45
61	Utility of DSM-5 section III personality traits in differentiating borderline personality disorder from comparison groups. <i>European Psychiatry</i> , 2016, 37, 22-27.	0.1	28
62	The alternative DSM-5 personality disorder traits criterion: A comparative examination of three self-report forms in a Danish population.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2016, 7, 124-135.	1.0	88
63	Continuity between DSM-5 Categorical Criteria and Traits Criteria for Borderline Personality Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 489-494.	0.9	43
64	Reliability and Hierarchical Structure of DSM-5 Pathological Traits in a Danish Mixed Sample. <i>Journal of Personality Disorders</i> , 2016, 30, 112-129.	0.8	40
65	How Do DSM-5 Personality Traits Align With Schema Therapy Constructs?. <i>Journal of Personality Disorders</i> , 2016, 30, 502-529.	0.8	40
66	Reliability and validity of the Danish version of the Schema Mode Inventory (SMI).. <i>Psychological Assessment</i> , 2016, 28, e19-e26.	1.2	13
67	Clinical Utility of the DSM-5 Alternative Model of Personality Disorders. <i>Journal of Psychiatric Practice</i> , 2015, 21, 3-25.	0.3	62