

Yiwei Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5146139/publications.pdf>

Version: 2024-02-01

33
papers

892
citations

567281

15
h-index

526287

27
g-index

34
all docs

34
docs citations

34
times ranked

1251
citing authors

#	ARTICLE	IF	CITATIONS
1	Tumor-associated Macrophage-derived Interleukin-23 Interlinks Kidney Cancer Glutamine Addiction with Immune Evasion. <i>European Urology</i> , 2019, 75, 752-763.	1.9	123
2	HMGB1 released by irradiated tumor cells promotes living tumor cell proliferation via paracrine effect. <i>Cell Death and Disease</i> , 2018, 9, 648.	6.3	78
3	Tumor-infiltrating CD39+CD8+ T cells determine poor prognosis and immune evasion in clear cell renal cell carcinoma patients. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1565-1576.	4.2	72
4	Blockade of DC-SIGN+ Tumor-Associated Macrophages Reactivates Antitumor Immunity and Improves Immunotherapy in Muscle-Invasive Bladder Cancer. <i>Cancer Research</i> , 2020, 80, 1707-1719.	0.9	61
5	CD47 Blockade Inhibits Tumor Progression through Promoting Phagocytosis of Tumor Cells by M2 Polarized Macrophages in Endometrial Cancer. <i>Journal of Immunology Research</i> , 2018, 2018, 1-12.	2.2	56
6	Necroptosis regulates tumor repopulation after radiotherapy via RIP1/RIP3/MLKL/JNK/IL8 pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 461.	8.6	54
7	Kaempferol Promotes Apoptosis While Inhibiting Cell Proliferation via Androgen-Dependent Pathway and Suppressing Vasculogenic Mimicry and Invasion in Prostate Cancer. <i>Analytical Cellular Pathology</i> , 2019, 2019, 1-10.	1.4	49
8	Schwann Cell-Derived CCL2 Promotes the Perineural Invasion of Cervical Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 19.	2.8	37
9	CCR8 blockade primes anti-tumor immunity through intratumoral regulatory T cells destabilization in muscle-invasive bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1855-1867.	4.2	35
10	Identification and validation of dichotomous immune subtypes based on intratumoral immune cells infiltration in clear cell renal cell carcinoma patients. , 2020, 8, e000447.		35
11	Tumor-associated macrophages expressing galectin-9 identify immunoevasive subtype muscle-invasive bladder cancer with poor prognosis but favorable adjuvant chemotherapeutic response. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 2067-2080.	4.2	34
12	Tumor Infiltrating Mast Cells (TIMs) Confers a Marked Survival Advantage in Nonmetastatic Clear-Cell Renal Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 1435-1442.	1.5	33
13	The Caspase-3/PKC β /Akt/VEGF-A Signaling Pathway Mediates Tumor Repopulation during Radiotherapy. <i>Clinical Cancer Research</i> , 2019, 25, 3732-3743.	7.0	31
14	Tumor-infiltrating TNFRSF9 ⁺ CD8 ⁺ T cells define different subsets of clear cell renal cell carcinoma with prognosis and immunotherapeutic response. <i>Oncolmmunology</i> , 2020, 9, 1838141.	4.6	23
15	Intratumoral IL22 β -producing cells define immunoevasive subtype muscle β -invasive bladder cancer with poor prognosis and superior nivolumab responses. <i>International Journal of Cancer</i> , 2020, 146, 542-552.	5.1	22
16	Irradiation β -induced polyploid giant cancer cells are involved in tumor cell repopulation via neosis. <i>Molecular Oncology</i> , 2021, 15, 2219-2234.	4.6	22
17	Caspase-3 knockout attenuates radiation-induced tumor repopulation via impairing the ATM/p53/Cox-2/PGE2 pathway in non-small cell lung cancer. <i>Aging</i> , 2020, 12, 21758-21776.	3.1	16
18	CCR5 blockade inflames antitumor immunity in BAP1-mutant clear cell renal cell carcinoma. , 2020, 8, e000228.		15

#	ARTICLE	IF	CITATIONS
19	Identification and validation of poor prognosis immunoevasive subtype of muscle-invasive bladder cancer with tumor-infiltrating podoplanin ⁺ cell abundance. <i>Oncolmmunology</i> , 2020, 9, 1747333.	4.6	13
20	<p>Weighted Gene Co-Expression Network Analysis Identified Cancer Cell Proliferation as a Common Phenomenon During Perineural Invasion</p> . <i>OncoTargets and Therapy</i> , 2019, Volume 12, 10361-10374.	2.0	12
21	PAK1 expression determines poor prognosis and immune evasion in metastatic renal cell carcinoma patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 293-304.	1.6	10
22	Survival rate and potential risk indicators of implant loss in non-smokers and systemically healthy periodontitis patients: An up to 9-year retrospective study. <i>Journal of Periodontal Research</i> , 2021, 56, 547-557.	2.7	10
23	Prognostic value of granulocyte colony-stimulating factor in patients with non-metastatic clear cell renal cell carcinoma. <i>Oncotarget</i> , 2017, 8, 69961-69971.	1.8	9
24	Poor clinical outcomes and immunoevasive contexture in interleukin-9 abundant muscle-invasive bladder cancer. <i>International Journal of Cancer</i> , 2020, 147, 3539-3549.	5.1	8
25	Identification and validation of an excellent prognosis subtype of muscle-invasive bladder cancer patients with intratumoral CXCR5 ⁺ CD8 ⁺ T cell abundance. <i>Oncolmmunology</i> , 2020, 9, 1810489.	4.6	7
26	Tumor-infiltrating IL-17A ⁺ cells determine favorable prognosis and adjuvant chemotherapeutic response in muscle-invasive bladder cancer. <i>Oncolmmunology</i> , 2020, 9, 1747332.	4.6	6
27	NKG2A and PD-L1 expression panel predicts clinical benefits from adjuvant chemotherapy and PD-L1 blockade in muscle-invasive bladder cancer. , 2022, 10, e004569.		5
28	Prognostic and Predictive Value of O6-methylguanine Methyltransferase for Chemotherapy in Patients with Muscle-Invasive Bladder Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 342-348.	1.5	4
29	Intratumoral CCR5 ⁺ neutrophils identify immunogenic subtype muscle-invasive bladder cancer with favorable prognosis and therapeutic responses. <i>Oncolmmunology</i> , 2020, 9, 1802176.	4.6	4
30	Development and evaluation of new primers for PCR-based identification of <i>Prevotella intermedia</i> . <i>Anaerobe</i> , 2014, 28, 126-129.	2.1	3
31	Poor clinical outcomes and immunoevasive contexture in SIRP1+ tumor-associated macrophages enriched muscle-invasive bladder cancer patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 109.e11-109.e20.	1.6	3
32	Latency-associated peptide identifies therapeutically resistant muscle-invasive bladder cancer with poor prognosis. <i>Cancer Immunology, Immunotherapy</i> , 2021, , 1.	4.2	2
33	Unilateral Renal Tumor Cryoablation and Contralateral Radical Nephrectomy of Bilateral Renal Tumors by Transumbilical 3D Multichannel Laparoendoscopic Single-Site Surgery. <i>Journal of Endourology Case Reports</i> , 2018, 4, 53-58.	0.3	0