

# Michisuke Yuzaki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5148262/publications.pdf>

Version: 2024-02-01

172  
papers

14,570  
citations

26630

56  
h-index

19749

117  
g-index

199  
all docs

199  
docs citations

199  
times ranked

20847  
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
2	Guidelines for the use and interpretation of assays for monitoring autophagy in higher eukaryotes. <i>Autophagy</i> , 2008, 4, 151-175.	9.1	2,064
3	Block of Ca <sup>2+</sup> wave and Ca <sup>2+</sup> oscillation by antibody to the inositol 1,4,5-trisphosphate receptor in fertilized hamster eggs. <i>Science</i> , 1992, 257, 251-255.	12.6	510
4	Therapeutic potential of appropriately evaluated safe-induced pluripotent stem cells for spinal cord injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 12704-12709.	7.1	489
5	Targeted disruption of NMDA receptor 1 gene abolishes NMDA response and results in neonatal death. <i>Neuron</i> , 1994, 13, 325-338.	8.1	457
6	Cbln1 Is a Ligand for an Orphan Glutamate Receptor $\hat{1}2$ , a Bidirectional Synapse Organizer. <i>Science</i> , 2010, 328, 363-368.	12.6	315
7	Cbln1 is essential for synaptic integrity and plasticity in the cerebellum. <i>Nature Neuroscience</i> , 2005, 8, 1534-1541.	14.8	301
8	Mutation of a glutamate receptor motif reveals its role in gating and $\hat{1}2$ receptor channel properties. <i>Nature Neuroscience</i> , 2000, 3, 315-322.	14.8	199
9	Cloning and characterization of a novel NMDA receptor subunit NR3B: a dominant subunit that reduces calcium permeability. <i>Molecular Brain Research</i> , 2002, 100, 43-52.	2.3	162
10	Anterograde C1ql1 Signaling Is Required in Order to Determine and Maintain a Single-Winner Climbing Fiber in the Mouse Cerebellum. <i>Neuron</i> , 2015, 85, 316-329.	8.1	161
11	D-Serine regulates cerebellar LTD and motor coordination through the $\hat{1}2$ glutamate receptor. <i>Nature Neuroscience</i> , 2011, 14, 603-611.	14.8	158
12	Transsynaptic Modulation of Kainate Receptor Functions by C1q-like Proteins. <i>Neuron</i> , 2016, 90, 752-767.	8.1	150
13	Aberrant Membranes and Double-Membrane Structures Accumulate in the Axons of <i>Atg5</i> -Null Purkinje Cells before Neuronal Death. <i>Autophagy</i> , 2007, 3, 591-596.	9.1	145
14	Accumulation of AMPA Receptors in Autophagosomes in Neuronal Axons Lacking Adaptor Protein AP-4. <i>Neuron</i> , 2008, 57, 730-745.	8.1	143
15	Cbln family proteins promote synapse formation by regulating distinct neurexin signaling pathways in various brain regions. <i>European Journal of Neuroscience</i> , 2011, 33, 1447-1461.	2.6	140
16	Impaired Cerebellar Development and Function in Mice Lacking CAPS2, a Protein Involved in Neurotrophin Release. <i>Journal of Neuroscience</i> , 2007, 27, 2472-2482.	3.6	137
17	Structural basis for integration of GluD receptors within synaptic organizer complexes. <i>Science</i> , 2016, 353, 295-299.	12.6	128
18	Molecular cloning and characterization of the inositol 1,4,5-trisphosphate receptor in <i>Drosophila melanogaster</i> . <i>Journal of Biological Chemistry</i> , 1992, 267, 16613-9.	3.4	128

#	ARTICLE	IF	CITATIONS
19	New role of $\hat{2}$ -glutamate receptors in AMPA receptor trafficking and cerebellar function. <i>Nature Neuroscience</i> , 2003, 6, 869-876.	14.8	123
20	Pharmacological and immunocytochemical characterization of metabotropic glutamate receptors in cultured Purkinje cells. <i>Journal of Neuroscience</i> , 1992, 12, 4253-4263.	3.6	120
21	Specific Assembly with the NMDA Receptor 3B Subunit Controls Surface Expression and Calcium Permeability of NMDA Receptors. <i>Journal of Neuroscience</i> , 2003, 23, 10064-10073.	3.6	120
22	Serotonin Mediates Cross-Modal Reorganization of Cortical Circuits. <i>Neuron</i> , 2011, 69, 780-792.	8.1	119
23	The $\hat{2}$ glutamate receptor: 10 years later. <i>Neuroscience Research</i> , 2003, 46, 11-22.	1.9	109
24	Optimizing Nervous System-Specific Gene Targeting with Cre Driver Lines: Prevalence of Germline Recombination and Influencing Factors. <i>Neuron</i> , 2020, 106, 37-65.e5.	8.1	109
25	Distinct expression of Cbln family mRNAs in developing and adult mouse brains. <i>European Journal of Neuroscience</i> , 2006, 24, 750-760.	2.6	106
26	Cbln1 Regulates Rapid Formation and Maintenance of Excitatory Synapses in Mature Cerebellar Purkinje Cells In Vitro and In Vivo. <i>Journal of Neuroscience</i> , 2008, 28, 5920-5930.	3.6	104
27	Rab8a and Rab8b are essential for multiple apical transport pathways but insufficient for ciliogenesis. <i>Journal of Cell Science</i> , 2013, 127, 422-31.	2.0	102
28	From The Cover: A mechanism underlying AMPA receptor trafficking during cerebellar long-term potentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17846-17851.	7.1	99
29	Two Classes of Secreted Synaptic Organizers in the Central Nervous System. <i>Annual Review of Physiology</i> , 2018, 80, 243-262.	13.1	93
30	Multiple deletions in mitochondrial DNA at direct repeats of non-D-loop regions in cases of familial mitochondrial myopathy. <i>Biochemical and Biophysical Research Communications</i> , 1989, 164, 1352-1357.	2.1	91
31	Enriched Expression of GluD1 in Higher Brain Regions and Its Involvement in Parallel Fiber Interneuron Synapse Formation in the Cerebellum. <i>Journal of Neuroscience</i> , 2014, 34, 7412-7424.	3.6	89
32	Deletions in <i>GRID2</i> lead to a recessive syndrome of cerebellar ataxia and tonic upgaze in humans. <i>Neurology</i> , 2013, 81, 1378-1386.	1.1	88
33	Antibody to the inositol trisphosphate receptor blocks thimerosal-enhanced $Ca^{2+}$ -induced $Ca^{2+}$ -release and $Ca^{2+}$ -oscillations in hamster eggs. <i>FEBS Letters</i> , 1992, 309, 180-184.	2.8	87
34	Neuronal Interleukin-16 (NIL-16): A Dual Function PDZ Domain Protein. <i>Journal of Neuroscience</i> , 1999, 19, 7770-7780.	3.6	84
35	Controlling the Regional Identity of hPSC-Derived Neurons to Uncover Neuronal Subtype Specificity of Neurological Disease Phenotypes. <i>Stem Cell Reports</i> , 2015, 5, 1010-1022.	4.8	84
36	Differential Regulation of Synaptic Plasticity and Cerebellar Motor Learning by the C-Terminal PDZ-Binding Motif of GluR1 $\hat{2}$ . <i>Journal of Neuroscience</i> , 2008, 28, 1460-1468.	3.6	83

#	ARTICLE	IF	CITATIONS
37	Rapid differentiation of human pluripotent stem cells into functional neurons by mRNAs encoding transcription factors. <i>Scientific Reports</i> , 2017, 7, 42367.	3.3	83
38	The $\hat{2}$ glutamate receptor gates long-term depression by coordinating interactions between two AMPA receptor phosphorylation sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E948-57.	7.1	81
39	Purification of Purkinje cells by fluorescence-activated cell sorting from transgenic mice that express green fluorescent protein. <i>European Journal of Neuroscience</i> , 2001, 14, 57-63.	2.6	78
40	A synthetic synaptic organizer protein restores glutamatergic neuronal circuits. <i>Science</i> , 2020, 369, .	12.6	78
41	Dynein- and activity-dependent retrograde transport of autophagosomes in neuronal axons. <i>Autophagy</i> , 2010, 6, 378-385.	9.1	75
42	A GluD Coming-Of-Age Story. <i>Trends in Neurosciences</i> , 2017, 40, 138-150.	8.6	75
43	Chemical labelling for visualizing native AMPA receptors in live neurons. <i>Nature Communications</i> , 2017, 8, 14850.	12.8	75
44	Nav1.2 haplodeficiency in excitatory neurons causes absence-like seizures in mice. <i>Communications Biology</i> , 2018, 1, 96.	4.4	75
45	Minimum Information about a Spinal Cord Injury Experiment: A Proposed Reporting Standard for Spinal Cord Injury Experiments. <i>Journal of Neurotrauma</i> , 2014, 31, 1354-1361.	3.4	74
46	Optogenetic Control of Synaptic AMPA Receptor Endocytosis Reveals Roles of LTD in Motor Learning. <i>Neuron</i> , 2018, 99, 985-998.e6.	8.1	71
47	An Additional Form of Rat Bcl-x, Bcl-x $\hat{2}$ , Generated by an Unspliced RNA, Promotes Apoptosis in Promyeloid Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 13258-13265.	3.4	70
48	The C1q complement family of synaptic organizers: not just complementary. <i>Current Opinion in Neurobiology</i> , 2017, 45, 9-15.	4.2	70
49	Cbln and C1q family proteins â€“ New transneuronal cytokines. <i>Cellular and Molecular Life Sciences</i> , 2008, 65, 1698-1705.	5.4	69
50	The Lurcher mouse: Fresh insights from an old mutant. <i>Brain Research</i> , 2007, 1140, 4-18.	2.2	66
51	Presynaptically Released Cbln1 Induces Dynamic Axonal Structural Changes by Interacting with GluD2 during Cerebellar Synapse Formation. <i>Neuron</i> , 2012, 76, 549-564.	8.1	66
52	The N-Terminal Domain of GluD2 (GluR $\hat{2}$ ) Recruits Presynaptic Terminals and Regulates Synaptogenesis in the Cerebellum <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 2009, 29, 5738-5748.	3.6	65
53	Distinct expression of C1q-like family mRNAs in mouse brain and biochemical characterization of their encoded proteins. <i>European Journal of Neuroscience</i> , 2010, 31, 1606-1615.	2.6	65
54	Cbln1 and its family proteins in synapse formation and maintenance. <i>Current Opinion in Neurobiology</i> , 2011, 21, 215-220.	4.2	65

#	ARTICLE	IF	CITATIONS
55	NMDA Receptor-Mediated PIP5K Activation to Produce PI(4,5)P2 Is Essential for AMPA Receptor Endocytosis during LTD. <i>Neuron</i> , 2012, 73, 135-148.	8.1	63
56	Roles of Cbln1 in Non-Motor Functions of Mice. <i>Journal of Neuroscience</i> , 2016, 36, 11801-11816.	3.6	63
57	Stargazin regulates AMPA receptor trafficking through adaptor protein complexes during long-term depression. <i>Nature Communications</i> , 2013, 4, 2759.	12.8	62
58	The $\hat{2}$ glutamate receptor: a key molecule controlling synaptic plasticity and structure in Purkinje cells. <i>Cerebellum</i> , 2004, 3, 89-93.	2.5	60
59	The $\hat{2}$ $\hat{e}$ -ionotropic $\hat{e}$ ™ glutamate receptor functions as a non $\hat{e}$ -ionotropic receptor to control cerebellar synaptic plasticity. <i>Journal of Physiology</i> , 2007, 584, 89-96.	2.9	60
60	Rescue of abnormal phenotypes of the $\hat{2}$ glutamate receptor $\hat{e}$ null mice by mutant $\hat{2}$ transgenes. <i>EMBO Reports</i> , 2005, 6, 90-95.	4.5	56
61	Characterization of a transneuronal cytokine family Cbln $\hat{e}$ f $\hat{e}$ regulation of secretion by heteromeric assembly. <i>European Journal of Neuroscience</i> , 2007, 25, 1049-1057.	2.6	54
62	Glutamate transporter GLAST controls synaptic wrapping by Bergmann glia and ensures proper wiring of Purkinje cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 7438-7443.	7.1	54
63	Functional NMDA Receptors Are Transiently Active and Support the Survival of Purkinje Cells in Culture. <i>Journal of Neuroscience</i> , 1996, 16, 4651-4661.	3.6	51
64	Visualization of AMPA receptors in living human brain with positron emission tomography. <i>Nature Medicine</i> , 2020, 26, 281-288.	30.7	50
65	Mutation in hotfoot-4 mice results in retention of $\hat{2}$ glutamate receptors in ER. <i>European Journal of Neuroscience</i> , 2002, 16, 1507-1516.	2.6	48
66	The extreme C-terminus of GluR $\hat{2}$ is essential for induction of long-term depression in cerebellar slices. <i>European Journal of Neuroscience</i> , 2007, 25, 1357-1362.	2.6	47
67	ROR $\hat{A}$ Regulates Multiple Aspects of Dendrite Development in Cerebellar Purkinje Cells In Vivo. <i>Journal of Neuroscience</i> , 2015, 35, 12518-12534.	3.6	47
68	New (but old) molecules regulating synapse integrity and plasticity: Cbln1 and the $\hat{2}$ glutamate receptor. <i>Neuroscience</i> , 2009, 162, 633-643.	2.3	45
69	Patch-clamp studies of chloride channels activated by gamma-aminobutyric acid in cultured hippocampal neurones of the rat. <i>Neuroscience Research</i> , 1984, 1, 275-293.	1.9	42
70	Cerebellar LTD vs. motor learning $\hat{e}$ Lessons learned from studying GluD2. <i>Neural Networks</i> , 2013, 47, 36-41.	5.9	42
71	Activity-Dependent Secretion of Synaptic Organizer Cbln1 from Lysosomes in Granule Cell Axons. <i>Neuron</i> , 2019, 102, 1184-1198.e10.	8.1	42
72	A hot spot for hotfoot mutations in the gene encoding the $\hat{2}$ glutamate receptor. <i>European Journal of Neuroscience</i> , 2003, 17, 1581-1590.	2.6	41

#	ARTICLE	IF	CITATIONS
73	Characterization of the $\hat{2}$ Glutamate Receptor-binding Protein Delphilin. <i>Journal of Biological Chemistry</i> , 2006, 281, 25577-25587.	3.4	41
74	Synapse formation and maintenance by C1q family proteins: a new class of secreted synapse organizers. <i>European Journal of Neuroscience</i> , 2010, 32, 191-197.	2.6	41
75	Neural ECM and synaptogenesis. <i>Progress in Brain Research</i> , 2014, 214, 29-51.	1.4	41
76	Spatiotemporal regulation of the GPCR activity of BAI3 by C1qL4 and Stabilin-2 controls myoblast fusion. <i>Nature Communications</i> , 2018, 9, 4470.	12.8	40
77	In vivo Two-Photon Imaging of Anesthesia-Specific Alterations in Microglial Surveillance and Photodamage-Directed Motility in Mouse Cortex. <i>Frontiers in Neuroscience</i> , 2019, 13, 421.	2.8	39
78	Ca <sup>2+</sup> permeability of the channel pore is not essential for the $\hat{2}$ glutamate receptor to regulate synaptic plasticity and motor coordination. <i>Journal of Physiology</i> , 2007, 579, 729-735.	2.9	38
79	Cbln1 accumulates and colocalizes with Cbln3 and GluR $\hat{2}$ at parallel fiber-Purkinje cell synapses in the mouse cerebellum. <i>European Journal of Neuroscience</i> , 2009, 29, 693-706.	2.6	38
80	MTCL1 plays an essential role in maintaining Purkinje neuron axon initial segment. <i>EMBO Journal</i> , 2017, 36, 1227-1242.	7.8	38
81	Selective Activation of Calcium Permeability by Aspartate in Purkinje Cells. <i>Science</i> , 1996, 273, 1112-1114.	12.6	36
82	Efficient generation of mature cerebellar Purkinje cells from mouse embryonic stem cells. <i>Journal of Neuroscience Research</i> , 2010, 88, 234-247.	2.9	36
83	Functional interactions between transient receptor potential M8 and transient receptor potential V1 in the trigeminal system: Relevance to migraine pathophysiology. <i>Cephalalgia</i> , 2018, 38, 833-845.	3.9	36
84	Characterization of the apoptosis-associated tyrosine kinase (AATYK) expressed in the CNS. <i>Oncogene</i> , 2001, 20, 1022-1032.	5.9	35
85	Activity-Dependent Repression of Cbln1 Expression: Mechanism for Developmental and Homeostatic Regulation of Synapses in the Cerebellum. <i>Journal of Neuroscience</i> , 2009, 29, 5425-5434.	3.6	33
86	Mode of blockade by MK-801 of N-methyl-d-aspartate-induced increase in intracellular Ca <sup>2+</sup> in cultured mouse hippocampal neurons. <i>Brain Research</i> , 1990, 517, 51-56.	2.2	32
87	Heteromer formation of $\hat{2}$ glutamate receptors with AMPA or kainate receptors. <i>Molecular Brain Research</i> , 2003, 110, 27-37.	2.3	32
88	Reevaluation of Neurodegeneration in <i>lurcher</i> Mice: Constitutive Ion Fluxes Cause Cell Death with, Not by, Autophagy. <i>Journal of Neuroscience</i> , 2010, 30, 2177-2187.	3.6	32
89	Cerebellar long-term depression requires dephosphorylation of TARP in Purkinje cells. <i>European Journal of Neuroscience</i> , 2012, 35, 402-410.	2.6	31
90	Caveolin-1 Promotes Early Neuronal Maturation via Caveolae-Independent Trafficking of N-Cadherin and L1. <i>IScience</i> , 2018, 7, 53-67.	4.1	31

#	ARTICLE	IF	CITATIONS
91	Interneuronal NMDA receptors regulate long-term depression and motor learning in the cerebellum. <i>Journal of Physiology</i> , 2019, 597, 903-920.	2.9	31
92	Induction of long-term depression and phosphorylation of the $\hat{2}$ glutamate receptor by protein kinase C in cerebellar slices. <i>European Journal of Neuroscience</i> , 2005, 22, 1817-1820.	2.6	30
93	Neural differentiation of human embryonic stem cells induced by the transgene-mediated overexpression of single transcription factors. <i>Biochemical and Biophysical Research Communications</i> , 2017, 490, 296-301.	2.1	30
94	Roles of the N-terminal Domain on the Function and Quaternary Structure of the Ionotropic Glutamate Receptor. <i>Journal of Biological Chemistry</i> , 2005, 280, 20021-20029.	3.4	28
95	Selective and regulated gene expression in murine Purkinje cells by <i>in utero</i> electroporation. <i>European Journal of Neuroscience</i> , 2012, 36, 2867-2876.	2.6	28
96	The autism-associated protein CHD8 is required for cerebellar development and motor function. <i>Cell Reports</i> , 2021, 35, 108932.	6.4	27
97	Differential expression and function of apoptosis-associated tyrosine kinase (AATYK) in the developing mouse brain. <i>Molecular Brain Research</i> , 2003, 112, 103-112.	2.3	26
98	Potential functional neural repair with grafted neural stem cells of early embryonic neuroepithelial origin. <i>Neuroscience Research</i> , 2005, 52, 276-286.	1.9	26
99	ERK1/2 but not p38 MAP kinase is essential for the long-term depression in mouse cerebellar slices. <i>European Journal of Neuroscience</i> , 2006, 24, 1617-1622.	2.6	26
100	Efficient Derivation of Multipotent Neural Stem/Progenitor Cells from Non-Human Primate Embryonic Stem Cells. <i>PLoS ONE</i> , 2012, 7, e49469.	2.5	26
101	Reprogramming non-human primate somatic cells into functional neuronal cells by defined factors. <i>Molecular Brain</i> , 2014, 7, 24.	2.6	26
102	Dendritic Homeostasis Disruption in a Novel Frontotemporal Dementia Mouse Model Expressing Cytoplasmic Fused in Sarcoma. <i>EBioMedicine</i> , 2017, 24, 102-115.	6.1	25
103	Ionotropic Glutamate Receptor AMPA 1 Is Associated with Ovulation Rate. <i>PLoS ONE</i> , 2010, 5, e13817.	2.5	25
104	Autoradiographic visualization of a calcium channel antagonist, [ $^{125}$ I]-conotoxin GVIA, binding site in the brains of normal and cerebellar mutant mice (pcd and weaver). <i>Brain Research</i> , 1989, 489, 21-30.	2.2	24
105	Hzf protein regulates dendritic localization and BDNF-induced translation of type 1 inositol 1,4,5-trisphosphate receptor mRNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17190-17195.	7.1	24
106	Ho15A: A new hotfoot allele in a hot spot in the gene encoding the $\hat{2}$ glutamate receptor. <i>Brain Research</i> , 2007, 1140, 153-160.	2.2	24
107	Ligand-directed two-step labeling to quantify neuronal glutamate receptor trafficking. <i>Nature Communications</i> , 2021, 12, 831.	12.8	24
108	Allosteric activation of membrane-bound glutamate receptors using coordination chemistry within living cells. <i>Nature Chemistry</i> , 2016, 8, 958-967.	13.6	23

#	ARTICLE	IF	CITATIONS
109	A Computational Model for the AMPA Receptor Phosphorylation Master Switch Regulating Cerebellar Long-Term Depression. <i>PLoS Computational Biology</i> , 2016, 12, e1004664.	3.2	22
110	Reevaluation of the role of parallel fiber synapses in delay eyeblink conditioning in mice using Cbln1 as a tool. <i>Frontiers in Neural Circuits</i> , 2013, 7, 180.	2.8	21
111	Rab family small GTPases-mediated regulation of intracellular logistics in neural development. <i>Histology and Histopathology</i> , 2018, 33, 765-771.	0.7	21
112	Cation permeability change caused by l-glutamate in cultured rat hippocampal neurons. <i>Brain Research</i> , 1988, 443, 85-94.	2.2	20
113	CAPS1 Deficiency Perturbs Dense-Core Vesicle Trafficking and Golgi Structure and Reduces Presynaptic Release Probability in the Mouse Brain. <i>Journal of Neuroscience</i> , 2013, 33, 17326-17334.	3.6	20
114	Cbln1 and the Delta2 Glutamate Receptor—An Orphan Ligand and an Orphan Receptor Find Their Partners. <i>Cerebellum</i> , 2012, 11, 78-84.	2.5	19
115	MeCP2 Levels Regulate the 3D Structure of Heterochromatic Foci in Mouse Neurons. <i>Journal of Neuroscience</i> , 2020, 40, 8746-8766.	3.6	18
116	Characterization of l-Homocysteate—Induced Currents in Purkinje Cells From Wild-Type and NMDA Receptor Knockout Mice. <i>Journal of Neurophysiology</i> , 1999, 82, 2820-2826.	1.8	17
117	Excitotoxicity and autophagy:Lurcher may not be a model of "autophagic cell death". <i>Autophagy</i> , 2010, 6, 568-570.	9.1	17
118	Characteristics of Gait Ataxia in $\hat{2}$ Glutamate Receptor Mutant Mice, ho15J. <i>PLoS ONE</i> , 2012, 7, e47553.	2.5	16
119	Transgenic rescue for characterizing orphan receptors: a review of $\hat{2}$ glutamate receptor. <i>Transgenic Research</i> , 2005, 14, 117-121.	2.4	15
120	Polarized sorting of AMPA receptors to the somatodendritic domain is regulated by adaptor protein AP-4. <i>Neuroscience Research</i> , 2009, 65, 1-5.	1.9	15
121	Axonal Localization of Ca <sup>2+</sup> -Dependent Activator Protein for Secretion 2 Is Critical for Subcellular Locality of Brain-Derived Neurotrophic Factor and Neurotrophin-3 Release Affecting Proper Development of Postnatal Mouse Cerebellum. <i>PLoS ONE</i> , 2014, 9, e99524.	2.5	15
122	The role of Cbln1 on Purkinje cell synapse formation. <i>Neuroscience Research</i> , 2014, 83, 64-68.	1.9	14
123	Calsyntenin-3 interacts with both $\hat{1}\pm$ - and $\hat{2}$ -neurexins in the regulation of excitatory synaptic innervation in specific Schaffer collateral pathways. <i>Journal of Biological Chemistry</i> , 2020, 295, 9244-9262.	3.4	14
124	New insights into the structure and function of glutamate receptors: the orphan receptor .DELTA.2 reveals its family's secrets.. <i>Keio Journal of Medicine</i> , 2003, 52, 92-99.	1.1	14
125	Cerebellar Astrocytes Specifically Support the Survival of Purkinje Cells in Culture. <i>Biochemical and Biophysical Research Communications</i> , 1993, 197, 123-129.	2.1	13
126	The C-terminal juxtamembrane region of the delta2 glutamate receptor controls its export from the endoplasmic reticulum. <i>European Journal of Neuroscience</i> , 2004, 19, 1683-1690.	2.6	13



#	ARTICLE	IF	CITATIONS
127	Cbln1 downregulates the formation and function of inhibitory synapses in mouse cerebellar Purkinje cells. <i>European Journal of Neuroscience</i> , 2014, 39, 1268-1280.	2.6	13
128	A novel non-canonical Notch signaling regulates expression of synaptic vesicle proteins in excitatory neurons. <i>Scientific Reports</i> , 2016, 6, 23969.	3.3	13
129	PIP3-Phldb2 is crucial for LTP regulating synaptic NMDA and AMPA receptor density and PSD95 turnover. <i>Scientific Reports</i> , 2019, 9, 4305.	3.3	13
130	Snapin Snaps into the Dynein Complex for Late Endosome-Lysosome Trafficking and Autophagy. <i>Neuron</i> , 2010, 68, 4-6.	8.1	12
131	Improvement of cerebellar ataxic gait by injecting Cbln1 into the cerebellum of cbln1-null mice. <i>Scientific Reports</i> , 2018, 8, 6184.	3.3	12
132	Site-specific covalent labeling of His-tag fused proteins with N-acyl-N-alkyl sulfonamide reagent. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 30, 115947.	3.0	12
133	Unlocking the secrets of the $\hat{2}$ glutamate receptor. <i>Communicative and Integrative Biology</i> , 2013, 6, e26466.	1.4	11
134	A New Motif Necessary and Sufficient for Stable Localization of the $\hat{2}$ Glutamate Receptors at Postsynaptic Spines. <i>Journal of Biological Chemistry</i> , 2006, 281, 17501-17509.	3.4	10
135	AP-4: Auto-phagy 4 mislocalized proteins in axons. <i>Autophagy</i> , 2008, 4, 815-816.	9.1	10
136	Cbln1 binds to specific postsynaptic sites at parallel fiberâ€“Purkinje cell synapses in the cerebellum. <i>European Journal of Neuroscience</i> , 2009, 29, 707-717.	2.6	10
137	Destroy the old to build the new: Activity-dependent lysosomal exocytosis in neurons. <i>Neuroscience Research</i> , 2021, 167, 38-46.	1.9	9
138	Cellular and Subcellular Localization of Endogenous Neuroligin-1 in the Cerebellum. <i>Cerebellum</i> , 2018, 17, 709-721.	2.5	8
139	MK-801 blocked the functional NMDA receptors in identified cerebellar neurons. <i>Neuroscience Letters</i> , 1990, 119, 19-22.	2.1	7
140	Signaling Pathways Relevant to Nerve Growth Factor-induced Upregulation of Transient Receptor Potential M8 Expression. <i>Neuroscience</i> , 2017, 367, 178-188.	2.3	7
141	Phosphorylation of Delta2 Glutamate Receptors at Serine 945 is Not Required for Cerebellar Long-term Depression. <i>Keio Journal of Medicine</i> , 2008, 57, 105-110.	1.1	7
142	Coordination chemogenetics for activation of GPCR-type glutamate receptors in brain tissue. <i>Nature Communications</i> , 2022, 13, .	12.8	7
143	The Ins and Outs of GluD2â€“Why and How Purkinje Cells Use the Special Glutamate Receptor. <i>Cerebellum</i> , 2012, 11, 438-439.	2.5	6
144	Hyaluronan synthesis supports glutamate transporter activity. <i>Journal of Neurochemistry</i> , 2019, 150, 249-263.	3.9	6

#	ARTICLE	IF	CITATIONS
145	Resilience to capsaicin-induced mitochondrial damage in trigeminal ganglion neurons. <i>Molecular Pain</i> , 2020, 16, 174480692096085.	2.1	3
146	Scrap & build functional circuits: Molecular and cellular basis of neural remodeling. <i>Neuroscience Research</i> , 2021, 167, 1-2.	1.9	3
147	Masao Ito "A Visionary Neuroscientist with a Passion for the Cerebellum. <i>Neuroscience</i> , 2021, 462, 1-3.	2.3	2
148	Subunit-dependent and subunit-independent rules of AMPA receptor trafficking during chemical long-term depression in hippocampal neurons. <i>Journal of Biological Chemistry</i> , 2021, 297, 100949.	3.4	2
149	Involvement of GluD2 in Fear-Conditioned Bradycardia in Mice. <i>PLoS ONE</i> , 2016, 11, e0166144.	2.5	2
150	A response to Dr. Yue's commentary. <i>Autophagy</i> , 2010, 6, 573-573.	9.1	1
151	A New Rapid Protocol for Eyeblink Conditioning to Assess Cerebellar Motor Learning. <i>Neurochemical Research</i> , 2011, 36, 1314-1322.	3.3	1
152	La Dolce Vita of Neurexin: Synaptic Partnerships through Glycosaminoglycans. <i>Cell</i> , 2018, 174, 1337-1338.	28.9	1
153	Mice lacking EFA6C/Psd2, a guanine nucleotide exchange factor for Arf6, exhibit lower Purkinje cell synaptic density but normal cerebellar motor functions. <i>PLoS ONE</i> , 2019, 14, e0216960.	2.5	1
154	Characterization of Metabotropic Glutamate Receptors in Cultured Purkinje Cells. <i>Annals of the New York Academy of Sciences</i> , 1993, 707, 505-508.	3.8	0
155	Antibody Against a Putative Ligand-Binding Site Reveals Delta2 Glutamate Receptor Function. <i>Annals of the New York Academy of Sciences</i> , 2002, 978, 519-519.	3.8	0
156	Delta Receptors. , 2008, , 159-178.		0
157	Cerebellar LTD and regulation by TARPs. <i>Neuroscience Research</i> , 2010, 68, e342.	1.9	0
158	New mechanisms regulating stability and dynamics of AMPA receptors. <i>Neuroscience Research</i> , 2010, 68, e7.	1.9	0
159	Cbln1 and its receptor: A unique and essential bidirectional synaptic organizer complex. <i>Neuroscience Research</i> , 2010, 68, e34.	1.9	0
160	Cbln1 induces structural changes of parallel fibers at defined sites by interactions with glutamate receptor delta 2. <i>Neuroscience Research</i> , 2010, 68, e335.	1.9	0
161	Alpha-2-Macroglobulin Receptor (A2MR). , 2012, , 100-100.		0
162	Long-Term Depression at Parallel Fiber-Purkinje Cell Synapses. , 2016, , 329-334.		0

#	ARTICLE	IF	CITATIONS
163	A novel ALS/FTD model mouse expressing cytoplasmic mutant FUS leads neurodegeneration via dendritic homeostasis disruption. <i>Journal of the Neurological Sciences</i> , 2017, 381, 62.	0.6	0
164	PhotonSABER: new tool shedding light on endocytosis and learning mechanisms <i>in vivo</i> . <i>Communicative and Integrative Biology</i> , 2019, 12, 34-37.	1.4	0
165	Rab8a and Rab8b are essential for several apical transport pathways but insufficient for ciliogenesis. <i>Development (Cambridge)</i> , 2014, 141, e406-e406.	2.5	0
166	Cbln1. , 2016, , 1-6.		0
167	Physiological Functions of d-Serine Mediated Through $\hat{2}$ Glutamate Receptors in the Cerebellum. , 2016, , 65-80.		0
168	Delta Glutamate Receptor (GluD1, GluD2). , 2016, , 1-8.		0
169	Delta Glutamate Receptor (GluD1, GluD2). , 2018, , 1345-1352.		0
170	Cbln1. , 2018, , 776-782.		0
171	AP-4. , 2018, , 342-347.		0
172	Novel optogenetic and chemogenetic tools for understanding of molecular mechanisms which underlie learning and memory.. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2020, 93, 1-S08-3.	0.0	0