

# Wong-Ho Chow

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/514851/publications.pdf>

Version: 2024-02-01

79  
papers

3,345  
citations

218677

26  
h-index

155660

55  
g-index

83  
all docs

83  
docs citations

83  
times ranked

5814  
citing authors

#	ARTICLE	IF	CITATIONS
1	Germline variation in the insulin-like growth factor pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2021, 42, 369-377.	2.8	11
2	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. <i>Environment International</i> , 2021, 147, 105975.	10.0	12
3	Allostatic score and its associations with demographics, healthy behaviors, tumor characteristics, and mitochondrial DNA among breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 587-596.	2.5	21
4	Land use mix and leukocyte telomere length in Mexican Americans. <i>Scientific Reports</i> , 2021, 11, 19742.	3.3	1
5	Population-Based Study of Traffic-Related Air Pollution and Obesity in Mexican Americans. <i>Obesity</i> , 2020, 28, 412-420.	3.0	17
6	Association Between Levels of Sex Hormones and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2701-2709.e3.	4.4	12
7	Understanding racial disparities in renal cell carcinoma incidence: estimates of population attributable risk in two US populations. <i>Cancer Causes and Control</i> , 2020, 31, 85-93.	1.8	8
8	HIF3A DNA methylation, obesity and weight gain, and breast cancer risk among Mexican American women. <i>Obesity Research and Clinical Practice</i> , 2020, 14, 548-553.	1.8	11
9	Homologous recombination repair capacity in peripheral blood lymphocytes and breast cancer risk. <i>Carcinogenesis</i> , 2020, 41, 1363-1367.	2.8	5
10	Biological Aging Marker p16INK4a in T Cells and Breast Cancer Risk. <i>Cancers</i> , 2020, 12, 3122.	3.7	12
11	Validation of plasma metabolites associated with breast cancer risk among Mexican Americans. <i>Cancer Epidemiology</i> , 2020, 69, 101826.	1.9	1
12	Leukocyte mitochondrial DNA copy number and built environment in Mexican Americans: a cross-sectional study. <i>Scientific Reports</i> , 2020, 10, 14988.	3.3	3
13	Sex-Specific Genetic Associations for Barrett's Esophagus and Esophageal Adenocarcinoma. <i>Gastroenterology</i> , 2020, 159, 2065-2076.e1.	1.3	16
14	Metabolic hormones and breast cancer risk among Mexican American Women in the Mano a Mano Cohort Study. <i>Scientific Reports</i> , 2019, 9, 9989.	3.3	10
15	Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , 2019, 27, 1589-1598.	2.8	27
16	Associations of serum CRP levels with demographics, health behaviors, and risk of cancer among the Mexican American Mano A Mano Cohort. <i>Cancer Epidemiology</i> , 2019, 60, 1-7.	1.9	5
17	No Association Between Vitamin D Status and Risk of Barrett's Esophagus or Esophageal Adenocarcinoma: A Mendelian Randomization Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2227-2235.e1.	4.4	16
18	Breast cancer risk in relation to plasma metabolites among Hispanic and African American women. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 687-696.	2.5	13

#	ARTICLE	IF	CITATIONS
19	Case-control investigation of occupational lead exposure and kidney cancer. <i>Occupational and Environmental Medicine</i> , 2019, 76, 433-440.	2.8	8
20	The influence of obesity-related factors in the etiology of renal cell carcinoma—A mendelian randomization study. <i>PLoS Medicine</i> , 2019, 16, e1002724.	8.4	59
21	Associations between the built environment and body mass index in the Mexican American Mano A Mano Cohort. <i>Science of the Total Environment</i> , 2019, 654, 456-462.	8.0	10
22	Sleep duration and risk of cancer in the Mexican American Mano-a-Mano Cohort. <i>Sleep Health</i> , 2019, 5, 78-83.	2.5	16
23	Determining Risk of Barrett's Esophagus and Esophageal Adenocarcinoma Based on Epidemiologic Factors and Genetic Variants. <i>Gastroenterology</i> , 2018, 154, 1273-1281.e3.	1.3	67
24	Cancer risk associated with chronic diseases and disease markers: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2018, 360, k134.	2.3	97
25	Serologic markers of viral infection and risk of non-Hodgkin lymphoma: A pooled study of three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2018, 143, 570-579.	5.1	23
26	Interactions Between Genetic Variants and Environmental Factors Affect Risk of Esophageal Adenocarcinoma and Barrett's Esophagus. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1598-1606.e4.	4.4	16
27	Oral microbiota reveals signs of acculturation in Mexican American women. <i>PLoS ONE</i> , 2018, 13, e0194100.	2.5	21
28	Obesity and renal cell carcinoma risk by histologic subtype: A nested case-control study and meta-analysis. <i>Cancer Epidemiology</i> , 2018, 56, 31-37.	1.9	24
29	Associations of blood mitochondrial DNA copy number with social-demographics and cancer risk: results from the Mano-A-Mano Mexican American Cohort. <i>Oncotarget</i> , 2018, 9, 25491-25502.	1.8	6
30	Cohort Profile: The Mexican American Mano a Mano Cohort. <i>International Journal of Epidemiology</i> , 2017, 46, e3-e3.	1.9	28
31	Genetic polymorphisms in genes related to risk-taking behaviours predicting body mass index trajectory among Mexican American adolescents. <i>Pediatric Obesity</i> , 2017, 12, 356-362.	2.8	13
32	Antihypertensive medication use and risk of renal cell carcinoma. <i>Cancer Causes and Control</i> , 2017, 28, 289-297.	1.8	26
33	Evaluating Exposure-Response Associations for Non-Hodgkin Lymphoma with Varying Methods of Assigning Cumulative Benzene Exposure in the Shanghai Women's Health Study. <i>Annals of Work Exposures and Health</i> , 2017, 61, 56-66.	1.4	8
34	Associations between language acculturation, age of immigration, and obesity in the Mexican American Mano A Mano cohort. <i>Obesity Research and Clinical Practice</i> , 2017, 11, 544-557.	1.8	10
35	Occupational exposure to chlorinated solvents and kidney cancer: a case-control study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 268-274.	2.8	20
36	Personalized Prognostic Prediction Models for Breast Cancer Recurrence and Survival Incorporating Multidimensional Data. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	6.3	42

#	ARTICLE	IF	CITATIONS
37	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , 2017, 8, 15724.	12.8	106
38	Plasma MicroRNA signature predicting weight gain among Mexican-American women. <i>Obesity</i> , 2017, 25, 958-964.	3.0	15
39	Germline variation in inflammation-related pathways and risk of Barrett's oesophagus and oesophageal adenocarcinoma. <i>Cut</i> , 2017, 66, 1739-1747.	12.1	38
40	Ethnic disparities in renal cell carcinoma: An analysis of Hispanic patients in a single-payer healthcare system. <i>International Journal of Urology</i> , 2017, 24, 765-770.	1.0	16
41	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. <i>European Urology</i> , 2017, 72, 747-754.	1.9	39
42	Leukocyte telomere length and renal cell carcinoma survival in two studies. <i>British Journal of Cancer</i> , 2017, 117, 752-755.	6.4	17
43	Social-demographics, health behaviors, and telomere length in the Mexican American Mano a Mano Cohort. <i>Oncotarget</i> , 2017, 8, 96553-96567.	1.8	23
44	Polymorphisms in genes in the androgen pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2016, 138, 1146-1152.	5.1	10
45	Racial disparities in renal cell carcinoma: a single-payer healthcare experience. <i>Cancer Medicine</i> , 2016, 5, 2101-2108.	2.8	30
46	Age-specific risk factor profiles of adenocarcinomas of the esophagus: A pooled analysis from the international BEACON consortium. <i>International Journal of Cancer</i> , 2016, 138, 55-64.	5.1	31
47	Genome-wide association studies in oesophageal adenocarcinoma and Barrett's oesophagus: a large-scale meta-analysis. <i>Lancet Oncology</i> , The, 2016, 17, 1363-1373.	10.7	133
48	Personalized Risk Assessment in Never, Light, and Heavy Smokers in a prospective cohort in Taiwan. <i>Scientific Reports</i> , 2016, 6, 36482.	3.3	29
49	Acculturation and Diabetes Risk in the Mexican American Mano a Mano Cohort. <i>American Journal of Public Health</i> , 2016, 106, 547-549.	2.7	21
50	Dose-response association between hepatitis B surface antigen levels and liver cancer risk in Chinese men and women. <i>International Journal of Cancer</i> , 2016, 139, 355-362.	5.1	23
51	Racial disparities in overall survival among renal cell carcinoma patients with young age and small tumors. <i>Cancer Medicine</i> , 2016, 5, 200-208.	2.8	35
52	Mobile Phone Use and its Association With Sitting Time and Meeting Physical Activity Recommendations in a Mexican American Cohort. <i>JMIR MHealth and UHealth</i> , 2016, 4, e54.	3.7	3
53	Acculturation, sociodemographic and lifestyle factors associated with compliance with physical activity recommendations in the Mexican-AmericanMano A Manocohort. <i>BMJ Open</i> , 2015, 5, e008302.	1.9	11
54	Soluble levels of $CD27$ and $CD30$ are associated with risk of non-Hodgkin lymphoma in three Chinese prospective cohorts. <i>International Journal of Cancer</i> , 2015, 137, 2688-2695.	5.1	15

#	ARTICLE	IF	CITATIONS
55	Multilevel-analysis identify a cis-expression quantitative trait locus associated with risk of renal cell carcinoma. <i>Oncotarget</i> , 2015, 6, 4097-4109.	1.8	1
56	MiRNA-Related SNPs and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus: Post Genome-Wide Association Analysis in the BEACON Consortium. <i>PLoS ONE</i> , 2015, 10, e0128617.	2.5	21
57	Polymorphisms in Genes of Relevance for Oestrogen and Oxytocin Pathways and Risk of Barrett's Esophagus and Esophageal Adenocarcinoma: A Pooled Analysis from the BEACON Consortium. <i>PLoS ONE</i> , 2015, 10, e0138738.	2.5	9
58	A Newly Identified Susceptibility Locus near <i>FOXP1</i> Modifies the Association of Gastroesophageal Reflux with Barrett's Esophagus. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1739-1747.	2.5	24
59	ABO blood types and cancer risk—A cohort study of 339,432 subjects in Taiwan. <i>Cancer Epidemiology</i> , 2015, 39, 150-156.	1.9	35
60	Dietary flavonoid intake and Barrett's esophagus in western Washington State. <i>Annals of Epidemiology</i> , 2015, 25, 730-735.e2.	1.9	6
61	The Ability of Bilirubin in Identifying Smokers with Higher Risk of Lung Cancer: A Large Cohort Study in Conjunction with Global Metabolomic Profiling. <i>Clinical Cancer Research</i> , 2015, 21, 193-200.	7.0	51
62	Pleiotropic Analysis of Cancer Risk Loci on Esophageal Adenocarcinoma Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1801-1803.	2.5	7
63	Common Variation at 1q24.1 ( <i>ALDH9A1</i> ) Is a Potential Risk Factor for Renal Cancer. <i>PLoS ONE</i> , 2015, 10, e0122589.	2.5	19
64	Historical Occupational Trichloroethylene Air Concentrations Based on Inspection Measurements From Shanghai, China. <i>Annals of Occupational Hygiene</i> , 2014, 59, 62-78.	1.9	7
65	Pre-existing type 2 diabetes and risk of lung cancer: a report from two prospective cohort studies of 133 024 Chinese adults in urban Shanghai. <i>BMJ Open</i> , 2014, 4, e004875-e004875.	1.9	18
66	Obesity and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus: A Mendelian Randomization Study. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	6.3	132
67	Diet and lifestyle factors and risk of subtypes of esophageal and gastric cancers: classification tree analysis. <i>Annals of Epidemiology</i> , 2014, 24, 50-57.	1.9	50
68	Risk of Esophageal Adenocarcinoma Decreases With Height, Based on Consortium Analysis and Confirmed by Mendelian Randomization. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 1667-1676.e1.	4.4	30
69	Telomere Length in White Blood Cell DNA and Lung Cancer: A Pooled Analysis of Three Prospective Cohorts. <i>Cancer Research</i> , 2014, 74, 4090-4098.	0.9	112
70	Adverse Health Outcomes Associated with Surgical Management of the Small Renal Mass. <i>Journal of Urology</i> , 2014, 191, 301-309.	0.4	51
71	Occupational exposure to benzene and risk of non-Hodgkin lymphoma in a population-based cohort study of Chinese women in Shanghai. <i>Occupational and Environmental Medicine</i> . 2014. 71. A40.3-A41.	2.8	0
72	Gastroesophageal Reflux in Relation to Adenocarcinomas of the Esophagus: A Pooled Analysis from the Barrett's and Esophageal Adenocarcinoma Consortium (BEACON). <i>PLoS ONE</i> , 2014, 9, e103508.	2.5	134

#	ARTICLE	IF	CITATIONS
73	Polycyclic aromatic hydrocarbons and risk of gastric cancer in the Shanghai Women's Health Study. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2014, 5, 140-4.	0.4	7
74	Germline Genetic Contributions to Risk for Esophageal Adenocarcinoma, Barrett's Esophagus, and Gastroesophageal Reflux. <i>Journal of the National Cancer Institute</i> , 2013, 105, 1711-1718.	6.3	85
75	A genome-wide association study identifies new susceptibility loci for esophageal adenocarcinoma and Barrett's esophagus. <i>Nature Genetics</i> , 2013, 45, 1487-1493.	21.4	174
76	Cigarette Smoking Increases Risk of Barrett's Esophagus: An Analysis of the Barrett's and Esophageal Adenocarcinoma Consortium. <i>Gastroenterology</i> , 2012, 142, 744-753.	1.3	145
77	Cigarette Smoking and Adenocarcinomas of the Esophagus and Esophagogastric Junction: A Pooled Analysis From the International BEACON Consortium. <i>Journal of the National Cancer Institute</i> , 2010, 102, 1344-1353.	6.3	259
78	Population Attributable Risks of Esophageal and Gastric Cancers. <i>Journal of the National Cancer Institute</i> , 2003, 95, 1404-1413.	6.3	675
79	eQTL set-based association analysis identifies novel susceptibility loci for Barrett's esophagus and esophageal adenocarcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 0, , .	2.5	1