

Kjetil N JÃ¸rgensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5148798/publications.pdf>

Version: 2024-02-01

34
papers

1,884
citations

471509

17
h-index

377865

34
g-index

37
all docs

37
docs citations

37
times ranked

4266
citing authors

#	ARTICLE	IF	CITATIONS
1	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness. <i>Psychological Medicine</i> , 2023, 53, 1479-1488.	4.5	6
2	In vivo hippocampal subfield volumes in bipolar disorder – A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 385-398.	3.6	41
3	Intracranial and subcortical volumes in adolescents with early-onset psychosis: A multisite mega-analysis from the ENIGMA consortium. <i>Human Brain Mapping</i> , 2022, 43, 373-384.	3.6	27
4	Asphyxia at birth affects brain structure in patients on the schizophrenia-bipolar disorder spectrum and healthy participants. <i>Psychological Medicine</i> , 2022, 52, 1050-1059.	4.5	11
5	Cytomegalovirus Infection Associated with Smaller Total Cortical Surface Area in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2022, 48, 1164-1173.	4.3	6
6	A comparison of intracranial volume estimation methods and their cross-sectional and longitudinal associations with age. <i>Human Brain Mapping</i> , 2022, 43, 4620-4639.	3.6	9
7	Cognitive impairment profile in adolescent early-onset psychosis using the MATRICS Battery: Age and sex effects. <i>Neuropsychology</i> , 2021, 35, 300-309.	1.3	6
8	Cytomegalovirus infection and IQ in patients with severe mental illness and healthy individuals. <i>Psychiatry Research</i> , 2021, 300, 113929.	3.3	7
9	Cytomegalovirus infection associated with smaller dentate gyrus in men with severe mental illness. <i>Brain, Behavior, and Immunity</i> , 2021, 96, 54-62.	4.1	13
10	In Vivo Amygdala Nuclei Volumes in Schizophrenia and Bipolar Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 1431-1441.	4.3	33
11	Lower plasma total tau in adolescent psychosis: Involvement of the orbitofrontal cortex. <i>Journal of Psychiatric Research</i> , 2021, 144, 255-261.	3.1	3
12	Aberrant Default Mode Connectivity in Adolescents with Early-Onset Psychosis: A resting state fMRI study. <i>NeuroImage: Clinical</i> , 2021, 33, 102881.	2.7	12
13	Trajectories of brain volume change over 13 years in chronic schizophrenia. <i>Schizophrenia Research</i> , 2020, 222, 525-527.	2.0	5
14	Negative and disorganized symptoms mediate the relationship between verbal learning and global functioning in adolescents with early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1693-1703.	4.7	7
15	Antipsychotic treatment and basal ganglia volumes: Exploring the role of receptor occupancy, dosage and remission status. <i>Schizophrenia Research</i> , 2019, 208, 114-123.	2.0	18
16	Healthy Adolescent Performance With Standardized Scoring Tables for the MATRICS Consensus Cognitive Battery: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 773-783.	4.3	18
17	Cortical thickness abnormalities in bipolar disorder patients with a lifetime history of auditory hallucinations. <i>Bipolar Disorders</i> , 2018, 20, 647-657.	1.9	10
18	Side effect burden of antipsychotic drugs in real life – Impact of gender and polypharmacy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 82, 263-271.	4.8	77

#	ARTICLE	IF	CITATIONS
19	Association between olanzapine treatment and brain cortical thickness and gray/white matter contrast is moderated by cholesterol in psychotic disorders. <i>Psychiatry Research - Neuroimaging</i> , 2018, 282, 55-63.	1.8	11
20	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	1.3	627
21	Vitamin D, Folate and the Intracranial Volume in Schizophrenia and Bipolar Disorder and Healthy Controls. <i>Scientific Reports</i> , 2018, 8, 10817.	3.3	1
22	Vitamin D levels, brain volume, and genetic architecture in patients with psychosis. <i>PLoS ONE</i> , 2018, 13, e0200250.	2.5	11
23	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017, 8, 13624.	12.8	250
24	Positive symptoms associate with cortical thinning in the superior temporal gyrus via the ENIGMA Schizophrenia consortium. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 439-447.	4.5	80
25	Brain volume change in first-episode psychosis: an effect of antipsychotic medication independent of <scp>BMI</scp> change. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 117-126.	4.5	18
26	Distinct multivariate brain morphological patterns and their added predictive value with cognitive and polygenic risk scores in mental disorders. <i>NeuroImage: Clinical</i> , 2017, 15, 719-731.	2.7	89
27	Auditory Cortex Characteristics in Schizophrenia: Associations With Auditory Hallucinations. <i>Schizophrenia Bulletin</i> , 2017, 43, 75-83.	4.3	62
28	No progressive brain changes during a 1-year follow-up of patients with first-episode psychosis. <i>Psychological Medicine</i> , 2016, 46, 589-598.	4.5	46
29	Increased MRI-based cortical grey/white-matter contrast in sensory and motor regions in schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 2016, 46, 1971-1985.	4.5	62
30	First- and second-generation antipsychotic drug treatment and subcortical brain morphology in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 451-460.	3.2	33
31	Lithium treatment and hippocampal subfields and amygdala volumes in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 496-506.	1.9	57
32	In Vivo Hippocampal Subfield Volumes in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2015, 77, 581-588.	1.3	161
33	Brain structure abnormalities in first-episode psychosis patients with persistent apathy. <i>Schizophrenia Research</i> , 2015, 164, 59-64.	2.0	41
34	Cigarette smoking is associated with thinner cingulate and insular cortices in patients with severe mental illness. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 241-249.	2.4	23