Michael Linden

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5154552/publications.pdf

Version: 2024-02-01

304743 276875 2,152 85 22 41 citations h-index g-index papers 118 118 118 1638 docs citations times ranked citing authors all docs

#	Article	lF	CITATIONS
1	How to Define, Find and Classify Side Effects in Psychotherapy: From Unwanted Events to Adverse Treatment Reactions. Clinical Psychology and Psychotherapy, 2013, 20, 286-296.	2.7	227
2	Posttraumatic Embitterment Disorder. Psychotherapy and Psychosomatics, 2003, 72, 195-202.	8.8	206
3	Definition, assessment and rate of psychotherapy side effects. World Psychiatry, 2014, 13, 306-309.	10.4	121
4	Subthreshold disorders in psychiatry: Clinical reality, methodological artifact, and the double-threshold problem. Comprehensive Psychiatry, 2000, 41, 1-7.	3.1	101
5	The postâ€traumatic embitterment disorder Selfâ€Rating Scale (PTED Scale). Clinical Psychology and Psychotherapy, 2009, 16, 139-147.	2.7	88
6	Unwanted Events and Side Effects in Cognitive Behavior Therapy. Cognitive Therapy and Research, 2018, 42, 219-229.	1.9	77
7	Anxiety disorders and workplace-related anxieties. Journal of Anxiety Disorders, 2007, 21, 467-474.	3.2	68
8	Treatment of Posttraumatic Embitterment Disorder with Cognitive Behaviour Therapy Based on Wisdom Psychology and Hedonia Strategies. Psychotherapy and Psychosomatics, 2011, 80, 199-205.	8.8	67
9	The Psychopathology of Posttraumatic Embitterment Disorders. Psychopathology, 2007, 40, 159-165.	1.5	57
10	Posttraumatic Embitterment Disorder in Comparison to Other Mental Disorders. Psychotherapy and Psychosomatics, 2008, 77, 50-56.	8.8	46
11	Workplace phobia $\hat{a}\in$ A first explorative study on its relation to established anxiety disorders, sick leave, and work-directed treatment. Psychology, Health and Medicine, 2009, 14, 591-605.	2.4	44
12	Relationship between Work-Related Attitudes, Performance and Capacities according to the ICF in Patients with Mental Disorders. Psychopathology, 2010, 43, 262-267.	1.5	41
13	Therapist–Patient Alliance, Patient–Therapist Alliance, Mutual Therapeutic Alliance, Therapist–Patient Concordance, and Outcome of CBT in GAD. Journal of Cognitive Psychotherapy, 2008, 22, 68-79.	0.4	40
14	Diagnostic criteria and the standardized diagnostic interview for posttraumatic embitterment disorder (PTED). International Journal of Psychiatry in Clinical Practice, 2008, 12, 93-96.	2.4	39
15	The relationship between job-anxiety and trait-anxietyâ€"A differential diagnostic investigation with the Job-Anxiety-Scale and the State-Trait-Anxiety-Inventory. Journal of Anxiety Disorders, 2010, 24, 366-371.	3.2	39
16	Definition and Assessment of Disability in Mental Disorders under the Perspective of the International Classification of Functioning Disability and Health (ICF). Behavioral Sciences and the Law, 2017, 35, 124-134.	0.8	35
17	Spectrum of embitterment manifestations Psychological Trauma: Theory, Research, Practice, and Policy, 2018, 10, 1-6.	2.1	34
18	The role of the "International Classification of Functioning, Disability and Health, ICF―in the description and classification of mental disorders. European Archives of Psychiatry and Clinical Neuroscience, 2008, 258, 81-85.	3.2	31

#	Article	IF	CITATIONS
19	Dosage finding and outcome in the treatment of schizophrenic inpatients with amisulpride. Results of a drug utilization observation study. Human Psychopharmacology, 2004, 19, 111-119.	1.5	26
20	Reduction of sickness absence by an occupational health care management program focusing on self-efficacy and self-management. Work, 2014, 47, 485-489.	1.1	26
21	Embitterment and Posttraumatic Embitterment Disorder (PTED): An Old, Frequent, and Still Underrecognized Problem. Psychotherapy and Psychosomatics, 2021, 90, 73-80.	8.8	24
22	Specific Job Anxiety in Comparison to General Psychosomatic Symptoms at Admission, Discharge and Six Months after Psychosomatic Inpatient Treatment. Psychopathology, 2012, 45, 167-173.	1.5	23
23	Standardized diagnostic interviews, criteria, and algorithms for mental disorders: garbage in, garbage out. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 535-544.	3.2	23
24	Workplace Phobia, Workplace Problems, and Work Ability among Primary Care Patients with Chronic Mental Disorders. Journal of the American Board of Family Medicine, 2014, 27, 486-494.	1.5	23
25	Standardization of the Korean Version of the Posttraumatic Embitterment Disorder Self-Rating Scale. Psychiatry Investigation, 2012, 9, 368.	1.6	23
26	Participation restrictions at work indicate participation restrictions in other domains of life. Psychology, Health and Medicine, 2012, 17, 95-104.	2.4	21
27	The Embittered Mind. Journal of Individual Differences, 2016, 37, 213-222.	1.0	21
28	Bibliotherapie. Verhaltenstherapie, 2005, 15, 88-93.	0.4	19
29	Das Mehrebenen-Modell psychotherapeutischer Kompetenz*. Verhaltenstherapie, 2007, 17, 52-59.	0.4	17
30	Work-Anxiety and Sickness Absence After a Short Inpatient Cognitive Behavioral Group Intervention in Comparison to a Recreational Group Meeting. Journal of Occupational and Environmental Medicine, 2016, 58, 398-406.	1.7	17
31	Suicidal and Aggressive Ideation Associated with Feelings of Embitterment. Psychopathology, 2018, 51, 245-251.	1.5	16
32	Self medication with St. John's wort in depressive disorders: An observational study in community pharmacies. Journal of Affective Disorders, 2008, 107, 205-210.	4.1	15
33	Occupational functioning, sickness absence and medication utilization before and after cognitive–behaviour therapy for generalized anxiety disorders. Clinical Psychology and Psychotherapy, 2011, 18, 218-224.	2.7	14
34	Different Workplace-Related Strains and Different Workplace-Related Anxieties in Different Professions. Journal of Occupational and Environmental Medicine, 2013, 55, 978-982.	1.7	14
35	Heart-related anxieties in relation to general anxiety and severity of illness in cardiology patients. Psychology, Health and Medicine, 2014, 19, 83-92.	2.4	12
36	Genetic variation of the mineralocorticoid receptor gene (MR, NR3C2) is associated with a conceptual endophenotype of "CRF-hypoactivity― Psychoneuroendocrinology, 2019, 105, 79-85.	2.7	12

#	Article	IF	CITATIONS
37	Improvement of patient compliance after switching from conventional neuroleptics to the atypical neuroleptic amisulpride. Journal of Psychopharmacology, 2006, 20, 815-823.	4.0	10
38	Why Do Physicians Switch From One Antipsychotic Agent to Another?. Journal of Clinical Psychopharmacology, 2006, 26, 225-231.	1.4	9
39	Contents of General Practitioner-Patient Consultations in the Treatment of Depression. Journal of General Internal Medicine, 2008, 23, 1567-1570.	2.6	9
40	Querulant delusion and post-traumatic embitterment disorder. International Review of Psychiatry, 2020, 32, 396-402.	2.8	9
41	Embitterment and the workplace. , 2011, , 154-167.		9
42	What do psychiatrists talk about with their depressed patients parallel to prescribing an antidepressant?. International Journal of Psychiatry in Clinical Practice, 2011, 15, 35-41.	2.4	8
43	The best next drug in the course of generalized anxiety disorders: the "PN-GAD-algorithm― International Journal of Psychiatry in Clinical Practice, 2013, 17, 78-89.	2.4	8
44	Bibliotherapy on Coping with Illness Improves Health Literacy but Not Heart-Related Anxiety of Patients in Cardiological Rehabilitation. Psychotherapy and Psychosomatics, 2013, 82, 349-350.	8.8	8
45	Unemployment and embitterment in contrast to general psychological distress. Work, 2019, 62, 133-138.	1.1	8
46	Euthymic suffering and wisdom psychology. World Psychiatry, 2020, 19, 55-56.	10.4	8
47	Definition, operationalization and quality assurance of psychotherapy. An investigation with the behavior therapy-competence-checklist (btcc). Psychiatria Danubina, 2007, 19, 308-16.	0.4	8
48	Profiles of recreational activities of daily living (RADL) in patients with mental disorders. Psychiatria Danubina, 2009, 21, 490-6.	0.4	8
49	The Role of Childhood Sexual Abuse (CSA) in Adult Cognitive Behaviour Therapy. Behavioural and Cognitive Psychotherapy, 2007, 35, 447-455.	1.2	7
50	Perceived job-anxiety and general psychosomatic symptom load and perceived social support – Is there a relationship?. Work, 2010, 37, 29-39.	1.1	7
51	What is health and what is positive? The ICF solution. World Psychiatry, 2012, 11, 104-105.	10.4	7
52	Treatment Changes in General Practice Patients With Chronic Mental Disorders Following a Psychiatric–Psychosomatic Consultation. Health Services Research and Managerial Epidemiology, 2018, 5, 233339281875852.	0.9	7
53	Mental Disorders in Primary Care. , 2004, 26, 52-65.		6
54	Do differences in atypical antipsychotics matter in routine practice? Medication switch from olanzapine and risperidone to amisulpride. International Clinical Psychopharmacology, 2007, 22, 175-178.	1.7	6

#	Article	IF	Citations
55	Frequency of Perceived Poststress Symptoms in Inpatients, Outpatients and Healthy Controls: The Role of Perceived Exhaustion and Stress. Psychotherapy and Psychosomatics, 2016, 85, 36-44.	8.8	6
56	Frequency and effects of psychosocial interventions additional to olanzapine treatment in routine care of schizophrenic patients. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 373-379.	3.1	5
57	Was ist Psychotherapie gemäβ SGB IX. Verhaltenstherapie, 2008, 18, 144-145.	0.4	5
58	The impact of the intensity of single symptoms on the diagnosis and prevalence of major depression. Comprehensive Psychiatry, 2014, 55, 1567-1571.	3.1	5
59	Embitterment and Not Psychological Distress Discriminates between Emigrants, Fugitives, and Residents. Psychotherapy and Psychosomatics, 2020, 89, 191-192.	8.8	5
60	UNWANTED EFFECTS WITHIN A COGNITIVE BEHAVIORAL THERAPY GROUP IN COMPARISON WITH A RECREATIONAL GROUP - A CLUSTER-RANDOMIZED CONTROLLED TRIAL. Psychiatria Danubina, 2020, 32, 115-121.	0.4	5
61	Prevalence and pattern of acute and chronic multimorbidity across all body systems and age groups in primary health care. Scientific Reports, 2022, 12, 272.	3.3	5
62	Results of Controlled Clinical Trials Comparing "Guideline Exposed" and "Guideline Naive" Physicians in the Treatment of Depression, Hypertension,and Diabetes: What can be Learned?. Current Psychiatry Reviews, 2011, 7, 43-49.	0.9	4
63	Assessment of Capacity Impairment in Patients with Mental Disorders by Routine Clinical Assessment and by Structured Assessment with the Mini-ICF-APP. Psychopathology, 2019, 52, 248-255.	1.5	4
64	Hurting Memories and Intrusions in Posttraumatic Embitterment Disorders (PTED) as Compared to Posttraumatic Stress Disorders (PTSD)., 2013,, 83-92.		4
65	Wisdom and Wisdom Psychotherapy in Coping with Stress. , 2013, , 273-281.		4
66	Reliability and validity of the Chinese version of the postâ€traumatic embitterment disorder selfâ€rating scale (PTEDâ€21) among inpatients in general hospital. Clinical Psychology and Psychotherapy, 2021, 28, 882-890.	2.7	3
67	Talking about Side Effects in Psychotherapy Did Not Impair the Therapeutic Alliance in an Experimental Study. Psychotherapy and Psychosomatics, 2022, 91, 360-362.	8.8	3
68	Common laboratory measures of global health may not be suited to assess, discriminate or predict chronic stress effects on biological systems. Nordic Journal of Psychiatry, 2011, 65, 266-268.	1.3	2
69	"Wo gehobelt wird, da fallen SpÃ ¤ e". Psychotherapeut, 2012, 57, 384-384.	0.1	2
70	Limitation of pro- and anti-inflammatory cytokine analysis to discriminate biological stress effects in patients suffering from chronic psychological distress. Nordic Journal of Psychiatry, 2013, 67, 191-196.	1.3	2
71	Capacity Limitations and Workplace Problems in Patients With Mental Disorders. Journal of Occupational and Environmental Medicine, 2021, 63, 609-613.	1.7	2
72	Patients Characteristics and Psychosocial Treatment in Psychodynamic and Cognitive Behavior Therapy. Frontiers in Psychiatry, 2021, 12, 664975.	2.6	2

#	Article	IF	CITATIONS
73	Complaints about bullying at the workplace are related to fantasies of aggression in psychosomatic patientss. Work, 2021, 69, 1343-1349.	1.1	2
74	Spectrum of Persisting Memories and Pseudomemories, Distortions, and Psychopathology., 2013,, 3-20.		2
75	How to Review the Medication History to Find the Next Best Drug: The "Pretreatment-Next Treatment Algorithm and Checklist― Current Psychopharmacology, 2012, 1, 61-66.	0.3	2
76	Embitterment during the COVID-19 Pandemic in Reaction to Injustice, Humiliation, and Breach of Trust. Psychiatry International, 2022, 3, 206-211.	1.0	2
77	Die Langzeitperspektive in der Richtlinienpsychotherapie: Rehabilitationspsychotherapie. Verhaltenstherapie, 2016, 26, 80-81.	0.4	1
78	NEGATIVE AND HELPFUL STATEMENTS IN A PATIENT ONLY OR THERAPIST GUIDED INTERNET FORUM IN THE AFTERCARE FOR PSYCHOSOMATIC INPATIENTS. Psychiatria Danubina, 2017, 29, 446-450.	0.4	1
79	Better patient knowledge and worse treatment outcome after written patient information in inpatient cognitive behaviour therapy as compared to non-informed patients. Cogent Psychology, 2019, 6, 1612825.	1.3	0
80	Ethical Dimensions of Psychotherapy Side Effects. , 0, , 330-339.		0
81	Psychotherapie, Psychotherapieverfahren und Richtlinienpsychotherapie., 2021,, 507-514.		O
82	Spectrum, rate and unmet needs of sociomedical interventions in outpatient psychotherapy. Clinical Psychology and Psychotherapy, 2021, , .	2.7	0
83	Embitterment – Conception of a Potential Moderator to Dysfunctional and Aggressive Behaviour in Children and Adolescents. Journal of Child and Adolescent Trauma, 0, , 1.	1.9	0
84	Quality Assurance in Psychiatric Occupational Therapy by Treatment Manuals: Patients' Perceptions of Resistance- and Regeneration-specific Occupational Therapy. Global Psychiatry, 2018, 1, 71-94.	2.0	0
85	Nebenwirkungen und Nebenwirkungserfassung in der Kinder- und Jugendlichen-Verhaltenstherapie. Psychotherapie: Praxis, 2020, , 37-41.	0.1	O