Michael Linden

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5154552/publications.pdf

Version: 2024-02-01

304743 276875 2,152 85 22 41 citations h-index g-index papers 118 118 118 1638 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Prevalence and pattern of acute and chronic multimorbidity across all body systems and age groups in primary health care. Scientific Reports, 2022, 12, 272.	3.3	5
2	Talking about Side Effects in Psychotherapy Did Not Impair the Therapeutic Alliance in an Experimental Study. Psychotherapy and Psychosomatics, 2022, 91, 360-362.	8.8	3
3	Embitterment during the COVID-19 Pandemic in Reaction to Injustice, Humiliation, and Breach of Trust. Psychiatry International, 2022, 3, 206-211.	1.0	2
4	Reliability and validity of the Chinese version of the postâ€traumatic embitterment disorder selfâ€rating scale (PTEDâ€21) among inpatients in general hospital. Clinical Psychology and Psychotherapy, 2021, 28, 882-890.	2.7	3
5	Psychotherapie, Psychotherapieverfahren und Richtlinienpsychotherapie., 2021,, 507-514.		O
6	Capacity Limitations and Workplace Problems in Patients With Mental Disorders. Journal of Occupational and Environmental Medicine, 2021, 63, 609-613.	1.7	2
7	Patients Characteristics and Psychosocial Treatment in Psychodynamic and Cognitive Behavior Therapy. Frontiers in Psychiatry, 2021, 12, 664975.	2.6	2
8	Spectrum, rate and unmet needs of sociomedical interventions in outpatient psychotherapy. Clinical Psychology and Psychotherapy, 2021, , .	2.7	0
9	Complaints about bullying at the workplace are related to fantasies of aggression in psychosomatic patientss. Work, 2021, 69, 1343-1349.	1.1	2
10	Embitterment and Posttraumatic Embitterment Disorder (PTED): An Old, Frequent, and Still Underrecognized Problem. Psychotherapy and Psychosomatics, 2021, 90, 73-80.	8.8	24
11	Querulant delusion and post-traumatic embitterment disorder. International Review of Psychiatry, 2020, 32, 396-402.	2.8	9
12	Euthymic suffering and wisdom psychology. World Psychiatry, 2020, 19, 55-56.	10.4	8
13	Embitterment and Not Psychological Distress Discriminates between Emigrants, Fugitives, and Residents. Psychotherapy and Psychosomatics, 2020, 89, 191-192.	8.8	5
14	UNWANTED EFFECTS WITHIN A COGNITIVE BEHAVIORAL THERAPY GROUP IN COMPARISON WITH A RECREATIONAL GROUP - A CLUSTER-RANDOMIZED CONTROLLED TRIAL. Psychiatria Danubina, 2020, 32, 115-121.	0.4	5
15	Nebenwirkungen und Nebenwirkungserfassung in der Kinder- und Jugendlichen-Verhaltenstherapie. Psychotherapie: Praxis, 2020, , 37-41.	0.1	O
16	Better patient knowledge and worse treatment outcome after written patient information in inpatient cognitive behaviour therapy as compared to non-informed patients. Cogent Psychology, 2019, 6, 1612825.	1.3	0
17	Assessment of Capacity Impairment in Patients with Mental Disorders by Routine Clinical Assessment and by Structured Assessment with the Mini-ICF-APP. Psychopathology, 2019, 52, 248-255.	1.5	4
18	Unemployment and embitterment in contrast to general psychological distress. Work, 2019, 62, 133-138.	1.1	8

#	Article	IF	CITATIONS
19	Genetic variation of the mineralocorticoid receptor gene (MR, NR3C2) is associated with a conceptual endophenotype of "CRF-hypoactivity― Psychoneuroendocrinology, 2019, 105, 79-85.	2.7	12
20	Unwanted Events and Side Effects in Cognitive Behavior Therapy. Cognitive Therapy and Research, 2018, 42, 219-229.	1.9	77
21	Treatment Changes in General Practice Patients With Chronic Mental Disorders Following a Psychiatric–Psychosomatic Consultation. Health Services Research and Managerial Epidemiology, 2018, 5, 233339281875852.	0.9	7
22	Suicidal and Aggressive Ideation Associated with Feelings of Embitterment. Psychopathology, 2018, 51, 245-251.	1.5	16
23	Spectrum of embitterment manifestations Psychological Trauma: Theory, Research, Practice, and Policy, 2018, 10, 1-6.	2.1	34
24	Quality Assurance in Psychiatric Occupational Therapy by Treatment Manuals: Patients' Perceptions of Resistance- and Regeneration-specific Occupational Therapy. Global Psychiatry, 2018, 1, 71-94.	2.0	0
25	Definition and Assessment of Disability in Mental Disorders under the Perspective of the International Classification of Functioning Disability and Health (ICF). Behavioral Sciences and the Law, 2017, 35, 124-134.	0.8	35
26	NEGATIVE AND HELPFUL STATEMENTS IN A PATIENT ONLY OR THERAPIST GUIDED INTERNET FORUM IN THE AFTERCARE FOR PSYCHOSOMATIC INPATIENTS. Psychiatria Danubina, 2017, 29, 446-450.	0.4	1
27	Die Langzeitperspektive in der Richtlinienpsychotherapie: Rehabilitationspsychotherapie. Verhaltenstherapie, 2016, 26, 80-81.	0.4	1
28	Work-Anxiety and Sickness Absence After a Short Inpatient Cognitive Behavioral Group Intervention in Comparison to a Recreational Group Meeting. Journal of Occupational and Environmental Medicine, 2016, 58, 398-406.	1.7	17
29	Frequency of Perceived Poststress Symptoms in Inpatients, Outpatients and Healthy Controls: The Role of Perceived Exhaustion and Stress. Psychotherapy and Psychosomatics, 2016, 85, 36-44.	8.8	6
30	The Embittered Mind. Journal of Individual Differences, 2016, 37, 213-222.	1.0	21
31	Definition, assessment and rate of psychotherapy side effects. World Psychiatry, 2014, 13, 306-309.	10.4	121
32	Workplace Phobia, Workplace Problems, and Work Ability among Primary Care Patients with Chronic Mental Disorders. Journal of the American Board of Family Medicine, 2014, 27, 486-494.	1.5	23
33	Heart-related anxieties in relation to general anxiety and severity of illness in cardiology patients. Psychology, Health and Medicine, 2014, 19, 83-92.	2.4	12
34	The impact of the intensity of single symptoms on the diagnosis and prevalence of major depression. Comprehensive Psychiatry, 2014, 55, 1567-1571.	3.1	5
35	Reduction of sickness absence by an occupational health care management program focusing on self-efficacy and self-management. Work, 2014, 47, 485-489.	1.1	26
36	How to Define, Find and Classify Side Effects in Psychotherapy: From Unwanted Events to Adverse Treatment Reactions. Clinical Psychology and Psychotherapy, 2013, 20, 286-296.	2.7	227

3

#	Article	IF	Citations
37	The best next drug in the course of generalized anxiety disorders: the "PN-GAD-algorithmâ€. International Journal of Psychiatry in Clinical Practice, 2013, 17, 78-89.	2.4	8
38	Bibliotherapy on Coping with Illness Improves Health Literacy but Not Heart-Related Anxiety of Patients in Cardiological Rehabilitation. Psychotherapy and Psychosomatics, 2013, 82, 349-350.	8.8	8
39	Limitation of pro- and anti-inflammatory cytokine analysis to discriminate biological stress effects in patients suffering from chronic psychological distress. Nordic Journal of Psychiatry, 2013, 67, 191-196.	1.3	2
40	Different Workplace-Related Strains and Different Workplace-Related Anxieties in Different Professions. Journal of Occupational and Environmental Medicine, 2013, 55, 978-982.	1.7	14
41	Spectrum of Persisting Memories and Pseudomemories, Distortions, and Psychopathology., 2013,, 3-20.		2
42	Hurting Memories and Intrusions in Posttraumatic Embitterment Disorders (PTED) as Compared to Posttraumatic Stress Disorders (PTSD)., 2013,, 83-92.		4
43	Wisdom and Wisdom Psychotherapy in Coping with Stress. , 2013, , 273-281.		4
44	Specific Job Anxiety in Comparison to General Psychosomatic Symptoms at Admission, Discharge and Six Months after Psychosomatic Inpatient Treatment. Psychopathology, 2012, 45, 167-173.	1.5	23
45	Standardized diagnostic interviews, criteria, and algorithms for mental disorders: garbage in, garbage out. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 535-544.	3.2	23
46	What is health and what is positive? The ICF solution. World Psychiatry, 2012, 11, 104-105.	10.4	7
47	Participation restrictions at work indicate participation restrictions in other domains of life. Psychology, Health and Medicine, 2012, 17, 95-104.	2.4	21
48	"Wo gehobelt wird, da fallen Späe". Psychotherapeut, 2012, 57, 384-384.	0.1	2
49	How to Review the Medication History to Find the Next Best Drug: The "Pretreatment-Next Treatment Algorithm and Checklist― Current Psychopharmacology, 2012, 1, 61-66.	0.3	2
50	Standardization of the Korean Version of the Posttraumatic Embitterment Disorder Self-Rating Scale. Psychiatry Investigation, 2012, 9, 368.	1.6	23
51	Results of Controlled Clinical Trials Comparing "Guideline Exposed" and "Guideline Naive" Physicians in the Treatment of Depression, Hypertension,and Diabetes: What can be Learned?. Current Psychiatry Reviews, 2011, 7, 43-49.	0.9	4
52	Occupational functioning, sickness absence and medication utilization before and after cognitiveâe behaviour therapy for generalized anxiety disorders. Clinical Psychology and Psychotherapy, 2011, 18, 218-224.	2.7	14
53	Treatment of Posttraumatic Embitterment Disorder with Cognitive Behaviour Therapy Based on Wisdom Psychology and Hedonia Strategies. Psychotherapy and Psychosomatics, 2011, 80, 199-205.	8.8	67
54	What do psychiatrists talk about with their depressed patients parallel to prescribing an antidepressant?. International Journal of Psychiatry in Clinical Practice, 2011, 15, 35-41.	2.4	8

#	Article	IF	Citations
55	Common laboratory measures of global health may not be suited to assess, discriminate or predict chronic stress effects on biological systems. Nordic Journal of Psychiatry, 2011, 65, 266-268.	1.3	2
56	Embitterment and the workplace., 2011,, 154-167.		9
57	Perceived job-anxiety and general psychosomatic symptom load and perceived social support – Is there a relationship?. Work, 2010, 37, 29-39.	1.1	7
58	Relationship between Work-Related Attitudes, Performance and Capacities according to the ICF in Patients with Mental Disorders. Psychopathology, 2010, 43, 262-267.	1.5	41
59	The relationship between job-anxiety and trait-anxiety—A differential diagnostic investigation with the Job-Anxiety-Scale and the State-Trait-Anxiety-Inventory. Journal of Anxiety Disorders, 2010, 24, 366-371.	3.2	39
60	Workplace phobia – A first explorative study on its relation to established anxiety disorders, sick leave, and work-directed treatment. Psychology, Health and Medicine, 2009, 14, 591-605.	2.4	44
61	The postâ€traumatic embitterment disorder Selfâ€Rating Scale (PTED Scale). Clinical Psychology and Psychotherapy, 2009, 16, 139-147.	2.7	88
62	Profiles of recreational activities of daily living (RADL) in patients with mental disorders. Psychiatria Danubina, 2009, 21, 490-6.	0.4	8
63	Frequency and effects of psychosocial interventions additional to olanzapine treatment in routine care of schizophrenic patients. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 373-379.	3.1	5
64	Contents of General Practitioner-Patient Consultations in the Treatment of Depression. Journal of General Internal Medicine, 2008, 23, 1567-1570.	2.6	9
65	The role of the "International Classification of Functioning, Disability and Health, ICF―in the description and classification of mental disorders. European Archives of Psychiatry and Clinical Neuroscience, 2008, 258, 81-85.	3.2	31
66	Self medication with St. John's wort in depressive disorders: An observational study in community pharmacies. Journal of Affective Disorders, 2008, 107, 205-210.	4.1	15
67	Posttraumatic Embitterment Disorder in Comparison to Other Mental Disorders. Psychotherapy and Psychosomatics, 2008, 77, 50-56.	8.8	46
68	Diagnostic criteria and the standardized diagnostic interview for posttraumatic embitterment disorder (PTED). International Journal of Psychiatry in Clinical Practice, 2008, 12, 93-96.	2.4	39
69	Therapist–Patient Alliance, Patient–Therapist Alliance, Mutual Therapeutic Alliance, Therapist–Patient Concordance, and Outcome of CBT in GAD. Journal of Cognitive Psychotherapy, 2008, 22, 68-79.	0.4	40
70	Was ist Psychotherapie gemäβ SGB IX. Verhaltenstherapie, 2008, 18, 144-145.	0.4	5
71	The Role of Childhood Sexual Abuse (CSA) in Adult Cognitive Behaviour Therapy. Behavioural and Cognitive Psychotherapy, 2007, 35, 447-455.	1.2	7
72	The Psychopathology of Posttraumatic Embitterment Disorders. Psychopathology, 2007, 40, 159-165.	1.5	57

#	Article	IF	Citations
73	Do differences in atypical antipsychotics matter in routine practice? Medication switch from olanzapine and risperidone to amisulpride. International Clinical Psychopharmacology, 2007, 22, 175-178.	1.7	6
74	Anxiety disorders and workplace-related anxieties. Journal of Anxiety Disorders, 2007, 21, 467-474.	3.2	68
75	Das Mehrebenen-Modell psychotherapeutischer Kompetenz*. Verhaltenstherapie, 2007, 17, 52-59.	0.4	17
76	Definition, operationalization and quality assurance of psychotherapy. An investigation with the behavior therapy-competence-checklist (btcc). Psychiatria Danubina, 2007, 19, 308-16.	0.4	8
77	Why Do Physicians Switch From One Antipsychotic Agent to Another?. Journal of Clinical Psychopharmacology, 2006, 26, 225-231.	1.4	9
78	Improvement of patient compliance after switching from conventional neuroleptics to the atypical neuroleptic amisulpride. Journal of Psychopharmacology, 2006, 20, 815-823.	4.0	10
79	Bibliotherapie. Verhaltenstherapie, 2005, 15, 88-93.	0.4	19
80	Mental Disorders in Primary Care. , 2004, 26, 52-65.		6
81	Dosage finding and outcome in the treatment of schizophrenic inpatients with amisulpride. Results of a drug utilization observation study. Human Psychopharmacology, 2004, 19, 111-119.	1.5	26
82	Posttraumatic Embitterment Disorder. Psychotherapy and Psychosomatics, 2003, 72, 195-202.	8.8	206
83	Subthreshold disorders in psychiatry: Clinical reality, methodological artifact, and the double-threshold problem. Comprehensive Psychiatry, 2000, 41, 1-7.	3.1	101
84	Ethical Dimensions of Psychotherapy Side Effects., 0,, 330-339.		0
85	Embitterment – Conception of a Potential Moderator to Dysfunctional and Aggressive Behaviour in Children and Adolescents. Journal of Child and Adolescent Trauma, 0, , 1.	1.9	O