

Bernard G Schreurs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5160453/publications.pdf>

Version: 2024-02-01

113
papers

3,642
citations

159585

30
h-index

149698

56
g-index

114
all docs

114
docs citations

114
times ranked

2104
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Disruption of rat deep cerebellar perineuronal net alters eyeblink conditioning and neuronal electrophysiology. <i>Neurobiology of Learning and Memory</i> , 2021, 177, 107358. | 1.9 | 4 |
| 2 | Age, Body Mass Index (BMI) And Cognitive Difficulties In Appalachian West Virginia. <i>Innovation in Aging</i> , 2021, 5, 991-991. | 0.1 | 0 |
| 3 | Changes in cerebellar intrinsic neuronal excitability and synaptic plasticity result from eyeblink conditioning. <i>Neurobiology of Learning and Memory</i> , 2019, 166, 107094. | 1.9 | 8 |
| 4 | Inactivation of the interpositus nucleus during unpaired extinction does not prevent extinction of conditioned eyeblink responses or conditioning-specific reflex modification.. <i>Behavioral Neuroscience</i> , 2019, 133, 398-413. | 1.2 | 0 |
| 5 | Delayed unpaired extinction as a treatment for hyperarousal of the rabbit nictitating membrane response and its implications for treating PTSD. <i>Journal of Psychiatric Research</i> , 2018, 99, 1-9. | 3.1 | 1 |
| 6 | Sex differences in a rabbit eyeblink conditioning model of PTSD. <i>Neurobiology of Learning and Memory</i> , 2018, 155, 519-527. | 1.9 | 5 |
| 7 | Propranolol produces short-term facilitation of extinction in a rabbit model of post-traumatic stress disorder. <i>Neuropharmacology</i> , 2018, 135, 386-398. | 4.1 | 9 |
| 8 | Direct medical expenditures associated with Alzheimer's and related dementias (ADRD) in a nationally representative sample of older adults – an excess cost approach. <i>Aging and Mental Health</i> , 2018, 22, 619-624. | 2.8 | 45 |
| 9 | Inactivation of the interpositus nucleus blocks the acquisition of conditioned responses and timing changes in conditioning-specific reflex modification of the rabbit eyeblink response. <i>Neurobiology of Learning and Memory</i> , 2018, 155, 143-156. | 1.9 | 2 |
| 10 | Changes in membrane properties of rat deep cerebellar nuclear projection neurons during acquisition of eyeblink conditioning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E9419-E9428. | 7.1 | 19 |
| 11 | A High-Cholesterol Diet Increases 27-Hydroxycholesterol and Modifies Estrogen Receptor Expression and Neurodegeneration in Rabbit Hippocampus. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 185-196. | 2.6 | 53 |
| 12 | Grouping subjects based on conditioning criteria reveals differences in acquisition rates and in strength of conditioning-specific reflex modification. <i>Neurobiology of Learning and Memory</i> , 2017, 145, 172-180. | 1.9 | 4 |
| 13 | Effects of systemic glutamatergic manipulations on conditioned eyeblink responses and hyperarousal in a rabbit model of post-traumatic stress disorder. <i>Behavioural Pharmacology</i> , 2017, 28, 565-577. | 1.7 | 5 |
| 14 | Rural – Urban Differences in Alzheimer's Disease and Related Disorders Diagnostic Prevalence in Kentucky and West Virginia. <i>Journal of Rural Health</i> , 2016, 32, 314-320. | 2.9 | 43 |
| 15 | Effects of extinction treatments on the reduction of conditioned responding and conditioned hyperarousal in a rabbit model of posttraumatic stress disorder (PTSD).. <i>Behavioral Neuroscience</i> , 2015, 129, 611-620. | 1.2 | 7 |
| 16 | Dietary High Cholesterol and Trace Metals in the Drinking Water Increase Levels of ABCA1 in the Rabbit Hippocampus and Temporal Cortex. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 201-209. | 2.6 | 7 |
| 17 | Eyeblink classical conditioning and post-traumatic stress disorder – a model systems approach. <i>Frontiers in Psychiatry</i> , 2015, 6, 50. | 2.6 | 9 |
| 18 | Identification of the PS1 Thr147Ile Variant in a Family with Very Early Onset Dementia and Expressive Aphasia. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 483-490. | 2.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Concept of Unpaired Extinction for Treating PTSD. , 2015, , 1-13. | | 0 |
| 20 | Maturation of membrane properties of neurons in the rat deep cerebellar nuclei. <i>Developmental Neurobiology</i> , 2014, 74, 1268-1276. | 3.0 | 7 |
| 21 | Inactivation of the central nucleus of the amygdala blocks classical conditioning but not conditioning-specific reflex modification of rabbit heart rate. <i>Neurobiology of Learning and Memory</i> , 2013, 100, 88-97. | 1.9 | 3 |
| 22 | Dietary cholesterol degrades rabbit long term memory for discrimination learning but facilitates acquisition of discrimination reversal. <i>Neurobiology of Learning and Memory</i> , 2013, 106, 238-245. | 1.9 | 4 |
| 23 | Dietary cholesterol increases ventricular volume and narrows cerebrovascular diameter in a rabbit model of Alzheimer's disease. <i>Neuroscience</i> , 2013, 254, 61-69. | 2.3 | 21 |
| 24 | Ontogeny of trace eyeblink conditioning to shock-shock pairings in the rat pup.. <i>Behavioral Neuroscience</i> , 2013, 127, 114-120. | 1.2 | 8 |
| 25 | Subacute fluoxetine enhances conditioned responding and conditioning-specific reflex modification of the rabbit nictitating membrane response. <i>Behavioural Pharmacology</i> , 2013, 24, 55-64. | 1.7 | 8 |
| 26 | Cholesterol and Copper Affect Learning and Memory in the Rabbit. <i>International Journal of Alzheimer's Disease</i> , 2013, 2013, 1-12. | 2.0 | 12 |
| 27 | Anatomical Characterization of a Rabbit Cerebellar Eyeblink Premotor Pathway Using Pseudorabies and Identification of a Local Modulatory Network in Anterior Interpositus. <i>Journal of Neuroscience</i> , 2012, 32, 12472-12487. | 3.6 | 29 |
| 28 | Predictors of susceptibility and resilience in an animal model of posttraumatic stress disorder.. <i>Behavioral Neuroscience</i> , 2012, 126, 749-761. | 1.2 | 15 |
| 29 | Cholesterol Increases Ventricular Volume in a Rabbit Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2012, 29, 283-292. | 2.6 | 18 |
| 30 | Dietary Cholesterol Concentration and Duration Degrade Long-Term Memory of Classical Conditioning of the Rabbit's Nictitating Membrane Response. <i>International Journal of Alzheimer's Disease</i> , 2012, 2012, 1-10. | 2.0 | 12 |
| 31 | Unpaired extinction: Implications for treating post-traumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2011, 45, 638-649. | 3.1 | 20 |
| 32 | Incubation of conditioning-specific reflex modification: Implications for post traumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2011, 45, 1535-1541. | 3.1 | 17 |
| 33 | Classical conditioning and conditioning-specific reflex modification of rabbit heart rate as a function of unconditioned stimulus location.. <i>Behavioral Neuroscience</i> , 2011, 125, 604-612. | 1.2 | 5 |
| 34 | Dietary cholesterol impairs memory and memory increases brain cholesterol and sulfatide levels.. <i>Behavioral Neuroscience</i> , 2010, 124, 115-123. | 1.2 | 15 |
| 35 | Neurovascular changes measured by time-of-flight MR angiography in cholesterol-fed rabbits with cortical amyloid β -peptide accumulation. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 306-314. | 3.4 | 8 |
| 36 | The effects of cholesterol on learning and memory. <i>Neuroscience and Biobehavioral Reviews</i> , 2010, 34, 1366-1379. | 6.1 | 87 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Dietary cholesterol modulates the excitability of rabbit hippocampal CA1 pyramidal neurons. <i>Neuroscience Letters</i> , 2010, 479, 327-331. | 2.1 | 17 |
| 38 | Effects of extinction on classical conditioning and conditioning-specific reflex modification of rabbit heart rate. <i>Behavioural Brain Research</i> , 2010, 206, 127-134. | 2.2 | 14 |
| 39 | Conditioning-specific reflex modification of the rabbit's nictitating membrane response and heart rate: Behavioral rules, neural substrates, and potential applications to posttraumatic stress disorder.. <i>Behavioral Neuroscience</i> , 2008, 122, 1191-1206. | 1.2 | 32 |
| 40 | Inactivation of the central nucleus of the amygdala abolishes conditioning-specific reflex modification of the rabbit (<i>Oryctolagus cuniculus</i>) nictitating membrane response and delays classical conditioning.. <i>Behavioral Neuroscience</i> , 2008, 122, 75-88. | 1.2 | 21 |
| 41 | Analysis of long-term cognitive-enhancing effects of bryostatin-1 on the rabbit (<i>Oryctolagus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 | 1.7 | 18 |
| 42 | High dietary cholesterol facilitates classical conditioning of the rabbit's nictitating membrane response. <i>Nutritional Neuroscience</i> , 2007, 10, 31-43. | 3.1 | 17 |
| 43 | Classical conditioning of the rabbit's nictitating membrane response is a function of the duration of dietary cholesterol. <i>Nutritional Neuroscience</i> , 2007, 10, 159-168. | 3.1 | 11 |
| 44 | Cholesterol enhances classical conditioning of the rabbit heart rate response. <i>Behavioural Brain Research</i> , 2007, 181, 52-63. | 2.2 | 16 |
| 45 | Effects of 4-aminopyridine on classical conditioning of the rabbit (<i>Oryctolagus cuniculus</i>) nictitating membrane response. <i>Behavioural Pharmacology</i> , 2006, 17, 319-329. | 1.7 | 5 |
| 46 | Conditioning-specific reflex modification of the rabbit (<i>Oryctolagus cuniculus</i>) nictitating membrane response is sensitive to context. <i>Learning and Behavior</i> , 2006, 34, 315-324. | 1.0 | 17 |
| 47 | Characteristics of IA currents in adult rabbit cerebellar Purkinje cells. <i>Brain Research</i> , 2006, 1096, 85-96. | 2.2 | 25 |
| 48 | Trace copper levels in the drinking water, but not zinc or aluminum influence CNS Alzheimer-like pathology. <i>Journal of Nutrition, Health and Aging</i> , 2006, 10, 247-54. | 3.3 | 80 |
| 49 | Conditioning-specific reflex modification of rabbit (<i>oryctolagus cuniculus</i>) heart rate.. <i>Behavioral Neuroscience</i> , 2005, 119, 1484-1495. | 1.2 | 16 |
| 50 | Heart rate changes during conditioning-specific reflex modification of the rabbit's (Oryctolagus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 1.9 | 11 |
| 51 | Conditioning-specific reflex modification of the rabbit (<i>Oryctolagus cuniculus</i>) nictitating membrane response: US intensity effects. <i>Learning and Behavior</i> , 2003, 31, 292-298. | 3.4 | 25 |
| 52 | Down regulation of cerebellar memory related gene-1 following classical conditioning. <i>Genes, Brain and Behavior</i> , 2003, 2, 231-237. | 2.2 | 5 |
| 53 | Single-cue delay and trace classical conditioning in schizophrenia. <i>Biological Psychiatry</i> , 2003, 53, 390-402. | 1.3 | 33 |
| 54 | Trace amounts of copper in water induce β -amyloid plaques and learning deficits in a rabbit model of Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 11065-11069. | 7.1 | 436 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Cholesterol Modifies Classical Conditioning of the Rabbit (<i>Oryctolagus cuniculus</i>) Nictitating Membrane Response.. Behavioral Neuroscience, 2003, 117, 1220-1232. | 1.2 | 22 |
| 56 | Classical Conditioning and Modification of the Rabbit's (<i>Oryctolagus Cuniculus</i>) Unconditioned Nictitating Membrane Response. Behavioral and Cognitive Neuroscience Reviews, 2003, 2, 83-96. | 3.9 | 17 |
| 57 | Functional Nethorks Underlying Human Eyeblink Conditioning. , 2002, , 51-69. | | 1 |
| 58 | Cellular Mechanisms of Classical Conditioning. , 2002, , 14-45. | | 0 |
| 59 | Cellular Correlates of Eyeblink Classical Conditioning. , 2002, , 179-204. | | 1 |
| 60 | Interactions of prefrontal cortex during eyeblink conditioning as a function of age. Neurobiology of Aging, 2001, 22, 237-246. | 3.1 | 24 |
| 61 | Conditioning-specific reflex modification of the rabbit (<i>Oryctolagus cuniculus</i>) nictitating membrane response: Generality and nature of the phenomenon.. Behavioral Neuroscience, 2001, 115, 1039-1047. | 1.2 | 31 |
| 62 | Gene expression profiles during long-term memory consolidation. European Journal of Neuroscience, 2001, 13, 1809-1815. | 2.6 | 48 |
| 63 | Imaging learning and memory: Classical conditioning. The Anatomical Record, 2001, 265, 257-273. | 1.8 | 7 |
| 64 | Conditioning-specific reflex modification of the rabbit (<i>Oryctolagus cuniculus</i>) nictitating membrane response: generality and nature of the phenomenon. Behavioral Neuroscience, 2001, 115, 1039-47. | 1.2 | 21 |
| 65 | Conditioning the unconditioned response: Modification of the rabbit's (<i>Oryctolagus cuniculus</i>) unconditioned nictitating membrane response.. Journal of Experimental Psychology, 2000, 26, 144-156. | 1.7 | 26 |
| 66 | Kinetic and Frequency-Domain Properties of Reflex and Conditioned Eyelid Responses in the Rabbit. Journal of Neurophysiology, 2000, 83, 836-852. | 1.8 | 82 |
| 67 | Conditioning the unconditioned response: Modification of the rabbit's (<i>Oryctolagus cuniculus</i>) unconditioned nictitating membrane response.. Journal of Experimental Psychology, 2000, 26, 144-156. | 1.7 | 31 |
| 68 | The Effects of Scopolamine on Changes in Regional Cerebral Blood Flow during Classical Conditioning of the Human Eyeblink Response. Neuropsychobiology, 1999, 39, 187-195. | 1.9 | 11 |
| 69 | Long-Term Memory and Extinction of Rabbit Nictitating Membrane Trace Conditioning. Learning and Motivation, 1998, 29, 68-82. | 1.2 | 11 |
| 70 | Classical conditioning increases membrane-bound protein kinase C in rabbit cerebellum. NeuroReport, 1998, 9, 2669-2673. | 1.2 | 17 |
| 71 | Pairing-specific long-term depression prevented by blockade of PKC or intracellular Ca ²⁺ . NeuroReport, 1998, 9, 2237-2241. | 1.2 | 28 |
| 72 | Intracellular Correlates of Acquisition and Long-Term Memory of Classical Conditioning in Purkinje Cell Dendrites in Slices of Rabbit Cerebellar Lobule HVI. Journal of Neuroscience, 1998, 18, 5498-5507. | 3.6 | 154 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Lateralization and Behavioral Correlation of Changes in Regional Cerebral Blood Flow With Classical Conditioning of the Human Eyeblink Response. <i>Journal of Neurophysiology</i> , 1997, 77, 2153-2163. | 1.8 | 147 |
| 74 | Dendritic Excitability Microzones and Occluded Long-Term Depression After Classical Conditioning of the Rabbit's Nictitating Membrane Response. <i>Journal of Neurophysiology</i> , 1997, 77, 86-92. | 1.8 | 124 |
| 75 | Pairing-specific long-term depression of Purkinje cell excitatory postsynaptic potentials results from a classical conditioning procedure in the rabbit cerebellar slice. <i>Journal of Neurophysiology</i> , 1996, 75, 1051-1060. | 1.8 | 178 |
| 76 | Calcxitin: A signaling protein that binds calcium and GTP, inhibits potassium channels, and enhances membrane excitability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 13808-13813. | 7.1 | 53 |
| 77 | High-resolution fluorescent labeling of living cerebellar slices. <i>Brain Research</i> , 1996, 730, 125-132. | 2.2 | 2 |
| 78 | Conditioning-specific modification of the rabbit's unconditioned nictitating membrane response.. <i>Behavioral Neuroscience</i> , 1995, 109, 24-33. | 1.2 | 42 |
| 79 | The effects of scopolamine, lorazepam, and glycopyrrolate on classical conditioning of the human eyeblink response. <i>Psychopharmacology</i> , 1995, 122, 395-400. | 3.1 | 35 |
| 80 | Conditioning-specific modification of the rabbit's unconditioned nictitating membrane response.. <i>Behavioral Neuroscience</i> , 1995, 109, 24-33. | 1.2 | 30 |
| 81 | Effects of modulating tone frequency, intensity, and duration on the classically conditioned rabbit nictitating membrane response. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1995, 23, 103-115. | 1.3 | 7 |
| 82 | Incorporation of Fluorescent Lipids into Living Rabbit Hippocampal and Cerebellar Slices. <i>NeuroImage</i> , 1994, 1, 264-275. | 4.2 | 7 |
| 83 | A functional anatomical study of associative learning in humans.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 8122-8126. | 7.1 | 256 |
| 84 | Tumor Necrosis Factor α (TNF α), Interferon γ , and Interleukin β but Not TNF β Induce Differentiation of Neuroblastoma Cells: The Role of Nitric Oxide. <i>Journal of Neurochemistry</i> , 1994, 62, 1337-1344. | 3.9 | 33 |
| 85 | Long-Term Memory and Extinction of the Classically Conditioned Rabbit Nictitating Membrane Response. <i>Learning and Motivation</i> , 1993, 24, 293-302. | 1.2 | 34 |
| 86 | Concurrent Associative Transfer and Competition in Serial Conditioning of the Rabbit's Nictitating Membrane Response. <i>Learning and Motivation</i> , 1993, 24, 395-412. | 1.2 | 5 |
| 87 | Rabbit cerebellar slice analysis of long-term depression and its role in classical conditioning. <i>Brain Research</i> , 1993, 631, 235-240. | 2.2 | 156 |
| 88 | Quantitative distribution of protein kinase C δ , ϵ , ζ , and η mRNAs in the hippocampus of control and nictitating membrane conditioned rabbits. <i>Molecular Brain Research</i> , 1993, 19, 269-276. | 2.3 | 5 |
| 89 | Associative learning potentiates protein kinase C activation in synaptosomes of the rabbit hippocampus.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 4286-4289. | 7.1 | 25 |
| 90 | GABA-induced responses in Purkinje cell dendrites of the rabbit cerebellar slice. <i>Brain Research</i> , 1992, 597, 99-107. | 2.2 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Learning-specific differences in Purkinje-cell dendrites of lobule HVI (Lobulus simplex): intracellular recording in a rabbit cerebellar slice. <i>Brain Research</i> , 1991, 548, 18-22. | 2.2 | 76 |
| 92 | Classical Conditioning-Induced Changes in Low-Molecular-Weight GTP-Binding Proteins in Rabbit Hippocampus. <i>Journal of Neurochemistry</i> , 1991, 57, 2065-2069. | 3.9 | 13 |
| 93 | Protein kinase C redistribution within CA3 stratum oriens during acquisition of nictitating membrane conditioning in the rabbit.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 6637-6641. | 7.1 | 31 |
| 94 | Acquisition of conditioned associations in Hermissenda: Additive effects of contiguity and the forward interstimulus interval.. <i>Behavioral Neuroscience</i> , 1990, 104, 597-606. | 1.2 | 30 |
| 95 | Contraction of neuronal branching volume: an anatomic correlate of Pavlovian conditioning.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 1611-1614. | 7.1 | 50 |
| 96 | Pavlovian conditioning of distinct components of Hermissenda's responses to rotation. <i>Behavioral and Neural Biology</i> , 1990, 54, 131-145. | 2.2 | 30 |
| 97 | Acquisition of conditioned associations in Hermissenda: Additive effects of contiguity and the forward interstimulus interval.. <i>Behavioral Neuroscience</i> , 1990, 104, 597-606. | 1.2 | 19 |
| 98 | US-US conditioning of the rabbit's nictitating membrane response: Emergence of a conditioned response without alpha conditioning. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1990, 18, 312-320. | 1.3 | 47 |
| 99 | Temporal patterns of the rabbit's nictitating membrane response to compound and component stimuli under mixed CS-US intervals.. <i>Behavioral Neuroscience</i> , 1989, 103, 283-295. | 1.2 | 43 |
| 100 | Temporal patterns of the rabbit's nictitating membrane response to compound and component stimuli under mixed CS-US intervals.. <i>Behavioral Neuroscience</i> , 1989, 103, 283-295. | 1.2 | 21 |
| 101 | Stimulation of the spinal trigeminal nucleus supports classical conditioning of the rabbit's nictitating membrane response.. <i>Behavioral Neuroscience</i> , 1988, 102, 163-172. | 1.2 | 12 |
| 102 | Stimulation of the spinal trigeminal nucleus supports classical conditioning of the rabbit's nictitating membrane response.. <i>Behavioral Neuroscience</i> , 1988, 102, 163-172. | 1.2 | 8 |
| 103 | Parameters and sites of brainstem stimulation capable of eliciting the rabbit nictitating membrane response. <i>Behavioural Brain Research</i> , 1987, 25, 155-160. | 2.2 | 10 |
| 104 | Cross-modal transfer as a function of initial training level in classical conditioning with the rabbit. <i>Learning and Behavior</i> , 1987, 15, 47-54. | 3.4 | 43 |
| 105 | Temporal primacy overrides prior training in serial compound conditioning of the rabbit's nictitating membrane response. <i>Learning and Behavior</i> , 1987, 15, 455-464. | 3.4 | 56 |
| 106 | Classical conditioning of the rabbit's nictitating membrane response to a piezoceramic vibrotactile CS. <i>Behavior Research Methods</i> , 1986, 18, 359-362. | 1.3 | 4 |
| 107 | Compound conditioning of the rabbit's nictitating membrane response: Test trial manipulations. <i>Bulletin of the Psychonomic Society</i> , 1986, 24, 79-81. | 0.2 | 14 |
| 108 | Compound-component differentiation as a function of CS-US interval and CS duration in the rabbit's conditioned nictitating membrane response. <i>Learning and Behavior</i> , 1986, 14, 144-154. | 3.4 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Apple II/FIRST system control of electrical brain stimulation in the rabbit. Behavior Research Methods & Instrumentation, 1983, 15, 167-170. | 0.3 | 3 |
| 110 | The Effects of Changes in the CS-US Interval during Compound Conditioning upon an Other Wise Blocked Element. Quarterly Journal of Experimental Psychology Section B: Comparative and Physiological Psychology, 1982, 34, 19-30. | 2.8 | 23 |
| 111 | Nictitating membrane reflex of the frog: Effects of paraorbital shock and body temperature. Behavioral and Neural Biology, 1982, 35, 70-75. | 2.2 | 0 |
| 112 | Classical conditioning of the rabbit's nictitating membrane response to CS compounds: Effects of prior single-stimulus conditioning. Bulletin of the Psychonomic Society, 1982, 19, 365-368. | 0.2 | 8 |
| 113 | Ruler vs. the Apple II/FIRST system analysis of analog signals in classical conditioning. Behavior Research Methods, 1982, 14, 519-525. | 4.0 | 30 |