

Ilaria Tarricone

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5165355/publications.pdf>

Version: 2024-02-01

68
papers

2,499
citations

257450

24
h-index

214800

47
g-index

77
all docs

77
docs citations

77
times ranked

3260
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	4.5	9
2	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 1376-1385.	4.5	17
3	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	4.5	22
4	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	4.5	7
5	Interaction Testing and Polygenic Risk Scoring to Estimate the Association of Common Genetic Variants With Treatment Resistance in Schizophrenia. <i>JAMA Psychiatry</i> , 2022, 79, 260.	11.0	44
6	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	4.3	9
7	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.	4.3	9
8	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2021, 51, 2074-2082.	4.5	7
9	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	4.5	38
10	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548.	4.5	58
11	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	4.5	34
12	Childhood medical history and psychosis in adult life: Findings from the Bologna EU-GEI incidence and case-control study. <i>Microbial Biotechnology</i> , 2021, 15, 397-401.	1.7	0
13	Migration History and Psychopathology. <i>Mental Health and Illness Worldwide</i> , 2021, , 347-356.	0.1	0
14	First-episode Psychosis and Migration in Italy: Results from a Study in the Italian Mental Health Services (Pep-Ita Study). <i>Journal of Immigrant and Minority Health</i> , 2021, 23, 519-527.	1.6	3
15	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	4.3	17
16	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	4.8	12
17	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	2.0	4
18	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23

#	ARTICLE	IF	CITATIONS
19	Migration History and Psychopathology. <i>Mental Health and Illness Worldwide</i> , 2021, , 1-10.	0.1	0
20	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	4.3	14
21	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	2.0	6
22	The impact of peri-natal stress on psychosis risk: results from the Bo-FEP incidence study. <i>BMC Research Notes</i> , 2020, 13, 153.	1.4	2
23	The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657.	3.1	41
24	Psychiatric Disorders. , 2019, , 215-235.		0
25	Women, Migration and Social Environment. , 2019, , 49-68.		0
26	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.	2.4	10
27	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , the, 2019, 6, 427-436.	7.4	528
28	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	4.5	69
29	Cross-Cultural Issues. <i>Integrating Psychiatry and Primary Care</i> , 2019, , 117-136.	0.3	0
30	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36.	11.0	235
31	Subclinical psychosis in adult migrants and ethnic minorities: systematic review and meta-analysis. <i>BJPsych Open</i> , 2018, 4, 510-518.	0.7	24
32	Occupation and first episode psychosis in Northern Italy: better outcomes for migrants. <i>Microbial Biotechnology</i> , 2017, 11, 522-525.	1.7	8
33	Prevalence and effectiveness of psychiatric treatments for patients with IBD: A systematic literature review. <i>Journal of Psychosomatic Research</i> , 2017, 101, 68-95.	2.6	39
34	La psicopatologia nel contesto transculturale e migratorio. <i>Rivista Sperimentale Di Freniatria</i> , 2017, , 9-21.	0.1	0
35	Neuroactive Steroids in First-Episode Psychosis: A Role for Progesterone?. <i>Schizophrenia Research and Treatment</i> , 2016, 2016, 1-6.	1.5	6
36	Role and clinical implications of atypical antipsychotics in anxiety disorders, obsessive-compulsive disorder, trauma-related, and somatic symptom disorders. <i>International Clinical Psychopharmacology</i> , 2016, 31, 249-258.	1.7	51

#	ARTICLE	IF	CITATIONS
37	Immigrants's Pathways to Outpatient Mental Health: Are there Differences with the Native Population?. Journal of Immigrant and Minority Health, 2016, 18, 878-885.	1.6	11
38	Risk of psychosis and internal migration: Results from the Bologna First Episode Psychosis study. Schizophrenia Research, 2016, 173, 90-93.	2.0	22
39	Disparities in mental health care provision to immigrants with severe mental illness in Italy. Epidemiology and Psychiatric Sciences, 2015, 24, 342-352.	3.9	14
40	Bridging the gap between education and appropriate use of benzodiazepines in psychiatric clinical practice. Neuropsychiatric Disease and Treatment, 2015, 11, 1885.	2.2	47
41	Social and Clinical Descriptors of Antipsychotic Prescription. International Journal of Psychiatry in Medicine, 2015, 49, 45-62.	1.8	5
42	Somatization among ethnic minorities and immigrants: Why does it matter to Consultation Liaison Psychiatry?. Journal of Psychosomatic Research, 2015, 79, 85-86.	2.6	17
43	The role of relatives in pathways to care of patients with a first episode of psychosis. International Journal of Social Psychiatry, 2015, 61, 631-637.	3.1	42
44	EPA guidance on cultural competence training. European Psychiatry, 2015, 30, 431-440.	0.2	92
45	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
46	A systematic review of metabolic side effects related to the use of antipsychotic drugs in dementia. International Psychogeriatrics, 2014, 26, 19-37.	1.0	16
47	EPA Guidance Mental Health Care of Migrants. European Psychiatry, 2014, 29, 107-115.	0.2	144
48	The impact of substance use at psychosis onset on First Episode Psychosis course: Results from a 1 year follow-up study in Bologna. Schizophrenia Research, 2014, 153, 60-63.	2.0	16
49	Understanding psychopathology in migrants: A mixed categorical-dimensional approach. International Journal of Social Psychiatry, 2014, 60, 243-253.	3.1	25
50	First-episode psychosis and migration in Italy (PEP-Ita migration): a study in the Italian mental health services. BMC Psychiatry, 2014, 14, 186.	2.6	13
51	Trend in SSRI-SNRI antidepressants prescription over a 6-year period and predictors of poor adherence. European Journal of Clinical Pharmacology, 2013, 69, 2095-2101.	1.9	30
52	Primary care Physicians's perspective on the management of anxiety and depressive disorders: a cross-sectional survey in Emilia Romagna Region. BMC Family Practice, 2013, 14, 75.	2.9	7
53	Effectiveness of collaborative care for depression in Italy. A randomized controlled trial. General Hospital Psychiatry, 2013, 35, 579-586.	2.4	33
54	Current cannabis use and age of psychosis onset: A gender-mediated relationship? Results from an 8-year FEP incidence study in Bologna. Psychiatry Research, 2013, 210, 368-370.	3.3	25

#	ARTICLE	IF	CITATIONS
55	Migrant pathways to community mental health centres in Italy. <i>International Journal of Social Psychiatry</i> , 2012, 58, 505-511.	3.1	28
56	First-episode psychosis at the West Bologna Community Mental Health Centre: results of an 8-year prospective study. <i>Psychological Medicine</i> , 2012, 42, 2255-2264.	4.5	35
57	Ethnic variation in the prevalence of depression and anxiety in primary care: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2012, 195, 91-106.	3.3	41
58	Migrants referring to the Bologna Transcultural Psychiatric Team: Reasons for drop-out. <i>International Journal of Social Psychiatry</i> , 2011, 57, 627-630.	3.1	24
59	Weight gain in antipsychotic-naïve patients: a review and meta-analysis. <i>Psychological Medicine</i> , 2010, 40, 187-200.	4.5	94
60	Psychotic Symptoms and General Health in a Socially Disadvantaged Migrant Community in Bologna. <i>International Journal of Social Psychiatry</i> , 2009, 55, 203-213.	3.1	30
61	Clinical features and pathway to care of migrants referring to the Bologna Transcultural Psychiatric Team. <i>International Journal of Culture and Mental Health</i> , 2009, 2, 1-15.	0.6	10
62	EACLPP conference in Bologna. <i>Journal of Psychosomatic Research</i> , 2008, 64, 331-332.	2.6	0
63	Metabolic side effects of second generation antipsychotic agents in antipsychotic-naïve patients: One-month prospective evaluation. <i>Psychiatry Research</i> , 2008, 157, 269-271.	3.3	9
64	Antidepressant response in the elderly. <i>Psychiatry Research</i> , 2007, 152, 37-44.	3.3	20
65	Models of collaboration between general practice and mental health services in Italy. <i>European Journal of Psychiatry</i> , 2007, 21, .	1.3	5
66	Psychopathology of first-episode psychosis in HIV-positive persons in comparison to first-episode schizophrenia: A neglected issue. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2006, 18, 872-878.	1.2	19
67	The experience of carers of patients with severe mental illness: a comparison between London and Bologna. <i>European Psychiatry</i> , 2006, 21, 93-101.	0.2	22
68	Metabolic risk factor profile associated with use of second generation antipsychotics: a cross sectional study in a community mental health centre. <i>BMC Psychiatry</i> , 2006, 6, 11.	2.6	23