

jaana Hagström

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/516676/publications.pdf>

Version: 2024-02-01

193
papers

4,784
citations

109321

35
h-index

144013

57
g-index

195
all docs

195
docs citations

195
times ranked

6318
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Depth of invasion, tumor budding, and worst pattern of invasion: Prognostic indicators in early-stage oral tongue cancer. <i>Head and Neck</i> , 2014, 36, 811-818. | 2.0 | 241 |
| 2 | Collagenase-2 (MMP-8) and collagenase-3 (MMP-13) in adult periodontitis: molecular forms and levels in gingival crevicular fluid and immunolocalisation in gingival tissue. <i>Journal of Clinical Periodontology</i> , 2002, 29, 224-232. | 4.9 | 208 |
| 3 | The Effects of MMP Inhibitors on Human Salivary MMP Activity and Caries Progression in Rats. <i>Journal of Dental Research</i> , 2001, 80, 1545-1549. | 5.2 | 140 |
| 4 | The Expression of MMP-8 in Human Odontoblasts and Dental Pulp Cells is Down-regulated by TGF- β 1. <i>Journal of Dental Research</i> , 2000, 79, 77-84. | 5.2 | 128 |
| 5 | For early-stage oral tongue cancer, depth of invasion and worst pattern of invasion are the strongest pathological predictors for locoregional recurrence and mortality. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 39-46. | 2.8 | 111 |
| 6 | Expression and induction of collagenases (MMP-8 and -13) in plasma cells associated with bone-destructive lesions. <i>Journal of Pathology</i> , 2001, 194, 217-224. | 4.5 | 109 |
| 7 | Bmi-1 expression predicts prognosis in squamous cell carcinoma of the tongue. <i>British Journal of Cancer</i> , 2010, 102, 892-897. | 6.4 | 101 |
| 8 | In vivo collagenase-2 (MMP-8) expression by human bronchial epithelial cells and monocytes/macrophages in bronchiectasis. <i>Journal of Pathology</i> , 2001, 194, 232-238. | 4.5 | 99 |
| 9 | Matrix metalloproteinase-8 (MMP-8) in pulpal and periapical inflammation and periapical root-canal exudates. <i>International Endodontic Journal</i> , 2002, 35, 897-904. | 5.0 | 98 |
| 10 | A simple novel prognostic model for early stage oral tongue cancer. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2015, 44, 143-150. | 1.5 | 97 |
| 11 | The Prognostic Importance of CD20+ B lymphocytes in Colorectal Cancer and the Relation to Other Immune Cell subsets. <i>Scientific Reports</i> , 2019, 9, 19997. | 3.3 | 97 |
| 12 | Tumour budding in head and neck squamous cell carcinoma – A systematic review. <i>Histopathology</i> , 2014, 65, 587-594. | 2.9 | 86 |
| 13 | Wound Healing in Ovariectomized Rats Effects of Chemically Modified Tetracycline (CMT-8) and Estrogen on Matrix Metalloproteinases -8, -13 and Type I Collagen Expression. <i>Current Medicinal Chemistry</i> , 2001, 8, 281-294. | 2.4 | 73 |
| 14 | Treponema denticola chymotrypsin-like proteinase may contribute to orodigestive carcinogenesis through immunomodulation. <i>British Journal of Cancer</i> , 2018, 118, 428-434. | 6.4 | 71 |
| 15 | Human β -defensin-1 and -2 and matrix metalloproteinase-25 and -26 expression in chronic and aggressive periodontitis and in peri-implantitis. <i>Archives of Oral Biology</i> , 2008, 53, 175-186. | 1.8 | 65 |
| 16 | MMP-7 as a prognostic marker in colorectal cancer. <i>Tumor Biology</i> , 2011, 32, 259-264. | 1.8 | 63 |
| 17 | CIP2A overexpression is associated with c-Myc expression in colorectal cancer. <i>Cancer Biology and Therapy</i> , 2012, 13, 289-295. | 3.4 | 59 |
| 18 | Anaplastic and Poorly Differentiated Thyroid Carcinoma: Therapeutic Strategies and Treatment Outcome of 52 Consecutive Patients. <i>Oncology</i> , 2010, 79, 400-408. | 1.9 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Expression of matrix metalloproteinases-2, -8, -13, -26, and tissue inhibitors of metalloproteinase-1 in human osteosarcoma. <i>Surgical Oncology</i> , 2011, 20, e18-e22. | 1.6 | 58 |
| 20 | N-glycomic Profiling as a Tool to Separate Rectal Adenomas from Carcinomas*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 277-288. | 3.8 | 57 |
| 21 | MMP-7 overexpression is an independent prognostic marker in gastric cancer. <i>Tumor Biology</i> , 2010, 31, 149-155. | 1.8 | 55 |
| 22 | Prognostic impact of tumourâ€‘stroma ratio in earlyâ€‘stage oral tongue cancers. <i>Histopathology</i> , 2018, 72, 1128-1135. | 2.9 | 54 |
| 23 | High CIP2A immunoreactivity is an independent prognostic indicator in early-stage tongue cancer. <i>British Journal of Cancer</i> , 2011, 104, 1890-1895. | 6.4 | 51 |
| 24 | Autologous adipose stem cells and polylactide discs in the replacement of the rabbit temporomandibular joint disc. <i>Journal of the Royal Society Interface</i> , 2013, 10, 20130287. | 3.4 | 49 |
| 25 | Anti-tumor necrosis factor treatment in cherubism â€‘ Clinical, radiological and histological findings in two children. <i>Bone</i> , 2013, 52, 347-353. | 2.9 | 48 |
| 26 | Prognostic significance of matrix metalloproteinaseâ€‘2, â€‘8, â€‘9, and â€‘13 in oral tongue cancer. <i>Journal of Oral Pathology and Medicine</i> , 2012, 41, 394-399. | 2.7 | 47 |
| 27 | Increased MMPâ€‘7 expression in biliary epithelium and serum underpins native liver fibrosis after successful portoenterostomy in biliary atresia. <i>Journal of Pathology: Clinical Research</i> , 2016, 2, 187-198. | 3.0 | 47 |
| 28 | Assessment of Tumor-infiltrating Lymphocytes Predicts the Behavior of Early-stage Oral Tongue Cancer. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1392-1396. | 3.7 | 44 |
| 29 | The changing surgical management of juvenile nasopharyngeal angiofibroma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 599-607. | 1.6 | 43 |
| 30 | â€‘Strawberry likeâ€‘gingivitis being the first sign of Wegener's granulomatosis. <i>European Journal of Internal Medicine</i> , 2009, 20, 651-653. | 2.2 | 42 |
| 31 | Computerized tomography findings and recurrence of keratocystic odontogenic tumor of the mandible and maxillofacial region in a series of 46 patients. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011, 111, e29-e37. | 1.4 | 42 |
| 32 | Epsteinâ€‘Barr virus and human papillomaviruses as favorable prognostic factors in nasopharyngeal carcinoma: A nationwide study in Finland. <i>Head and Neck</i> , 2019, 41, 349-357. | 2.0 | 42 |
| 33 | Matrix Metalloproteinases, Tissue Inhibitor of Matrix Metalloproteinaseâ€‘1, and Lamininâ€‘5 Î³2 Chain Immunolocalization in Gingival Tissue of Endotoxinâ€‘Induced Periodontitis in Rats: Effects of Lowâ€‘Dose Doxycycline and Alendronate. <i>Journal of Periodontology</i> , 2007, 78, 127-134. | 3.4 | 41 |
| 34 | Presenting symptoms and clinical findings in HPV-positive and HPV-negative oropharyngeal cancer patients. <i>Acta Oto-Laryngologica</i> , 2018, 138, 513-518. | 0.9 | 41 |
| 35 | In situ hybridization for high-risk HPV E6/E7 mRNA is a superior method for detecting transcriptionally active HPV in oropharyngeal cancer. <i>Human Pathology</i> , 2019, 90, 97-105. | 2.0 | 39 |
| 36 | Variable somatostatin receptor subtype expression in 151 primary pheochromocytomas and paragangliomas. <i>Human Pathology</i> , 2019, 86, 66-75. | 2.0 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The Effects of Selective COX-2 Inhibitor/Celecoxib and Omega-3 Fatty Acid on Matrix Metalloproteinases, TIMP-1, and Laminin-5 Chain Immunolocalization in Experimental Periodontitis. <i>Journal of Periodontology</i> , 2008, 79, 1934-1941. | 3.4 | 36 |
| 38 | Bmi-1, c-myc, and Snail expression in primary breast cancers and their metastases—elevated Bmi-1 expression in late breast cancer relapses. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 31-39. | 2.8 | 36 |
| 39 | Predictive role of toll-like receptors 2, 4, and 9 in oral tongue squamous cell carcinoma. <i>Oral Oncology</i> , 2015, 51, 96-102. | 1.5 | 36 |
| 40 | PROX1 and β -catenin are prognostic markers in pancreatic ductal adenocarcinoma. <i>BMC Cancer</i> , 2016, 16, 472. | 2.6 | 35 |
| 41 | Podocalyxin is a marker of poor prognosis in colorectal cancer. <i>BMC Cancer</i> , 2014, 14, 493. | 2.6 | 33 |
| 42 | Laminin-5 gamma 2 chain is colocalized with gelatinase-A (MMP-2) and collagenase-3 (MMP-13) in odontogenic keratocysts. <i>Journal of Oral Pathology and Medicine</i> , 2003, 32, 100-107. | 2.7 | 32 |
| 43 | Intracellular localization of <i>Porphyromonas gingivalis</i> thiol proteinase in periodontal tissues of chronic periodontitis patients. <i>Oral Diseases</i> , 2004, 10, 298-305. | 3.0 | 32 |
| 44 | Toll-like receptor 5 and 7 expression may impact prognosis of HPV-positive oropharyngeal squamous cell carcinoma patients. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 1619-1629. | 4.2 | 32 |
| 45 | Imaging characteristics of ameloblastomas and diagnostic value of computed tomography and magnetic resonance imaging in a series of 26 patients. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015, 120, e118-e130. | 0.4 | 31 |
| 46 | Evaluation of toll-like receptors as prognostic biomarkers in gastric cancer: high tissue TLR5 predicts a better outcome. <i>Scientific Reports</i> , 2019, 9, 12553. | 3.3 | 31 |
| 47 | Histopathological findings in parotid gland metastases from renal cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008, 265, 1005-1009. | 1.6 | 30 |
| 48 | Different Toll-Like Receptor Expression Patterns in Progression toward Cancer. <i>Frontiers in Immunology</i> , 2014, 5, 638. | 4.8 | 29 |
| 49 | Podocalyxin Is a Marker of Poor Prognosis in Pancreatic Ductal Adenocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0129012. | 2.5 | 27 |
| 50 | Tumor-infiltrating lymphocytes associate with outcome in nonendemic nasopharyngeal carcinoma: a multicenter study. <i>Human Pathology</i> , 2018, 81, 211-219. | 2.0 | 27 |
| 51 | Toll-like receptor 1 predicts favorable prognosis in pancreatic cancer. <i>PLoS ONE</i> , 2019, 14, e0219245. | 2.5 | 27 |
| 52 | Loss of Estrogen Receptor Beta Expression in Follicular Thyroid Carcinoma Predicts Poor Outcome. <i>Thyroid</i> , 2013, 23, 456-465. | 4.5 | 26 |
| 53 | Toll-like receptor 9 mediates invasion and predicts prognosis in squamous cell carcinoma of the mobile tongue. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 571-577. | 2.7 | 26 |
| 54 | MMP-7, MMP-8, and MMP-9 in oral and cutaneous squamous cell carcinomas. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015, 119, 459-467. | 0.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Transketolase-like protein 1 expression predicts poor prognosis in colorectal cancer. <i>Cancer Biology and Therapy</i> , 2016, 17, 163-168. | 3.4 | 25 |
| 56 | Serum MMP-8 and TIMP-1 as prognostic biomarkers in gastric cancer. <i>Tumor Biology</i> , 2018, 40, 101042831879926. | 1.8 | 25 |
| 57 | Matrix metalloproteinase-7 and matrix metalloproteinase-25 in oral tongue squamous cell carcinoma. <i>Head and Neck</i> , 2014, 36, 1783-1788. | 2.0 | 23 |
| 58 | Expression of Toll-like receptors in nasal epithelium in allergic rhinitis. <i>Apmis</i> , 2015, 123, 716-725. | 2.0 | 23 |
| 59 | Lymph node metastases and elevated postoperative calcitonin: Predictors of poor survival in medullary thyroid carcinoma. <i>Acta Oncologica</i> , 2016, 55, 357-364. | 1.8 | 23 |
| 60 | Tumor volume as a prognostic marker in p16-positive and p16-negative oropharyngeal cancer patients treated with definitive intensity-modulated radiotherapy. <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 759-770. | 2.0 | 23 |
| 61 | Active matrix metalloproteinase-8 and interleukin-6 detect periodontal degeneration caused by radiotherapy of head and neck cancer: a pilot study. <i>Expert Review of Proteomics</i> , 2020, 17, 777-784. | 3.0 | 23 |
| 62 | Benign cementoblastoma in a primary lower molar, a rarity. <i>Dentomaxillofacial Radiology</i> , 2007, 36, 364-366. | 2.7 | 22 |
| 63 | Tumour-Associated Trypsin Inhibitor TATI Is a Prognostic Marker in Colorectal Cancer. <i>Oncology</i> , 2012, 82, 234-241. | 1.9 | 22 |
| 64 | Expression of toll-like receptors in HPV-positive and HPV-negative oropharyngeal squamous cell carcinoma—an in vivo and in vitro study. <i>Tumor Biology</i> , 2015, 36, 7755-7764. | 1.8 | 22 |
| 65 | <i>Treponema denticola</i> chymotrypsin-like proteinase is present in early-stage mobile tongue squamous cell carcinoma and related to the clinicopathological features. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 764-772. | 2.7 | 22 |
| 66 | Tumour-infiltrating lymphocytes in oropharyngeal cancer: a validation study according to the criteria of the International Immuno-Oncology Biomarker Working Group. <i>British Journal of Cancer</i> , 2022, 126, 1589-1594. | 6.4 | 22 |
| 67 | Podocalyxin as a Prognostic Marker in Gastric Cancer. <i>PLoS ONE</i> , 2015, 10, e0145079. | 2.5 | 21 |
| 68 | Is p16 an adequate surrogate for human papillomavirus status determination?. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2017, 25, 108-112. | 1.8 | 21 |
| 69 | Pleomorphic adenoma in the nasal cavity: a clinicopathological study of ten cases in Finland. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3741-3745. | 1.6 | 20 |
| 70 | Lack of MMP-9 expression is a marker for poor prognosis in Dukes' B colorectal cancer. <i>BMC Clinical Pathology</i> , 2012, 12, 24. | 1.8 | 19 |
| 71 | Concomitant Tumor Expression of EGFR and TATI/SPINK1 Associates with Better Prognosis in Colorectal Cancer. <i>PLoS ONE</i> , 2013, 8, e76906. | 2.5 | 19 |
| 72 | Neuropeptide S receptor 1 (NPSR1) activates cancer-related pathways and is widely expressed in neuroendocrine tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 173-183. | 2.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Stem cell-related proteins C-KIT, C-MYC and BMI-1 in juvenile nasopharyngeal angiofibroma—do they have a role?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 189-195. | 2.8 | 18 |
| 74 | TLR-4 expression and decrease in chronic inflammation: indicators of aggressive follicular thyroid carcinoma. <i>Journal of Clinical Pathology</i> , 2012, 65, 333-338. | 2.0 | 18 |
| 75 | Small oral tongue cancers (≤4cm in diameter) with clinically negative neck: from the 7th to the 8th edition of the American Joint Committee on Cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 481-487. | 2.8 | 18 |
| 76 | The prognostic role of tissue TLR2 and TLR4 in colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 705-715. | 2.8 | 18 |
| 77 | Epstein-Barr virus (EBV) and polyomaviruses are detectable in oropharyngeal cancer and EBV may have prognostic impact. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1615-1626. | 4.2 | 18 |
| 78 | REG4 Independently Predicts Better Prognosis in Non-Mucinous Colorectal Cancer. <i>PLoS ONE</i> , 2014, 9, e109600. | 2.5 | 18 |
| 79 | Juvenile nasopharyngeal angiofibroma: no evidence for inheritance or association with familial adenomatous polyposis. <i>Familial Cancer</i> , 2010, 9, 401-403. | 1.9 | 17 |
| 80 | Epithelial and stromal syndecan-1 and -2 are distinctly expressed in oral and cutaneous squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2013, 42, 389-395. | 2.7 | 17 |
| 81 | Toll-like receptors 4 and 5 in oral and cutaneous squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 258-265. | 2.7 | 17 |
| 82 | Pattern of recurrent disease in major salivary gland adenocystic carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 19-25. | 2.8 | 17 |
| 83 | Histamine metabolism and transport are deranged in human keratinocytes in oral lichen planus. <i>British Journal of Dermatology</i> , 2017, 176, 1213-1223. | 1.5 | 17 |
| 84 | Treponema denticola chymotrypsin-like protease as associated with HPV-negative oropharyngeal squamous cell carcinoma. <i>British Journal of Cancer</i> , 2018, 119, 89-95. | 6.4 | 17 |
| 85 | Association between local immune cell infiltration, mismatch repair status and systemic inflammatory response in colorectal cancer. <i>Journal of Translational Medicine</i> , 2020, 18, 178. | 4.4 | 17 |
| 86 | Stromal categorization in early oral tongue cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 925-932. | 2.8 | 17 |
| 87 | Positive cytoplasmic UCHL5 tumor expression in gastric cancer is linked to improved prognosis. <i>PLoS ONE</i> , 2018, 13, e0193125. | 2.5 | 17 |
| 88 | Simple bone cyst: a radiological dilemma. <i>Dentomaxillofacial Radiology</i> , 2009, 38, 174-177. | 2.7 | 16 |
| 89 | Tear fluid concentration of mmp-8 is elevated in non-allergic eosinophilic conjunctivitis and correlates with conjunctival inflammatory cell infiltration. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2009, 247, 681-686. | 1.9 | 16 |
| 90 | Mature human odontoblasts express virus-recognizing toll-like receptors. <i>International Endodontic Journal</i> , 2014, 47, 934-941. | 5.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Toll-like receptors 2, 4, and 9 in primary, metastasized, and recurrent oral tongue squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2016, 45, 338-345. | 2.7 | 16 |
| 92 | High PROX1 expression in gastric cancer predicts better survival. <i>PLoS ONE</i> , 2017, 12, e0183868. | 2.5 | 16 |
| 93 | High tissue MMP14 expression predicts worse survival in gastric cancer, particularly with a low PROX1. <i>Cancer Medicine</i> , 2019, 8, 6995-7005. | 2.8 | 16 |
| 94 | Human Î²-Defensin 2 Expression in Oral Epithelium: Potential Therapeutic Targets in Oral Lichen Planus. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1780. | 4.1 | 16 |
| 95 | TLR1-10, NF-Î²B and p53 expression is increased in oral lichenoid disease. <i>PLoS ONE</i> , 2017, 12, e0181361. | 2.5 | 16 |
| 96 | Early stage minor salivary gland adenoid cystic carcinoma has favourable prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 785-792. | 2.8 | 15 |
| 97 | Epidemiological and treatment-related factors contribute to improved outcome of oropharyngeal squamous cell carcinoma in Finland. <i>Acta Oncologica</i> , 2018, 57, 541-551. | 1.8 | 15 |
| 98 | Expression of toll-like receptors in non-endemic nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2019, 19, 624. | 2.6 | 15 |
| 99 | High Expression of MMP-9 in Primary Tumors and High Preoperative MPO in Serum Predict Improved Prognosis in Colorectal Cancer with Operable Liver Metastases. <i>Oncology</i> , 2021, 99, 144-160. | 1.9 | 15 |
| 100 | The expression of Toll-like receptors 2, 4, 5, 7 and 9 in Merkel cell carcinoma. <i>Anticancer Research</i> , 2015, 35, 1843-9. | 1.1 | 15 |
| 101 | The developing management of esthesioneuroblastoma: a single institution experience. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 213-221. | 1.6 | 14 |
| 102 | Low Expression of Nuclear Toll-like Receptor 4 in Laryngeal Papillomas Transforming into Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 151, 785-790. | 1.9 | 14 |
| 103 | Experience of head and neck extracranial schwannomas in a whole population-based single-center patient series. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 3027-3034. | 1.6 | 14 |
| 104 | Expression and Role of E-Cadherin, Î²-Catenin, and Vimentin in Human Papillomavirus-Positive and Human Papillomavirus-Negative Oropharyngeal Squamous Cell Carcinoma. <i>Journal of Histochemistry and Cytochemistry</i> , 2020, 68, 595-606. | 2.5 | 14 |
| 105 | Follicular thyroid neoplasm: clinicopathologic features suggesting malignancy. <i>Apmis</i> , 2010, 118, 846-854. | 2.0 | 13 |
| 106 | Tenascin-C, GLUT-1, and syndecan-2 expression in juvenile nasopharyngeal angiofibroma: Correlations to vessel density and tumor stage. <i>Head and Neck</i> , 2013, 35, 1036-1042. | 2.0 | 13 |
| 107 | Rapidly growing and ulcerating metastatic renal cell carcinoma of the lower lip: A case report and review of the literature. <i>Oncology Letters</i> , 2014, 8, 2175-2178. | 1.8 | 13 |
| 108 | Prevalence of high-risk human papillomavirus infection and cancer gene mutations in nonmalignant tonsils. <i>Oral Oncology</i> , 2017, 73, 77-82. | 1.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | BRAF V600E expression in ameloblastomas – A 36-patient cohort from Helsinki University Hospital. <i>Oral Diseases</i> , 2019, 25, 1169-1174. | 3.0 | 13 |
| 110 | Ornithine decarboxylase antizyme inhibitor 2 (AZIN2) is a signature of secretory phenotype and independent predictor of adverse prognosis in colorectal cancer. <i>PLoS ONE</i> , 2019, 14, e0211564. | 2.5 | 13 |
| 111 | The epidemiology and management of ameloblastomas: A European multicenter study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2021, 49, 1107-1112. | 1.7 | 13 |
| 112 | Soft tissue reactions to bioactive glass 13-93 combined with chitosan. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 83A, 530-537. | 4.0 | 12 |
| 113 | A comparative study of two PODXL antibodies in 840 colorectal cancer patients. <i>BMC Cancer</i> , 2014, 14, 494. | 2.6 | 12 |
| 114 | PROX1 is involved in progression of rectal neuroendocrine tumors, NETs. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 279-284. | 2.8 | 12 |
| 115 | Association of BMI-1 and p16 as prognostic factors for head and neck carcinomas. <i>Acta Oto-Laryngologica</i> , 2016, 136, 501-505. | 0.9 | 12 |
| 116 | UCLH5 expression associates with improved survival in lymph-node-positive rectal cancer. <i>Tumor Biology</i> , 2017, 39, 101042831771607. | 1.8 | 12 |
| 117 | Nuclear ubiquitin C-terminal hydrolase L5 expression associates with increased patient survival in pancreatic ductal adenocarcinoma. <i>Tumor Biology</i> , 2017, 39, 101042831771041. | 1.8 | 12 |
| 118 | Prognostic and diagnostic value of REG4 serum and tissue expression in pancreatic ductal adenocarcinoma. <i>Tumor Biology</i> , 2018, 40, 101042831876149. | 1.8 | 12 |
| 119 | High levels of tissue inhibitor of metalloproteinase-1 (TIMP-1) in the serum are associated with poor prognosis in HPV-negative squamous cell oropharyngeal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1263-1272. | 4.2 | 12 |
| 120 | MRI correlates to histopathological data in oral tongue squamous cell carcinoma diagnostics. <i>Acta Odontologica Scandinavica</i> , 2021, 79, 161-166. | 1.6 | 12 |
| 121 | <scp>MMP</scp> 7, 8, 9, E-cadherin, and beta-catenin expression in 34 ameloblastoma cases. <i>Clinical and Experimental Dental Research</i> , 2021, 7, 63-69. | 1.9 | 12 |
| 122 | Expression of hormone receptors in oropharyngeal squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 1289-1300. | 1.6 | 11 |
| 123 | C-myc expression in adrenocortical tumours. <i>Journal of Clinical Pathology</i> , 2018, 71, 129-134. | 2.0 | 11 |
| 124 | Label-free tissue proteomics can classify oral squamous cell carcinoma from healthy tissue in a stage-specific manner. <i>Oral Oncology</i> , 2018, 86, 206-215. | 1.5 | 11 |
| 125 | L1TD1 - a prognostic marker for colon cancer. <i>BMC Cancer</i> , 2019, 19, 727. | 2.6 | 11 |
| 126 | Cell-in-cell phenomenon associates with aggressive characteristics and cancer-related mortality in early oral tongue cancer. <i>BMC Cancer</i> , 2020, 20, 843. | 2.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Comparing serum protein levels can aid in differentiating HPV-negative and -positive oropharyngeal squamous cell carcinoma patients. <i>PLoS ONE</i> , 2020, 15, e0233974. | 2.5 | 11 |
| 128 | A rare case of oral epithelioid sarcoma of the gingiva. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011, 111, e25-e28. | 1.4 | 10 |
| 129 | A two-decade experience of head and neck paragangliomas in a whole population-based single centre cohort. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2045-2053. | 1.6 | 10 |
| 130 | The presence of minor salivary glands in the peritonsillar space. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3997-4001. | 1.6 | 10 |
| 131 | Tetraspanin CD63 independently predicts poor prognosis in colorectal cancer. <i>Histology and Histopathology</i> , 2020, 35, 887-892. | 0.7 | 10 |
| 132 | Mammary analog secretory carcinoma of minor palatal salivary glands: A case report and review of the literature. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2015, 27, 698-702. | 0.3 | 9 |
| 133 | High TKTL1 expression as a sign of poor prognosis in colorectal cancer with synchronous rather than metachronous liver metastases. <i>Cancer Biology and Therapy</i> , 2020, 21, 826-831. | 3.4 | 9 |
| 134 | Improving Risk Stratification of Early Oral Tongue Cancer with TNM-Immune (TNM-I) Staging System. <i>Cancers</i> , 2021, 13, 3235. | 3.7 | 9 |
| 135 | High Tissue TLR5 Expression Predicts Better Outcomes in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 589-600. | 1.9 | 8 |
| 136 | Bilateral Basal Cell Adenocarcinoma of the Parotid Gland: In a Recipient of Kidney Transplant. <i>Clinical Medicine Insights Pathology</i> , 2010, 3, CPath.S3303. | 0.6 | 7 |
| 137 | Systems-level analysis of clinically different phenotypes of juvenile nasopharyngeal angiofibromas. <i>Laryngoscope</i> , 2012, 122, 2728-2735. | 2.0 | 7 |
| 138 | Positive staining for cellulose in oral pulse granuloma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 123, 464-467. | 0.4 | 7 |
| 139 | TLR5 and TLR7 are differentially expressed in human papillomavirus-positive and negative base of tongue squamous cell carcinoma, and TLR7 may have an independent prognostic influence. <i>Acta Oto-Laryngologica</i> , 2019, 139, 206-210. | 0.9 | 7 |
| 140 | Sclerosing sialadenitis of the submandibular gland is rarely an immunoglobulin G4-related disease in the Finnish population. <i>Modern Pathology</i> , 2020, 33, 551-559. | 5.5 | 7 |
| 141 | Pancreatic Cancer Organoids in the Field of Precision Medicine: A Review of Literature and Experience on Drug Sensitivity Testing with Multiple Readouts and Synergy Scoring. <i>Cancers</i> , 2022, 14, 525. | 3.7 | 7 |
| 142 | Cisplatin overcomes radiotherapy resistance in OCT4-expressing head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2022, 127, 105772. | 1.5 | 7 |
| 143 | Cyclin A predicts metastatic potential of rectal neuroendocrine tumors. <i>Human Pathology</i> , 2014, 45, 1605-1609. | 2.0 | 6 |
| 144 | HuR in pheochromocytomas and paragangliomas " overexpression in verified malignant tumors. <i>Apmis</i> , 2016, 124, 757-763. | 2.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Changing trends in the management of the neck in oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 1412-1420. | 2.0 | 6 |
| 146 | MMP-7 expression may influence the rate of distant recurrences and disease-specific survival in HPV-positive oropharyngeal squamous cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 975-981. | 2.8 | 6 |
| 147 | Sinonasal Oncocytic Papilloma—A Series of 20 Cases With Special Emphasis on Recurrences. <i>Laryngoscope Investigative Otolaryngology</i> , 2019, 4, 567-572. | 1.5 | 6 |
| 148 | Three-Dimensional Presentation of Tumor Histopathology: A Model Using Tongue Squamous Cell Carcinoma. <i>Diagnostics</i> , 2021, 11, 109. | 2.6 | 6 |
| 149 | T1 glottic laryngeal cancer: the role of routine follow-up visits in detecting local recurrence. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4863-4869. | 1.6 | 6 |
| 150 | The Relationship between the Tissue Expression of TLR2, TLR4, TLR5, and TLR7 and Systemic Inflammatory Responses in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 790-801. | 1.9 | 6 |
| 151 | Low trypsinogen-1 expression in pediatric ulcerative colitis patients who undergo surgery. <i>World Journal of Gastroenterology</i> , 2013, 19, 3272. | 3.3 | 6 |
| 152 | CT findings of necrotizing sialometaplasia. <i>Dentomaxillofacial Radiology</i> , 2012, 41, 529-532. | 2.7 | 5 |
| 153 | BMI1 expression identifies subtypes of Merkel cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 461, 647-653. | 2.8 | 5 |
| 154 | Toll-like receptor 5 and 7 expression in adenoid cystic carcinoma of major salivary glands. <i>Tumor Biology</i> , 2016, 37, 10959-10964. | 1.8 | 5 |
| 155 | Polyomavirus JCPyV infrequently detectable in adenoid cystic carcinoma of the oral cavity and the airways. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 609-616. | 2.8 | 5 |
| 156 | Ameloblastoma: a retrospective single institute study of 34 subjects. <i>Acta Odontologica Scandinavica</i> , 2019, 77, 82-87. | 1.6 | 5 |
| 157 | Matrix metalloproteinase-7, -8, -9, -15, and -25 in minor salivary gland adenoid cystic carcinoma. <i>Pathology Research and Practice</i> , 2021, 217, 153293. | 2.3 | 5 |
| 158 | Tumor-Associated Trypsin Inhibitor (TATI) as a Biomarker of Poor Prognosis in Oropharyngeal Squamous Cell Carcinoma Irrespective of HPV Status. <i>Cancers</i> , 2021, 13, 2811. | 3.7 | 5 |
| 159 | Tumor-like Chronic Pancreatitis Is Often Autoimmune Pancreatitis. <i>Anticancer Research</i> , 2015, 35, 6163-6. | 1.1 | 5 |
| 160 | Tumor-associated CD3- and CD8-positive immune cells in colorectal cancer: The additional prognostic value of CD8+ to CD3+ ratio remains debatable. <i>Tumor Biology</i> , 2022, 44, 37-52. | 1.8 | 5 |
| 161 | Oral lichen planus and chronic junctional stomatitis: differences in lymphocyte subpopulations. <i>Acta Odontologica Scandinavica</i> , 2009, 67, 366-369. | 1.6 | 4 |
| 162 | Toll-like receptors 3, 7, and 9 in Juvenile nasopharyngeal angiofibroma. <i>Apmis</i> , 2015, 123, 439-444. | 2.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | The expression and prognostic value of stem cell markers Bmi-1, HES5:3, and HES77 in human papillomavirus-positive and -negative oropharyngeal squamous cell carcinoma. <i>Tumor Biology</i> , 2019, 41, 101042831984047. | 1.8 | 4 |
| 164 | Transketolase-Like Protein 1 and Glucose Transporter 1 in Gastric Cancer. <i>Oncology</i> , 2020, 98, 643-652. | 1.9 | 4 |
| 165 | Additive clinical impact of epidermal growth factor receptor and podocalyxin-like protein expression in pancreatic and periampullary adenocarcinomas. <i>Scientific Reports</i> , 2020, 10, 10373. | 3.3 | 4 |
| 166 | Elevated TLR5 expression in vivo and loss of NF- κ B activation via TLR5 in vitro detected in HPV-negative oropharyngeal squamous cell carcinoma. <i>Experimental and Molecular Pathology</i> , 2020, 114, 104435. | 2.1 | 4 |
| 167 | Matrix Metalloproteinase 8 Expression in a Tumour Predicts a Favourable Prognosis in Pancreatic Ductal Adenocarcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3314. | 4.1 | 4 |
| 168 | Sinonasal inverted papilloma - malignant transformation and non-sinonasal malignancies. <i>Laryngoscope</i> , 2023, 133, 506-511. | 2.0 | 4 |
| 169 | IgG4-positive plasma cells in nonspecific sialadenitis and sialolithiasis. <i>Modern Pathology</i> , 2022, 35, 1423-1430. | 5.5 | 4 |
| 170 | Common Matrix Metalloproteinases (MMP - 8, -9, -25, and -26) Cannot Explain Dentigerous Cyst Expansion. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014, 8, ZC82-5. | 0.8 | 3 |
| 171 | A novel stem cell associated marker identified by monoclonal antibody <sc>HESC</sc>5:3 differentiates between neoplastic lesions in follicular thyroid neoplasms. <i>Apmis</i> , 2015, 123, 604-612. | 2.0 | 3 |
| 172 | Does securin expression have significance in prognostication of oral tongue cancer? A pilot study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3905-3911. | 1.6 | 3 |
| 173 | Systemic matrix metalloproteinase-8 response in chronic tonsillitis. <i>Infectious Diseases</i> , 2017, 49, 302-307. | 2.8 | 3 |
| 174 | Lichen sclerosus of the oral mucosa: clinical and histopathological findings. Review of the literature and a case report. <i>Acta Odontologica Scandinavica</i> , 2018, 76, 364-373. | 1.6 | 3 |
| 175 | TKTL1 as a Prognostic Marker in Pancreatic Ductal Adenocarcinoma and Its Correlation with FDG-PET-CT. <i>Oncology</i> , 2020, 99, 1-9. | 1.9 | 3 |
| 176 | Impact of histological response after neoadjuvant therapy on podocalyxin as a prognostic marker in pancreatic cancer. <i>Scientific Reports</i> , 2021, 11, 9896. | 3.3 | 3 |
| 177 | In HPV-negative oropharyngeal squamous cell carcinoma, elevated toll-like receptor 2 immunoexpression may increase the risk of disease-specific mortality. <i>Oral Oncology</i> , 2020, 107, 104778. | 1.5 | 3 |
| 178 | <sc>HPV</sc>-Positive Status Is an Independent Factor Associated With Sinonasal Inverted Papilloma Recurrence. <i>Laryngoscope</i> , 2022, 132, 1714-1718. | 2.0 | 3 |
| 179 | Testing for high-risk <sc>HPV</sc> in cervical and tonsillar paraffin-embedded tissue using a cartridge-based assay. <i>Apmis</i> , 2017, 125, 910-915. | 2.0 | 2 |
| 180 | Colon cancer patients with mismatch repair deficiency are more likely to present as acute surgical cases. <i>European Journal of Cancer</i> , 2021, 157, 1-9. | 2.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | The presence of herpesviruses in malignant but not in benign or recurrent pleomorphic adenomas. <i>Tumor Biology</i> , 2021, 43, 249-259. | 1.8 | 2 |
| 182 | Expression of Stem Cell-associated Marker HES77 in Rectal Neuroendocrine Tumors. <i>Anticancer Research</i> , 2015, 35, 3767-72. | 1.1 | 2 |
| 183 | The expression and prognostic value of toll-like receptors (TLRs) in pancreatic cancer patients treated with neoadjuvant therapy. <i>PLoS ONE</i> , 2022, 17, e0267792. | 2.5 | 2 |
| 184 | Additive Manufacturing of Resected Oral and Oropharyngeal Tissue: A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 911. | 2.6 | 1 |
| 185 | Antizyme inhibitor 2 (AZIN2) associates with better prognosis of head and neck minor salivary gland adenoid cystic carcinoma. <i>Apmis</i> , 2021, 129, 503-511. | 2.0 | 1 |
| 186 | Periodontitis in tonsil cancer patients – A comparative study in accordance with tumour p16 status. <i>Oral Diseases</i> , 2020, 26, 1625-1630. | 3.0 | 1 |
| 187 | Unusual oral mucositis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021, , . | 0.4 | 1 |
| 188 | Oral metastasis from rectal adenocarcinoma: case report. <i>Case Reports in Clinical Pathology</i> , 2014, 1, . | 0.0 | 0 |
| 189 | Low lymphatic vessel density associates with chronic rhinosinusitis with nasal polyps. <i>Rhinology</i> , 2017, 55, . | 1.3 | 0 |
| 190 | Pathologic and Microscopic Features. , 2017, , 27-33. | | 0 |
| 191 | Increased MIB-1 expression in salivary gland pleomorphic adenoma that recurs and undergoes malignant transformation. <i>Scientific Reports</i> , 2022, 12, . | 3.3 | 0 |
| 192 | The Role of Human Chorionic Gonadotropin Beta (hCG ^β) in HPV-Positive and HPV-Negative Oropharyngeal Squamous Cell Carcinoma. <i>Cancers</i> , 2022, 14, 2830. | 3.7 | 0 |
| 193 | β-catenin plus PROX1 immunostaining stratifies disease progression and patient survival in neoadjuvant-treated pancreatic cancer. <i>Tumor Biology</i> , 2022, 44, 69-84. | 1.8 | 0 |