

James B Potash

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5173351/publications.pdf>

Version: 2024-02-01

157
papers

19,144
citations

22153

59
h-index

14208

128
g-index

164
all docs

164
docs citations

164
times ranked

25447
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	21.4	2,224
2	The human colon cancer methylome shows similar hypo- and hypermethylation at conserved tissue-specific CpG island shores. <i>Nature Genetics</i> , 2009, 41, 178-186.	21.4	1,977
3	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
4	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	12.6	1,085
5	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 497-511.	7.9	1,002
6	Microduplications of 16p11.2 are associated with schizophrenia. <i>Nature Genetics</i> , 2009, 41, 1223-1227.	21.4	646
7	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
8	Characterizing the genetic basis of transcriptome diversity through RNA-sequencing of 922 individuals. <i>Genome Research</i> , 2014, 24, 14-24.	5.5	547
9	Ketamine and Other NMDA Antagonists: Early Clinical Trials and Possible Mechanisms in Depression. <i>American Journal of Psychiatry</i> , 2015, 172, 950-966.	7.2	489
10	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	13.7	306
11	High Frequencies of De Novo CNVs in Bipolar Disorder and Schizophrenia. <i>Neuron</i> , 2011, 72, 951-963.	8.1	290
12	Whole Genome Sequencing Defines the Genetic Heterogeneity of Familial Pancreatic Cancer. <i>Cancer Discovery</i> , 2016, 6, 166-175.	9.4	282
13	Genome-wide DNA methylation comparison between live human brain and peripheral tissues within individuals. <i>Translational Psychiatry</i> , 2019, 9, 47.	4.8	279
14	DNA Methylation Signatures within the Human Brain. <i>American Journal of Human Genetics</i> , 2007, 81, 1304-1315.	6.2	256
15	Chronic Corticosterone Exposure Increases Expression and Decreases Deoxyribonucleic Acid Methylation of Fkbp5 in Mice. <i>Endocrinology</i> , 2010, 151, 4332-4343.	2.8	248
16	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>American Journal of Human Genetics</i> , 2015, 96, 283-294.	6.2	225
17	Combined Analysis from Eleven Linkage Studies of Bipolar Disorder Provides Strong Evidence of Susceptibility Loci on Chromosomes 6q and 8q. <i>American Journal of Human Genetics</i> , 2005, 77, 582-595.	6.2	218
18	Relationship between Cortisol Responses to Stress and Personality. <i>Neuropsychopharmacology</i> , 2006, 31, 1583-1591.	5.4	215

#	ARTICLE	IF	CITATIONS
19	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020, 52, 437-447.	21.4	207
20	Clock genes may influence bipolar disorder susceptibility and dysfunctional circadian rhythm. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1047-1055.	1.7	182
21	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	2.9	182
22	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017, 81, 325-335.	1.3	175
23	Suggestive Linkage to Chromosomal Regions 13q31 and 22q12 in Families With Psychotic Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2003, 160, 680-686.	7.2	165
24	Hippocampal and ventricular volumes in psychotic and nonpsychotic bipolar patients compared with schizophrenia patients and community control subjects: A pilot study. <i>Biological Psychiatry</i> , 2005, 57, 633-639.	1.3	162
25	Clinical Correlates and Familial Aggregation of Age at Onset in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 240-246.	7.2	160
26	Mood Disorder Susceptibility Gene CACNA1C Modifies Mood-Related Behaviors in Mice and Interacts with Sex to Influence Behavior in Mice and Diagnosis in Humans. <i>Biological Psychiatry</i> , 2010, 68, 801-810.	1.3	157
27	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	2.5	156
28	Rare variants in neuronal excitability genes influence risk for bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3576-3581.	7.1	152
29	Comorbid Bipolar Disorder and Panic Disorder in Families With a High Prevalence of Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2002, 159, 30-35.	7.2	142
30	Genome-Wide Association Study of Suicide Attempts in Mood Disorder Patients. <i>American Journal of Psychiatry</i> , 2010, 167, 1499-1507.	7.2	140
31	The Familial Aggregation of Psychotic Symptoms in Bipolar Disorder Pedigrees. <i>American Journal of Psychiatry</i> , 2001, 158, 1258-1264.	7.2	138
32	Allele-specific expression reveals interactions between genetic variation and environment. <i>Nature Methods</i> , 2017, 14, 699-702.	19.0	135
33	Genome-Wide DNA Methylation Scan in Major Depressive Disorder. <i>PLoS ONE</i> , 2012, 7, e34451.	2.5	120
34	Reproductive cycle-associated mood symptoms in women with major depression and bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 99, 221-229.	4.1	118
35	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	1.3	114
36	Attempted Suicide and Alcoholism in Bipolar Disorder: Clinical and Familial Relationships. <i>American Journal of Psychiatry</i> , 2000, 157, 2048-2050.	7.2	104

#	ARTICLE	IF	CITATIONS
37	Genetic association of FKBP5 and CRHR1 with cortisol response to acute psychosocial stress in healthy adults. <i>Psychopharmacology</i> , 2013, 227, 231-241.	3.1	104
38	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	11.0	102
39	Alterations in DNA methylation of Fkbp5 as a determinant of blood-brain correlation of glucocorticoid exposure. <i>Psychoneuroendocrinology</i> , 2014, 44, 112-122.	2.7	101
40	A measure of glucocorticoid load provided by DNA methylation of Fkbp5 in mice. <i>Psychopharmacology</i> , 2011, 218, 303-312.	3.1	100
41	A comprehensive review of genetic and epigenetic mechanisms that regulate <i>BDNF</i> expression and function with relevance to major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 143-167.	1.7	100
42	Exome Sequencing of Familial Bipolar Disorder. <i>JAMA Psychiatry</i> , 2016, 73, 590.	11.0	97
43	Mood disorder with psychotic features, schizoaffective disorder, and schizophrenia with mood features: Trouble at the borders. <i>International Review of Psychiatry</i> , 2005, 17, 9-19.	2.8	93
44	Mood-Incongruent Psychotic Features in Bipolar Disorder: Familial Aggregation and Suggestive Linkage to 2p11-q14 and 13q21-33. <i>American Journal of Psychiatry</i> , 2007, 164, 236-247.	7.2	93
45	Genetics of Recurrent Early-Onset Major Depression (GenRED): Final Genome Scan Report. <i>American Journal of Psychiatry</i> , 2007, 164, 248-258.	7.2	91
46	Carving Chaos: Genetics and the Classification of Mood and Psychotic Syndromes. <i>Harvard Review of Psychiatry</i> , 2006, 14, 47-63.	2.1	88
47	Impact of the X Chromosome and sex on regulatory variation. <i>Genome Research</i> , 2016, 26, 768-777.	5.5	88
48	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	11.0	88
49	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	1.3	87
50	Is perinatal depression familial?. <i>Journal of Affective Disorders</i> , 2006, 90, 49-55.	4.1	86
51	Genome-Wide Linkage and Follow-Up Association Study of Postpartum Mood Symptoms. <i>American Journal of Psychiatry</i> , 2009, 166, 1229-1237.	7.2	85
52	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017, 82, 322-329.	1.3	84
53	Genome-wide scan and conditional analysis in bipolar disorder: evidence for genomic interaction in the National Institute of Mental Health genetics initiative bipolar pedigrees. <i>Biological Psychiatry</i> , 2003, 54, 1265-1273.	1.3	80
54	The Bipolar Disorder Phenome Database: A Resource for Genetic Studies. <i>American Journal of Psychiatry</i> , 2007, 164, 1229-1237.	7.2	73

#	ARTICLE	IF	CITATIONS
55	Polygenic Scores for Major Depressive Disorder and Risk of Alcohol Dependence. <i>JAMA Psychiatry</i> , 2017, 74, 1153.	11.0	73
56	Integrating GWASs and Human Protein Interaction Networks Identifies a Gene Subnetwork Underlying Alcohol Dependence. <i>American Journal of Human Genetics</i> , 2013, 93, 1027-1034.	6.2	72
57	Association Study of Wnt Signaling Pathway Genes in Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2008, 65, 785.	12.3	70
58	Searching high and low: a review of the genetics of bipolar disorder. <i>Bipolar Disorders</i> , 2000, 2, 8-26.	1.9	66
59	Mutations in the pancreatic secretory enzymes <i>CPA1</i> and <i>CPB1</i> are associated with pancreatic cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4767-4772.	7.1	65
60	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	1.3	61
61	Loci on chromosomes 6q and 6p interact to increase susceptibility to bipolar affective disorder in the national institute of mental health genetics initiative pedigrees. <i>Biological Psychiatry</i> , 2004, 56, 18-23.	1.3	60
62	Genome-Wide Association of Bipolar Disorder Suggests an Enrichment of Replicable Associations in Regions near Genes. <i>PLoS Genetics</i> , 2011, 7, e1002134.	3.5	59
63	Familial aggregation of psychotic symptoms in a replication set of 69 bipolar disorder pedigrees. <i>American Journal of Medical Genetics Part A</i> , 2003, 116B, 90-97.	2.4	58
64	Familial Aggregation of Illness Chronicity in Recurrent, Early-Onset Major Depression Pedigrees. <i>American Journal of Psychiatry</i> , 2006, 163, 1554-1560.	7.2	58
65	Rapid mood switching and suicidality in familial bipolar disorder. <i>Bipolar Disorders</i> , 2005, 7, 441-448.	1.9	57
66	Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. <i>Bipolar Disorders</i> , 2008, 10, 38-44.	1.9	55
67	NEDD4L on human chromosome 18q21 has multiple forms of transcripts and is a homologue of the mouse <i>Nedd4-2</i> gene. <i>European Journal of Human Genetics</i> , 2001, 9, 922-930.	2.8	52
68	Predictors of lithium response in bipolar disorder. <i>Therapeutic Advances in Chronic Disease</i> , 2011, 2, 209-226.	2.5	52
69	Family-based association of <i>YWHAH</i> in psychotic bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 977-983.	1.7	49
70	Genetics of Recurrent Early-Onset Major Depression (GenRED): Significant Linkage on Chromosome 15q25-q26 After Fine Mapping With Single Nucleotide Polymorphism Markers. <i>American Journal of Psychiatry</i> , 2007, 164, 259-264.	7.2	48
71	Psychotic features in bipolar and unipolar depression. <i>Bipolar Disorders</i> , 2007, 9, 901-906.	1.9	48
72	Assessment of the Effect of Age at Onset on Linkage to Bipolar Disorder: Evidence on Chromosomes 18p and 21q. <i>American Journal of Human Genetics</i> , 2005, 77, 545-555.	6.2	47

#	ARTICLE	IF	CITATIONS
73	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	7.9	44
74	Attempted Suicide in Bipolar Disorder Pedigrees: Evidence for Linkage to 2p12. <i>Biological Psychiatry</i> , 2007, 61, 725-727.	1.3	42
75	Genome-wide association analysis of age at onset and psychotic symptoms in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 370-378.	1.7	42
76	Shared genetics of bipolar disorder and schizophrenia. <i>Nature Reviews Neurology</i> , 2009, 5, 299-300.	10.1	41
77	POSTTRAUMATIC STRESS DISORDER INCREASES RISK FOR SUICIDE ATTEMPT IN ADULTS WITH RECURRENT MAJOR DEPRESSION. <i>Depression and Anxiety</i> , 2013, 30, n/a-n/a.	4.1	41
78	What Should a Psychiatrist Know About Genetics?. <i>Journal of Clinical Psychiatry</i> , 2018, 80, .	2.2	40
79	New Developments in the Genetics of Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2014, 16, 493.	4.5	39
80	Working toward precision medicine: Predicting phenotypes from exomes in the Critical Assessment of Genome Interpretation (CAGI) challenges. <i>Human Mutation</i> , 2017, 38, 1182-1192.	2.5	39
81	COMBAT: A Combined Association Test for Genes Using Summary Statistics. <i>Genetics</i> , 2017, 207, 883-891.	2.9	39
82	DNA methylation and expression of <i>KCNQ3</i> in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 150-159.	1.9	37
83	Linkage Disequilibrium Mapping of a Chromosome 15q25-26 Major Depression Linkage Region and Sequencing of <i>NTRK3</i> . <i>Biological Psychiatry</i> , 2008, 63, 1185-1189.	1.3	35
84	Total white matter hyperintensity volume in bipolar disorder patients and their healthy relatives. <i>Bipolar Disorders</i> , 2012, 14, 888-893.	1.9	34
85	Sequence variation in <i>DOCK9</i> and heterogeneity in bipolar disorder. <i>Psychiatric Genetics</i> , 2007, 17, 274-286.	1.1	33
86	Data mining approaches for genome-wide association of mood disorders. <i>Psychiatric Genetics</i> , 2012, 22, 55-61.	1.1	32
87	The genetics of psychotic bipolar disorder. <i>Current Psychiatry Reports</i> , 2008, 10, 178-189.	4.5	31
88	Family-based association study of Neuregulin 1 with psychotic bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 693-702.	1.7	31
89	Converging evidence for epistasis between <i>ANK3</i> and potassium channel gene <i>KCNQ2</i> in bipolar disorder. <i>Frontiers in Genetics</i> , 2013, 4, 87.	2.3	31
90	QuickSNP: an automated web server for selection of tagSNPs. <i>Nucleic Acids Research</i> , 2007, 35, W115-W120.	14.5	29

#	ARTICLE	IF	CITATIONS
91	Seasonal variation of manic and depressive symptoms in bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 377-384.	1.9	29
92	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	2.6	28
93	Pupillary response abnormalities in depressive disorders. <i>Psychiatry Research</i> , 2016, 246, 492-499.	3.3	27
94	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	1.3	27
95	A Machine Learning Approach to Predicting Autism Risk Genes: Validation of Known Genes and Discovery of New Candidates. <i>Frontiers in Genetics</i> , 2020, 11, 500064.	2.3	27
96	Neurotransmission and bipolar disorder: A systematic family-based association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1270-1277.	1.7	26
97	An MRI study of amygdala in schizophrenia and psychotic bipolar disorder. <i>Schizophrenia Research</i> , 2012, 138, 188-191.	2.0	26
98	Chronic social stress induces DNA methylation changes at an evolutionary conserved intergenic region in chromosome X. <i>Epigenetics</i> , 2018, 13, 627-641.	2.7	25
99	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019, 85, 1065-1073.	1.3	25
100	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	4.8	25
101	Whole-genome sequencing investigation of <i>SAT1</i> in attempted suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 888-895.	1.7	23
102	Genome-wide DNA methylation investigation of glucocorticoid exposure within buccal samples. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 323-330.	1.8	23
103	A comparison of the familiarity of chronic depression in recurrent early-onset depression pedigrees using different definitions of chronicity. <i>Journal of Affective Disorders</i> , 2007, 100, 171-177.	4.1	21
104	Vascular Mortality in Participants of a Bipolar Genomics Study. <i>Psychosomatics</i> , 2014, 55, 485-490.	2.5	21
105	Investigating the role of early childhood abuse and HPA axis genes in suicide attempters with bipolar disorder. <i>Psychiatric Genetics</i> , 2015, 25, 106-111.	1.1	20
106	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
107	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	2.8	20
108	A Hybrid Likelihood Model for Sequence-Based Disease Association Studies. <i>PLoS Genetics</i> , 2013, 9, e1003224.	3.5	19

#	ARTICLE	IF	CITATIONS
109	Seasonal variation of depressive symptoms in unipolar major depressive disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 1891-1899.	3.1	19
110	Differentially methylated regions in bipolar disorder and suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 496-507.	1.7	19
111	Adaptation of the targeted capture Methyl-Seq platform for the mouse genome identifies novel tissue-specific DNA methylation patterns of genes involved in neurodevelopment. <i>Epigenetics</i> , 2015, 10, 581-596.	2.7	18
112	Genome-wide association study of seasonal affective disorder. <i>Translational Psychiatry</i> , 2018, 8, 190.	4.8	18
113	Adaptation of the CHARM DNA methylation platform for the rat genome reveals novel brain region-specific differences. <i>Epigenetics</i> , 2011, 6, 1378-1390.	2.7	17
114	Fluoxetine and environmental enrichment similarly reverse chronic social stress-related depression- and anxiety-like behavior, but have differential effects on amygdala gene expression. <i>Neurobiology of Stress</i> , 2021, 15, 100392.	4.0	17
115	Recent Findings on the Genetic Basis of Bipolar Disorder. <i>Psychiatric Clinics of North America</i> , 2005, 28, 481-498.	1.3	16
116	Gene-based SNP mapping of a psychotic bipolar affective disorder linkage region on 22q12.3: Association with <i>HMG2L1</i> and <i>TOM1</i> . <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 59-67.	1.7	16
117	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.5	16
118	Polygenic risk for anxiety influences anxiety comorbidity and suicidal behavior in bipolar disorder. <i>Translational Psychiatry</i> , 2020, 10, 298.	4.8	16
119	Leadership Principles to Decrease Psychological Casualties in COVID-19 and Other Disasters of Uncertainty. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, 16, 767-769.	1.3	16
120	Association study of serotonin pathway genes in attempted suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 112-119.	1.7	15
121	Investigating rare pathogenic/likely pathogenic exonic variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 5239-5250.	7.9	15
122	Premenstrual mood symptoms: study of familiarity and personality correlates in mood disorder pedigrees. <i>Archives of Women's Mental Health</i> , 2009, 12, 27-34.	2.6	14
123	Genome-wide significant association between a "negative mood delusions" dimension in bipolar disorder and genetic variation on chromosome 3q26.1. <i>Translational Psychiatry</i> , 2012, 2, e165-e165.	4.8	14
124	Exonic DNA Sequencing of ERBB4 in Bipolar Disorder. <i>PLoS ONE</i> , 2011, 6, e20242.	2.5	13
125	Assessment of Whole-Exome Sequence Data in Attempted Suicide within a Bipolar Disorder Cohort. <i>Molecular Neuropsychiatry</i> , 2017, 3, 1-11.	2.9	13
126	Investigating the role of p11 (S100A10) sequence variation in susceptibility to major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 1079-1082.	1.7	11

#	ARTICLE	IF	CITATIONS
127	Common and rare variants of <i>DAOA</i> in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 960-966.	1.7	11
128	FLAGS: A Flexible and Adaptive Association Test for Gene Sets Using Summary Statistics. <i>Genetics</i> , 2016, 202, 919-929.	2.9	11
129	GWAS and systems biology analysis of depressive symptoms among smokers from the COPD Gene cohort. <i>Journal of Affective Disorders</i> , 2019, 243, 16-22.	4.1	11
130	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	2.8	11
131	Evidence for association of bipolar disorder to haplotypes in the 22q12.3 region near the genes <i>stargazin</i> , <i>ift27</i> and <i>parvalbumin</i> . <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 941-950.	1.7	10
132	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	3.3	10
133	Targeted Sequencing of <i>FKBP5</i> in Suicide Attempters with Bipolar Disorder. <i>PLoS ONE</i> , 2016, 11, e0169158.	2.5	9
134	Further evidence for an association of G72/G30 with schizophrenia in Chinese. <i>Schizophrenia Research</i> , 2009, 107, 324-326.	2.0	8
135	Test-retest reliability of a new questionnaire for the retrospective assessment of long-term lithium use in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 174, 589-593.	4.1	8
136	Electronic Medical Records: Fast Track to Big Data in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2015, 172, 310-311.	7.2	8
137	Phases of psychological response in COVID-19: A preliminary heuristic. <i>American Journal of Disaster Medicine</i> , 2021, 16, 5-12.	0.3	8
138	Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 156-170.	0.7	7
139	Male-specific association of the 2p25 region with suicide attempt in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2020, 121, 151-158.	3.1	7
140	Targeted sequencing of the <i>LRRTM</i> gene family in suicide attempters with bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 128-139.	1.7	6
141	Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> , 2021, 7, 80-89.	0.9	6
142	Characterization of CTG/CAG repeats on chromosome 18: a study of bipolar disorder. <i>Psychiatric Genetics</i> , 2005, 15, 91-99.	1.1	5
143	Design and Implementation of a Regional Inpatient Psychiatry Unit for Patients who are Positive for Asymptomatic SARS-CoV-2. <i>Psychosomatics</i> , 2020, 61, 662-671.	2.5	5
144	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021, 46, 2304-2311.	5.4	5

#	ARTICLE	IF	CITATIONS
145	Investigation of differential HDAC4 methylation patterns in eating disorders. <i>Psychiatric Genetics</i> , 2018, 28, 12-15.	1.1	5
146	Case-control association study of <i>TGOLN2</i> in attempted suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1016-1023.	1.7	4
147	Association study of X chromosome SNPs in attempted suicide. <i>Psychiatry Research</i> , 2012, 200, 1044-1046.	3.3	4
148	The association between genetically determined ABO blood types and major depressive disorder. <i>Psychiatry Research</i> , 2021, 299, 113837.	3.3	4
149	Psychiatric genetics: into the 21st century. <i>International Review of Psychiatry</i> , 2004, 16, 243-245.	2.8	3
150	GLITTER: a web-based application for gene link inspection through tissue-specific coexpression. <i>Scientific Reports</i> , 2016, 6, 33460.	3.3	3
151	Affected Sib-Pair Analyses Identify Signaling Networks Associated With Social Behavioral Deficits in Autism. <i>Frontiers in Genetics</i> , 2019, 10, 1186.	2.3	2
152	Investigating the phenotypic and genetic associations between personality traits and suicidal behavior across major mental health diagnoses. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	3.2	2
153	Need exists for genetic predictors of lithium response. <i>Evidence-Based Mental Health</i> , 2014, 17, 72-72.	4.5	1
154	Response to "Do the symptoms of bipolar disorder <i>really</i> show seasonal variation?"™. <i>Bipolar Disorders</i> , 2013, 15, 811-812.	1.9	0
155	Dennis L Murphy, MD. <i>Neuropsychopharmacology</i> , 2018, 43, 1193-1194.	5.4	0
156	Epigenetics of major depressive disorder. , 2021, , 361-392.		0
157	Dr Nurnberger and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	2.2	0