

# James B Potash

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5173351/publications.pdf>

Version: 2024-02-01

157  
papers

19,144  
citations

22153

59  
h-index

14208

128  
g-index

164  
all docs

164  
docs citations

164  
times ranked

25447  
citing authors

#	ARTICLE	IF	CITATIONS
1	Leadership Principles to Decrease Psychological Casualties in COVID-19 and Other Disasters of Uncertainty. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, 16, 767-769.	1.3	16
2	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	1.3	61
3	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	1.3	114
4	Investigating the phenotypic and genetic associations between personality traits and suicidal behavior across major mental health diagnoses. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	3.2	2
5	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	2.8	11
6	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	7.9	44
7	Phases of psychological response in COVID-19: A preliminary heuristic. <i>American Journal of Disaster Medicine</i> , 2021, 16, 5-12.	0.3	8
8	Epigenetics of major depressive disorder. , 2021, , 361-392.		0
9	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
10	The association between genetically determined ABO blood types and major depressive disorder. <i>Psychiatry Research</i> , 2021, 299, 113837.	3.3	4
11	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	2.8	20
12	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021, 46, 2304-2311.	5.4	5
13	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	11.0	88
14	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	3.3	10
15	Fluoxetine and environmental enrichment similarly reverse chronic social stress-related depression- and anxiety-like behavior, but have differential effects on amygdala gene expression. <i>Neurobiology of Stress</i> , 2021, 15, 100392.	4.0	17
16	Investigating rare pathogenic/likely pathogenic exonic variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 5239-5250.	7.9	15
17	Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> , 2021, 7, 80-89.	0.9	6
18	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	4.8	25

#	ARTICLE	IF	CITATIONS
19	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	1.3	27
20	Targeted sequencing of the LRRTM gene family in suicide attempters with bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 128-139.	1.7	6
21	Male-specific association of the 2p25 region with suicide attempt in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2020, 121, 151-158.	3.1	7
22	Design and Implementation of a Regional Inpatient Psychiatry Unit for Patients who are Positive for Asymptomatic SARS-CoV-2. <i>Psychosomatics</i> , 2020, 61, 662-671.	2.5	5
23	A Machine Learning Approach to Predicting Autism Risk Genes: Validation of Known Genes and Discovery of New Candidates. <i>Frontiers in Genetics</i> , 2020, 11, 500064.	2.3	27
24	Polygenic risk for anxiety influences anxiety comorbidity and suicidal behavior in bipolar disorder. <i>Translational Psychiatry</i> , 2020, 10, 298.	4.8	16
25	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020, 52, 437-447.	21.4	207
26	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
27	Differentially methylated regions in bipolar disorder and suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 496-507.	1.7	19
28	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
29	Genome-wide DNA methylation investigation of glucocorticoid exposure within buccal samples. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 323-330.	1.8	23
30	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019, 85, 1065-1073.	1.3	25
31	Affected Sib-Pair Analyses Identify Signaling Networks Associated With Social Behavioral Deficits in Autism. <i>Frontiers in Genetics</i> , 2019, 10, 1186.	2.3	2
32	GWAS and systems biology analysis of depressive symptoms among smokers from the COPDGene cohort. <i>Journal of Affective Disorders</i> , 2019, 243, 16-22.	4.1	11
33	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.5	16
34	Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 156-170.	0.7	7
35	Genome-wide DNA methylation comparison between live human brain and peripheral tissues within individuals. <i>Translational Psychiatry</i> , 2019, 9, 47.	4.8	279
36	Dr Nurnberger and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	2.2	0

#	ARTICLE	IF	CITATIONS
37	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	11.0	102
38	Mutations in the pancreatic secretory enzymes <i>CPA1</i> and <i>CPB1</i> are associated with pancreatic cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4767-4772.	7.1	65
39	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	21.4	2,224
40	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	1.3	87
41	A comprehensive review of genetic and epigenetic mechanisms that regulate <i>BDNF</i> expression and function with relevance to major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 143-167.	1.7	100
42	Genome-wide association study of seasonal affective disorder. <i>Translational Psychiatry</i> , 2018, 8, 190.	4.8	18
43	Chronic social stress induces DNA methylation changes at an evolutionary conserved intergenic region in chromosome X. <i>Epigenetics</i> , 2018, 13, 627-641.	2.7	25
44	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	2.6	28
45	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	12.6	1,085
46	Dennis L Murphy, MD. <i>Neuropsychopharmacology</i> , 2018, 43, 1193-1194.	5.4	0
47	Investigation of differential HDAC4 methylation patterns in eating disorders. <i>Psychiatric Genetics</i> , 2018, 28, 12-15.	1.1	5
48	What Should a Psychiatrist Know About Genetics?. <i>Journal of Clinical Psychiatry</i> , 2018, 80, .	2.2	40
49	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017, 81, 325-335.	1.3	175
50	Assessment of Whole-Exome Sequence Data in Attempted Suicide within a Bipolar Disorder Cohort. <i>Molecular Neuropsychiatry</i> , 2017, 3, 1-11.	2.9	13
51	Working toward precision medicine: Predicting phenotypes from exomes in the Critical Assessment of Genome Interpretation (CAGI) challenges. <i>Human Mutation</i> , 2017, 38, 1182-1192.	2.5	39
52	Allele-specific expression reveals interactions between genetic variation and environment. <i>Nature Methods</i> , 2017, 14, 699-702.	19.0	135
53	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017, 82, 322-329.	1.3	84
54	COMBAT: A Combined Association Test for Genes Using Summary Statistics. <i>Genetics</i> , 2017, 207, 883-891.	2.9	39

#	ARTICLE	IF	CITATIONS
55	Polygenic Scores for Major Depressive Disorder and Risk of Alcohol Dependence. <i>JAMA Psychiatry</i> , 2017, 74, 1153.	11.0	73
56	Targeted Sequencing of FKBP5 in Suicide Attempters with Bipolar Disorder. <i>PLoS ONE</i> , 2016, 11, e0169158.	2.5	9
57	Whole-genome sequencing investigation of <i>SAT1</i> in attempted suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 888-895.	1.7	23
58	Impact of the X Chromosome and sex on regulatory variation. <i>Genome Research</i> , 2016, 26, 768-777.	5.5	88
59	Exome Sequencing of Familial Bipolar Disorder. <i>JAMA Psychiatry</i> , 2016, 73, 590.	11.0	97
60	Pupillary response abnormalities in depressive disorders. <i>Psychiatry Research</i> , 2016, 246, 492-499.	3.3	27
61	GLITTER: a web-based application for gene link inspection through tissue-specific coexpression. <i>Scientific Reports</i> , 2016, 6, 33460.	3.3	3
62	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	2.9	182
63	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	13.7	306
64	FLAGS: A Flexible and Adaptive Association Test for Gene Sets Using Summary Statistics. <i>Genetics</i> , 2016, 202, 919-929.	2.9	11
65	Whole Genome Sequencing Defines the Genetic Heterogeneity of Familial Pancreatic Cancer. <i>Cancer Discovery</i> , 2016, 6, 166-175.	9.4	282
66	Investigating the role of early childhood abuse and HPA axis genes in suicide attempters with bipolar disorder. <i>Psychiatric Genetics</i> , 2015, 25, 106-111.	1.1	20
67	Adaptation of the targeted capture Methyl-Seq platform for the mouse genome identifies novel tissue-specific DNA methylation patterns of genes involved in neurodevelopment. <i>Epigenetics</i> , 2015, 10, 581-596.	2.7	18
68	Test-retest reliability of a new questionnaire for the retrospective assessment of long-term lithium use in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 174, 589-593.	4.1	8
69	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>American Journal of Human Genetics</i> , 2015, 96, 283-294.	6.2	225
70	Electronic Medical Records: Fast Track to Big Data in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2015, 172, 310-311.	7.2	8
71	Rare variants in neuronal excitability genes influence risk for bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3576-3581.	7.1	152
72	Ketamine and Other NMDA Antagonists: Early Clinical Trials and Possible Mechanisms in Depression. <i>American Journal of Psychiatry</i> , 2015, 172, 950-966.	7.2	489

#	ARTICLE	IF	CITATIONS
73	<scp>DNA</scp> methylation and expression of <i><scp>KCNQ</scp>3</i> in bipolar disorder. Bipolar Disorders, 2015, 17, 150-159.	1.9	37
74	Need exists for genetic predictors of lithium response. Evidence-Based Mental Health, 2014, 17, 72-72.	4.5	1
75	Vascular Mortality in Participants of a Bipolar Genomics Study. Psychosomatics, 2014, 55, 485-490.	2.5	21
76	Alterations in DNA methylation of Fkbp5 as a determinant of bloodâ€“brain correlation of glucocorticoid exposure. Psychoneuroendocrinology, 2014, 44, 112-122.	2.7	101
77	Characterizing the genetic basis of transcriptome diversity through RNA-sequencing of 922 individuals. Genome Research, 2014, 24, 14-24.	5.5	547
78	New Developments in the Genetics of Bipolar Disorder. Current Psychiatry Reports, 2014, 16, 493.	4.5	39
79	Seasonal variation of depressive symptoms in unipolar major depressive disorder. Comprehensive Psychiatry, 2014, 55, 1891-1899.	3.1	19
80	Genetic association of FKBP5 and CRHR1 with cortisol response to acute psychosocial stress in healthy adults. Psychopharmacology, 2013, 227, 231-241.	3.1	104
81	POSTTRALIMATIC STRESS DISORDER INCREASES RISK FOR SUICIDE ATTEMPT IN ADULTS WITH RECURRENT MAJOR DEPRESSION. Depression and Anxiety, 2013, 30, n/a-n/a.	4.1	41
82	Response to â€“Do the symptoms of bipolar disorder <i>really</i> show seasonal variation?â€™. Bipolar Disorders, 2013, 15, 811-812.	1.9	0
83	Integrating GWASs and Human Protein Interaction Networks Identifies a Gene Subnetwork Underlying Alcohol Dependence. American Journal of Human Genetics, 2013, 93, 1027-1034.	6.2	72
84	A mega-analysis of genome-wide association studies for major depressive disorder. Molecular Psychiatry, 2013, 18, 497-511.	7.9	1,002
85	Seasonal variation of manic and depressive symptoms in bipolar disorder. Bipolar Disorders, 2013, 15, 377-384.	1.9	29
86	A Hybrid Likelihood Model for Sequence-Based Disease Association Studies. PLoS Genetics, 2013, 9, e1003224.	3.5	19
87	Converging evidence for epistasis between ANK3 and potassium channel gene KCNQ2 in bipolar disorder. Frontiers in Genetics, 2013, 4, 87.	2.3	31
88	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. PLoS ONE, 2013, 8, e65636.	2.5	156
89	Data mining approaches for genome-wide association of mood disorders. Psychiatric Genetics, 2012, 22, 55-61.	1.1	32
90	Genome-wide significant association between a â€“negative mood delusionsâ€™ dimension in bipolar disorder and genetic variation on chromosome 3q26.1. Translational Psychiatry, 2012, 2, e165-e165.	4.8	14

#	ARTICLE	IF	CITATIONS
91	Evidence for association of bipolar disorder to haplotypes in the 22q12.3 region near the genes stargazin, ift27 and parvalbumin. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 941-950.	1.7	10
92	Association study of X chromosome SNPs in attempted suicide. Psychiatry Research, 2012, 200, 1044-1046.	3.3	4
93	Total white matter hyperintensity volume in bipolar disorder patients and their healthy relatives. Bipolar Disorders, 2012, 14, 888-893.	1.9	34
94	An MRI study of amygdala in schizophrenia and psychotic bipolar disorder. Schizophrenia Research, 2012, 138, 188-191.	2.0	26
95	Association study of serotonin pathway genes in attempted suicide. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 112-119.	1.7	15
96	Genome-Wide DNA Methylation Scan in Major Depressive Disorder. PLoS ONE, 2012, 7, e34451.	2.5	120
97	High Frequencies of De Novo CNVs in Bipolar Disorder and Schizophrenia. Neuron, 2011, 72, 951-963.	8.1	290
98	Exonic DNA Sequencing of ERBB4 in Bipolar Disorder. PLoS ONE, 2011, 6, e20242.	2.5	13
99	A measure of glucocorticoid load provided by DNA methylation of Fkbp5 in mice. Psychopharmacology, 2011, 218, 303-312.	3.1	100
100	Genome-wide association analysis of age at onset and psychotic symptoms in bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 370-378.	1.7	42
101	Adaptation of the CHARM DNA methylation platform for the rat genome reveals novel brain region-specific differences. Epigenetics, 2011, 6, 1378-1390.	2.7	17
102	Predictors of lithium response in bipolar disorder. Therapeutic Advances in Chronic Disease, 2011, 2, 209-226.	2.5	52
103	Genome-Wide Association of Bipolar Disorder Suggests an Enrichment of Replicable Associations in Regions near Genes. PLoS Genetics, 2011, 7, e1002134.	3.5	59
104	Case-control association study of <i>TGOLN2</i> in attempted suicide. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1016-1023.	1.7	4
105	Genome-Wide Association Study of Suicide Attempts in Mood Disorder Patients. American Journal of Psychiatry, 2010, 167, 1499-1507.	7.2	140
106	Mood Disorder Susceptibility Gene CACNA1C Modifies Mood-Related Behaviors in Mice and Interacts with Sex to Influence Behavior in Mice and Diagnosis in Humans. Biological Psychiatry, 2010, 68, 801-810.	1.3	157
107	Chronic Corticosterone Exposure Increases Expression and Decreases Deoxyribonucleic Acid Methylation of Fkbp5 in Mice. Endocrinology, 2010, 151, 4332-4343.	2.8	248
108	Genome-Wide Linkage and Follow-Up Association Study of Postpartum Mood Symptoms. American Journal of Psychiatry, 2009, 166, 1229-1237.	7.2	85

#	ARTICLE	IF	CITATIONS
109	Family-based association study of Neuregulin 1 with psychotic bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 693-702.	1.7	31
110	Common and rare variants of <i>DAOA</i> in bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 960-966.	1.7	11
111	Family-based association of <i>YWHAH</i> in psychotic bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 977-983.	1.7	49
112	Premenstrual mood symptoms: study of familiarity and personality correlates in mood disorder pedigrees. Archives of Women's Mental Health, 2009, 12, 27-34.	2.6	14
113	The human colon cancer methylome shows similar hypo- and hypermethylation at conserved tissue-specific CpG island shores. Nature Genetics, 2009, 41, 178-186.	21.4	1,977
114	Microduplications of 16p11.2 are associated with schizophrenia. Nature Genetics, 2009, 41, 1223-1227.	21.4	646
115	Further evidence for an association of G72/G30 with schizophrenia in Chinese. Schizophrenia Research, 2009, 107, 324-326.	2.0	8
116	Shared genetics of bipolar disorder and schizophrenia. Nature Reviews Neurology, 2009, 5, 299-300.	10.1	41
117	The genetics of psychotic bipolar disorder. Current Psychiatry Reports, 2008, 10, 178-189.	4.5	31
118	Gene-based SNP mapping of a psychotic bipolar affective disorder linkage region on 22q12.3: Association with <i>HMG2L1</i> and <i>TOM1</i> . American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 59-67.	1.7	16
119	Clock genes may influence bipolar disorder susceptibility and dysfunctional circadian rhythm. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 1047-1055.	1.7	182
120	Neurotransmission and bipolar disorder: A systematic family-based association study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 1270-1277.	1.7	26
121	Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. Bipolar Disorders, 2008, 10, 38-44.	1.9	55
122	Linkage Disequilibrium Mapping of a Chromosome 15q25-26 Major Depression Linkage Region and Sequencing of NTRK3. Biological Psychiatry, 2008, 63, 1185-1189.	1.3	35
123	Association Study of Wnt Signaling Pathway Genes in Bipolar Disorder. Archives of General Psychiatry, 2008, 65, 785.	12.3	70
124	QuickSNP: an automated web server for selection of tagSNPs. Nucleic Acids Research, 2007, 35, W115-W120.	14.5	29
125	Mood-Incongruent Psychotic Features in Bipolar Disorder: Familial Aggregation and Suggestive Linkage to 2p11-q14 and 13q21-33. American Journal of Psychiatry, 2007, 164, 236-247.	7.2	93
126	The Bipolar Disorder Phenome Database: A Resource for Genetic Studies. American Journal of Psychiatry, 2007, 164, 1229-1237.	7.2	73



#	ARTICLE	IF	CITATIONS
127	Genetics of Recurrent Early-Onset Major Depression (GenRED): Significant Linkage on Chromosome 15q25-q26 After Fine Mapping With Single Nucleotide Polymorphism Markers. <i>American Journal of Psychiatry</i> , 2007, 164, 259-264.	7.2	48
128	Sequence variation in DOCK9 and heterogeneity in bipolar disorder. <i>Psychiatric Genetics</i> , 2007, 17, 274-286.	1.1	33
129	Genetics of Recurrent Early-Onset Major Depression (GenRED): Final Genome Scan Report. <i>American Journal of Psychiatry</i> , 2007, 164, 248-258.	7.2	91
130	DNA Methylation Signatures within the Human Brain. <i>American Journal of Human Genetics</i> , 2007, 81, 1304-1315.	6.2	256
131	Attempted Suicide in Bipolar Disorder Pedigrees: Evidence for Linkage to 2p12. <i>Biological Psychiatry</i> , 2007, 61, 725-727.	1.3	42
132	Investigating the role of p11 (S100A10) sequence variation in susceptibility to major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 1079-1082.	1.7	11
133	Psychotic features in bipolar and unipolar depression. <i>Bipolar Disorders</i> , 2007, 9, 901-906.	1.9	48
134	Reproductive cycle-associated mood symptoms in women with major depression and bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 99, 221-229.	4.1	118
135	A comparison of the familiarity of chronic depression in recurrent early-onset depression pedigrees using different definitions of chronicity. <i>Journal of Affective Disorders</i> , 2007, 100, 171-177.	4.1	21
136	Is perinatal depression familial?. <i>Journal of Affective Disorders</i> , 2006, 90, 49-55.	4.1	86
137	Clinical Correlates and Familial Aggregation of Age at Onset in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 240-246.	7.2	160
138	Familial Aggregation of Illness Chronicity in Recurrent, Early-Onset Major Depression Pedigrees. <i>American Journal of Psychiatry</i> , 2006, 163, 1554-1560.	7.2	58
139	Relationship between Cortisol Responses to Stress and Personality. <i>Neuropsychopharmacology</i> , 2006, 31, 1583-1591.	5.4	215
140	Carving Chaos: Genetics and the Classification of Mood and Psychotic Syndromes. <i>Harvard Review of Psychiatry</i> , 2006, 14, 47-63.	2.1	88
141	Characterization of CTG/CAG repeats on chromosome 18: a study of bipolar disorder. <i>Psychiatric Genetics</i> , 2005, 15, 91-99.	1.1	5
142	Rapid mood switching and suicidality in familial bipolar disorder. <i>Bipolar Disorders</i> , 2005, 7, 441-448.	1.9	57
143	Assessment of the Effect of Age at Onset on Linkage to Bipolar Disorder: Evidence on Chromosomes 18p and 21q. <i>American Journal of Human Genetics</i> , 2005, 77, 545-555.	6.2	47
144	Combined Analysis from Eleven Linkage Studies of Bipolar Disorder Provides Strong Evidence of Susceptibility Loci on Chromosomes 6q and 8q. <i>American Journal of Human Genetics</i> , 2005, 77, 582-595.	6.2	218

#	ARTICLE	IF	CITATIONS
145	Recent Findings on the Genetic Basis of Bipolar Disorder. <i>Psychiatric Clinics of North America</i> , 2005, 28, 481-498.	1.3	16
146	Mood disorder with psychotic features, schizoaffective disorder, and schizophrenia with mood features: Trouble at the borders. <i>International Review of Psychiatry</i> , 2005, 17, 9-19.	2.8	93
147	Hippocampal and ventricular volumes in psychotic and nonpsychotic bipolar patients compared with schizophrenia patients and community control subjects: A pilot study. <i>Biological Psychiatry</i> , 2005, 57, 633-639.	1.3	162
148	Psychiatric genetics: into the 21st century. <i>International Review of Psychiatry</i> , 2004, 16, 243-245.	2.8	3
149	Loci on chromosomes 6q and 6p interact to increase susceptibility to bipolar affective disorder in the national institute of mental health genetics initiative pedigrees. <i>Biological Psychiatry</i> , 2004, 56, 18-23.	1.3	60
150	Familial aggregation of psychotic symptoms in a replication set of 69 bipolar disorder pedigrees. <i>American Journal of Medical Genetics Part A</i> , 2003, 116B, 90-97.	2.4	58
151	Genome-wide scan and conditional analysis in bipolar disorder: evidence for genomic interaction in the National Institute of Mental Health genetics initiative bipolar pedigrees. <i>Biological Psychiatry</i> , 2003, 54, 1265-1273.	1.3	80
152	Suggestive Linkage to Chromosomal Regions 13q31 and 22q12 in Families With Psychotic Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2003, 160, 680-686.	7.2	165
153	Comorbid Bipolar Disorder and Panic Disorder in Families With a High Prevalence of Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2002, 159, 30-35.	7.2	142
154	NEDD4L on human chromosome 18q21 has multiple forms of transcripts and is a homologue of the mouse Nedd4-2 gene. <i>European Journal of Human Genetics</i> , 2001, 9, 922-930.	2.8	52
155	The Familial Aggregation of Psychotic Symptoms in Bipolar Disorder Pedigrees. <i>American Journal of Psychiatry</i> , 2001, 158, 1258-1264.	7.2	138
156	Attempted Suicide and Alcoholism in Bipolar Disorder: Clinical and Familial Relationships. <i>American Journal of Psychiatry</i> , 2000, 157, 2048-2050.	7.2	104
157	Searching high and low: a review of the genetics of bipolar disorder. <i>Bipolar Disorders</i> , 2000, 2, 8-26.	1.9	66