

# Stefanie Joos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5177006/publications.pdf>

Version: 2024-02-01

81  
papers

2,421  
citations

257450

24  
h-index

243625

44  
g-index

110  
all docs

110  
docs citations

110  
times ranked

2369  
citing authors

#	ARTICLE	IF	CITATIONS
1	Acupuncture and Moxibustion in the Treatment of Active Crohn's Disease: A Randomized Controlled Study. <i>Digestion</i> , 2004, 69, 131-139.	2.3	184
2	German Diabetes Disease Management Programs Are Appropriate for Restructuring Care According to the Chronic Care Model: An evaluation with the Patient Assessment of Chronic Illness Care instrument. <i>Diabetes Care</i> , 2008, 31, 1150-1154.	8.6	117
3	Use of complementary and alternative medicine in Germany – a survey of patients with inflammatory bowel disease. <i>BMC Complementary and Alternative Medicine</i> , 2006, 6, 19.	3.7	111
4	Becoming a general practitioner - Which factors have most impact on career choice of medical students?. <i>BMC Family Practice</i> , 2011, 12, 25.	2.9	96
5	Acupuncture and moxibustion in the treatment of ulcerative colitis: A randomized controlled study. <i>Scandinavian Journal of Gastroenterology</i> , 2006, 41, 1056-1063.	1.5	91
6	Integration of Complementary and Alternative Medicine into Family Practices in Germany: Results of a National Survey. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-8.	1.2	86
7	The German Health Care System in International Comparison. <i>Deutsches Gesundheitsblatt International</i> , 2011, 108, 255-61.	0.9	74
8	Acupuncture treatment in gastrointestinal diseases: A systematic review. <i>World Journal of Gastroenterology</i> , 2007, 13, 3417.	3.3	67
9	Case management of arthritis patients in primary care: A cluster-randomized controlled trial. <i>Arthritis and Rheumatism</i> , 2007, 57, 1390-1397.	6.7	63
10	Impact of Primary Care-Based Disease Management on the Health-Related Quality of Life in Patients With Type 2 Diabetes and Comorbidity. <i>Diabetes Care</i> , 2009, 32, 1594-1596.	8.6	57
11	The role of complementary and alternative medicine (CAM) in Germany – A focus group study of GPs. <i>BMC Health Services Research</i> , 2008, 8, 127.	2.2	55
12	Depression and panic disorder as predictors of health outcomes for patients with asthma in primary care. <i>Respiratory Medicine</i> , 2008, 102, 359-366.	2.9	51
13	Validation of the German version of the STarT-Back Tool (STarT-G): a cohort study with patients from primary care practices. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 346.	1.9	47
14	Health service utilization patterns of primary care patients with osteoarthritis. <i>BMC Health Services Research</i> , 2007, 7, 169.	2.2	43
15	A comparison of the workload of rural and urban primary care physicians in Germany: analysis of a questionnaire survey. <i>BMC Family Practice</i> , 2011, 12, 112.	2.9	42
16	Additional impact of concomitant hypertension and osteoarthritis on quality of life among patients with type 2 diabetes in primary care in Germany – a cross-sectional survey. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 19.	2.4	41
17	Herbal Medicine in Primary Healthcare in Germany: The Patient's Perspective. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-10.	1.2	41
18	Competence-based curriculum development for general practice in Germany: a stepwise peer-based approach instead of reinventing the wheel. <i>BMC Research Notes</i> , 2013, 6, 314.	1.4	39

#	ARTICLE	IF	CITATIONS
19	How do primary care doctors deal with uncertainty in making diagnostic decisions?. Journal of Evaluation in Clinical Practice, 2010, 16, 431-437.	1.8	36
20	Disparities in health and access to healthcare between asylum seekers and residents in Germany: a population-based cross-sectional feasibility study. BMJ Open, 2015, 5, e008784.	1.9	36
21	General practice-based clinical trials in Germany - a problem analysis. Trials, 2012, 13, 205.	1.6	30
22	Rationale, design and conduct of a comprehensive evaluation of a primary care based intervention to improve the quality of life of osteoarthritis patients. The PraxArt-project: a cluster randomized controlled trial [ISRCTN87252339]. BMC Public Health, 2005, 5, 77.	2.9	29
23	Use of home remedies: a cross-sectional survey of patients in Germany. BMC Family Practice, 2014, 15, 116.	2.9	29
24	Integration of Complementary and Alternative Medicine into German Medical School Curricula – Contradictions between the Opinions of Decision Makers and the Status Quo. Complementary Medicine Research, 2005, 12, 139-143.	1.2	26
25	Equity in access to health care among asylum seekers in Germany: evidence from an exploratory population-based cross-sectional study. BMC Health Services Research, 2015, 15, 502.	2.2	26
26	Does GPs' self-perception of their professional role correspond to their social self-image? - A qualitative study from Germany. BMC Family Practice, 2010, 11, 10.	2.9	24
27	Review on efficacy and health services research studies of complementary and alternative medicine in inflammatory bowel disease. Chinese Journal of Integrative Medicine, 2011, 17, 403-409.	1.6	24
28	A complex nursing intervention of complementary and alternative medicine (CAM) to increase quality of life in patients with breast and gynecologic cancer undergoing chemotherapy: study protocol for a partially randomized patient preference trial. Trials, 2015, 16, 51.	1.6	24
29	Developing and implementing a complex Complementary and Alternative (CAM) nursing intervention for breast and gynecologic cancer patients undergoing chemotherapy – report from the CONGO (complementary nursing in gynecologic oncology) study. Supportive Care in Cancer, 2016, 24, 2341-2350.	2.2	24
30	General Practitioners Views of Implementing a Stratified Treatment Approach for Low Back Pain in Germany: A Qualitative Study. PLoS ONE, 2015, 10, e0136119.	2.5	24
31	A tailored implementation intervention to implement recommendations addressing polypharmacy in multimorbid patients: study protocol of a cluster randomized controlled trial. Trials, 2013, 14, 420.	1.6	22
32	Successful Therapy of Vulvodynia with Local Anesthetics: A Case Report. Research in Complementary Medicine, 2013, 20, 138-143.	2.2	22
33	ELSID-Diabetes study-evaluation of a large scale implementation of disease management programmes for patients with type 2 diabetes. Rationale, design and conduct – a study protocol [ISRCTN08471887]. BMC Public Health, 2005, 5, 99.	2.9	20
34	The effects of an integrated supportive care intervention on quality of life outcomes in outpatients with breast and gynecologic cancer undergoing chemotherapy: Results from a randomized controlled trial. Cancer Medicine, 2019, 8, 3666-3676.	2.8	20
35	Future potential country doctor: the perspectives of German GPs. Rural and Remote Health, 2010, 10, 1347.	0.5	20
36	A brief patient-reported outcome instrument for primary care: German translation and validation of the Measure Yourself Medical Outcome Profile (MYMOP). Health and Quality of Life Outcomes, 2014, 12, 112.	2.4	17

#	ARTICLE	IF	CITATIONS
37	Complementary and alternative medicine (CAM) as part of primary health care in Germany – comparison of patients consulting general practitioners and CAM practitioners: a cross-sectional study. BMC Complementary and Alternative Medicine, 2016, 16, 409.	3.7	17
38	Physiotherapists' views of implementing a stratified treatment approach for patients with low back pain in Germany: a qualitative study. BMC Health Services Research, 2018, 18, 214.	2.2	17
39	Holistic care program for elderly patients to integrate spiritual needs, social activity, and self-care into disease management in primary care (HoPES3): study protocol for a cluster-randomized trial. Trials, 2019, 20, 364.	1.6	17
40	Comparison of AIMS2-SF, WOMAC, x-ray and a global physician assessment in order to approach quality of life in patients suffering from osteoarthritis. BMC Musculoskeletal Disorders, 2006, 7, 6.	1.9	16
41	Rural area in a European country from a health care point of view: an adaption of the Rural Ranking Scale. BMC Health Services Research, 2014, 14, 147.	2.2	16
42	Improving cooperation between general practitioners and dermatologists via telemedicine: study protocol of the cluster-randomized controlled TeleDerm study. Trials, 2018, 19, 583.	1.6	14
43	Use of a patient information leaflet to influence patient decisions regarding mode of administration of NSAID medications in case of acute low back pain. European Spine Journal, 2006, 15, 1737-1741.	2.2	13
44	Characteristics and job satisfaction of general practitioners using complementary and alternative medicine in Germany - is there a pattern?. BMC Complementary and Alternative Medicine, 2011, 11, 131.	3.7	13
45	Bridging the gap between patient needs and quality indicators: a qualitative study with chronic heart failure patients. Patient Preference and Adherence, 2015, 9, 1397.	1.8	12
46	The professional perspective on patient involvement in the development of quality indicators: a qualitative analysis using the example of chronic heart failure in the German health care setting. Patient Preference and Adherence, 2015, 9, 151.	1.8	12
47	Complementary medicine in Germany: a multi-centre cross-sectional survey on the usage by and the needs of patients hospitalized in university medical centers. BMC Complementary Medicine and Therapies, 2021, 21, 285.	2.7	11
48	Health status of and health-care provision to asylum seekers in Germany: protocol for a systematic review and evidence mapping of empirical studies. Systematic Reviews, 2014, 3, 139.	5.3	10
49	New paths in post-graduate medical training in general practice - 8 years of experience with the pilot project Verbundweiterbildung Baden-Württemberg. GMS Journal for Medical Education, 2017, 34, Doc62.	0.1	10
50	Technical support and delegation to practice staff – status quo and (possible) future perspectives for primary health care in Germany. BMC Medical Informatics and Decision Making, 2012, 12, 81.	3.0	9
51	Prognostic ability of the German version of the STarT Back tool: analysis of 12-month follow-up data from a randomized controlled trial. BMC Musculoskeletal Disorders, 2019, 20, 94.	1.9	9
52	Opportunities and challenges of e-learning in vocational training in General Practice - a project report about implementing digital formats in the KWBW-Verbundweiterbildung. GMS Journal for Medical Education, 2020, 37, Doc97.	0.1	9
53	Influences on Attitudes Regarding COVID-19 Vaccination in Germany. Vaccines, 2022, 10, 658.	4.4	9
54	Local Anesthetics Injection Therapy for Musculoskeletal Disorders. Clinical Journal of Pain, 2013, 29, 540-550.	1.9	8

#	ARTICLE	IF	CITATIONS
55	Train the Trainer for general practice trainer - a report of the pilot within the programme Verbundweiterbildung plus. GMS Zeitschrift FÄ <sup>1</sup> / <sub>4</sub> r Medizinische Ausbildung, 2012, 29, Doc43.	1.2	8
56	Family Doctors Seen through the Eyes of Specialists: A Qualitative Study. International Journal of Family Medicine, 2013, 2013, 1-6.	1.2	7
57	German translation, cross-cultural adaptation and validation of the Musculoskeletal Health Questionnaire: a cohort study. European Journal of Physical and Rehabilitation Medicine, 2021, 56, 771-779.	2.2	7
58	Ethical, Legal, and Social Implications of Symptom Checker Apps in Primary Health Care (CHECK.APP): Protocol for an Interdisciplinary Mixed Methods Study. JMIR Research Protocols, 2022, 11, e34026.	1.0	7
59	What Do Resource-Oriented Approaches Mean to General Practitioners and How Can They Be Facilitated in Primary Care? A Qualitative Study. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-8.	1.2	6
60	Knowledge, competencies and attitudes regarding external post-mortem physical examination: A survey among German post-graduate trainees in general practice. European Journal of General Practice, 2018, 24, 26-31.	2.0	6
61	Evaluation of the current status of Rehabilitation, Physical Medicine and Naturopathy education 10 years after the reform of the Medical Licensure Act - a nationwide survey of German Medical Universities. GMS Journal for Medical Education, 2017, 34, Doc3.	0.1	6
62	Interprofessional evidence-based counselling programme for complementary and integrative healthcare in patients with cancer: study protocol for the controlled implementation study CCC-Integrativ. BMJ Open, 2022, 12, e055076.	1.9	6
63	Introduction of Auricular Acupuncture in Elderly Patients Suffering from Major Depression: Protocol of a Mixed Methods Feasibility Study. BioMed Research International, 2015, 2015, 1-6.	1.9	5
64	Increasing Warmth in Adolescents with Anorexia Nervosa: A Randomized Controlled Crossover Trial Examining the Efficacy of Mustard and Ginger Footbaths. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-14.	1.2	5
65	Barriers to Integration of Primary Care into Emergency Care: Experiences in Germany. International Journal of Integrated Care, 2021, 21, 11.	0.2	5
66	Integration of complementary and integrative medicine competencies in general practice postgraduate education – development of a novel competency catalogue in Germany. BMC Complementary Medicine and Therapies, 2021, 21, 250.	2.7	5
67	Komplementäre und Integrative Medizin in der Facharztweiterbildung Allgemeinmedizin: Ergebnisse einer Bedarfserhebung bei Ärzten in Weiterbildung. Complementary Medicine Research, 2018, 25, 233-239.	1.2	4
68	Diuretics for Hypertension – Reasons for a Contradiction in Primary Care Prescribing Behavior: A Qualitative Study. Journal of Clinical Hypertension, 2012, 14, 680-685.	2.0	3
69	Self-Care, Stress Management, and Primary Care: From Salutogenesis and Health Promotion to Mind-Body Medicine. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-2.	1.2	3
70	Manual Therapy by General Medical Practitioners for Nonspecific Low Back Pain in Primary Care: The ManRÄ <sup>1</sup> / <sub>4</sub> ck Study Protocol of a Clinical Trial. Journal of Chiropractic Medicine, 2015, 14, 39-45.	0.7	3
71	Acupuncture in persons with an increased stress level – Results from a randomized-controlled pilot trial. PLoS ONE, 2020, 15, e0236004.	2.5	3
72	The teaching and learning environment of a primary care medical student clinical attachment ("Famulatur") - a qualitative study on experiences of students and primary care physicians in Germany. GMS Journal for Medical Education, 2019, 36, Doc28.	0.1	3

#	ARTICLE	IF	CITATIONS
73	Spezifische physiologische und unspezifische psychische Effekte bei der Akupunkturtherapie des Reizdarmsyndroms. Deutsche Zeitschrift FÄÄ¼r Akupunktur, 2008, 51, 8-16.	0.1	2
74	Use of Complementary and Alternative Medicine in Patients with Primary Immunodeficiency: a Multicentric Analysis of 101 Patients. Journal of Clinical Immunology, 2021, 41, 585-594.	3.8	2
75	Warm Footbaths with Sinapis nigra or Zingiber officinale Enhance Self-Reported Vitality in Healthy Adults More than Footbaths with Warm Water Only: A Randomized, Controlled Trial. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-12.	1.2	2
76	Developing a seminar curriculum for the Competence Center for General Practice in Baden-Wuerttemberg - a progress report. GMS Journal for Medical Education, 2021, 38, Doc36.	0.1	2
77	Protocol for the process evaluation of a counselling intervention designed to educate cancer patients on complementary and integrative health care and promote interprofessional collaboration in this area (the CCC-Integrativ study). PLoS ONE, 2022, 17, e0268091.	2.5	2
78	Differences between Practice Patterns of Conventional and Naturopathic GPs in Germany. PLoS ONE, 2016, 11, e0163519.	2.5	1
79	Manual Medicine Related Injuries Experienced by Physicians: A Missing Aspect in Therapies Using Manipulation of Joints. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-4.	1.2	0
80	Similar Results. Deutsches A&#x0308;rztblatt International, 2012, 109, 735; author reply 736.	0.9	0
81	General practitioners' communication on complementary and integrative medicine for cancer patients: Findings from an analysis of consultations with standardised patients. European Journal of Cancer Care, 0, , .	1.5	0