

Katherine M Aird

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5185507/publications.pdf>

Version: 2024-02-01

37
papers

2,516
citations

279798

23
h-index

345221

36
g-index

45
all docs

45
docs citations

45
times ranked

4965
citing authors

#	ARTICLE	IF	CITATIONS
1	53BP1: guarding the genome with a novel liquid weapon. <i>Communications Biology</i> , 2022, 5, 435.	4.4	0
2	The senescence-associated secretory phenotype in ovarian cancer dissemination. <i>American Journal of Physiology - Cell Physiology</i> , 2022, 323, C125-C132.	4.6	2
3	Suppression of p16 alleviates the senescence-associated secretory phenotype. <i>Aging</i> , 2021, 13, 3290-3312.	3.1	34
4	Loss of p16: A Bouncer of the Immunological Surveillance?. <i>Life</i> , 2021, 11, 309.	2.4	10
5	DOT1L modulates the senescence-associated secretory phenotype through epigenetic regulation of IL1A. <i>Journal of Cell Biology</i> , 2021, 220, .	5.2	35
6	Overexpression of oncogenic H-Ras in hTERT-immortalized and SV40-transformed human cells targets replicative and specialized DNA polymerases for depletion. <i>PLoS ONE</i> , 2021, 16, e0251188.	2.5	2
7	Context-dependent activation of SIRT3 is necessary for anchorage-independent survival and metastasis of ovarian cancer cells. <i>Oncogene</i> , 2020, 39, 1619-1633.	5.9	37
8	ATM inhibition synergizes with fenofibrate in high grade serous ovarian cancer cells. <i>Heliyon</i> , 2020, 6, e05097.	3.2	4
9	Re-engineering Antimicrobial Peptides into Oncolytics Targeting Drug-Resistant Ovarian Cancers. <i>Cellular and Molecular Bioengineering</i> , 2020, 13, 447-461.	2.1	11
10	Topoisomerase 1 cleavage complex enables pattern recognition and inflammation during senescence. <i>Nature Communications</i> , 2020, 11, 908.	12.8	36
11	NFATC4 promotes quiescence and chemotherapy resistance in ovarian cancer. <i>JCI Insight</i> , 2020, 5, .	5.0	43
12	Suppression of p16 Induces mTORC1-Mediated Nucleotide Metabolic Reprogramming. <i>Cell Reports</i> , 2019, 28, 1971-1980.e8.	6.4	42
13	p16: cycling off the beaten path. <i>Molecular and Cellular Oncology</i> , 2019, 6, e1677140.	0.7	17
14	Targeting IDH1 as a Prosenescent Therapy in High-grade Serous Ovarian Cancer. <i>Molecular Cancer Research</i> , 2019, 17, 1710-1720.	3.4	36
15	NAD+ metabolism governs the proinflammatory senescence-associated secretome. <i>Nature Cell Biology</i> , 2019, 21, 397-407.	10.3	232
16	GPx3 supports ovarian cancer progression by manipulating the extracellular redox environment. <i>Redox Biology</i> , 2019, 25, 101051.	9.0	41
17	Simultaneous isotope dilution quantification and metabolic tracing of deoxyribonucleotides by liquid chromatography high resolution mass spectrometry. <i>Analytical Biochemistry</i> , 2019, 568, 65-72.	2.4	14
18	Jumonji C Demethylases in Cellular Senescence. <i>Genes</i> , 2019, 10, 33.	2.4	16

#	ARTICLE	IF	CITATIONS
19	CLIC1 and CLIC4 complement CA125 as a diagnostic biomarker panel for all subtypes of epithelial ovarian cancer. <i>Scientific Reports</i> , 2018, 8, 14725.	3.3	35
20	Deoxyribonucleotide Triphosphate Metabolism in Cancer and Metabolic Disease. <i>Frontiers in Endocrinology</i> , 2018, 9, 177.	3.5	58
21	ARID1A-mutated ovarian cancers depend on HDAC6 activity. <i>Nature Cell Biology</i> , 2017, 19, 962-973.	10.3	173
22	Ovarian cancer: how can resistance to chemotherapy be tackled?. <i>Future Oncology</i> , 2017, 13, 2737-2739.	2.4	9
23	Ataxia-Telangiectasia Mutated Modulation of Carbon Metabolism in Cancer. <i>Frontiers in Oncology</i> , 2017, 7, 291.	2.8	36
24	HMG2 orchestrates the chromatin landscape of senescence-associated secretory phenotype gene loci. <i>Journal of Cell Biology</i> , 2016, 215, 325-334.	5.2	132
25	Targeting RRM2 and Mutant BRAF Is a Novel Combinatorial Strategy for Melanoma. <i>Molecular Cancer Research</i> , 2016, 14, 767-775.	3.4	27
26	Epigenetic synthetic lethality in ovarian clear cell carcinoma: EZH2 and ARID1A mutations. <i>Molecular and Cellular Oncology</i> , 2016, 3, e1032476.	0.7	21
27	Egln2 associates with the NRF1-PGC1 α complex and controls mitochondrial function in breast cancer. <i>EMBO Journal</i> , 2015, 34, 2953-2970.	7.8	58
28	SPOP E3 Ubiquitin Ligase Adaptor Promotes Cellular Senescence by Degrading the SENP7 deSUMOylase. <i>Cell Reports</i> , 2015, 13, 1183-1193.	6.4	55
29	ATM Couples Replication Stress and Metabolic Reprogramming during Cellular Senescence. <i>Cell Reports</i> , 2015, 11, 893-901.	6.4	94
30	Synthetic lethality by targeting EZH2 methyltransferase activity in ARID1A-mutated cancers. <i>Nature Medicine</i> , 2015, 21, 231-238.	30.7	530
31	PI3K therapy reprograms mitochondrial trafficking to fuel tumor cell invasion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8638-8643.	7.1	174
32	Nucleotide metabolism, oncogene-induced senescence and cancer. <i>Cancer Letters</i> , 2015, 356, 204-210.	7.2	109
33	ATM in senescence. <i>Oncotarget</i> , 2015, 6, 14729-14730.	1.8	13
34	Identification of ribonucleotide reductase M2 as a potential target for pro-senescence therapy in epithelial ovarian cancer. <i>Cell Cycle</i> , 2014, 13, 199-207.	2.6	36
35	Metabolic alterations accompanying oncogene-induced senescence. <i>Molecular and Cellular Oncology</i> , 2014, 1, e963481.	0.7	26
36	Suppression of Nucleotide Metabolism Underlies the Establishment and Maintenance of Oncogene-Induced Senescence. <i>Cell Reports</i> , 2013, 3, 1252-1265.	6.4	228

#	ARTICLE	IF	CITATIONS
37	Oncogenic Ras Regulates BRIP1 Expression to Induce Dissociation of BRCA1 from Chromatin, Inhibit DNA Repair, and Promote Senescence. <i>Developmental Cell</i> , 2011, 21, 1077-1091.	7.0	82