

Jan G Jakobsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5185946/publications.pdf>

Version: 2024-02-01

80
papers

1,142
citations

430442

18
h-index

454577

30
g-index

273
all docs

273
docs citations

273
times ranked

1327
citing authors

#	ARTICLE	IF	CITATIONS
1	Intrathecal Sufentanil, Fentanyl, or Placebo Added to Bupivacaine for Cesarean Section. <i>Anesthesia and Analgesia</i> , 1997, 85, 1288-1293.	1.1	92
2	Risk factors for death in adult COVID-19 patients: Frailty predicts fatal outcome in older patients. <i>International Journal of Infectious Diseases</i> , 2021, 102, 415-421.	1.5	85
3	Post-operative nausea and vomiting: Update on predicting the probability and ways to minimize its occurrence, with focus on ambulatory surgery. <i>International Journal of Surgery</i> , 2015, 15, 100-106.	1.1	74
4	European Society of Anaesthesiology Task Force on Nitrous Oxide: a narrative review of its role in clinical practice. <i>British Journal of Anaesthesia</i> , 2019, 122, 587-604.	1.5	66
5	Brief review: Theory and practice of minimal fresh gas flow anesthesia. <i>Canadian Journal of Anaesthesia</i> , 2012, 59, 785-797.	0.7	56
6	Subacute complications during recovery from severe traumatic brain injury: frequency and associations with outcome. <i>BMJ Open</i> , 2015, 5, e007208-e007208.	0.8	40
7	Desflurane vs. sevoflurane as the main inhaled anaesthetic for spontaneous breathing via a laryngeal mask for varicose vein day surgery: a prospective randomized study. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 549-552.	0.7	34
8	Transversus abdominal plane (TAP) block for postoperative pain management: a review. <i>F1000Research</i> , 2015, 4, 1359.	0.8	33
9	Pain Management in Ambulatory Surgery—A Review. <i>Pharmaceuticals</i> , 2014, 7, 850-865.	1.7	29
10	Upper extremity nerve block: how can benefit, duration, and safety be improved? An update. <i>F1000Research</i> , 2016, 5, 907.	0.8	29
11	High frequency jet ventilation for motion management during ablation procedures, a narrative review. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 1066-1074.	0.7	28
12	Duration of SARS-CoV-2 viremia and its correlation to mortality and inflammatory parameters in patients hospitalized for COVID-19: a cohort study. <i>Diagnostic Microbiology and Infectious Disease</i> , 2022, 102, 115595.	0.8	28
13	Perioperative management in order to minimise postoperative delirium and postoperative cognitive dysfunction: Results from a Swedish web-based survey. <i>Annals of Medicine and Surgery</i> , 2014, 3, 100-107.	0.5	27
14	The use of high-frequency ventilation during general anaesthesia: an update. <i>F1000Research</i> , 2017, 6, 756.	0.8	26
15	The effects of fresh gas flow on the amount of sevoflurane vaporized during 1 minimum alveolar concentration anaesthesia for day surgery: a clinical study. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 290-293.	0.7	23
16	Preoperative single-dose intravenous dexamethasone during ambulatory surgery: update around the benefit versus risk. <i>Current Opinion in Anaesthesiology</i> , 2010, 23, 682-686.	0.9	23
17	Perioperative regional anaesthesia and postoperative longer-term outcomes. <i>F1000Research</i> , 2016, 5, 2501.	0.8	22
18	Non-opioid analgesics for pain management following ambulatory surgery: a review. <i>Minerva Anesthesiologica</i> , 2013, 79, 1077-87.	0.6	21

#	ARTICLE	IF	CITATIONS
19	Day surgery, variations in routines and practices a questionnaire survey. <i>International Journal of Surgery</i> , 2013, 11, 178-182.	1.1	20
20	Desflurane and sevoflurane use during low- and minimal-flow anesthesia at fixed vaporizer settings. <i>Minerva Anestesiologica</i> , 2016, 82, 180-5.	0.6	19
21	Lornoxicam: pharmacology and usefulness to treat acute postoperative and musculoskeletal pain a narrative review. <i>Expert Opinion on Pharmacotherapy</i> , 2013, 14, 1679-1694.	0.9	18
22	The decision to delivery interval in emergency caesarean sections: Impact of anaesthetic technique and work shift. <i>F1000Research</i> , 2017, 6, 1977.	0.8	18
23	Cognitive recovery after ambulatory anaesthesia based on desflurane or propofol: a prospective randomised study. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 1111-1120.	0.7	17
24	Assessing recovery after ambulatory anaesthesia, measures of resumption of activities of daily living. <i>Current Opinion in Anaesthesiology</i> , 2011, 24, 601-604.	0.9	16
25	Recovery and discharge criteria after ambulatory anesthesia: can we improve them?. <i>Current Opinion in Anaesthesiology</i> , 2019, 32, 698-702.	0.9	15
26	Apnea and bradypnea in patients receiving epidural bupivacaine-morphine for postoperative pain relief as assessed by a new monitoring method. <i>Journal of Clinical Anesthesia</i> , 2002, 14, 129-134.	0.7	13
27	Pneumothorax following shoulder arthroscopy under combined regional and general anaesthesia – A case report. <i>International Journal of Surgery Case Reports</i> , 2016, 24, 73-76.	0.2	13
28	Acute hip fracture surgery anaesthetic technique and 30-day mortality in Sweden 2016 and 2017: A retrospective register study. <i>F1000Research</i> , 2018, 7, 1009.	0.8	13
29	The decision to delivery interval in emergency caesarean sections: Impact of anaesthetic technique and work shift. <i>F1000Research</i> , 2017, 6, 1977.	0.8	13
30	Wash-in and wash-out of sevoflurane in a test-lung model: A comparison between Aisys and FLOW-i. <i>F1000Research</i> , 2017, 6, 389.	0.8	12
31	Routines for reducing the occurrence of emergence agitation during awakening in children, a national survey. <i>SpringerPlus</i> , 2014, 3, 572.	1.2	11
32	Anaesthetics and analgesics; neurocognitive effects, organ protection and cancer reoccurrence an update. <i>International Journal of Surgery</i> , 2016, 34, 41-46.	1.1	11
33	The impact of fresh gas flow on wash-in, wash-out time and gas consumption for sevoflurane and desflurane, comparing two anaesthesia machines, a test-lung study.. <i>F1000Research</i> , 2017, 6, 1997.	0.8	11
34	High Frequency Jet Ventilation during stereotactic ablation of liver tumours: an observational study on blood gas analysis as a measure of lung function during general anaesthesia. <i>F1000Research</i> , 2019, 8, 386.	0.8	11
35	Acute hip fracture surgery anaesthetic technique and 30-day mortality in Sweden 2016 and 2017: A retrospective register study. <i>F1000Research</i> , 2018, 7, 1009.	0.8	11
36	Post-operative Quality of Recovery Scale: the impact of assessment method on cognitive recovery. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 1308-1312.	0.7	10

#	ARTICLE	IF	CITATIONS
37	Neuraxial opioids as analgesia in labour, caesarean section and hysterectomy: A questionnaire survey in Sweden. F1000Research, 2017, 6, 133.	0.8	10
38	The impact of fresh gas flow on wash-in, wash-out time and gas consumption for sevoflurane and desflurane, comparing two anaesthesia machines, a test-lung study.. F1000Research, 2017, 6, 1997.	0.8	10
39	In-hospital cardiac arrest resuscitation performed by the hospital emergency team: A 6-year retrospective register analysis at Danderyd University Hospital, Sweden. F1000Research, 2018, 7, 1013.	0.8	9
40	Cognitive testing with the <sc>P</sc>ostâ€Operative <sc>Q</sc>uality of <sc>R</sc>ecovery <sc>S</sc>cale in preâ€surgery cancer patients â€“ a controlled study. Acta Anaesthesiologica Scandinavica, 2015, 59, 763-772.	0.7	8
41	Can simple perioperative measures improve quality of recovery following ambulatory laparoscopic surgery in females? An open prospective randomised cohort study, comparing nutritional preoperative drink and chewing gum during recovery to standard care. Annals of Medicine and Surgery, 2019, 44, 20-25.	0.5	8
42	Monitoring respiration and oxygen saturation in patients during the first night after elective bariatric surgery: A cohort study. F1000Research, 2017, 6, 735.	0.8	8
43	Anaesthesia for open wrist fracture surgery in adults/elderly. F1000Research, 2017, 6, 1996.	0.8	8
44	Continuous surgical multi-level extrapleural block for video-assisted thoracoscopic surgery: a retrospective study assessing its efficacy as pain relief following lobectomy and wedge resection. F1000Research, 2018, 7, 1783.	0.8	8
45	Neuraxial opioids as analgesia in labour and postoperative after caesarean section and hysterectomy: A questionnaire survey in Sweden. F1000Research, 2017, 6, 133.	0.8	8
46	Wash-in and wash-out of sevoflurane in a test-lung model: A comparison between Aisys and FLOW-i. F1000Research, 2017, 6, 389.	0.8	7
47	Outcomes, Measures and Recovery After Ambulatory Surgery and Anaesthesia: A review. Current Anesthesiology Reports, 2014, 4, 334-341.	0.9	6
48	AAI-guided anaesthesia is associated with lower incidence of 24-hâMMSE<â25 and may impact the IL-6 response. International Journal of Surgery, 2014, 12, 290-295.	1.1	6
49	Adjunct High Frequency Transcutaneous Electric Stimulation (TENS) for Postoperative Pain Management during Weaning from Epidural Analgesia Following Colon Surgery: Results from a Controlled Pilot Study. Pain Management Nursing, 2015, 16, 944-950.	0.4	6
50	Monitoring respiration and oxygen saturation in patients during the first night after elective bariatric surgery: A cohort study. F1000Research, 2017, 6, 735.	0.8	6
51	Evaluation of the Postoperative Quality of Recovery Scale test and re-test in Swedish among healthy volunteers. F1000Research, 2016, 5, 2549.	0.8	5
52	Pulmonary emboli cardiac arrest with CPR complication: Liver laceration and massive abdominal bleed, a case report. International Journal of Surgery Case Reports, 2017, 31, 24-26.	0.2	4
53	Supraclavicular block with Mepivacaine vs Ropivacaine, their impact on postoperative pain: a prospective randomised study. BMC Anesthesiology, 2021, 21, 273.	0.7	4
54	Operating room nitrous oxide trace concentrations: a clinical study in ambulatory surgery. Ambulatory Surgery, 2005, 12, 23-26.	0.1	3

#	ARTICLE	IF	CITATIONS
55	Suspected Transfusion Related Acute Lung Injury Improving following Administration of Tranexamic Acid: A Case Report. Case Reports in Anesthesiology, 2014, 2014, 1-3.	0.2	3
56	Preoperative platelet count and volume could not help predict PONV in women undergoing breast cancer surgery: A prospective cohort study. International Journal of Surgery, 2015, 18, 128-131.	1.1	3
57	Circulatory collapse following epidural bolus for Caesarean section a profound vasovagal reaction? A case report. International Journal of Surgery Case Reports, 2016, 23, 74-76.	0.2	3
58	Emergencies in freestanding ambulatory surgery centre. Current Opinion in Anaesthesiology, 2021, Publish Ahead of Print, 690-694.	0.9	3
59	Suspected total spinal in patient having emergent Caesarean section, a case report and literature review. International Journal of Surgery Case Reports, 2016, 28, 173-175.	0.2	2
60	Pelvic organ prolapse surgery: changes in perioperative management improving hospital pathway. Minerva Obstetrics and Gynecology, 2017, 69, 18-22.	0.5	2
61	The choice between surgical scrubbing and sterile covering before or after induction of anaesthesia: A prospective study. F1000Research, 2017, 6, 1019.	0.8	2
62	The choice between surgical scrubbing and sterile covering before or after induction of anaesthesia: A prospective study. F1000Research, 2017, 6, 1019.	0.8	2
63	Workplace exposure to carbon dioxide during routine laparoscopy " is it safe?. F1000Research, 2020, 9, 571.	0.8	2
64	Anaesthetic gas monitoring comparison between two side-stream monitors. Journal of Clinical Monitoring and Computing, 2010, 24, 169-172.	0.7	1
65	Laparoscopic cholecystectomy perioperative management: an update. Ambulatory Anesthesia, 0, , 53.	0.0	1
66	Transient Left-Sided Paralysis following Robotic-Assisted Laparoscopic Uteropexy. Case Reports in Anesthesiology, 2015, 2015, 1-3.	0.2	1
67	Peer review report 2 on "ASA class is a reliable independent predictor of medical complications and mortality following surgery" An observational study" International Journal of Surgery, 2015, 13, S44.	1.1	1
68	Postoperative hypertension during early recovery following liver tumour ablation: A retrospective study. Acta Anaesthesiologica Scandinavica, 2021, 65, 1248-1253.	0.7	1
69	Clinical Performance of a Novel Main-Stream Anaesthetic End-Tidal Gas Monitors during Routine Low Flow Anaesthesia. Journal of Anesthesia & Clinical Research, 2010, 1, .	0.1	1
70	Preoperative centre improving patients' satisfaction?. International Journal of Surgery, 2013, 11, 430-431.	1.1	0
71	Peer review report 2 on "Multimodal analgesia: A systematic review of local NSAIDs for non-ophthalmologic postoperative pain management" International Journal of Surgery, 2016, 25, 314.	1.1	0
72	Peer review report 1 on "Intrathecal morphine verse femoral nerve block for pain control in total knee arthroplasty: A meta-analysis from randomized control trials" International Journal of Surgery, 2016, 25, 324.	1.1	0

#	ARTICLE	IF	CITATIONS
73	Peer review report 1 on "Liposomal bupivacaine infiltration versus femoral nerve block for pain control in total knee arthroplasty: a systematic review and meta-analysis" International Journal of Surgery, 2017, 37, 57.	1.1	0
74	Peer review report 3 on "Comparison of femoral nerve block and fascia iliaca block for pain management in total hip arthroplasty: A meta-analysis" International Journal of Surgery, 2017, 37, 488.	1.1	0
75	Peer review report 3 on "Liposomal bupivacaine versus interscalene nerve block for pain control after total shoulder arthroplasty: A systematic review and meta-analysis" International Journal of Surgery, 2017, 37, 503.	1.1	0
76	Brace versus cast following surgical treatment of distal radial fracture: a prospective randomised study comparing quality of recovery. F1000Research, 2021, 10, 336.	0.8	0
77	Portable respiratory polygraphy monitoring of obese mothers the first night after caesarean section with bupivacaine/morphine/fentanyl spinal anaesthesia. F1000Research, 2017, 6, 2062.	0.8	0
78	Portable respiratory polygraphy monitoring of obese mothers the first night after caesarean section with bupivacaine/morphine/fentanyl spinal anaesthesia. F1000Research, 2017, 6, 2062.	0.8	0
79	Workplace exposure to carbon dioxide during routine laparoscopy " is it safe?. F1000Research, 2020, 9, 571.	0.8	0
80	Brace versus cast following surgical treatment of distal radial fracture: a prospective randomised study comparing quality of recovery. F1000Research, 0, 10, 336.	0.8	0