

Philippe Conus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5187414/publications.pdf>

Version: 2024-02-01

193
papers

7,574
citations

61984

43
h-index

64796

79
g-index

221
all docs

221
docs citations

221
times ranked

7928
citing authors

#	ARTICLE	IF	CITATIONS
1	The differential impact of duration of untreated psychosis on functioning and quality of life: A threshold analysis. <i>Microbial Biotechnology</i> , 2023, 17, 354-360.	1.7	1
2	Subtyping based on premorbid profile: A strategy to personalize treatment in first-episode affective psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 51-60.	1.7	2
3	Personality disorder among youth with first episode psychotic mania: An important target for specific treatment?. <i>Microbial Biotechnology</i> , 2022, 16, 256-263.	1.7	1
4	Exploring the clinical relevance of a dichotomy between affective and non-affective psychosis: Results from a first-episode psychosis cohort study. <i>Microbial Biotechnology</i> , 2022, 16, 168-177.	1.7	10
5	The collaborative outcomes study on health and functioning during infection times in adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2022, 299, 393-407.	4.1	22
6	A protocol for the first episode psychosis outcome study (<sc>FEPOS</sc>): a 15-year follow-up after treatment at the <sc>Early Psychosis Prevention and Intervention Centre, Melbourne, Australia</sc>. <i>Microbial Biotechnology</i> , 2022, 16, 715-723.	1.7	3
7	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	4.1	33
8	Mitochondrial, exosomal miR137-COX6A2 and gamma synchrony as biomarkers of parvalbumin interneurons, psychopathology, and neurocognition in schizophrenia. <i>Molecular Psychiatry</i> , 2022, 27, 1192-1204.	7.9	40
9	Caught in vicious circles: a perspective on dynamic feed-forward loops driving oxidative stress in schizophrenia. <i>Molecular Psychiatry</i> , 2022, 27, 1886-1897.	7.9	53
10	Evidence of mediation of severity of anxiety and depressive symptoms between abuse and positive symptoms of psychosis. <i>Journal of Psychiatric Research</i> , 2022, 150, 353-359.	3.1	9
11	Interaction Testing and Polygenic Risk Scoring to Estimate the Association of Common Genetic Variants With Treatment Resistance in Schizophrenia. <i>JAMA Psychiatry</i> , 2022, 79, 260.	11.0	44
12	Evolution of impulsivity levels in relation to early cannabis use in violent patients in the early phase of psychosis. <i>Psychological Medicine</i> , 2022, , 1-10.	4.5	1
13	Olanzapine-associated dose-dependent alterations for weight and metabolic parameters in a prospective cohort. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 130, 531-541.	2.5	9
14	Daily Dose Effects of Risperidone on Weight and Other Metabolic Parameters. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	2.2	5
15	Caught in vicious circles: a perspective on dynamic feed-forward loops driving oxidative stress in schizophrenia; Response to "Adaptive changes to oxidative stress in schizophrenia by Lena Palaniyappan". <i>Molecular Psychiatry</i> , 2022, 27, 3567-3568.	7.9	2
16	Insomnia disorders are associated with increased cardiometabolic disturbances and death risks from cardiovascular diseases in psychiatric patients treated with weight-gain-inducing psychotropic drugs: results from a Swiss cohort. <i>BMC Psychiatry</i> , 2022, 22, 342.	2.6	7
17	Grouping affective psychoses in early intervention: Justification for specific treatment guidelines. <i>Psychiatry Research</i> , 2022, 314, 114690.	3.3	0
18	Symptom dimensions stability over time in recent onset psychosis: A prospective study. <i>Schizophrenia Research</i> , 2022, 246, 126-131.	2.0	1

#	ARTICLE	IF	CITATIONS
19	Understanding urbanicity: how interdisciplinary methods help to unravel the effects of the city on mental health. <i>Psychological Medicine</i> , 2021, 51, 1099-1110.	4.5	44
20	Video ethnography: introducing a new tool from research to psychiatric practice?. <i>Psychosis</i> , 2021, 13, 24-34.	0.8	0
21	White Matter Alterations Between Brain Network Hubs Underlie Processing Speed Impairment in Patients With Schizophrenia. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab033.	1.7	5
22	Valproate is associated with early decrease of high-density lipoprotein cholesterol levels in the psychiatric population. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 129, 26-35.	2.5	3
23	Fronto-Temporal Disconnection Within the Presence Hallucination Network in Psychotic Patients With Passivity Experiences. <i>Schizophrenia Bulletin</i> , 2021, 47, 1718-1728.	4.3	11
24	Timely N-Acetyl-Cysteine and Environmental Enrichment Rescue Oxidative Stress-Induced Parvalbumin Interneuron Impairments via MMP9/RAGE Pathway: A Translational Approach for Early Intervention in Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 1782-1794.	4.3	21
25	Socio-economic position as a moderator of cardiometabolic outcomes in patients receiving psychotropic treatment associated with weight gain: results from a prospective 12-month inception cohort study and a large population-based cohort. <i>Translational Psychiatry</i> , 2021, 11, 360.	4.8	8
26	Not in education, employment and training status in the early stages of bipolar I disorder with psychotic features. <i>Microbial Biotechnology</i> , 2021, , .	1.7	1
27	Effect of Quetiapine, from Low to High Dose, on Weight and Metabolic Traits: Results from a Prospective Cohort Study. <i>Pharmacopsychiatry</i> , 2021, 54, 279-286.	3.3	9
28	Metabolomic alteration induced by psychotropic drugs: Short-term metabolite profile as a predictor of weight gain evolution. <i>Clinical and Translational Science</i> , 2021, 14, 2544-2555.	3.1	2
29	A narrative review of intervention in first-episode affective psychoses. <i>Journal of Psychiatric Research</i> , 2021, 143, 123-137.	3.1	6
30	Patients'™, carers'™ and clinicians'™ attitudes towards alternative terms to describe the at-risk for psychosis state. <i>Schizophrenia Research</i> , 2021, 237, 69-75.	2.0	1
31	Six months functional response to early psychosis intervention program best predicts outcome after three years. <i>Schizophrenia Research</i> , 2021, 238, 62-69.	2.0	3
32	Recovering the Capacity to Live outside of a Psychiatric Hospital: Impact of a Specialized Inpatient Program. <i>Psychiatric Quarterly</i> , 2021, 92, 751-759.	2.1	0
33	Associations Between High Plasma Methylxanthine Levels, Sleep Disorders and Polygenic Risk Scores of Caffeine Consumption or Sleep Duration in a Swiss Psychiatric Cohort. <i>Frontiers in Psychiatry</i> , 2021, 12, 756403.	2.6	2
34	MMP9/RAGE pathway overactivation mediates redox dysregulation and neuroinflammation, leading to inhibitory/excitatory imbalance: a reverse translation study in schizophrenia patients. <i>Molecular Psychiatry</i> , 2020, 25, 2889-2904.	7.9	76
35	Amisulpride: Real-World Evidence of Dose Adaptation and Effect on Prolactin Concentrations and Body Weight Gain by Pharmacokinetic/Pharmacodynamic Analyses. <i>Clinical Pharmacokinetics</i> , 2020, 59, 371-382.	3.5	8
36	Urbanicity: The need for new avenues to explore the link between urban living and psychosis. <i>Microbial Biotechnology</i> , 2020, 14, 398-409.	1.7	31

#	ARTICLE	IF	CITATIONS
37	Urban remediation: a new recovery-oriented strategy to manage urban stress after first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 273-283.	3.1	17
38	Moderating role of cannabis use between insight and depression in early psychosis. <i>Schizophrenia Research</i> , 2020, 215, 61-65.	2.0	6
39	S69. CLINICAL HIGH RISK STATE: STRATIFICATION BASED ON CLINICAL PROFILE AND REDOX STATUS. <i>Schizophrenia Bulletin</i> , 2020, 46, S60-S60.	4.3	0
40	S143. NEURAL MECHANISMS OF ROBOT-INDUCED HALLUCINATIONS IN HEALTHY PARTICIPANTS AND SYMPTOMATIC HALLUCINATIONS OF NEUROLOGICAL AND PSYCHIATRIC ORIGIN. <i>Schizophrenia Bulletin</i> , 2020, 46, S90-S91.	4.3	0
41	Rate and predictors of disengagement in an early psychosis program with time limited intensification of treatment. <i>Journal of Psychiatric Research</i> , 2020, 131, 33-38.	3.1	5
42	Early onset of cannabis use and violent behavior in psychosis. <i>European Psychiatry</i> , 2020, 63, e78.	0.2	12
43	Partial volume modeling reveals reduced gray matter in specific thalamic nuclei early in the time course of psychosis and chronic schizophrenia. <i>Human Brain Mapping</i> , 2020, 41, 4041-4061.	3.6	18
44	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. <i>World Psychiatry</i> , 2020, 19, 233-242.	10.4	153
45	Redox Dysregulation, Myelination Deficit and Dysconnectivity in Schizophrenia: A Translational Study in First Episode Patients and Experimental Models. <i>Biological Psychiatry</i> , 2020, 87, S100.	1.3	0
46	M16. PROFILING GLUTAMATE AND D-SERINE PATHWAYS IN TREATMENT RESISTANT EARLY PSYCHOSIS PATIENTS. <i>Schizophrenia Bulletin</i> , 2020, 46, S139-S139.	4.3	0
47	Topology predicts long-term functional outcome in early psychosis. <i>Molecular Psychiatry</i> , 2020, 26, 5335-5346.	7.9	4
48	Stable biomarker identification for predicting schizophrenia in the human connectome. <i>NeuroImage: Clinical</i> , 2020, 27, 102316.	2.7	19
49	Sensorimotor Induction of Auditory Misattribution in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 947-954.	4.3	28
50	Mechanisms of change in brief treatments for borderline personality disorder: a protocol of a randomized controlled trial. <i>Trials</i> , 2020, 21, 335.	1.6	3
51	Psychological trauma occurring during adolescence is associated with an increased risk of greater waist circumference in Early Psychosis patients treated with psychotropic medication. <i>PLoS ONE</i> , 2020, 15, e0242569.	2.5	10
52	Evaluation of Cardiometabolic Risk in a Large Psychiatric Cohort and Comparison With a Population-Based Sample in Switzerland. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	8
53	Frontal cortical thickness correlates positively with impulsivity in early psychosis male patients. <i>Microbial Biotechnology</i> , 2019, 13, 848-852.	1.7	1
54	N-Acetyl-Cysteine Supplementation Improves Functional Connectivity Within the Cingulate Cortex in Early Psychosis: A Pilot Study. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 478-487.	2.1	25

#	ARTICLE	IF	CITATIONS
55	Precision psychiatry: Promises made—Promises to be kept?. Australian and New Zealand Journal of Psychiatry, 2019, 53, 841-843.	2.3	3
56	City Avoidance in the Early Phase of Psychosis: A Neglected Domain of Assessment and a Potential Target for Recovery Strategies. Frontiers in Psychiatry, 2019, 10, 342.	2.6	4
57	Early intervention for bipolar disorder — Do current treatment guidelines provide recommendations for the early stages of the disorder?. Journal of Affective Disorders, 2019, 257, 669-677.	4.1	13
58	An International Society of Bipolar Disorders task force report: Precursors and prodromes of bipolar disorder. Bipolar Disorders, 2019, 21, 720-740.	1.9	71
59	Promotion of Wellbeing for Children of Parents With Mental Illness: A Model Protocol for Research and Intervention. Frontiers in Psychiatry, 2019, 10, 606.	2.6	20
60	29.3 TOPOLOGICAL ANALYSIS ENABLES PREDICTION OF FUNCTIONAL AND SOCIAL OUTCOMES IN EARLY PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S137-S137.	4.3	0
61	Migration in patients with early psychosis: A 3-year prospective follow-up study. Psychiatry Research, 2019, 275, 108-114.	3.3	13
62	Identifying patterns in psychiatric hospital stays with statistical methods: towards a typology of post-deinstitutionalization hospitalization trajectories. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1411-1417.	3.1	20
63	Brain connectivity alterations in early psychosis: from clinical to neuroimaging staging. Translational Psychiatry, 2019, 9, 62.	4.8	31
64	Prevalence of ECG abnormalities and risk factors for QTc interval prolongation in hospitalized psychiatric patients. Therapeutic Advances in Psychopharmacology, 2019, 9, 204512531989138.	2.7	9
65	Psychotropic drug-induced genetic-epigenetic modulation of CRTCL1 gene is associated with early weight gain in a prospective study of psychiatric patients. Clinical Epigenetics, 2019, 11, 198.	4.1	5
66	Violent behaviour in early psychosis patients: Can we identify clinical risk profiles?. Microbial Biotechnology, 2019, 13, 517-524.	1.7	22
67	Lipid Disturbances in Adolescents Treated With Second-Generation Antipsychotics. Journal of Clinical Psychiatry, 2019, 80, .	2.2	3
68	16.2 CHILDHOOD TRAUMA ENGAGES OXIDATIVE STRESS, HIPPOCAMPUS ALTERATIONS, AND POORER CLINICAL OUTCOME IN EARLY PSYCHOSIS PATIENTS. Schizophrenia Bulletin, 2018, 44, S25-S26.	4.3	0
69	Quantifying the Effects of 16p11.2 Copy Number Variants on Brain Structure: A Multisite Genetic-First Study. Biological Psychiatry, 2018, 84, 253-264.	1.3	56
70	Impulsivity in early psychosis: A complex link with violent behaviour and a target for intervention. European Psychiatry, 2018, 49, 30-36.	0.2	30
71	Qui a besoin de suivi intensif dans le milieu dans un programme sp�cialis� pour les psychoses �mergentes?. Annales Medico-Psychologiques, 2018, 176, 74-79.	0.4	0
72	Second-Generation Antipsychotics in Adolescent Psychiatric Patients: Metabolic Effects and Impact of an Early Weight Change to Predict Longer Term Weight Gain. Journal of Child and Adolescent Psychopharmacology, 2018, 28, 258-265.	1.3	13

#	ARTICLE	IF	CITATIONS
73	Patients participating to neurobiological research in early psychosis: A selected subgroup?. Schizophrenia Research, 2018, 201, 249-253.	2.0	4
74	Treatment in early psychosis with N-acetyl-cysteine for 6 months improves low-level auditory processing: Pilot study. Schizophrenia Research, 2018, 191, 80-86.	2.0	31
75	N-acetylcysteine in a Double-Blind Randomized Placebo-Controlled Trial: Toward Biomarker-Guided Treatment in Early Psychosis. Schizophrenia Bulletin, 2018, 44, 317-327.	4.3	121
76	Cannabis use in early psychosis is associated with reduced glutamate levels in the prefrontal cortex. Psychopharmacology, 2018, 235, 13-22.	3.1	27
77	Early changes of blood lipid levels during psychotropic drug treatment as predictors of long-term lipid changes and of new onset dyslipidemia. Journal of Clinical Lipidology, 2018, 12, 219-229.	1.5	15
78	S164. "AT-RISK MENTAL STATES" PROGRAM IN LAUSANNE: INFLUENCE OF RECRUITMENT STRATEGIES ON THE RATE OF FALSE POSITIVES. Schizophrenia Bulletin, 2018, 44, S389-S389.	4.3	0
79	Redox dysregulation as a link between childhood trauma and psychopathological and neurocognitive profile in patients with early psychosis. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 12495-12500.	7.1	37
80	Change in Emotional and Theory of Mind Processing in Borderline Personality Disorder. Journal of Nervous and Mental Disease, 2018, 206, 935-943.	1.0	11
81	Association Between Plasma Caffeine and Other Methylxanthines and Metabolic Parameters in a Psychiatric Population Treated With Psychotropic Drugs Inducing Metabolic Disturbances. Frontiers in Psychiatry, 2018, 9, 573.	2.6	3
82	N-acetylcysteine add-on treatment leads to an improvement of fornix white matter integrity in early psychosis: a double-blind randomized placebo-controlled trial. Translational Psychiatry, 2018, 8, 220.	4.8	44
83	T52. N-ACETYL-CYSTEINE ADD-ON TREATMENT LEADS TO AN IMPROVEMENT OF FORNIX WHITE MATTER INTEGRITY IN EARLY PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S133-S134.	4.3	1
84	10.2 REDOX DYSREGULATION, OLIGODENDROCYTES AND WHITE MATTER ALTERATIONS IN SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S15-S16.	4.3	0
85	Cannabis, a Significant Risk Factor for Violent Behavior in the Early Phase Psychosis. Two Patterns of Interaction of Factors Increase the Risk of Violent Behavior: Cannabis Use Disorder and Impulsivity; Cannabis Use Disorder, Lack of Insight and Treatment Adherence. Frontiers in Psychiatry, 2018, 9, 294.	2.6	30
86	"Is early intervention" in bipolar disorder what it claims to be?" Malhi et al. Bipolar Disorders, 2018, 20, 181-183.	1.9	3
87	Développement de l'insight dans les troubles psychotiques : objectif ou stratégie thérapeutique ? , 2018, , 300-309.		0
88	Community Treatment Order: Identifying the need for more evidence based justification of its use in first episode psychosis patients. Schizophrenia Research, 2017, 185, 67-72.	2.0	8
89	Predictors of favourable outcome in young people with a first episode psychosis without antipsychotic medication. Schizophrenia Research, 2017, 185, 130-136.	2.0	19
90	Quetiapine v. lithium in the maintenance phase following a first episode of mania: Randomised controlled trial. British Journal of Psychiatry, 2017, 210, 413-421.	2.8	53

#	ARTICLE	IF	CITATIONS
91	The coupling of low-level auditory dysfunction and oxidative stress in psychosis patients. <i>Schizophrenia Research</i> , 2017, 190, 52-59.	2.0	6
92	Mild Depressive Symptoms Mediate the Impact of Childhood Trauma on Long-Term Functional Outcome in Early Psychosis Patients. <i>Schizophrenia Bulletin</i> , 2017, 43, 1027-1035.	4.3	37
93	Rates and predictors of 18-months remission in an epidemiological cohort of 661 patients with first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1089-1099.	3.1	23
94	M3. Topological Analyses of Metabolomic Data to Identify Markers of Early Psychosis and Disease Biotypes. <i>Schizophrenia Bulletin</i> , 2017, 43, S211-S212.	4.3	0
95	Social and academic premorbid adjustment domains predict different functional outcomes among youth with first episode mania. <i>Journal of Affective Disorders</i> , 2017, 219, 133-140.	4.1	9
96	Association of variants in SH2B1 and RABEP1 with worsening of low-density lipoprotein and glucose parameters in patients treated with psychotropic drugs. <i>Gene</i> , 2017, 628, 8-15.	2.2	7
97	Emplacing recovery: how persons diagnosed with psychosis handle stress in cities. <i>Psychosis</i> , 2017, 9, 322-329.	0.8	22
98	Influence of polygenic risk scores on lipid levels and dyslipidemia in a psychiatric population receiving weight gain-inducing psychotropic drugs. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 464-472.	1.5	8
99	SA58. The First-Episode Psychosis Outcome Study: Preliminary Data on the Long-Term Follow-Up of First-Episode Psychosis Patients Who Were Treated at the Early Psychosis Prevention and Intervention Centre Between 1998 and 2000. <i>Schizophrenia Bulletin</i> , 2017, 43, S134-S134.	4.3	0
100	Prediction of early weight gain during psychotropic treatment using a combinatorial model with clinical and genetic markers. <i>Pharmacogenetics and Genomics</i> , 2016, 26, 547-557.	1.5	9
101	Internal and Predictive Validity of the French Health of the Nation Outcome Scales: Need for Future Directions. <i>PLoS ONE</i> , 2016, 11, e0160360.	2.5	18
102	Association of genetic risk scores with body mass index in Swiss psychiatric cohorts. <i>Pharmacogenetics and Genomics</i> , 2016, 26, 208-217.	1.5	3
103	Assertive outreach for "difficult to engage" patients: A useful tool for a subgroup of patients in specialized early psychosis intervention programs. <i>Psychiatry Research</i> , 2016, 239, 212-219.	3.3	19
104	Genetic Polymorphism Associated Prefrontal Glutathione and Its Coupling With Brain Glutamate and Peripheral Redox Status in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1185-1196.	4.3	83
105	Association of CRTC1 polymorphisms with obesity markers in subjects from the general population with lifetime depression. <i>Journal of Affective Disorders</i> , 2016, 198, 43-49.	4.1	18
106	Unpacking "the City": An experience-based approach to the role of urban living in psychosis. <i>Health and Place</i> , 2016, 42, 104-110.	3.3	38
107	The Number of Genomic Copies at the 16p11.2 Locus Modulates Language, Verbal Memory, and Inhibition. <i>Biological Psychiatry</i> , 2016, 80, 129-139.	1.3	78
108	Duration of untreated psychosis: Impact of the definition of treatment onset on its predictive value over three years of treatment. <i>Journal of Psychiatric Research</i> , 2016, 77, 15-21.	3.1	34

#	ARTICLE	IF	CITATIONS
109	Trajectory and predictors of quality of life in first episode psychotic mania. <i>Journal of Affective Disorders</i> , 2016, 195, 148-155.	4.1	12
110	Defining the Effect of the 16p11.2 Duplication on Cognition, Behavior, and Medical Comorbidities. <i>JAMA Psychiatry</i> , 2016, 73, 20.	11.0	195
111	Age at the Time of Exposure to Trauma Modulates the Psychopathological Profile in Patients With Early Psychosis. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e612-e618.	2.2	37
112	Association of PCK1 with Body Mass Index and Other Metabolic Features in Patients With Psychotropic Treatments. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 544-552.	1.4	5
113	Benefits of adjunctive N-acetylcysteine in a sub-group of clozapine-treated individuals diagnosed with schizophrenia. <i>Psychiatry Research</i> , 2015, 230, 982-983.	3.3	11
114	Characterizing the connectome in schizophrenia with diffusion spectrum imaging. <i>Human Brain Mapping</i> , 2015, 36, 354-366.	3.6	70
115	An evidence map of psychosocial interventions for the earliest stages of bipolar disorder. <i>Lancet Psychiatry</i> , 2015, 2, 548-563.	7.4	68
116	Genetics-Based Population Pharmacokinetics and Pharmacodynamics of Risperidone in a Psychiatric Cohort. <i>Clinical Pharmacokinetics</i> , 2015, 54, 1259-1272.	3.5	44
117	Developing Psychosis and Its Risk States Through the Lens of Schizotypy. <i>Schizophrenia Bulletin</i> , 2015, 41, S396-S407.	4.3	191
118	Impact of HSD11B1 polymorphisms on BMI and components of the metabolic syndrome in patients receiving psychotropic treatments. <i>Pharmacogenetics and Genomics</i> , 2015, 25, 246-258.	1.5	12
119	Olanzapine or chlorpromazine plus lithium in first episode psychotic mania: An 8-week randomised controlled trial. <i>European Psychiatry</i> , 2015, 30, 975-982.	0.2	24
120	Beyond clinical staging of psychiatric disorders. <i>Lancet Psychiatry</i> , 2015, 2, e27.	7.4	8
121	History of offending behavior in first episode psychosis patients: A marker of specific clinical needs and a call for early detection strategies among young offenders. <i>Schizophrenia Research</i> , 2015, 161, 163-168.	2.0	23
122	Influence of MCHR2 and MCHR2-AS1 Genetic Polymorphisms on Body Mass Index in Psychiatric Patients and In Population-Based Subjects with Present or Past Atypical Depression. <i>PLoS ONE</i> , 2015, 10, e0139155.	2.5	16
123	Importance of Early Weight Changes to Predict Long-Term Weight Gain During Psychotropic Drug Treatment. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1417-e1423.	2.2	67
124	The impact of past direct-personal traumatic events on 12-month outcome in first episode psychotic mania: Trauma and early psychotic mania. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 1017-1024.	2.3	12
125	Predictors of substance use reduction in an epidemiological first episode psychosis cohort. <i>Microbial Biotechnology</i> , 2014, 8, 358-365.	1.7	6
126	Public health significance of bipolar disorder: implications for early intervention and prevention. <i>Bipolar Disorders</i> , 2014, 16, 548-556.	1.9	64

#	ARTICLE	IF	CITATIONS
127	Impaired Metabolic Reactivity to Oxidative Stress in Early Psychosis Patients. <i>Schizophrenia Bulletin</i> , 2014, 40, 973-983.	4.3	39
128	The impact of insight in a first-episode mania with psychosis population on outcome at 18 months. <i>Journal of Affective Disorders</i> , 2014, 167, 74-79.	4.1	6
129	Stage managing bipolar disorder. <i>Bipolar Disorders</i> , 2014, 16, 471-477.	1.9	129
130	Gender differences in first episode psychotic mania. <i>BMC Psychiatry</i> , 2013, 13, 82.	2.6	19
131	Influence of <i>CRTC1</i> Polymorphisms on Body Mass Index and Fat Mass in Psychiatric Patients and the General Adult Population. <i>JAMA Psychiatry</i> , 2013, 70, 1011.	11.0	42
132	Pharmacogenetic Study on Risperidone Long-Acting Injection. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 289-298.	1.4	24
133	Treatment and Early Intervention in Psychosis Program (TIPP- <i>Lausanne</i>): implementation of an early intervention programme for psychosis in Switzerland. <i>Microbial Biotechnology</i> , 2013, 7, 322-328.	1.7	92
134	A 600 kb deletion syndrome at 16p11.2 leads to energy imbalance and neuropsychiatric disorders. <i>Journal of Medical Genetics</i> , 2012, 49, 660-668.	3.2	251
135	The Impact of Cannabis Use on Cognitive Functioning in Patients With Schizophrenia: A Meta-analysis of Existing Findings and New Data in a First-Episode Sample. <i>Schizophrenia Bulletin</i> , 2012, 38, 316-330.	4.3	219
136	Is diagnosis enough to guide interventions in mental health? Using case formulation in clinical practice. <i>BMC Medicine</i> , 2012, 10, 111.	5.5	130
137	Differentiating schizoaffective and bipolar I disorder in first-episode psychotic mania. <i>Schizophrenia Research</i> , 2012, 140, 31-36.	2.0	14
138	Are we missing opportunities for early intervention in bipolar disorder?. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 5-7.	2.8	15
139	The Swiss Early Psychosis Project SWEPP: a national network. <i>Microbial Biotechnology</i> , 2012, 6, 106-111.	1.7	13
140	Can a targeted psychological intervention be effective for young people following a first manic episode? Results from an 18-month pilot study. <i>Microbial Biotechnology</i> , 2012, 6, 380-388.	1.7	34
141	High b-value diffusion-weighted imaging: A sensitive method to reveal white matter differences in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 144-151.	1.8	21
142	Cannabis use disorder and age at onset of psychosis " A study in first-episode patients. <i>Schizophrenia Research</i> , 2011, 129, 52-56.	2.0	46
143	Motivational Intervention to Reduce Cannabis Use in Young People with Psychosis: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 287-297.	8.8	56
144	Does stage of illness impact treatment response in bipolar disorder? Empirical treatment data and their implication for the staging model and early intervention. <i>Bipolar Disorders</i> , 2011, 13, 87-98.	1.9	155

#	ARTICLE	IF	CITATIONS
145	A psychoeducation tool for patients with first-episode psychosis. <i>Acta Neuropsychiatrica</i> , 2011, 23, 75-77.	2.1	17
146	Psychological needs of adolescents in the early phase of bipolar disorder: implications for early intervention. <i>Microbial Biotechnology</i> , 2011, 5, 100-107.	1.7	34
147	Duration of untreated psychosis: a proposition regarding treatment definition. <i>Microbial Biotechnology</i> , 2011, 5, 301-308.	1.7	33
148	Genetic Dysregulation of Glutathione Synthesis Predicts Alteration of Plasma Thiol Redox Status in Schizophrenia. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 2003-2010.	5.4	56
149	Prevalence, Predictors, and Consequences of Long-Term Refusal of Antipsychotic Treatment in First-Episode Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 565-572.	1.4	63
150	Characterisation of the prodrome to a first episode of psychotic mania: Results of a retrospective study. <i>Journal of Affective Disorders</i> , 2010, 124, 341-345.	4.1	66
151	Pre-morbid and outcome correlates of first episode mania with psychosis: Is a distinction between schizoaffective and bipolar I disorder valid in the early phase of psychotic disorders?. <i>Journal of Affective Disorders</i> , 2010, 126, 88-95.	4.1	24
152	Termination of therapy: what can clinicians do to maximise gains?. <i>Acta Neuropsychiatrica</i> , 2010, 22, 43-45.	2.1	5
153	Pretreatment and outcome correlates of past sexual and physical trauma in 118 bipolar I disorder patients with a first episode of psychotic mania. <i>Bipolar Disorders</i> , 2010, 12, 244-252.	1.9	79
154	Pretreatment and Outcome Correlates of Sexual and Physical Trauma in an Epidemiological Cohort of First-Episode Psychosis Patients. <i>Schizophrenia Bulletin</i> , 2010, 36, 1105-1114.	4.3	110
155	Redox Dysregulation and Oxidative Stress in Schizophrenia: Nutrigenetics as a Challenge in Psychiatric Disease Prevention. <i>World Review of Nutrition and Dietetics</i> , 2010, 101, 131-153.	0.3	11
156	Rate and predictors of service disengagement in an epidemiological first-episode psychosis cohort. <i>Schizophrenia Research</i> , 2010, 118, 256-263.	2.0	107
157	PRE-TREATMENT, BASELINE AND TREATMENT CORRELATES OF OUTCOME IN AN EPIDEMIOLOGICAL COHORT OF FIRST EPISODE PSYCHOSIS PATIENTS. <i>Schizophrenia Research</i> , 2010, 117, 282-283.	2.0	0
158	Sudden death among young people with first-episode psychosis: An 8-10year follow-up study. <i>Psychiatry Research</i> , 2010, 177, 305-308.	3.3	16
159	Redox Dysregulation and Oxidative Stress in Schizophrenia: Nutrigenetics as a Challenge in Psychiatric Disease Prevention. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2010, 3, 267-289.	1.3	8
160	From neuroprogression to neuroprotection: implications for clinical care. <i>Medical Journal of Australia</i> , 2010, 193, S36-40.	1.7	68
161	Visuospatial Working Memory Deficits and Visual Pursuit Impairments are Not Directly Related in Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 766-774.	2.3	9
162	Randomized Controlled Trial of Interventions for Young People at Ultra-High Risk of Psychosis: Study Design and Baseline Characteristics. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 818-829.	2.3	74

#	ARTICLE	IF	CITATIONS
163	Trauma and psychosis: some aspects of a complex relationship. <i>Acta Neuropsychiatrica</i> , 2009, 21, 148-150.	2.1	3
164	Duration of untreated psychosis: What are we talking about?. <i>Acta Neuropsychiatrica</i> , 2009, 21, 106-108.	2.1	4
165	Encoding dysfunctions in a dynamicâ€static paradigm for visuospatial working memory in firstâ€episode psychosis patients: a 2â€year followâ€up study. <i>Microbial Biotechnology</i> , 2009, 3, 44-51.	1.7	2
166	Prevalence and Predictors of Suicide Attempt in an Incidence Cohort of 661 Young People with First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 149-157.	2.3	74
167	The proximal prodrome to first episode mania â€ a new target for early intervention. <i>Bipolar Disorders</i> , 2008, 10, 555-565.	1.9	90
168	Impact of duration of untreated psychosis on pre-treatment, baseline, and outcome characteristics in an epidemiological first-episode psychosis cohort. <i>Journal of Psychiatric Research</i> , 2008, 42, 982-990.	3.1	140
169	N-Acetyl Cysteine as a Glutathione Precursor for Schizophreniaâ€A Double-Blind, Randomized, Placebo-Controlled Trial. <i>Biological Psychiatry</i> , 2008, 64, 361-368.	1.3	489
170	Glutathione Precursor, N-Acetyl-Cysteine, Improves Mismatch Negativity in Schizophrenia Patients. <i>Neuropsychopharmacology</i> , 2008, 33, 2187-2199.	5.4	321
171	Familial Psychopathology in the First Episode Psychosis Outcome Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 617-626.	2.3	6
172	Impaired glutathione synthesis in schizophrenia: Convergent genetic and functional evidence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 16621-16626.	7.1	275
173	Pre-treatment, baseline, and outcome differences between early-onset and adult-onset psychosis in an epidemiological cohort of 636 first-episode patients. <i>Schizophrenia Research</i> , 2007, 95, 1-8.	2.0	174
174	Early intervention in bipolar disorders: opportunities and pitfalls. <i>Medical Journal of Australia</i> , 2007, 187, S11-4.	1.7	68
175	Early Psychosis Prevention and Intervention Centre long-term follow-up study of first-episode psychosis: methodology and baseline characteristics. <i>Microbial Biotechnology</i> , 2007, 1, 49-60.	1.7	42
176	The Firstâ€Episode Psychosis Outcome Study: premorbid and baseline characteristics of an epidemiological cohort of 661 firstâ€episode psychosis patients. <i>Microbial Biotechnology</i> , 2007, 1, 191-200.	1.7	100
177	Setting the stage: from prodrome to treatment resistance in bipolar disorder. <i>Bipolar Disorders</i> , 2007, 9, 671-678.	1.9	204
178	Predictors of Service Disengagement in First-Admitted Adolescents With Psychosis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006, 45, 990-999.	0.5	95
179	Symptomatic and functional outcome 12â€months after a first episode of psychotic mania: barriers to recovery in a catchment area sample. <i>Bipolar Disorders</i> , 2006, 8, 221-231.	1.9	110
180	Pharmacological Treatment in the Early Phase of Bipolar Disorders: What Stage are we at?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 199-207.	2.3	37

#	ARTICLE	IF	CITATIONS
181	Health-related quality of life and functioning in bipolar disorder: the impact of pharmacotherapy. Expert Review of Pharmacoeconomics and Outcomes Research, 2006, 6, 509-523.	1.4	3
182	Pharmacological treatment in the early phase of bipolar disorders: what stage are we at?. Australian and New Zealand Journal of Psychiatry, 2006, 40, 199-207.	2.3	5
183	Difficult-to-Engage Patients: A Specific Target for Time-Limited Assertive Outreach in a Swiss Setting. Canadian Journal of Psychiatry, 2005, 50, 845-850.	1.9	39
184	Olanzapine in subjects with a first-episode psychosis non-responsive, intolerant or non-compliant to a first-line trial of risperidone. International Journal of Psychiatry in Clinical Practice, 2005, 9, 244-250.	2.4	8
185	Diagnostic Stability 18 Months After Treatment Initiation for First-Episode Psychosis. Journal of Clinical Psychiatry, 2005, 66, 1239-1246.	2.2	130
186	Schneiderian first rank symptoms predict poor outcome within first episode manic psychosis. Journal of Affective Disorders, 2004, 81, 259-268.	4.1	39
187	Pharmacotherapy of first-episode psychosis. Expert Opinion on Pharmacotherapy, 2003, 4, 717-750.	1.8	43
188	Readiness to Participate in Psychiatric Research. Canadian Journal of Psychiatry, 2003, 48, 480-484.	1.9	31
189	Clozapine is more efficacious for tongue dystonia than olanzapine. Psychopharmacology, 2002, 162, 89-89.	3.1	9
190	First-Episode Mania: A Neglected Priority for Early Intervention. Australian and New Zealand Journal of Psychiatry, 2002, 36, 158-172.	2.3	86
191	Preventive strategies in bipolar disorders: identifying targets for early intervention. , 0, , 223-240.		1
192	Nonpharmalogical Substances for Early Intervention. Key Issues in Mental Health, 0, , 159-167.	0.6	0
193	Mapping personal geographies in psychosis: from space to place. Schizophrenia Bulletin Open, 0, , .	1.7	0