Steven R Alberts

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5188911/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of Oxaliplatin, Fluorouracil, and Leucovorin With or Without Cetuximab on Survival Among Patients With Resected Stage III Colon Cancer. JAMA - Journal of the American Medical Association, 2012, 307, 1383.	7.4	412
	Phase III, Randomized Study of Gemcitabine and Oxaliplatin Versus Gemcitabine (fixed-dose rate) Tj ETQq0 0 () rgBT /Over	lock 10 Tf 50
2	E6201: A Trial of the Eastern Cooperative Oncology Group. Journal of Clinical Oncology, 2009, 27, 3778-3785.	1.6	382
3	Molecular Markers Identify Subtypes of Stage III Colon Cancer Associated With Patient Outcomes. Gastroenterology, 2015, 148, 88-99.	1.3	273
4	Prognostic Impact of Deficient DNA Mismatch Repair in Patients With Stage III Colon Cancer From a Randomized Trial of FOLFOX-Based Adjuvant Chemotherapy. Journal of Clinical Oncology, 2013, 31, 3664-3672.	1.6	233
5	Prognostic Value of <i>BRAFÂ</i> andÂ <i>KRAS</i> ÂMutations in MSI and MSS Stage III Colon Cancer. Journal of the National Cancer Institute, 2017, 109, djw272.	6.3	201
6	Patient and Tumor Characteristics and BRAF and KRAS Mutations in Colon Cancer, NCCTG/Alliance N0147. Journal of the National Cancer Institute, 2014, 106, .	6.3	140
7	DPYD Variants as Predictors of 5-fluorouracil Toxicity in Adjuvant Colon Cancer Treatment (NCCTG) Tj ETQq1	1 0.784314 6.3	rgBT /Overloo 136
8	<i>KRAS</i> Codon 12 and 13 Mutations in Relation to Disease-Free Survival in <i>BRAF</i> –Wild-Type Stage III Colon Cancers from an Adjuvant Chemotherapy Trial (N0147 Alliance). Clinical Cancer Research, 2014, 20, 3033-3043.	7.0	129
9	Impact of Patient Factors on Recurrence Risk and Time Dependency of Oxaliplatin Benefit in Patients With Colon Cancer: Analysis From Modern-Era Adjuvant Studies in the Adjuvant Colon Cancer End Points (ACCENT) Database. Journal of Clinical Oncology, 2016, 34, 843-853.	1.6	128
10	Gemcitabine, 5â€fluorouracil, and leucovorin in advanced biliary tract and gallbladder carcinoma. Cancer, 2005, 103, 111-118.	4.1	120
11	Role of Deficient DNA Mismatch Repair Status in Patients With Stage III Colon Cancer Treated With FOLFOX Adjuvant Chemotherapy. JAMA Oncology, 2018, 4, 379.	7.1	104
12	Racial Differences in <i>BRAF</i> / <i>KRAS</i> Mutation Rates and Survival in Stage III Colon Cancer Patients. Journal of the National Cancer Institute, 2015, 107, djv186.	6.3	98
13	Stool DNA Testing for Screening Detection of Colorectal Neoplasia in Alaska Native People. Mayo Clinic Proceedings, 2016, 91, 61-70.	3.0	85
14	Microsatellite Instability in Patients With Stage III Colon Cancer Receiving Fluoropyrimidine With or Without Oxaliplatin: An ACCENT Pooled Analysis of 12 Adjuvant Trials. Journal of Clinical Oncology, 2021, 39, 642-651.	1.6	84
15	Association of DNA Mismatch Repair and Mutations in <i>BRAF</i> and <i>KRAS</i> With Survival After Recurrence in Stage III Colon Cancers. JAMA Oncology, 2017, 3, 472.	7.1	82
16	Analysis of Molecular Markers by Anatomic Tumor Site in Stage III Colon Carcinomas from Adjuvant Chemotherapy Trial NCCTG N0147 (Alliance). Clinical Cancer Research, 2015, 21, 5294-5304.	7.0	70
17	ACCENT-Based Web Calculators to Predict Recurrence and Overall Survival in Stage III Colon Cancer. Journal of the National Cancer Institute, 2014, 106, .	6.3	62
18	MiR-139-5p as a novel serum biomarker for recurrence and metastasis in colorectal cancer. Scientific Reports, 2017, 7, 43393.	3.3	61

STEVEN R ALBERTS

#	Article	IF	CITATIONS
19	Comparison of estrogen receptor determinations by a biochemical ligand-binding assay and immunohistochemical staining with monoclonal antibody ER1D5 in females with lymph node positive breast carcinoma entered on two prospective clinical trials. Cancer, 1996, 78, 764-772.	4.1	58
20	Treatment Options for Hepatobiliary and Pancreatic Cancer. Mayo Clinic Proceedings, 2007, 82, 628-637.	3.0	58
21	EUS-guided fine-needle injection of gemcitabine for locally advanced and metastatic pancreatic cancer. Gastrointestinal Endoscopy, 2017, 86, 161-169.	1.0	58
22	Combined Celiac Ganglia and Plexus Neurolysis Shortens Survival, Without Benefit, vs Plexus Neurolysis Alone. Clinical Gastroenterology and Hepatology, 2019, 17, 728-738.e9.	4.4	49
23	Prognostic factors and benefits of adjuvant therapy after pancreatoduodenectomy for ampullary adenocarcinoma: Mayo Clinic experience. European Journal of Surgical Oncology, 2018, 44, 677-683.	1.0	44
24	Sex and Adverse Events of Adjuvant Chemotherapy in Colon Cancer: An Analysis of 34 640 Patients in the ACCENT Database. Journal of the National Cancer Institute, 2021, 113, 400-407.	6.3	44
25	Comparison of FOLFIRI With or Without Cetuximab in Patients With Resected Stage III Colon Cancer; NCCTG (Alliance) Intergroup Trial N0147. Clinical Colorectal Cancer, 2014, 13, 100-109.	2.3	41
26	Association Study of the let-7 miRNA-Complementary Site Variant in the 3′ Untranslated Region of the <i>KRAS</i> Gene in Stage III Colon Cancer (NCCTG N0147 Clinical Trial). Clinical Cancer Research, 2014, 20, 3319-3327.	7.0	40
27	Contribution of Immunoscore and Molecular Features to Survival Prediction in Stage III Colon Cancer. JNCI Cancer Spectrum, 2020, 4, pkaa023.	2.9	36
28	Treatment Advances in Liver-Limited Metastatic Colorectal Cancer. Clinical Colorectal Cancer, 2011, 10, 258-265.	2.3	34
29	Improving Adherence to Cancer Treatment by Addressing Quality ofÂLife in Patients With Advanced Gastrointestinal Cancers. Journal of Pain and Symptom Management, 2015, 50, 321-327.	1.2	34
30	Relationship Between Metformin Use and Recurrence and Survival in Patients With Resected Stage III Colon Cancer Receiving Adjuvant Chemotherapy: Results From North Central Cancer Treatment Group N0147 (Alliance). Oncologist, 2016, 21, 1509-1521.	3.7	33
31	Determinants of Early Mortality Among 37,568 Patients With Colon Cancer Who Participated in 25 Clinical Trials From the Adjuvant Colon Cancer Endpoints Database. Journal of Clinical Oncology, 2016, 34, 1182-1189.	1.6	32
32	N0147: A Randomized Phase III Trial of Oxaliplatin plus 5-Fluorouracil/Leucovorin with or Without Cetuximab After Curative Resection of Stage III Colon Cancer. Clinical Colorectal Cancer, 2005, 5, 211-213.	2.3	29
33	Update on the optimal management of patients with colorectal liver metastases. Critical Reviews in Oncology/Hematology, 2012, 84, 59-70.	4.4	29
34	A Phase II Randomized Trial of Panitumumab, Erlotinib, and Gemcitabine Versus Erlotinib and Gemcitabine in Patients with Untreated, Metastatic Pancreatic Adenocarcinoma: North Central Cancer Treatment Group Trial N064B (Alliance). Oncologist, 2019, 24, 589-e160.	3.7	27
35	Marine omegaâ€3 fatty acid intake and survival of stage III colon cancer according to tumor molecular markers in NCCTG Phase III trial N0147 (Alliance). International Journal of Cancer, 2019, 145, 380-389.	5.1	22
36	Gastric cancer in Alaska Native people: A cancer health disparity. World Journal of Gastroenterology, 2018, 24, 2722-2732.	3.3	18

STEVEN R ALBERTS

#	Article	IF	CITATIONS
37	Molecular Classification of Gastric Cancer among Alaska Native People. Cancers, 2020, 12, 198.	3.7	18
38	Prognostic variables in low and high risk stage III colon cancers treated in two adjuvant chemotherapy trials. European Journal of Cancer, 2021, 144, 101-112.	2.8	18
39	Cancers of the Buccal Cavity and Pharynx in Circumpolar Inuit. Acta Oncológica, 1996, 35, 545-552.	1.8	17
40	Alcohol consumption and colon cancer prognosis among participants in north central cancer treatment group phase III trial N0147. International Journal of Cancer, 2016, 139, 986-995.	5.1	16
41	Hyperammonemic encephalopathy in a patient with fibrolamellar hepatocellular carcinoma: case report and literature review. Journal of Gastrointestinal Oncology, 2019, 10, 582-588.	1.4	15
42	Guidelines for time-to-event end-point definitions in adjuvant randomised trials for patients with localised colon cancer: Results of the DATECAN initiative. European Journal of Cancer, 2020, 130, 63-71.	2.8	15
43	Occurrence of pancreatic, biliary tract, and gallbladder cancers in Alaska Native people, 1973–2007. International Journal of Circumpolar Health, 2012, 71, 17521.	1.2	14
44	Impact of diabetes and metformin use on recurrence and outcome in stage Il–III colon cancer patients—A pooled analysis of three adjuvant trials. European Journal of Cancer, 2022, 166, 100-111.	2.8	13
45	Historical Controls for Metastatic Pancreatic Cancer: Benchmarks for Planning and Analyzing Single-Arm Phase II Trials. Clinical Cancer Research, 2014, 20, 4176-4185.	7.0	12
46	Dual VEGF inhibition with sorafenib and bevacizumab as salvage therapy in metastatic colorectal cancer: results of the phase II North Central Cancer Treatment Group study N054C (Alliance). Therapeutic Advances in Medical Oncology, 2020, 12, 175883592091091.	3.2	12
47	Induction versus no induction chemotherapy before neoadjuvant chemoradiotherapy and surgery in oesophageal adenocarcinoma: a multicentre randomised phase II trial (NCCTG N0849 [Alliance]). European Journal of Cancer, 2021, 150, 214-223.	2.8	12
48	Association between treatment facility volume, therapy types and overall survival in patients with intrahepatic cholangiocarcinoma. Hpb, 2019, 21, 379-386.	0.3	11
49	Phase II Trial of Trifluridine/Tipiracil in Patients with Advanced, Refractory Biliary Tract Carcinoma. Oncologist, 2020, 25, 380-e763.	3.7	10
50	Kidney and Bladder Cancer in Inuit 1969-1988. Acta Oncológica, 1996, 35, 595-599.	1.8	9
51	Overall survival result and outcomes by KRAS, BRAF, andDNA mismatch repair in relation to primary tumor site in colon cancers from a randomized trial of adjuvant chemotherapy: NCCTG (Alliance) N0147 Journal of Clinical Oncology, 2014, 32, 3525-3525.	1.6	9
52	Prospective Evaluation of a 12-Gene Assay on Patient Treatment Decisions and Physician Confidence in Mismatch Repair Proficient Stage IIA Colon Cancer. Clinical Colorectal Cancer, 2017, 16, 23-30.	2.3	8
53	Pharmacogenetic dosing by UGT1A1 genotype as first-line therapy for advanced small-bowel adenocarcinoma: A North Central Cancer Treatment Group (NCCTC) trial Journal of Clinical Oncology, 2012, 30, 314-314.	1.6	8
54	Malignant Neoplasms of the Lymphatic and Haematopoietic System in Circumpolar Inuit. Acta Oncológica, 1996, 35, 601-606.	1.8	7

STEVEN R ALBERTS

#	Article	IF	CITATIONS
55	Portal vein encasement predicts neoadjuvant therapy response in liver transplantation for perihilar cholangiocarcinoma protocol. Transplant International, 2015, 28, 1383-1391.	1.6	7
56	Genetically Predicted Circulating C-Reactive Protein Concentration and Colorectal Cancer Survival: A Mendelian Randomization Consortium Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1349-1358.	2.5	6
57	A genome-wide search for determinants of survival in 1926 patients with advanced colorectal cancer with follow-up in over 22,000 patients. European Journal of Cancer, 2021, 159, 247-258.	2.8	6
58	Prognostic impact of early treatment discontinuation and early oxaliplatin discontinuation in patients treated with 6 months of oxaliplatin-based adjuvant chemotherapy for stage III colon cancer: an ACCENT/IDEA pooled analysis of 11 trials Journal of Clinical Oncology, 2022, 40, 11-11.	1.6	6
59	Reevaluating Disease-Free Survival as an Endpoint vs Overall Survival in Stage III Adjuvant Colon Cancer Trials. Journal of the National Cancer Institute, 2022, 114, 60-67.	6.3	5
60	Updated Options for Liver-Limited Metastatic Colorectal Cancer. Clinical Colorectal Cancer, 2008, 7, S58-S62.	2.3	4
61	Clinical Outcomes in Patients With Colon Cancer With Microsatellite Instability of Sporadic or Familial Origin Treated With Adjuvant FOLFOX With or Without Cetuximab: A Pooled Analysis of the PETACC8 and N0147 Trials. JCO Precision Oncology, 2020, 4, 116-127.	3.0	4
62	Phase IB study of sorafenib and evofosfamide in patients with advanced hepatocellular and renal cell carcinomas (NCCTG N1135, Alliance). Investigational New Drugs, 2021, 39, 1072-1080.	2.6	4
63	Association of Adiponectin and Vitamin D With Tumor Infiltrating Lymphocytes and Survival in Stage III Colon Cancer. JNCI Cancer Spectrum, 2021, 5, pkab070.	2.9	4
64	Relative contribution of clinical and molecular features to outcome within low and high risk T and N groups in stage III colon cancer (CC) Journal of Clinical Oncology, 2019, 37, 3520-3520.	1.6	4
65	Occurrence of esophageal and gastric cancer in Alaska Natives, 1969-2003. Alaska Medicine, 2006, 48, 2-11.	0.1	4
66	Pharmacogenetic study in gastric cancer patients treated with adjuvant fluorouracil/leucovorin or epirubicin/cisplatin/fluorouracil before and after chemoradiation on CALGB 80101 (Alliance). Pharmacogenetics and Genomics, 2021, Publish Ahead of Print, 215-220.	1.5	2
67	FGFR Inhibitor Toxicity and Efficacy in Cholangiocarcinoma: Multicenter Single-Institution Cohort Experience. JCO Precision Oncology, 2021, 5, 1228-1240.	3.0	2
68	OUP accepted manuscript. Oncologist, 2022, , .	3.7	2
69	Use of neoadjuvant and postoperative chemotherapy with surgical resection of colorectal cancer hepatic metastases. Current Colorectal Cancer Reports, 2008, 4, 100-105.	0.5	1
70	Clinical impact of celiac ganglia metastasis upon pancreatic ductal adenocarcinoma. Pancreatology, 2020, 20, 110-115.	1.1	1
71	Genetic Predictors of Severe Skin Toxicity in Patients with Stage III Colon Cancer Treated with Cetuximab: NCCTG N0147 (Alliance). Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 404-411.	2.5	1
72	Neoadjuvant and adjuvant therapy combined with resection of hepatic colorectal cancer metastases. Current Colorectal Cancer Reports, 2006, 2, 81-84.	0.5	0

#	Article	IF	CITATIONS
73	Do we need biologic agents in preoperative systemic therapy of liver metastases?. Current Colorectal Cancer Reports, 2009, 5, 114-119.	0.5	0
74	Mutation in BRAF V600E: A Poor Prognostic Marker in Stage III Colon Cancers With Deficient MMR?—Reply. JAMA Oncology, 2017, 3, 1285.	7.1	0
75	A comprehensive analysis of clinical and tumor characteristics with BRAF and KRAS mutations status in adjuvant colon cancer trial N0147 Journal of Clinical Oncology, 2012, 30, 446-446.	1.6	0