

Grard A P Nieuwenhuijzen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5189929/publications.pdf>

Version: 2024-02-01

266
papers

17,943
citations

26630

56
h-index

15732

125
g-index

270
all docs

270
docs citations

270
times ranked

14195
citing authors

#	ARTICLE	IF	CITATIONS
1	Preoperative Chemoradiotherapy for Esophageal or Junctional Cancer. <i>New England Journal of Medicine</i> , 2012, 366, 2074-2084.	27.0	4,296
2	Neoadjuvant chemoradiotherapy plus surgery versus surgery alone for oesophageal or junctional cancer (CROSS): long-term results of a randomised controlled trial. <i>Lancet Oncology</i> , The, 2015, 16, 1090-1098.	10.7	1,861
3	Radiotherapy or surgery of the axilla after a positive sentinel node in breast cancer (EORTC Tj ETQq1 1 0.784314 rgBT /Overlock 10 T <i>Oncology</i> , The, 2014, 15, 1303-1310.	10.7	1,356
4	Cytokine Patterns in Patients After Major Vascular Surgery, Hemorrhagic Shock, and Severe Blunt Trauma Relation with Subsequent Adult Respiratory Distress Syndrome and Multiple Organ Failure. <i>Annals of Surgery</i> , 1993, 218, 769-776.	4.2	575
5	Ten-Year Outcome of Neoadjuvant Chemoradiotherapy Plus Surgery for Esophageal Cancer: The Randomized Controlled CROSS Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 1995-2004.	1.6	291
6	Comparison of morbidity between axillary lymph node dissection and sentinel node biopsy. <i>European Journal of Surgical Oncology</i> , 2003, 29, 341-350.	1.0	251
7	Detection of residual disease after neoadjuvant chemoradiotherapy for oesophageal cancer (preSANO): a prospective multicentre, diagnostic cohort study. <i>Lancet Oncology</i> , The, 2018, 19, 965-974.	10.7	211
8	Learning Curve and Associated Morbidity of Minimally Invasive Esophagectomy. <i>Annals of Surgery</i> , 2019, 269, 88-94.	4.2	207
9	Defining Benchmarks for Transthoracic Esophagectomy. <i>Annals of Surgery</i> , 2017, 266, 814-821.	4.2	198
10	Less extensive treatment and inferior prognosis for breast cancer patient with comorbidity: A population-based study. <i>European Journal of Cancer</i> , 2005, 41, 779-785.	2.8	197
11	Textbook outcome as a composite measure in oesophagogastric cancer surgery. <i>British Journal of Surgery</i> , 2017, 104, 742-750.	0.3	174
12	Laparoscopic cholecystectomy versus percutaneous catheter drainage for acute cholecystitis in high risk patients (CHOCOLATE): multicentre randomised clinical trial. <i>BMJ: British Medical Journal</i> , 2018, 363, k3965.	2.3	166
13	Neoadjuvant chemoradiotherapy plus surgery versus active surveillance for oesophageal cancer: a stepped-wedge cluster randomised trial. <i>BMC Cancer</i> , 2018, 18, 142.	2.6	166
14	Reduction of Postoperative Ileus by Early Enteral Nutrition in Patients Undergoing Major Rectal Surgery. <i>Annals of Surgery</i> , 2014, 259, 649-655.	4.2	157
15	Factors affecting outcomes following pelvic exenteration for locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, 650-657.	0.3	147
16	Safety and effectiveness of SGM-101, a fluorescent antibody targeting carcinoembryonic antigen, for intraoperative detection of colorectal cancer: a dose-escalation pilot study. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 181-191.	8.1	146
17	Circumferential Margin Involvement Is the Crucial Prognostic Factor after Multimodality Treatment in Patients with Locally Advanced Rectal Carcinoma. <i>Clinical Cancer Research</i> , 2007, 13, 6617-6623.	7.0	141
18	Lymph Node Retrieval During Esophagectomy With and Without Neoadjuvant Chemoradiotherapy. <i>Annals of Surgery</i> , 2014, 260, 786-793.	4.2	134

#	ARTICLE	IF	CITATIONS
19	No improvement in median survival for patients with metastatic gastric cancer despite increased use of chemotherapy. <i>Annals of Oncology</i> , 2013, 24, 3056-3060.	1.2	126
20	Early outcomes from the Dutch Upper Gastrointestinal Cancer Audit. <i>British Journal of Surgery</i> , 2016, 103, 1855-1863.	0.3	121
21	Role of eHealth application Oncokompas in supporting self-management of symptoms and health-related quality of life in cancer survivors: a randomised, controlled trial. <i>Lancet Oncology</i> , The, 2020, 21, 80-94.	10.7	121
22	Routes for early enteral nutrition after esophagectomy. A systematic review. <i>Clinical Nutrition</i> , 2015, 34, 1-6.	5.0	118
23	CRITICS-II: a multicentre randomised phase II trial of neo-adjuvant chemotherapy followed by surgery versus neo-adjuvant chemotherapy and subsequent chemoradiotherapy followed by surgery versus neo-adjuvant chemoradiotherapy followed by surgery in resectable gastric cancer. <i>BMC Cancer</i> , 2018, 18, 877.	2.6	115
24	Clinical management of women with metastatic breast cancer: a descriptive study according to age group. <i>BMC Cancer</i> , 2006, 6, 179.	2.6	114
25	Half of breast cancer patients discontinue tamoxifen and any endocrine treatment before the end of the recommended treatment period of 5 years: a population-based analysis. <i>Breast Cancer Research and Treatment</i> , 2010, 122, 843-851.	2.5	112
26	Laparoscopic Versus Open Gastrectomy for Gastric Cancer (LOGICA): A Multicenter Randomized Clinical Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 978-989.	1.6	107
27	Survival of elderly rectal cancer patients not improved: Analysis of population based data on the impact of TME surgery. <i>European Journal of Cancer</i> , 2007, 43, 2295-2300.	2.8	99
28	Acute cholecystitis in high risk surgical patients: percutaneous cholecystostomy versus laparoscopic cholecystectomy (CHOCOLATE trial): Study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 7.	1.6	97
29	Influence of Comorbidity and Age on 1-, 2-, and 3-Month Postoperative Mortality Rates in Gastrointestinal Cancer Patients. <i>Annals of Surgical Oncology</i> , 2013, 20, 371-380.	1.5	97
30	Local recurrence following breast-conserving treatment in women aged 40 years or younger: Trends in risk and the impact on prognosis in a population-based cohort of 1143 patients. <i>European Journal of Cancer</i> , 2013, 49, 3093-3101.	2.8	92
31	Laparoscopic versus open gastrectomy for gastric cancer, a multicenter prospectively randomized controlled trial (LOGICA-trial). <i>BMC Cancer</i> , 2015, 15, 556.	2.6	92
32	Effect of Neoadjuvant Chemoradiotherapy on Health-Related Quality of Life in Esophageal or Junctional Cancer: Results From the Randomized CROSS Trial. <i>Journal of Clinical Oncology</i> , 2018, 36, 268-275.	1.6	91
33	Repeat sentinel node biopsy in patients with locally recurrent breast cancer: a systematic review and meta-analysis of the literature. <i>Breast Cancer Research and Treatment</i> , 2013, 138, 13-20.	2.5	88
34	Direct Oral Feeding Following Minimally Invasive Esophagectomy (NUTRIENT II trial). <i>Annals of Surgery</i> , 2020, 271, 41-47.	4.2	83
35	Improved Functional Results After Minimally Invasive Esophagectomy: Intrathoracic Versus Cervical Anastomosis. <i>Annals of Thoracic Surgery</i> , 2017, 103, 267-273.	1.3	82
36	A comparison of quality of life, disease impact and risk perception in women with invasive breast cancer and ductal carcinoma in situ. <i>European Journal of Cancer</i> , 2007, 43, 549-556.	2.8	81

#	ARTICLE	IF	CITATIONS
37	Immediate Postoperative Oral Nutrition Following Esophagectomy: A Multicenter Clinical Trial. <i>Annals of Thoracic Surgery</i> , 2016, 102, 1141-1148.	1.3	81
38	Prospective nationwide outcome audit of surgery for suspected acute appendicitis. <i>British Journal of Surgery</i> , 2015, 103, 144-151.	0.3	80
39	Local recurrence in rectal cancer can be predicted by histopathological factors. <i>European Journal of Surgical Oncology</i> , 2009, 35, 1071-1077.	1.0	79
40	Clinical epidemiology of breast cancer in the elderly. <i>European Journal of Cancer</i> , 2007, 43, 2242-2252.	2.8	77
41	Are breast conservation and mastectomy equally effective in the treatment of young women with early breast cancer? Long-term results of a population-based cohort of 1,451 patients aged ≥ 40 years. <i>Breast Cancer Research and Treatment</i> , 2011, 127, 207-215.	2.5	72
42	McKeown or Ivor Lewis totally minimally invasive esophagectomy for cancer of the esophagus and gastroesophageal junction: systematic review and meta-analysis. <i>Journal of Thoracic Disease</i> , 2017, 9, S826-S833.	1.4	71
43	A National Cohort Study Evaluating the Association Between Short-term Outcomes and Long-term Survival After Esophageal and Gastric Cancer Surgery. <i>Annals of Surgery</i> , 2019, 270, 868-876.	4.2	71
44	Perineal Hernia Repair After Abdominoperineal Rectal Excision. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 90-95.	1.3	69
45	Radiotherapy or surgery of the axilla after a positive sentinel node in breast cancer patients: Final analysis of the EORTC AMAROS trial (10981/22023).. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA1001-LBA1001.	1.6	69
46	Accuracy of Detecting Residual Disease After Cross Neoadjuvant Chemoradiotherapy for Esophageal Cancer (preSANO Trial): Rationale and Protocol. <i>JMIR Research Protocols</i> , 2015, 4, e79.	1.0	69
47	Absence of Tumor Invasion into Pelvic Structures in Locally Recurrent Rectal Cancer: Prediction with Preoperative MR Imaging. <i>Radiology</i> , 2010, 256, 143-150.	7.3	68
48	Anastomotic Techniques and Associated Morbidity in Total Minimally Invasive Transthoracic Esophagectomy. <i>Annals of Surgery</i> , 2019, 270, 820-826.	4.2	68
49	Efficacy of six month neoadjuvant endocrine therapy in postmenopausal, hormone receptor-positive breast cancer patients – A phase II trial. <i>European Journal of Cancer</i> , 2014, 50, 2190-2200.	2.8	67
50	Overall survival before and after centralization of gastric cancer surgery in the Netherlands. <i>British Journal of Surgery</i> , 2018, 105, 1807-1815.	0.3	67
51	Propensity score-matched analysis of oncological outcome between stent as bridge to surgery and emergency resection in patients with malignant left-sided colonic obstruction. <i>British Journal of Surgery</i> , 2019, 106, 1075-1086.	0.3	67
52	Intrathoracic vs Cervical Anastomosis After Totally or Hybrid Minimally Invasive Esophagectomy for Esophageal Cancer. <i>JAMA Surgery</i> , 2021, 156, 601.	4.3	65
53	On the rising trends of incidence and prognosis for breast cancer patients diagnosed 1975–2004: a long-term population-based study in southeastern Netherlands. <i>Cancer Causes and Control</i> , 2008, 19, 97-106.	1.8	64
54	Quality of life of older rectal cancer patients is not impaired by a permanent stoma. <i>European Journal of Surgical Oncology</i> , 2013, 39, 164-170.	1.0	63

#	ARTICLE	IF	CITATIONS
55	Differences in Response and Surgical Management with Neoadjuvant Chemotherapy in Invasive Lobular Versus Ductal Breast Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 51-57.	1.5	63
56	Propensity Scoreâ€“Matched Analysis Comparing Minimally Invasive Ivor Lewis Versus Minimally Invasive Mckeown Esophagectomy. <i>Annals of Surgery</i> , 2020, 271, 128-133.	4.2	63
57	Macrophage Elimination Increases Bacterial Translocation and Gut-Origin Septicemia but Attenuates Symptoms and Mortality Rate in a Model of Systemic Inflammation. <i>Annals of Surgery</i> , 1993, 218, 791-799.	4.2	62
58	Distribution of lymph node metastases in esophageal carcinoma [TIGER study]: study protocol of a multinational observational study. <i>BMC Cancer</i> , 2019, 19, 662.	2.6	62
59	The gut: the â€“motorâ€™™ of multiple organ dysfunction syndrome?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 1999, 2, 399-404.	2.5	59
60	The safety of breast-conserving therapy in patients with breast cancer aged â‰¥40 years. <i>Cancer</i> , 2007, 109, 1957-1964.	4.1	56
61	Long-term survival improvement in oesophageal cancer in the Netherlands. <i>European Journal of Cancer</i> , 2018, 94, 138-147.	2.8	56
62	Sentinel Node and Recurrent Breast Cancer (SNARB): Results of a Nationwide Registration Study. <i>Annals of Surgical Oncology</i> , 2013, 20, 620-626.	1.5	55
63	Techniques and short-term outcomes for total minimally invasive Ivor Lewis esophageal resection in distal esophageal and gastroesophageal junction cancers: pooled data from six European centers. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 119-126.	2.4	55
64	Nationwide comprehensive gastro-intestinal cancer cohorts: the 3P initiative. <i>Acta OncolÃ³gica</i> , 2018, 57, 195-202.	1.8	55
65	Updated protocol of the SANO trial: a stepped-wedge cluster randomised trial comparing surgery with active surveillance after neoadjuvant chemoradiotherapy for oesophageal cancer. <i>Trials</i> , 2021, 22, 345.	1.6	54
66	The Effect of Postoperative Complications After Minimally Invasive Esophagectomy on Long-term Survival. <i>Annals of Surgery</i> , 2021, 274, e1129-e1137.	4.2	54
67	Localization of non-palpable breast cancer using a radiolabelled titanium seed. <i>British Journal of Surgery</i> , 2010, 97, 1240-1245.	0.3	53
68	Survival after pelvic exenteration for T4 rectal cancer. <i>British Journal of Surgery</i> , 2014, 102, 125-131.	0.3	53
69	Feasibility of reirradiation in the treatment of locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2014, 101, 1280-1289.	0.3	53
70	Anastomotic leakage and presacral abscess formation after locally advanced rectal cancer surgery: Incidence, risk factors and treatment. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1502-1509.	1.0	53
71	Trends on Axillary Surgery in Nondistant Metastatic Breast Cancer Patients Treated Between 2011 and 2015. <i>Annals of Surgery</i> , 2018, 268, 1084-1090.	4.2	52
72	Impact of concentration of oesophageal and gastric cardia cancer surgery on long-term population-based survival. <i>British Journal of Surgery</i> , 2011, 98, 956-963.	0.3	51

#	ARTICLE	IF	CITATIONS
73	Contralateral lymph node recurrence in breast cancer: Regional event rather than distant metastatic disease. A systematic review of the literature. <i>European Journal of Surgical Oncology</i> , 2015, 41, 1128-1136.	1.0	51
74	Impact of neoadjuvant chemoradiotherapy on health-related quality of life in long-term survivors of esophageal or junctional cancer: results from the randomized CROSS trial. <i>Annals of Oncology</i> , 2018, 29, 445-451.	1.2	50
75	Strategies to reduce pulmonary complications after esophagectomy. <i>World Journal of Gastroenterology</i> , 2013, 19, 6509.	3.3	49
76	Combined anxiety and depressive symptoms before diagnosis of breast cancer. <i>Journal of Affective Disorders</i> , 2012, 136, 895-901.	4.1	48
77	Results of a pooled analysis of IOERT containing multimodality treatment for locally recurrent rectal cancer. <i>European Journal of Surgical Oncology</i> , 2017, 43, 107-117.	1.0	48
78	Internal and External Validation of a multivariable Model to Define Hospital-Acquired Pneumonia After Esophagectomy. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 680-687.	1.7	47
79	The Importance of the Microbiome in Bariatric Surgery: a Systematic Review. <i>Obesity Surgery</i> , 2019, 29, 2338-2349.	2.1	47
80	Stage migration due to introduction of the sentinel node procedure: a population-based study. <i>Breast Cancer Research and Treatment</i> , 2009, 113, 173-179.	2.5	46
81	Recurrence after preoperative chemotherapy and surgery for gastric adenocarcinoma: a multicenter study. <i>Gastric Cancer</i> , 2019, 22, 1263-1273.	5.3	45
82	Margin status and the risk of local recurrence after breast-conserving treatment of lobular breast cancer. <i>Breast Cancer Research and Treatment</i> , 2007, 105, 63-68.	2.5	44
83	A Model to Predict Pathologic Complete Response of Axillary Lymph Nodes to Neoadjuvant Chemo(Immuno)Therapy in Patients With Clinically Node-Positive Breast Cancer. <i>Clinical Breast Cancer</i> , 2014, 14, 315-322.	2.4	44
84	Phase II Feasibility and Biomarker Study of Neoadjuvant Trastuzumab and Pertuzumab With Chemoradiotherapy for Resectable Human Epidermal Growth Factor Receptor 2-Positive Esophageal Adenocarcinoma: TRAP Study. <i>Journal of Clinical Oncology</i> , 2020, 38, 462-471.	1.6	44
85	Rising incidence, no change in survival and decreasing mortality from thyroid cancer in The Netherlands since 1989. <i>Endocrine-Related Cancer</i> , 2013, 20, 263-271.	3.1	43
86	Hospital of diagnosis and probability of having surgical treatment for resectable gastric cancer. <i>British Journal of Surgery</i> , 2016, 103, 233-241.	0.3	42
87	Neoadjuvant radiotherapy of primary irresectable unicentric Castleman's disease: a case report and review of the literature. <i>Radiation Oncology</i> , 2010, 5, 7.	2.7	40
88	Patterns of Care in the Administration of Neo-adjuvant Chemotherapy for Breast Cancer. A Population-Based Study. <i>Breast Journal</i> , 2016, 22, 316-321.	1.0	40
89	Repeat breast-conserving therapy for ipsilateral breast cancer recurrence: A systematic review. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1317-1327.	1.0	40
90	Breast MRI increases the number of mastectomies for ductal cancers, but decreases them for lobular cancers. <i>Breast Cancer Research and Treatment</i> , 2017, 162, 353-364.	2.5	39

#	ARTICLE	IF	CITATIONS
91	Time interval between neoadjuvant chemoradiotherapy and surgery for oesophageal or junctional cancer: A nationwide study. <i>European Journal of Cancer</i> , 2018, 91, 76-85.	2.8	39
92	A Population-based Study on Lymph Node Retrieval in Patients with Esophageal Cancer: Results from the Dutch Upper Gastrointestinal Cancer Audit. <i>Annals of Surgical Oncology</i> , 2018, 25, 1211-1220.	1.5	39
93	Repeat sentinel node biopsy should be considered in patients with locally recurrent breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015, 153, 549-556.	2.5	38
94	Active Surveillance Versus Immediate Surgery in Clinically Complete Responders After Neoadjuvant Chemoradiotherapy for Esophageal Cancer. <i>Annals of Surgery</i> , 2021, 274, 1009-1016.	4.2	38
95	Identification of residual breast tumour localization after neo-adjuvant chemotherapy using a radioactive 125 Iodine seed. <i>European Journal of Surgical Oncology</i> , 2010, 36, 164-169.	1.0	37
96	Comparison of the sentinel node procedure between patients with multifocal and unifocal breast cancer in the EORTC 10981-22023 AMAROS Trial: Identification rate and nodal outcome. <i>European Journal of Cancer</i> , 2013, 49, 2093-2100.	2.8	37
97	Intrathoracic versus Cervical Anastomosis after minimally invasive esophagectomy for esophageal cancer: study protocol of the ICAN randomized controlled trial. <i>Trials</i> , 2016, 17, 505.	1.6	37
98	Substantial increase in the use of adjuvant systemic treatment for early stage breast cancer reflects changes in guidelines in the period 1990-2006 in the southeastern Netherlands. <i>European Journal of Cancer</i> , 2008, 44, 1846-1854.	2.8	36
99	Randomized clinical trial of extended versus single-dose perioperative antibiotic prophylaxis for acute calculous cholecystitis. <i>British Journal of Surgery</i> , 2017, 104, e151-e157.	0.3	36
100	Routine jejunostomy tube feeding following esophagectomy. <i>Journal of Thoracic Disease</i> , 2017, 9, S851-S860.	1.4	36
101	Carcinoembryonic antigen-specific, fluorescent image-guided cytoreductive surgery with hyperthermic intraperitoneal chemotherapy for metastatic colorectal cancer. <i>British Journal of Surgery</i> , 2020, 107, 334-337.	0.3	36
102	Topography and extent of pulmonary vagus nerve supply with respect to transthoracic oesophagectomy. <i>Journal of Anatomy</i> , 2015, 227, 431-439.	1.5	34
103	The eHealth self-management application "Oncokompas" that supports cancer survivors to improve health-related quality of life and reduce symptoms: which groups benefit most?. <i>Acta Oncologica</i> , 2021, 60, 403-411.	1.8	34
104	Nasogastric decompression following esophagectomy: a systematic literature review and meta-analysis. <i>Ecological Management and Restoration</i> , 2016, 30, 1-8.	0.4	33
105	Hormone Treatment without Surgery for Patients Aged 75 Years or Older with Operable Breast Cancer. <i>Annals of Surgical Oncology</i> , 2012, 19, 1185-1191.	1.5	32
106	Prognostic implications of MRI-detected lateral nodal disease and extramural vascular invasion in rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, 1844-1852.	0.3	32
107	Minimally invasive esophagectomy: a propensity score-matched analysis of semiprone versus prone position. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 2758-2765.	2.4	31
108	¹⁸ F-Fludeoxyglucose "Positron Emission Tomography/Computed Tomography and Laparoscopy for Staging of Locally Advanced Gastric Cancer. <i>JAMA Surgery</i> , 2021, 156, e215340.	4.3	31

#	ARTICLE	IF	CITATIONS
109	Survival after negative sentinel lymph node biopsy in breast cancer at least equivalent to after negative extensive axillary dissection. <i>European Journal of Surgical Oncology</i> , 2007, 33, 832-837.	1.0	30
110	The long-term effects of early oral feeding following minimal invasive esophagectomy. <i>Ecological Management and Restoration</i> , 2018, 31, 1-8.	0.4	30
111	The Burden of Peritoneal Metastases from Gastric Cancer: A Systematic Review on the Incidence, Risk Factors and Survival. <i>Journal of Clinical Medicine</i> , 2021, 10, 4882.	2.4	30
112	Staging and management of axillary lymph nodes in patients with local recurrence in the breast or chest wall after a previous negative sentinel node procedure. <i>European Journal of Surgical Oncology</i> , 2010, 36, 646-651.	1.0	29
113	Diagnostic value of drain amylase for detecting intrathoracic leakage after esophagectomy. <i>World Journal of Gastroenterology</i> , 2015, 21, 9118.	3.3	29
114	Comparable survival for young rectal cancer patients, despite unfavourable morphology and more advanced-stage disease. <i>European Journal of Cancer</i> , 2015, 51, 1675-1682.	2.8	28
115	Perioperative lipid-enriched enteral nutrition versus standard care in patients undergoing elective colorectal surgery (SANICS II): a multicentre, double-blind, randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 242-251.	8.1	28
116	Evaluation of PET and laparoscopy in STaging advanced gastric cancer: a multicenter prospective study (PLASTIC-study). <i>BMC Cancer</i> , 2018, 18, 450.	2.6	28
117	Repeat Sentinel Lymph Node Biopsy for Ipsilateral Breast Tumor Recurrence: A Systematic Review of the Results and Impact on Prognosis. <i>Annals of Surgical Oncology</i> , 2018, 25, 1329-1339.	1.5	27
118	Preliminary results of a cohort study of induction chemotherapy-based treatment for locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, 447-452.	0.3	27
119	Significant improvement in postoperative and 1-year mortality after colorectal cancer surgery in recent years. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2052-2058.	1.0	27
120	Definitions and treatment of oligometastatic oesophagogastric cancer according to multidisciplinary tumour boards in Europe. <i>European Journal of Cancer</i> , 2022, 164, 18-29.	2.8	27
121	Anxiety after an abnormal screening mammogram is a serious problem. <i>Breast</i> , 2012, 21, 83-88.	2.2	26
122	Radiation dose does not influence anastomotic complications in patients with esophageal cancer treated with neoadjuvant chemoradiation and transhiatal esophagectomy. <i>Radiation Oncology</i> , 2015, 10, 59.	2.7	26
123	Management of the axilla after neoadjuvant chemotherapy for clinically node positive breast cancer: A nationwide survey study in The Netherlands. <i>European Journal of Surgical Oncology</i> , 2016, 42, 956-964.	1.0	26
124	Definitive chemoradiation or surgery in elderly patients with potentially curable esophageal cancer in the Netherlands: a nationwide population-based study on patterns of care and survival. <i>Acta Oncologica</i> , 2018, 57, 1192-1200.	1.8	26
125	Impact of Age and Comorbidity on Choice and Outcome of Two Different Treatment Options for Patients with Potentially Curable Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 986-995.	1.5	26
126	Lymphatic mapping after previous breast surgery. <i>Breast</i> , 2012, 21, 444-448.	2.2	25

#	ARTICLE	IF	CITATIONS
127	Nutritional route in oesophageal resection trial II (NUTRIENT II): study protocol for a multicentre open-label randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e011979.	1.9	25
128	Hospital of Diagnosis Influences the Probability of Receiving Curative Treatment for Esophageal Cancer. <i>Annals of Surgery</i> , 2018, 267, 303-310.	4.2	25
129	Radiotherapy or surgery of the axilla after a positive sentinel node in breast cancer patients: Final analysis of the EORTC AMAROS trial (10981/22023).. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA1001-LBA1001.	1.6	25
130	Abdominosacral resection: Long-term outcome in 86 patients with locally advanced or locally recurrent rectal cancer. <i>European Journal of Surgical Oncology</i> , 2014, 40, 699-705.	1.0	24
131	Preserving the pulmonary vagus nerve branches during thoracoscopic esophagectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 3816-3822.	2.4	24
132	Improved Outcomes for Responders After Treatment with Induction Chemotherapy and Chemo(re)irradiation for Locally Recurrent Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 3503-3513.	1.5	24
133	Increased Resection Rates and Survival Among Patients Aged 75 Years and Older with Esophageal Cancer: A Dutch Nationwide Population-Based Study. <i>World Journal of Surgery</i> , 2012, 36, 2872-2878.	1.6	22
134	Hospital of diagnosis and probability to receive a curative treatment for oesophageal cancer. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1338-1345.	1.0	22
135	Results of intraoperative electron beam radiotherapy containing multimodality treatment for locally unresectable T4 rectal cancer: a pooled analysis of the Mayo Clinic Rochester and Catharina Hospital Eindhoven. <i>Journal of Gastrointestinal Oncology</i> , 2016, 7, 903-916.	1.4	22
136	Influence of the Extent and Dose of Radiation on Complications After Neoadjuvant Chemoradiation and Subsequent Esophagectomy With Gastric Tube Reconstruction With a Cervical Anastomosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 97, 813-821.	0.8	21
137	A Highly Active and Tolerable Neoadjuvant Regimen Combining Paclitaxel, Carboplatin, 5-FU, and Radiation Therapy in Patients with Stage II and III Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 88-95.	1.5	20
138	Pre-Operative Staging with Positron Emission Tomography in Patients with Pelvic Recurrence of Rectal Cancer. <i>Digestive Surgery</i> , 2008, 25, 202-207.	1.2	20
139	Simultaneous pelvic exenteration and liver resection for primary rectal cancer with synchronous liver metastases: results from the PelvEx Collaborative. <i>Colorectal Disease</i> , 2020, 22, 1258-1262.	1.4	20
140	Delaying surgery after neoadjuvant chemoradiotherapy does not significantly influence postoperative morbidity or oncological outcome in patients with oesophageal adenocarcinoma. <i>European Journal of Surgical Oncology</i> , 2016, 42, 1183-1190.	1.0	19
141	Reasons for not reaching or using web-based self-management applications, and the use and evaluation of Oncokompas among cancer survivors, in the context of a randomised controlled trial. <i>Internet Interventions</i> , 2021, 25, 100429.	2.7	19
142	Improving the Success Rate of Repeat Sentinel Node Biopsy in Recurrent Breast Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 529-535.	1.5	18
143	Physical Exercise Following Esophageal Cancer Treatment (PERFECT) study: design of a randomized controlled trial. <i>BMC Cancer</i> , 2017, 17, 552.	2.6	18
144	The Influence of Age on Complications and Overall Survival After Ivor Lewis Totally Minimally Invasive Esophagectomy. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 1293-1300.	1.7	18

#	ARTICLE	IF	CITATIONS
145	Digital Self-Management Support Tools in the Care Plan of Patients With Cancer: Review of Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2021, 23, e20861.	4.3	18
146	ORGAN DAMAGE IS PRECEDED BY CHANGES IN PROTEIN EXTRAVASATION IN AN EXPERIMENTAL MODEL OF MULTIPLE ORGAN DYSFUNCTION SYNDROME. <i>Shock</i> , 1997, 7, 98-104.	2.1	17
147	Prognostic Implications of MRI-Detected EMVI and Tumor Deposits and Their Response to Neoadjuvant Therapy in cT3 and cT4 Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 816-825.	0.8	17
148	Deficiency of complement factor C5 reduces early mortality but does not prevent organ damage in an animal model of multiple organ dysfunction syndrome. <i>Critical Care Medicine</i> , 1995, 23, 1686-1693.	0.9	17
149	Preoperative radiochemotherapy is successful also in patients with locally advanced rectal cancer who have intrinsically high apoptotic tumours. <i>Annals of Oncology</i> , 2008, 19, 2026-2032.	1.2	16
150	A structured training program for minimally invasive esophagectomy for esophageal cancer – a Delphi consensus study in Europe. <i>Ecological Management and Restoration</i> , 2018, 31, .	0.4	16
151	Presence of symptoms and timing of surgery do not affect the prognosis of patients with primary metastatic breast cancer. <i>European Journal of Surgical Oncology</i> , 2011, 37, 883-889.	1.0	15
152	The individual and combined effect of colorectal cancer and diabetes on health-related quality of life and sexual functioning: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2014, 22, 3071-3079.	2.2	15
153	The rationale for and long-term outcome of incomplete axillary staging in elderly women with primary breast cancer. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1714-1719.	1.0	15
154	Paravertebral catheter versus Epidural analgesia in Minimally invasive Esophageal resection: a randomized controlled multicenter trial (PEPMEN trial). <i>BMC Cancer</i> , 2020, 20, 142.	2.6	15
155	Treatment of locally advanced rectal cancer. <i>Surgical Oncology</i> , 2004, 13, 137-147.	1.6	14
156	An abnormal screening mammogram causes more anxiety than a palpable lump in benign breast disease. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 253-258.	2.5	14
157	Study protocol for the nutritional route in oesophageal resection trial: a single-arm feasibility trial (NUTRIENT trial). <i>BMJ Open</i> , 2014, 4, e004557-e004557.	1.9	14
158	Perioperative Treatment, Not Surgical Approach, Influences Overall Survival in Patients with Gastroesophageal Junction Tumors: A Nationwide, Population-Based Study in The Netherlands. <i>Annals of Surgical Oncology</i> , 2016, 23, 1632-1638.	1.5	14
159	Risk of Regional Recurrence After Negative Repeat Sentinel Lymph Node Biopsy in Patients with Ipsilateral Breast Tumor Recurrence. <i>Annals of Surgical Oncology</i> , 2018, 25, 1312-1321.	1.5	14
160	Elimination of Various Subpopulations of Macrophages and the Development of Multiple-Organ Dysfunction Syndrome in Mice. <i>Archives of Surgery</i> , 1997, 132, 533.	2.2	13
161	NEOadjuvant therapy monitoring with PET and CT in Esophageal Cancer (NEOPEC-trial). <i>BMC Medical Physics</i> , 2008, 8, 3.	2.4	13
162	The effects of stimulation of the autonomic nervous system via perioperative nutrition on postoperative ileus and anastomotic leakage following colorectal surgery (SANICS II trial): a study protocol for a double-blind randomized controlled trial. <i>Trials</i> , 2015, 16, 20.	1.6	13

#	ARTICLE	IF	CITATIONS
163	Psoas hitch ureteral reimplantation after surgery for locally advanced and locally recurrent colorectal cancer: Complications and oncological outcome. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1869-1875.	1.0	13
164	Resection of hepatic and pulmonary metastasis from metastatic esophageal and gastric cancer: a nationwide study. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.4	13
165	Learning Curves of Ivor Lewis Totally Minimally Invasive Esophagectomy by Hospital and Surgeon Characteristics. <i>Annals of Surgery</i> , 2022, 275, 911-918.	4.2	13
166	Trends in treatment and overall survival among patients with proximal esophageal cancer. <i>World Journal of Gastroenterology</i> , 2019, 25, 6835-6846.	3.3	13
167	Direct Oral Feeding After a Minimally Invasive Esophagectomy. <i>Annals of Surgery</i> , 2022, 275, 919-923.	4.2	13
168	Local Recurrence in the Lateral Lymph Node Compartment: Improved Outcomes with Induction Chemotherapy Combined with Multimodality Treatment. <i>Annals of Surgical Oncology</i> , 2016, 23, 1883-1889.	1.5	12
169	Abdominal Drainage and Amylase Measurement for Detection of Leakage After Gastrectomy for Gastric Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 1163-1170.	1.7	12
170	Low Risk of Development of a Regional Recurrence After an Unsuccessful Repeat Sentinel Lymph Node Biopsy in Patients with Ipsilateral Breast Tumor Recurrence. <i>Annals of Surgical Oncology</i> , 2019, 26, 2417-2427.	1.5	12
171	Supervised exercise after oesophageal cancer surgery: the PERFECT multicentre randomized clinical trial. <i>British Journal of Surgery</i> , 2021, 108, 786-796.	0.3	12
172	Functional Bowel Complaints and the Impact on Quality of Life After Colorectal Cancer Surgery in the Elderly. <i>Frontiers in Oncology</i> , 2022, 12, 832377.	2.8	12
173	Effect of a multimodal prehabilitation program on postoperative recovery and morbidity in patients undergoing a totally minimally invasive esophagectomy. <i>Ecological Management and Restoration</i> , 2022, 35, .	0.4	12
174	Omentoplasty in rectal cancer surgery prolongs post-operative ileus. <i>International Journal of Colorectal Disease</i> , 2008, 23, 165-169.	2.2	11
175	Detection of local recurrence following breast-conserving treatment in young women with early breast cancer: Optimization of long-term follow-up strategies. <i>Breast</i> , 2013, 22, 351-356.	2.2	11
176	Intraoperative radiotherapy and cytoreductive surgery with hyperthermic intraperitoneal chemotherapy. <i>Strahlentherapie Und Onkologie</i> , 2013, 189, 256-260.	2.0	11
177	Poor compliance with perioperative chemotherapy for resectable gastric cancer and its impact on survival. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1926-1933.	1.0	11
178	Patent blue staining as a method to improve lymph node detection in rectal cancer following neoadjuvant treatment. <i>European Journal of Surgical Oncology</i> , 2012, 38, 252-258.	1.0	10
179	A national study to assess outcomes of definitive chemoradiation regimens in proximal esophageal cancer. <i>Acta Oncol³gica</i> , 2020, 59, 895-903.	1.8	10
180	Neoadjuvant Radiochemotherapy Increases Matrix Metalloproteinase Activity in Healthy Tissue in Esophageal Cancer Patients. <i>Annals of Surgical Oncology</i> , 2009, 16, 1384-1389.	1.5	9

#	ARTICLE	IF	CITATIONS
181	The impact of postmastectomy radiotherapy on local control in patients with invasive lobular breast cancer. <i>Radiotherapy and Oncology</i> , 2009, 91, 49-53.	0.6	9
182	Breast magnetic resonance imaging use in patients undergoing neoadjuvant chemotherapy is associated with less mastectomies in large ductal cancers but not in lobular cancers. <i>European Journal of Cancer</i> , 2017, 81, 74-80.	2.8	9
183	Perioperative antibiotic prophylaxis in the treatment of acute cholecystitis (PEANUTS II trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 390.	1.6	9
184	Hospital variation and the impact of postoperative complications on the use of perioperative chemo(radio)therapy in resectable gastric cancer. Results from the Dutch Upper GI Cancer Audit. <i>European Journal of Surgical Oncology</i> , 2018, 44, 532-538.	1.0	9
185	Timing of postoperative chemotherapy in patients undergoing perioperative chemotherapy and gastrectomy for gastric cancer. <i>Surgical Oncology</i> , 2018, 27, 421-427.	1.6	9
186	Prognostic impact of repeat sentinel lymph node biopsy in patients with ipsilateral breast tumour recurrence. <i>British Journal of Surgery</i> , 2019, 106, 574-585.	0.3	9
187	Feeding protocol deviation after esophagectomy: A retrospective multicenter study. <i>Clinical Nutrition</i> , 2020, 39, 1258-1263.	5.0	9
188	Implementation of a regional video multidisciplinary team meeting is associated with an improved prognosis for patients with oesophageal cancer A mixed methods approach. <i>European Journal of Surgical Oncology</i> , 2021, 47, 3088-3096.	1.0	9
189	Postoperative intensive care unit stay after minimally invasive esophagectomy shows large hospital variation. Results from the Dutch Upper Gastrointestinal Cancer Audit. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1961-1968.	1.0	9
190	Patterns of recurrence following definitive chemoradiation for patients with proximal esophageal cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2016-2022.	1.0	9
191	Improved response rate in patients with prognostically poor locally advanced rectal cancer after treatment with induction chemotherapy and chemoradiotherapy when compared with chemoradiotherapy alone: A matched case-control study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2429-2435.	1.0	9
192	Antibiotic prophylaxis for acute cholecystectomy: PEANUTS II multicentre randomized non-inferiority clinical trial. <i>British Journal of Surgery</i> , 2022, 109, 267-273.	0.3	9
193	Severity of oEsophageal Anastomotic Leak in patients after oesophagectomy: the SEAL score. <i>British Journal of Surgery</i> , 2022, 109, 864-871.	0.3	9
194	Does Extended Surgery Influence Health-Related Quality of Life in Patients With Rectal Cancer?. <i>Diseases of the Colon and Rectum</i> , 2015, 58, 179-185.	1.3	8
195	Effect of direct oral feeding following minimally invasive esophagectomy on costs and quality of life. <i>Journal of Medical Economics</i> , 2021, 24, 54-60.	2.1	8
196	Expectations of Continuous Vital Signs Monitoring for Recognizing Complications After Esophagectomy: Interview Study Among Nurses and Surgeons. <i>JMIR Perioperative Medicine</i> , 2021, 4, e22387.	1.0	8
197	European consensus on essential steps of Minimally Invasive Ivor Lewis and McKeown Esophagectomy through Delphi methodology. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 446-460.	2.4	8
198	Impact of nationwide centralization of oesophageal, gastric, and pancreatic surgery on travel distance and experienced burden in the Netherlands. <i>European Journal of Surgical Oncology</i> , 2022, 48, 348-355.	1.0	8

#	ARTICLE	IF	CITATIONS
199	Nationwide registry study on trends in localization techniques and reoperation rates in non-palpable ductal carcinoma <i>in situ</i> and invasive breast cancer. <i>British Journal of Surgery</i> , 2021, 109, 53-60.	0.3	8
200	Cardiac tamponade: an unusual, lifethreatening complication after transhiatal resection of the esophagus. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2006, 6, 238-239.	1.1	7
201	Patterns and determinants of surgical management of screen detected breast cancer in the South-East Netherlands. <i>Breast</i> , 2013, 22, 713-717.	2.2	7
202	Improvement in survival for patients with synchronous metastatic esophageal cancer in the south of the Netherlands from 1994 to 2013. <i>Acta Oncologica</i> , 2016, 55, 1161-1167.	1.8	7
203	Predicting outcomes of pelvic exenteration using machine learning. <i>Colorectal Disease</i> , 2020, 22, 1933-1940.	1.4	7
204	Induction chemotherapy followed by chemoradiotherapy <i>versus</i> chemoradiotherapy alone as neoadjuvant treatment for locally recurrent rectal cancer: study protocol of a multicentre, open-label, parallel-arms, randomized controlled study (PelvEx II). <i>BJS Open</i> , 2021, 5, .	1.7	7
205	MRI tumour regression grade in locally recurrent rectal cancer. <i>BJS Open</i> , 2022, 6, .	1.7	7
206	Body Composition Is a Predictor for Postoperative Complications After Gastrectomy for Gastric Cancer: a Prospective Side Study of the LOGICA Trial. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 1373-1387.	1.7	7
207	Stoma placement in obstructive rectal cancer prior to neo-adjuvant treatment and definitive surgery: A practical guideline. <i>European Journal of Surgical Oncology</i> , 2016, 42, 273-280.	1.0	6
208	Micronutrient Deficiencies Following Minimally Invasive Esophagectomy for Cancer. <i>Nutrients</i> , 2020, 12, 778.	4.1	6
209	Age-related differences in morbidity and mortality after surgery for primary clinical T4 and locally recurrent rectal cancer. <i>Colorectal Disease</i> , 2021, 23, 1141-1152.	1.4	6
210	Axillary Response Monitoring After Neoadjuvant Chemotherapy in Breast Cancer. <i>Annals of Surgery</i> , 2016, 263, e28-e29.	4.2	5
211	Fit-for-Discharge Criteria after Esophagectomy: An International Expert Delphi Consensus. <i>Ecological Management and Restoration</i> , 2020, 34, .	0.4	5
212	Local staging of ipsilateral breast tumor recurrence: mammography, ultrasound, or MRI?. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 385-395.	2.5	5
213	Changes in hospital variation in the probability of receiving treatment with curative intent for esophageal and gastric cancer. <i>Cancer Epidemiology</i> , 2021, 71, 101897.	1.9	5
214	The gut: the "motor" of multiple organ dysfunction syndrome?. <i>Current Opinion in Critical Care</i> , 1999, 5, 126.	3.2	5
215	Treatment of anastomotic leak after esophagectomy: insights of an international case vignette survey and expert discussions. <i>Ecological Management and Restoration</i> , 2022, , .	0.4	5
216	Papillary carcinoma in a thyroglossal duct. <i>Acta Oncologica</i> , 2006, 45, 332-334.	1.8	4

#	ARTICLE	IF	CITATIONS
217	Salvage endoscopic resection in patients with esophageal adenocarcinoma after chemoradiotherapy. <i>Endoscopy International Open</i> , 2018, 06, E1126-E1129.	1.8	4
218	Predicting breast and axillary response after neoadjuvant treatment for breast cancer: The role of histology vs receptor status. <i>Breast Journal</i> , 2018, 24, 894-901.	1.0	4
219	Two-lung ventilation during prone minimally invasive thoroscopic oesophagectomy. <i>European Journal of Anaesthesiology</i> , 2019, 36, 307-309.	1.7	4
220	Multifocality in ipsilateral breast tumor recurrence - A study in ablative specimens. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1471-1476.	1.0	4
221	Outcomes of urinary diversion after surgery for locally advanced or locally recurrent rectal cancer with complete cystectomy; ileal and colon conduit. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1160-1166.	1.0	4
222	Impact of a history of metastases or synchronous metastases on survival in patients with locally recurrent rectal cancer. <i>Colorectal Disease</i> , 2021, 23, 1120-1131.	1.4	4
223	Repeat breast-conserving treatment of ipsilateral breast cancer recurrence: a nationwide survey amongst breast surgeons and radiation oncologists in the Netherlands. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 499-514.	2.5	4
224	Curative treatment of locally recurrent rectal cancer: is induction chemotherapy warranted?. <i>British Journal of Surgery</i> , 2021, 108, e213-e214.	0.3	4
225	Normal inflammatory markers and acute appendicitis: a national multicentre prospective cohort analysis. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1507-1513.	2.2	4
226	Rate and predictors of nodal pathological complete response following neoadjuvant endocrine treatment in clinically biopsy-proven node-positive breast cancer patients. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1928-1933.	1.0	4
227	Feasibility study of trastuzumab (T) and pertuzumab (P) added to neoadjuvant chemoradiotherapy (nCRT) in resectable HER2+ esophageal adenocarcinoma (EAC) patients (pts): The TRAP study.. <i>Journal of Clinical Oncology</i> , 2018, 36, 4057-4057.	1.6	4
228	Age-Related Variations in the Use of Axillary Staging May Explain the Increased Risk of Axillary Lymph Node Involvement in Older Women With Breast Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, e276-e277.	1.6	3
229	Determinants in decision making for curative treatment and survival in patients with resectable oesophageal cancer in the Netherlands: a population-based study. <i>Cancer Epidemiology</i> , 2015, 39, 863-869.	1.9	3
230	Leaving a Mobilized Thoracic Esophagus In Situ When Incurable Cancer Is Discovered Intraoperatively. <i>Annals of Thoracic Surgery</i> , 2015, 99, 490-494.	1.3	3
231	The administration of adjuvant chemo(-immuno) therapy in the post ACOSOG-Z0011 era; a population based study. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1151-1156.	1.0	3
232	Screening for distant metastases in patients with ipsilateral breast tumor recurrence: the impact of different imaging modalities on distant recurrence-free interval. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 419-428.	2.5	3
233	Metabolic PET/CT response after induction chemotherapy and chemo(re)irradiation is associated with higher negative resection margins rate in patients with locally recurrent rectal cancer. <i>Colorectal Disease</i> , 2021, , .	1.4	3
234	A Phase II Study Demonstrates No Feasibility of Adjuvant Treatment with Six Cycles of S-1 and Oxaliplatin in Resectable Esophageal Adenocarcinoma, with ERCC1 as Biomarker for Response to SOX. <i>Cancers</i> , 2021, 13, 839.	3.7	2

#	ARTICLE	IF	CITATIONS
235	Risk Factors for Failure of Direct Oral Feeding Following a Totally Minimally Invasive Esophagectomy. <i>Nutrients</i> , 2021, 13, 3616.	4.1	2
236	Early severe mediastinal bleeding after esophagectomy: a potentially lethal complication. <i>Journal of Thoracic Disease</i> , 2013, 5, E58-60.	1.4	2
237	A population-based study in synchronous <i>versus</i> metachronous metastatic esophagogastric adenocarcinoma. <i>Therapeutic Advances in Medical Oncology</i> , 2022, 14, 175883592210855.	3.2	2
238	Outcomes on diverting ostomy formation and reversal after low anterior resection in the older more advanced rectal cancer patient. <i>European Journal of Surgical Oncology</i> , 2021, , .	1.0	2
239	Current practices concerning the assessment and treatment of lateral lymph nodes in low rectal cancer: a survey among colorectal surgeons in The Netherlands. <i>Acta Chirurgica Belgica</i> , 2023, 123, 345-353.	0.4	2
240	A prospective cohort study to evaluate continuous wound infusion with local analgesics within an enhanced recovery protocol after colorectal cancer surgery. <i>Colorectal Disease</i> , 2022, 24, 1172-1183.	1.4	2
241	O112 SURVEILLANCE USING FDG-UPTAKE IN THE PRIMARY TUMOUR ON PET/CT IN PATIENTS WITH OESOPHAGEAL CANCER AND A CLINICALLY COMPLETE RESPONSE AFTER NEOADJUVANT CHEMORADIOTHERAPY. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.4	1
242	O3 DIRECT ORAL FEEDING FOLLOWING MINIMALLY INVASIVE ESOPHAGECTOMY (NUTRIENT II TRIAL): AN INTERNATIONAL, MULTICENTER, OPEN-LABEL RANDOMIZED CONTROLLED TRIAL. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.4	1
243	Is specimen radiography still necessary in patients with non-palpable breast cancer undergoing breast-conserving surgery using radioactive I-125 seed localization?. <i>Clinical Imaging</i> , 2021, 69, 311-317.	1.5	1
244	Impact of comorbidity in the choice of curative treatment for esophageal cancer: A population-based study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 131-131.	1.6	1
245	Insights in work rehabilitation after minimally invasive esophagectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 3457-3463.	2.4	1
246	Randomized clinical trial on the effect of a supervised exercise program on quality of life, fatigue, and fitness following esophageal cancer treatment (PERFECT study).. <i>Journal of Clinical Oncology</i> , 2020, 38, 12055-12055.	1.6	1
247	The Value of Paratracheal Lymphadenectomy in Esophagectomy for Adenocarcinoma of the Esophagus or Gastroesophageal Junction: A Systematic Review of the Literature. <i>Annals of Surgical Oncology</i> , 2021, , 1.	1.5	1
248	Treatment decisionâ€making during outpatient clinic visit of patients with esophagogastric cancer. The perspectives of clinicians and patients, a mixed method, multiple case study. <i>Cancer Medicine</i> , 2022, , .	2.8	1
249	Clinical variation in the organization of clinical pathways in esophagogastric cancer, a mixed method multiple case study. <i>BMC Health Services Research</i> , 2022, 22, 527.	2.2	1
250	Effect of a pre-operative web-based dietary self-management intervention on patient satisfaction, body weight and quality of life of esophageal cancer patients: A prospective, observational study. <i>Clinical Nutrition Open Science</i> , 2022, 43, 42-55.	1.3	1
251	Hormone Treatment without Surgery for Patients Aged 75 Years or Older with Operable Breast Cancer. <i>Indian Journal of Surgical Oncology</i> , 2012, 3, 50-56.	0.7	0
252	RA03.01: A POPULATION-BASED STUDY ON LYMPH NODE RETRIEVAL IN PATIENTS WITH ESOPHAGEAL CANCER: RESULTS FROM THE DUTCH UPPER GASTROINTESTINAL CANCER AUDIT. <i>Ecological Management and Restoration</i> , 2018, 31, 22-23.	0.4	0

#	ARTICLE	IF	CITATIONS
253	RA07.06: BASELINE FDG-PET/CT PARAMETERS AS PREDICTOR FOR RESIDUAL TUMOUR AFTER NEOADJUVANT CHEMORADIOTHERAPY IN OESOPHAGEAL CANCER PATIENTS. <i>Ecological Management and Restoration</i> , 2018, 31, 35-35.	0.4	0
254	PS02.064: ACCURACY OF F-18-FDG-PET/CT IN MONITORING TUMOUR RESPONSE AFTER NEOADJUVANT CHEMORADIOTHERAPY IN PATIENTS WITH OESOPHAGEAL CANCER. <i>Ecological Management and Restoration</i> , 2018, 31, 138-139.	0.4	0
255	O200 10-YEAR FOLLOW-UP OF A RANDOMISED CONTROLLED TRIAL COMPARING NEOADJUVANT CHEMORADIOTHERAPY PLUS SURGERY VERSUS SURGERY ALONE FOR OESOPHAGEAL OR JUNCTIONAL CANCER (CROSS). <i>Ecological Management and Restoration</i> , 2019, 32, .	0.4	0
256	O19 OUTCOMES OF IVOR LEWIS VERSUS MCKEOWN OESOPHAGECTOMY FOR CANCER: A PROPENSITY SCORE MATCHED ANALYSIS OF THE NETHERLANDS CANCER REGISTRY. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.4	0
257	772 TREATMENT DECISION MAKING DURING THE OUTPATIENT CLINIC VISIT IN PATIENTS DIAGNOSED WITH ESOPHAGOGASTRIC CANCER, A MIXED METHOD DESIGN. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
258	382 INTRATHORACIC VERSUS CERVICAL ANASTOMOSIS AFTER MINIMALLY INVASIVE ESOPHAGECTOMY FOR OESOPHAGEAL CANCER: A RANDOMIZED CONTROLLED TRIAL (ICAN TRIAL). <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
259	771 IMPACT OF NATIONWIDE CENTRALIZATION OF ESOPHAGEAL, GASTRIC, AND PANCREATIC SURGERY ON TRAVEL DISTANCE AND EXPERIENCED BURDEN IN THE NETHERLANDS. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
260	774 TEAM DYNAMICS AND CLINICIAN'S PERSONAL BELIEVES IN TREATMENT OPTIONS INFLUENCE MULTIDISCIPLINARY TREATMENT DECISION-MAKING DURING AN ONCOLOGIC UPPER GASTROINTESTINAL MULTIDISCIPLINARY TEAM-MEETING. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
261	Reply to: Use of induction chemotherapy in locally advanced rectal cancers to increase the response rates: Is it actually helping?. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2473-2474.	1.0	0
262	819 INSTITUTIONAL VARIATION IN THE ORGANIZATION OF CLINICAL PATHWAYS IN ESOPHAGOGASTRIC CANCER, A MIXED METHOD MULTIPLE CASE STUDY. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
263	Experimental Multiple Organ Failure and Gut Dysfunction. <i>Update in Intensive Care and Emergency Medicine</i> , 1996, , 164-176.	0.6	0
264	Perceived facilitators and barriers to physical exercise adherence in esophageal cancer patients after surgery.. <i>Journal of Clinical Oncology</i> , 2018, 36, 94-94.	1.6	0
265	Intrathoracic versus cervical anastomosis after minimally invasive esophagectomy for esophageal cancer: A randomized controlled trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, 4509-4509.	1.6	0
266	ASO Visual Abstract: The Value of Paratracheal Lymphadenectomy in Esophagectomy for Adenocarcinoma of the Esophagus or Gastroesophageal Junction: a Systematic Review of the Literature. <i>Annals of Surgical Oncology</i> , 2021, , 1.	1.5	0