

Grard A P Nieuwenhuijzen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5189929/publications.pdf>

Version: 2024-02-01

266
papers

17,943
citations

26630

56
h-index

15732

125
g-index

270
all docs

270
docs citations

270
times ranked

14195
citing authors

#	ARTICLE	IF	CITATIONS
1	Current practices concerning the assessment and treatment of lateral lymph nodes in low rectal cancer: a survey among colorectal surgeons in The Netherlands. <i>Acta Chirurgica Belgica</i> , 2023, 123, 345-353.	0.4	2
2	Learning Curves of Ivor Lewis Totally Minimally Invasive Esophagectomy by Hospital and Surgeon Characteristics. <i>Annals of Surgery</i> , 2022, 275, 911-918.	4.2	13
3	European consensus on essential steps of Minimally Invasive Ivor Lewis and McKeown Esophagectomy through Delphi methodology. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 446-460.	2.4	8
4	Impact of nationwide centralization of oesophageal, gastric, and pancreatic surgery on travel distance and experienced burden in the Netherlands. <i>European Journal of Surgical Oncology</i> , 2022, 48, 348-355.	1.0	8
5	Direct Oral Feeding After a Minimally Invasive Esophagectomy. <i>Annals of Surgery</i> , 2022, 275, 919-923.	4.2	13
6	Antibiotic prophylaxis for acute cholecystectomy: PEANUTS II multicentre randomized non-inferiority clinical trial. <i>British Journal of Surgery</i> , 2022, 109, 267-273.	0.3	9
7	Functional Bowel Complaints and the Impact on Quality of Life After Colorectal Cancer Surgery in the Elderly. <i>Frontiers in Oncology</i> , 2022, 12, 832377.	2.8	12
8	Definitions and treatment of oligometastatic oesophagogastric cancer according to multidisciplinary tumour boards in Europe. <i>European Journal of Cancer</i> , 2022, 164, 18-29.	2.8	27
9	MRI tumour regression grade in locally recurrent rectal cancer. <i>BJS Open</i> , 2022, 6, .	1.7	7
10	A population-based study in synchronous <i>versus</i> metachronous metastatic esophagogastric adenocarcinoma. <i>Therapeutic Advances in Medical Oncology</i> , 2022, 14, 175883592210855.	3.2	2
11	Treatment decision-making during outpatient clinic visit of patients with esophagogastric cancer. The perspectives of clinicians and patients, a mixed method, multiple case study. <i>Cancer Medicine</i> , 2022, , .	2.8	1
12	Effect of a multimodal prehabilitation program on postoperative recovery and morbidity in patients undergoing a totally minimally invasive esophagectomy. <i>Ecological Management and Restoration</i> , 2022, 35, .	0.4	12
13	Treatment of anastomotic leak after esophagectomy: insights of an international case vignette survey and expert discussions. <i>Ecological Management and Restoration</i> , 2022, , .	0.4	5
14	Clinical variation in the organization of clinical pathways in esophagogastric cancer, a mixed method multiple case study. <i>BMC Health Services Research</i> , 2022, 22, 527.	2.2	1
15	Body Composition Is a Predictor for Postoperative Complications After Gastrectomy for Gastric Cancer: a Prospective Side Study of the LOGICA Trial. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 1373-1387.	1.7	7
16	Effect of a pre-operative web-based dietary self-management intervention on patient satisfaction, body weight and quality of life of esophageal cancer patients: A prospective, observational study. <i>Clinical Nutrition Open Science</i> , 2022, 43, 42-55.	1.3	1
17	A prospective cohort study to evaluate continuous wound infusion with local analgesics within an enhanced recovery protocol after colorectal cancer surgery. <i>Colorectal Disease</i> , 2022, 24, 1172-1183.	1.4	2
18	Severity of oEsophageal Anastomotic Leak in patients after oesophagectomy: the SEAL score. <i>British Journal of Surgery</i> , 2022, 109, 864-871.	0.3	9

#	ARTICLE	IF	CITATIONS
19	Active Surveillance Versus Immediate Surgery in Clinically Complete Responders After Neoadjuvant Chemoradiotherapy for Esophageal Cancer. <i>Annals of Surgery</i> , 2021, 274, 1009-1016.	4.2	38
20	Is specimen radiography still necessary in patients with non-palpable breast cancer undergoing breast-conserving surgery using radioactive I-125 seed localization?. <i>Clinical Imaging</i> , 2021, 69, 311-317.	1.5	1
21	Effect of direct oral feeding following minimally invasive esophagectomy on costs and quality of life. <i>Journal of Medical Economics</i> , 2021, 24, 54-60.	2.1	8
22	Age-related differences in morbidity and mortality after surgery for primary clinical T4 and locally recurrent rectal cancer. <i>Colorectal Disease</i> , 2021, 23, 1141-1152.	1.4	6
23	A Phase II Study Demonstrates No Feasibility of Adjuvant Treatment with Six Cycles of S-1 and Oxaliplatin in Resectable Esophageal Adenocarcinoma, with ERCC1 as Biomarker for Response to SOX. <i>Cancers</i> , 2021, 13, 839.	3.7	2
24	Impact of a history of metastases or synchronous metastases on survival in patients with locally recurrent rectal cancer. <i>Colorectal Disease</i> , 2021, 23, 1120-1131.	1.4	4
25	Expectations of Continuous Vital Signs Monitoring for Recognizing Complications After Esophagectomy: Interview Study Among Nurses and Surgeons. <i>JMIR Perioperative Medicine</i> , 2021, 4, e22387.	1.0	8
26	Repeat breast-conserving treatment of ipsilateral breast cancer recurrence: a nationwide survey amongst breast surgeons and radiation oncologists in the Netherlands. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 499-514.	2.5	4
27	Laparoscopic Versus Open Gastrectomy for Gastric Cancer (LOGICA): A Multicenter Randomized Clinical Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 978-989.	1.6	107
28	Curative treatment of locally recurrent rectal cancer: is induction chemotherapy warranted?. <i>British Journal of Surgery</i> , 2021, 108, e213-e214.	0.3	4
29	Supervised exercise after oesophageal cancer surgery: the PERFECT multicentre randomized clinical trial. <i>British Journal of Surgery</i> , 2021, 108, 786-796.	0.3	12
30	Changes in hospital variation in the probability of receiving treatment with curative intent for esophageal and gastric cancer. <i>Cancer Epidemiology</i> , 2021, 71, 101897.	1.9	5
31	Implementation of a regional video multidisciplinary team meeting is associated with an improved prognosis for patients with oesophageal cancer A mixed methods approach. <i>European Journal of Surgical Oncology</i> , 2021, 47, 3088-3096.	1.0	9
32	Normal inflammatory markers and acute appendicitis: a national multicentre prospective cohort analysis. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1507-1513.	2.2	4
33	Induction chemotherapy followed by chemoradiotherapy versus chemoradiotherapy alone as neoadjuvant treatment for locally recurrent rectal cancer: study protocol of a multicentre, open-label, parallel-arms, randomized controlled study (PelvEx II). <i>BJS Open</i> , 2021, 5, .	1.7	7
34	Updated protocol of the SANO trial: a stepped-wedge cluster randomised trial comparing surgery with active surveillance after neoadjuvant chemoradiotherapy for oesophageal cancer. <i>Trials</i> , 2021, 22, 345.	1.6	54
35	Digital Self-Management Support Tools in the Care Plan of Patients With Cancer: Review of Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2021, 23, e20861.	4.3	18
36	Ten-Year Outcome of Neoadjuvant Chemoradiotherapy Plus Surgery for Esophageal Cancer: The Randomized Controlled CROSS Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 1995-2004.	1.6	291

#	ARTICLE	IF	CITATIONS
37	Intrathoracic vs Cervical Anastomosis After Totally or Hybrid Minimally Invasive Esophagectomy for Esophageal Cancer. <i>JAMA Surgery</i> , 2021, 156, 601.	4.3	65
38	Postoperative intensive care unit stay after minimally invasive esophagectomy shows large hospital variation. Results from the Dutch Upper Gastrointestinal Cancer Audit. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1961-1968.	1.0	9
39	Rate and predictors of nodal pathological complete response following neoadjuvant endocrine treatment in clinically biopsy-proven node-positive breast cancer patients. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1928-1933.	1.0	4
40	Patterns of recurrence following definitive chemoradiation for patients with proximal esophageal cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2016-2022.	1.0	9
41	Improved response rate in patients with prognostically poor locally advanced rectal cancer after treatment with induction chemotherapy and chemoradiotherapy when compared with chemoradiotherapy alone: A matched case-control study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2429-2435.	1.0	9
42	772 TREATMENT DECISION MAKING DURING THE OUTPATIENT CLINIC VISIT IN PATIENTS DIAGNOSED WITH ESOPHAGOGASTRIC CANCER, A MIXED METHOD DESIGN. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
43	Reasons for not reaching or using web-based self-management applications, and the use and evaluation of Oncokompas among cancer survivors, in the context of a randomised controlled trial. <i>Internet Interventions</i> , 2021, 25, 100429.	2.7	19
44	382 INTRATHORACIC VERSUS CERVICAL ANASTOMOSIS AFTER MINIMALLY INVASIVE ESOPHAGECTOMY FOR OESOPHAGEAL CANCER: A RANDOMIZED CONTROLLED TRIAL (ICAN TRIAL). <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
45	771 IMPACT OF NATIONWIDE CENTRALIZATION OF ESOPHAGEAL, GASTRIC, AND PANCREATIC SURGERY ON TRAVEL DISTANCE AND EXPERIENCED BURDEN IN THE NETHERLANDS. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
46	774 TEAM DYNAMICS AND CLINICIAN'S PERSONAL BELIEFS IN TREATMENT OPTIONS INFLUENCE MULTIDISCIPLINARY TREATMENT DECISION-MAKING DURING AN ONCOLOGIC UPPER GASTROINTESTINAL MULTIDISCIPLINARY TEAM-MEETING. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
47	Reply to: Use of induction chemotherapy in locally advanced rectal cancers to increase the response rates: Is it actually helping?. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2473-2474.	1.0	0
48	819 INSTITUTIONAL VARIATION IN THE ORGANIZATION OF CLINICAL PATHWAYS IN ESOPHAGOGASTRIC CANCER, A MIXED METHOD MULTIPLE CASE STUDY. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
49	Prognostic Implications of MRI-Detected EMVI and Tumor Deposits and Their Response to Neoadjuvant Therapy in cT3 and cT4 Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 816-825.	0.8	17
50	Nationwide registry study on trends in localization techniques and reoperation rates in non-palpable ductal carcinoma <i>in situ</i> and invasive breast cancer. <i>British Journal of Surgery</i> , 2021, 109, 53-60.	0.3	8
51	The eHealth self-management application "Oncokompas" that supports cancer survivors to improve health-related quality of life and reduce symptoms: which groups benefit most?. <i>Acta Oncologica</i> , 2021, 60, 403-411.	1.8	34
52	The Effect of Postoperative Complications After Minimally Invasive Esophagectomy on Long-term Survival. <i>Annals of Surgery</i> , 2021, 274, e1129-e1137.	4.2	54
53	Metabolic PET/CT response after induction chemotherapy and chemo(re)irradiation is associated with higher negative resection margins rate in patients with locally recurrent rectal cancer. <i>Colorectal Disease</i> , 2021, , .	1.4	3
54	Risk Factors for Failure of Direct Oral Feeding Following a Totally Minimally Invasive Esophagectomy. <i>Nutrients</i> , 2021, 13, 3616.	4.1	2

#	ARTICLE	IF	CITATIONS
55	The Burden of Peritoneal Metastases from Gastric Cancer: A Systematic Review on the Incidence, Risk Factors and Survival. <i>Journal of Clinical Medicine</i> , 2021, 10, 4882.	2.4	30
56	¹⁸ F-Fludeoxyglucoseâ€“Positron Emission Tomography/Computed Tomography and Laparoscopy for Staging of Locally Advanced Gastric Cancer. <i>JAMA Surgery</i> , 2021, 156, e215340.	4.3	31
57	ASO Visual Abstract: The Value of Paratracheal Lymphadenectomy in Esophagectomy for Adenocarcinoma of the Esophagus or Gastroesophageal Junction: a Systematic Review of the Literature. <i>Annals of Surgical Oncology</i> , 2021, , 1.	1.5	0
58	The Value of Paratracheal Lymphadenectomy in Esophagectomy for Adenocarcinoma of the Esophagus or Gastroesophageal Junction: A Systematic Review of the Literature. <i>Annals of Surgical Oncology</i> , 2021, , 1.	1.5	1
59	Outcomes on diverting ostomy formation and reversal after low anterior resection in the older more advanced rectal cancer patient. <i>European Journal of Surgical Oncology</i> , 2021, , .	1.0	2
60	Feeding protocol deviation after esophagectomy: A retrospective multicenter study. <i>Clinical Nutrition</i> , 2020, 39, 1258-1263.	5.0	9
61	Propensity Scoreâ€“Matched Analysis Comparing Minimally Invasive Ivor Lewis Versus Minimally Invasive Mckeown Esophagectomy. <i>Annals of Surgery</i> , 2020, 271, 128-133.	4.2	63
62	Role of eHealth application Oncokompas in supporting self-management of symptoms and health-related quality of life in cancer survivors: a randomised, controlled trial. <i>Lancet Oncology</i> , The, 2020, 21, 80-94.	10.7	121
63	Phase II Feasibility and Biomarker Study of Neoadjuvant Trastuzumab and Pertuzumab With Chemoradiotherapy for Resectable Human Epidermal Growth Factor Receptor 2â€“Positive Esophageal Adenocarcinoma: TRAP Study. <i>Journal of Clinical Oncology</i> , 2020, 38, 462-471.	1.6	44
64	Direct Oral Feeding Following Minimally Invasive Esophagectomy (NUTRIENT II trial). <i>Annals of Surgery</i> , 2020, 271, 41-47.	4.2	83
65	Fit-for-Discharge Criteria after Esophagectomy: An International Expert Delphi Consensus. <i>Ecological Management and Restoration</i> , 2020, 34, .	0.4	5
66	Local staging of ipsilateral breast tumor recurrence: mammography, ultrasound, or MRI?. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 385-395.	2.5	5
67	Multifocality in ipsilateral breast tumor recurrence - A study in ablative specimens. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1471-1476.	1.0	4
68	Micronutrient Deficiencies Following Minimally Invasive Esophagectomy for Cancer. <i>Nutrients</i> , 2020, 12, 778.	4.1	6
69	Improved Outcomes for Responders After Treatment with Induction Chemotherapy and Chemo(re)irradiation for Locally Recurrent Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 3503-3513.	1.5	24
70	Outcomes of urinary diversion after surgery for locally advanced or locally recurrent rectal cancer with complete cystectomy; ileal and colon conduit. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1160-1166.	1.0	4
71	Predicting outcomes of pelvic exenteration using machine learning. <i>Colorectal Disease</i> , 2020, 22, 1933-1940.	1.4	7
72	Paravertebral catheter versus EPidural analgesia in Minimally invasive Esophageal resectioN: a randomized controlled multicenter trial (PEPMEN trial). <i>BMC Cancer</i> , 2020, 20, 142.	2.6	15

#	ARTICLE	IF	CITATIONS
73	Carcinoembryonic antigen-specific, fluorescent image-guided cytoreductive surgery with hyperthermic intraperitoneal chemotherapy for metastatic colorectal cancer. <i>British Journal of Surgery</i> , 2020, 107, 334-337.	0.3	36
74	A national study to assess outcomes of definitive chemoradiation regimens in proximal esophageal cancer. <i>Acta Oncologica</i> , 2020, 59, 895-903.	1.8	10
75	Simultaneous pelvic exenteration and liver resection for primary rectal cancer with synchronous liver metastases: results from the PelvEx Collaborative. <i>Colorectal Disease</i> , 2020, 22, 1258-1262.	1.4	20
76	Randomized clinical trial on the effect of a supervised exercise program on quality of life, fatigue, and fitness following esophageal cancer treatment (PERFECT study).. <i>Journal of Clinical Oncology</i> , 2020, 38, 12055-12055.	1.6	1
77	Intrathoracic versus cervical anastomosis after minimally invasive esophagectomy for esophageal cancer: A randomized controlled trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, 4509-4509.	1.6	0
78	Significant improvement in postoperative and 1-year mortality after colorectal cancer surgery in recent years. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2052-2058.	1.0	27
79	Distribution of lymph node metastases in esophageal carcinoma [TIGER study]: study protocol of a multinational observational study. <i>BMC Cancer</i> , 2019, 19, 662.	2.6	62
80	Propensity score-matched analysis of oncological outcome between stent as bridge to surgery and emergency resection in patients with malignant left-sided colonic obstruction. <i>British Journal of Surgery</i> , 2019, 106, 1075-1086.	0.3	67
81	Resection of hepatic and pulmonary metastasis from metastatic esophageal and gastric cancer: a nationwide study. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.4	13
82	Prognostic impact of repeat sentinel lymph node biopsy in patients with ipsilateral breast tumour recurrence. <i>British Journal of Surgery</i> , 2019, 106, 574-585.	0.3	9
83	Low Risk of Development of a Regional Recurrence After an Unsuccessful Repeat Sentinel Lymph Node Biopsy in Patients with Ipsilateral Breast Tumor Recurrence. <i>Annals of Surgical Oncology</i> , 2019, 26, 2417-2427.	1.5	12
84	Screening for distant metastases in patients with ipsilateral breast tumor recurrence: the impact of different imaging modalities on distant recurrence-free interval. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 419-428.	2.5	3
85	The Importance of the Microbiome in Bariatric Surgery: a Systematic Review. <i>Obesity Surgery</i> , 2019, 29, 2338-2349.	2.1	47
86	Recurrence after preoperative chemotherapy and surgery for gastric adenocarcinoma: a multicenter study. <i>Gastric Cancer</i> , 2019, 22, 1263-1273.	5.3	45
87	Poor compliance with perioperative chemotherapy for resectable gastric cancer and its impact on survival. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1926-1933.	1.0	11
88	Impact of Age and Comorbidity on Choice and Outcome of Two Different Treatment Options for Patients with Potentially Curable Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 986-995.	1.5	26
89	Repeat breast-conserving therapy for ipsilateral breast cancer recurrence: A systematic review. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1317-1327.	1.0	40
90	O112 SURVEILLANCE USING FDG-UPTAKE IN THE PRIMARY TUMOUR ON PET/CT IN PATIENTS WITH OESOPHAGEAL CANCER AND A CLINICALLY COMPLETE RESPONSE AFTER NEOADJUVANT CHEMORADIOTHERAPY. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.4	1

#	ARTICLE	IF	CITATIONS
91	O200 10-YEAR FOLLOW-UP OF A RANDOMISED CONTROLLED TRIAL COMPARING NEOADJUVANT CHEMORADIO THERAPY PLUS SURGERY VERSUS SURGERY ALONE FOR OESOPHAGEAL OR JUNCTIONAL CANCER (CROSS). Ecological Management and Restoration, 2019, 32, .	0.4	0
92	O3 DIRECT ORAL FEEDING FOLLOWING MINIMALLY INVASIVE ESOPHAGECTOMY (NUTRIENT II TRIAL): AN INTERNATIONAL, MULTICENTER, OPEN-LABEL RANDOMIZED CONTROLLED TRIAL. Ecological Management and Restoration, 2019, 32, .	0.4	1
93	O19 OUTCOMES OF IVOR LEWIS VERSUS MCKEOWN OESOPHAGECTOMY FOR CANCER: A PROPENSITY SCORE MATCHED ANALYSIS OF THE NETHERLANDS CANCER REGISTRY. Ecological Management and Restoration, 2019, 32, .	0.4	0
94	Two-lung ventilation during prone minimally invasive thorascopic oesophagectomy. European Journal of Anaesthesiology, 2019, 36, 307-309.	1.7	4
95	Anastomotic Techniques and Associated Morbidity in Total Minimally Invasive Transthoracic Esophagectomy. Annals of Surgery, 2019, 270, 820-826.	4.2	68
96	A National Cohort Study Evaluating the Association Between Short-term Outcomes and Long-term Survival After Esophageal and Gastric Cancer Surgery. Annals of Surgery, 2019, 270, 868-876.	4.2	71
97	The Influence of Age on Complications and Overall Survival After Ivor Lewis Totally Minimally Invasive Esophagectomy. Journal of Gastrointestinal Surgery, 2019, 23, 1293-1300.	1.7	18
98	Learning Curve and Associated Morbidity of Minimally Invasive Esophagectomy. Annals of Surgery, 2019, 269, 88-94.	4.2	207
99	Trends in treatment and overall survival among patients with proximal esophageal cancer. World Journal of Gastroenterology, 2019, 25, 6835-6846.	3.3	13
100	Insights in work rehabilitation after minimally invasive esophagectomy. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 3457-3463.	2.4	1
101	Repeat Sentinel Lymph Node Biopsy for Ipsilateral Breast Tumor Recurrence: A Systematic Review of the Results and Impact on Prognosis. Annals of Surgical Oncology, 2018, 25, 1329-1339.	1.5	27
102	Impact of neoadjuvant chemoradiotherapy on health-related quality of life in long-term survivors of esophageal or junctional cancer: results from the randomized CROSS trial. Annals of Oncology, 2018, 29, 445-451.	1.2	50
103	Risk of Regional Recurrence After Negative Repeat Sentinel Lymph Node Biopsy in Patients with Ipsilateral Breast Tumor Recurrence. Annals of Surgical Oncology, 2018, 25, 1312-1321.	1.5	14
104	The administration of adjuvant chemo(-immuno) therapy in the post ACOSOG-Z0011 era; a population based study. European Journal of Surgical Oncology, 2018, 44, 1151-1156.	1.0	3
105	Safety and effectiveness of SGM-101, a fluorescent antibody targeting carcinoembryonic antigen, for intraoperative detection of colorectal cancer: a dose-escalation pilot study. The Lancet Gastroenterology and Hepatology, 2018, 3, 181-191.	8.1	146
106	Time interval between neoadjuvant chemoradiotherapy and surgery for oesophageal or junctional cancer: A nationwide study. European Journal of Cancer, 2018, 91, 76-85.	2.8	39
107	Hospital variation and the impact of postoperative complications on the use of perioperative chemo(radio)therapy in resectable gastric cancer. Results from the Dutch Upper GI Cancer Audit. European Journal of Surgical Oncology, 2018, 44, 532-538.	1.0	9
108	Perioperative lipid-enriched enteral nutrition versus standard care in patients undergoing elective colorectal surgery (SANICS II): a multicentre, double-blind, randomised controlled trial. The Lancet Gastroenterology and Hepatology, 2018, 3, 242-251.	8.1	28

#	ARTICLE	IF	CITATIONS
109	A structured training program for minimally invasive esophagectomy for esophageal cancer – a Delphi consensus study in Europe. <i>Ecological Management and Restoration</i> , 2018, 31, .	0.4	16
110	Evaluation of PET and laparoscopy in STAgIng advanced gastric cancer: a multicenter prospective study (PLASTIC-study). <i>BMC Cancer</i> , 2018, 18, 450.	2.6	28
111	Long-term survival improvement in oesophageal cancer in the Netherlands. <i>European Journal of Cancer</i> , 2018, 94, 138-147.	2.8	56
112	A Population-based Study on Lymph Node Retrieval in Patients with Esophageal Cancer: Results from the Dutch Upper Gastrointestinal Cancer Audit. <i>Annals of Surgical Oncology</i> , 2018, 25, 1211-1220.	1.5	39
113	Factors affecting outcomes following pelvic exenteration for locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, 650-657.	0.3	147
114	Definitive chemoradiation or surgery in elderly patients with potentially curable esophageal cancer in the Netherlands: a nationwide population-based study on patterns of care and survival. <i>Acta OncolÃ³gica</i> , 2018, 57, 1192-1200.	1.8	26
115	Trends on Axillary Surgery in Nondistant Metastatic Breast Cancer Patients Treated Between 2011 and 2015. <i>Annals of Surgery</i> , 2018, 268, 1084-1090.	4.2	52
116	Nationwide comprehensive gastro-intestinal cancer cohorts: the 3P initiative. <i>Acta OncolÃ³gica</i> , 2018, 57, 195-202.	1.8	55
117	The long-term effects of early oral feeding following minimal invasive esophagectomy. <i>Ecological Management and Restoration</i> , 2018, 31, 1-8.	0.4	30
118	Preliminary results of a cohort study of induction chemotherapy-based treatment for locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, 447-452.	0.3	27
119	Minimally invasive esophagectomy: a propensity score-matched analysis of semiprone versus prone position. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 2758-2765.	2.4	31
120	Hospital of Diagnosis Influences the Probability of Receiving Curative Treatment for Esophageal Cancer. <i>Annals of Surgery</i> , 2018, 267, 303-310.	4.2	25
121	Effect of Neoadjuvant Chemoradiotherapy on Health-Related Quality of Life in Esophageal or Junctional Cancer: Results From the Randomized CROSS Trial. <i>Journal of Clinical Oncology</i> , 2018, 36, 268-275.	1.6	91
122	RA03.01: A POPULATION-BASED STUDY ON LYMPH NODE RETRIEVAL IN PATIENTS WITH ESOPHAGEAL CANCER: RESULTS FROM THE DUTCH UPPER GASTROINTESTINAL CANCER AUDIT. <i>Ecological Management and Restoration</i> , 2018, 31, 22-23.	0.4	0
123	RA07.06: BASELINE FDG-PET/CT PARAMETERS AS PREDICTOR FOR RESIDUAL TUMOUR AFTER NEOADJUVANT CHEMORADIO THERAPY IN OESOPHAGEAL CANCER PATIENTS. <i>Ecological Management and Restoration</i> , 2018, 31, 35-35.	0.4	0
124	PS02.064: ACCURACY OF F-18-FDG-PET/CT IN MONITORING TUMOUR RESPONSE AFTER NEOADJUVANT CHEMORADIO THERAPY IN PATIENTS WITH OESOPHAGEAL CANCER. <i>Ecological Management and Restoration</i> , 2018, 31, 138-139.	0.4	0
125	Salvage endoscopic resection in patients with esophageal adenocarcinoma after chemoradiotherapy. <i>Endoscopy International Open</i> , 2018, 06, E1126-E1129.	1.8	4
126	Laparoscopic cholecystectomy versus percutaneous catheter drainage for acute cholecystitis in high risk patients (CHOCOLATE): multicentre randomised clinical trial. <i>BMJ: British Medical Journal</i> , 2018, 363, k3965.	2.3	166

#	ARTICLE	IF	CITATIONS
127	CRITICS-II: a multicentre randomised phase II trial of neo-adjuvant chemotherapy followed by surgery versus neo-adjuvant chemotherapy and subsequent chemoradiotherapy followed by surgery versus neo-adjuvant chemoradiotherapy followed by surgery in resectable gastric cancer. <i>BMC Cancer</i> , 2018, 18, 877.	2.6	115
128	Detection of residual disease after neoadjuvant chemoradiotherapy for oesophageal cancer (preSANO): a prospective multicentre, diagnostic cohort study. <i>Lancet Oncology</i> , The, 2018, 19, 965-974.	10.7	211
129	Predicting breast and axillary response after neoadjuvant treatment for breast cancer: The role of histology vs receptor status. <i>Breast Journal</i> , 2018, 24, 894-901.	1.0	4
130	Abdominal Drainage and Amylase Measurement for Detection of Leakage After Gastrectomy for Gastric Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 1163-1170.	1.7	12
131	Neoadjuvant chemoradiotherapy plus surgery versus active surveillance for oesophageal cancer: a stepped-wedge cluster randomised trial. <i>BMC Cancer</i> , 2018, 18, 142.	2.6	166
132	Prognostic implications of MRI-detected lateral nodal disease and extramural vascular invasion in rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, 1844-1852.	0.3	32
133	The rationale for and long-term outcome of incomplete axillary staging in elderly women with primary breast cancer. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1714-1719.	1.0	15
134	Overall survival before and after centralization of gastric cancer surgery in the Netherlands. <i>British Journal of Surgery</i> , 2018, 105, 1807-1815.	0.3	67
135	Timing of postoperative chemotherapy in patients undergoing perioperative chemotherapy and gastrectomy for gastric cancer. <i>Surgical Oncology</i> , 2018, 27, 421-427.	1.6	9
136	Feasibility study of trastuzumab (T) and pertuzumab (P) added to neoadjuvant chemoradiotherapy (nCRT) in resectable HER2+ esophageal adenocarcinoma (EAC) patients (pts): The TRAP study.. <i>Journal of Clinical Oncology</i> , 2018, 36, 4057-4057.	1.6	4
137	Perceived facilitators and barriers to physical exercise adherence in esophageal cancer patients after surgery.. <i>Journal of Clinical Oncology</i> , 2018, 36, 94-94.	1.6	0
138	Techniques and short-term outcomes for total minimally invasive Ivor Lewis esophageal resection in distal esophageal and gastroesophageal junction cancers: pooled data from six European centers. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 119-126.	2.4	55
139	Influence of the Extent and Dose of Radiation on Complications After Neoadjuvant Chemoradiation and Subsequent Esophagectomy With Gastric Tube Reconstruction With a Cervical Anastomosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 97, 813-821.	0.8	21
140	Randomized clinical trial of extended <i>i</i> versus <i>l</i> single-dose perioperative antibiotic prophylaxis for acute calculous cholecystitis. <i>British Journal of Surgery</i> , 2017, 104, e151-e157.	0.3	36
141	Breast MRI increases the number of mastectomies for ductal cancers, but decreases them for lobular cancers. <i>Breast Cancer Research and Treatment</i> , 2017, 162, 353-364.	2.5	39
142	Textbook outcome as a composite measure in oesophagogastric cancer surgery. <i>British Journal of Surgery</i> , 2017, 104, 742-750.	0.3	174
143	Breast magnetic resonance imaging use in patients undergoing neoadjuvant chemotherapy is associated with less mastectomies in large ductal cancers but not in lobular cancers. <i>European Journal of Cancer</i> , 2017, 81, 74-80.	2.8	9
144	Psoas hitch ureteral reimplantation after surgery for locally advanced and locally recurrent colorectal cancer: Complications and oncological outcome. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1869-1875.	1.0	13

#	ARTICLE	IF	CITATIONS
145	Defining Benchmarks for Transthoracic Esophagectomy. <i>Annals of Surgery</i> , 2017, 266, 814-821.	4.2	198
146	Improved Functional Results After Minimally Invasive Esophagectomy: Intrathoracic Versus Cervical Anastomosis. <i>Annals of Thoracic Surgery</i> , 2017, 103, 267-273.	1.3	82
147	Results of a pooled analysis of IOERT containing multimodality treatment for locally recurrent rectal cancer. <i>European Journal of Surgical Oncology</i> , 2017, 43, 107-117.	1.0	48
148	Physical Exercise Following Esophageal Cancer Treatment (PERFECT) study: design of a randomized controlled trial. <i>BMC Cancer</i> , 2017, 17, 552.	2.6	18
149	Perioperative antibiotic prophylaxis in the treatment of acute cholecystitis (PEANUTS II trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 390.	1.6	9
150	McKeown or Ivor Lewis totally minimally invasive esophagectomy for cancer of the esophagus and gastroesophageal junction: systematic review and meta-analysis. <i>Journal of Thoracic Disease</i> , 2017, 9, S826-S833.	1.4	71
151	Routine jejunostomy tube feeding following esophagectomy. <i>Journal of Thoracic Disease</i> , 2017, 9, S851-S860.	1.4	36
152	Axillary Response Monitoring After Neoadjuvant Chemotherapy in Breast Cancer. <i>Annals of Surgery</i> , 2016, 263, e28-e29.	4.2	5
153	Immediate Postoperative Oral Nutrition Following Esophagectomy: A Multicenter Clinical Trial. <i>Annals of Thoracic Surgery</i> , 2016, 102, 1141-1148.	1.3	81
154	Hospital of diagnosis and probability of having surgical treatment for resectable gastric cancer. <i>British Journal of Surgery</i> , 2016, 103, 233-241.	0.3	42
155	Patterns of Care in the Administration of Neo-adjuvant Chemotherapy for Breast Cancer. A Population-Based Study. <i>Breast Journal</i> , 2016, 22, 316-321.	1.0	40
156	Nutritional route in oesophageal resection trial II (NUTRIENT II): study protocol for a multicentre open-label randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e011979.	1.9	25
157	Delaying surgery after neoadjuvant chemoradiotherapy does not significantly influence postoperative morbidity or oncological outcome in patients with oesophageal adenocarcinoma. <i>European Journal of Surgical Oncology</i> , 2016, 42, 1183-1190.	1.0	19
158	Preserving the pulmonary vagus nerve branches during thoracoscopic esophagectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 3816-3822.	2.4	24
159	Management of the axilla after neoadjuvant chemotherapy for clinically node positive breast cancer: A nationwide survey study in The Netherlands. <i>European Journal of Surgical Oncology</i> , 2016, 42, 956-964.	1.0	26
160	Improvement in survival for patients with synchronous metastatic esophageal cancer in the south of the Netherlands from 1994 to 2013. <i>Acta Oncologica</i> , 2016, 55, 1161-1167.	1.8	7
161	Early outcomes from the Dutch Upper Gastrointestinal Cancer Audit. <i>British Journal of Surgery</i> , 2016, 103, 1855-1863.	0.3	121
162	Intrathoracic versus Cervical ANastomosis after minimally invasive esophagectomy for esophageal cancer: study protocol of the ICAN randomized controlled trial. <i>Trials</i> , 2016, 17, 505.	1.6	37

#	ARTICLE	IF	CITATIONS
163	Nasogastric decompression following esophagectomy: a systematic literature review and meta-analysis. <i>Ecological Management and Restoration</i> , 2016, 30, 1-8.	0.4	33
164	Internal and External Validation of a multivariable Model to Define Hospital-Acquired Pneumonia After Esophagectomy. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 680-687.	1.7	47
165	Differences in Response and Surgical Management with Neoadjuvant Chemotherapy in Invasive Lobular Versus Ductal Breast Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 51-57.	1.5	63
166	Stoma placement in obstructive rectal cancer prior to neo-adjuvant treatment and definitive surgery: A practical guideline. <i>European Journal of Surgical Oncology</i> , 2016, 42, 273-280.	1.0	6
167	Local Recurrence in the Lateral Lymph Node Compartment: Improved Outcomes with Induction Chemotherapy Combined with Multimodality Treatment. <i>Annals of Surgical Oncology</i> , 2016, 23, 1883-1889.	1.5	12
168	Perioperative Treatment, Not Surgical Approach, Influences Overall Survival in Patients with Gastroesophageal Junction Tumors: A Nationwide, Population-Based Study in The Netherlands. <i>Annals of Surgical Oncology</i> , 2016, 23, 1632-1638.	1.5	14
169	Impact of comorbidity in the choice of curative treatment for esophageal cancer: A population-based study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 131-131.	1.6	1
170	Results of intraoperative electron beam radiotherapy containing multimodality treatment for locally unresectable T4 rectal cancer: a pooled analysis of the Mayo Clinic Rochester and Catharina Hospital Eindhoven. <i>Journal of Gastrointestinal Oncology</i> , 2016, 7, 903-916.	1.4	22
171	Topography and extent of pulmonary vagus nerve supply with respect to transthoracic oesophagectomy. <i>Journal of Anatomy</i> , 2015, 227, 431-439.	1.5	34
172	Prospective nationwide outcome audit of surgery for suspected acute appendicitis. <i>British Journal of Surgery</i> , 2015, 103, 144-151.	0.3	80
173	Determinants in decision making for curative treatment and survival in patients with resectable oesophageal cancer in the Netherlands: a population-based study. <i>Cancer Epidemiology</i> , 2015, 39, 863-869.	1.9	3
174	Leaving a Mobilized Thoracic Esophagus In Situ When Incurable Cancer Is Discovered Intraoperatively. <i>Annals of Thoracic Surgery</i> , 2015, 99, 490-494.	1.3	3
175	Contralateral lymph node recurrence in breast cancer: Regional event rather than distant metastatic disease. A systematic review of the literature. <i>European Journal of Surgical Oncology</i> , 2015, 41, 1128-1136.	1.0	51
176	Neoadjuvant chemoradiotherapy plus surgery versus surgery alone for oesophageal or junctional cancer (CROSS): long-term results of a randomised controlled trial. <i>Lancet Oncology</i> , The, 2015, 16, 1090-1098.	10.7	1,861
177	Comparable survival for young rectal cancer patients, despite unfavourable morphology and more advanced-stage disease. <i>European Journal of Cancer</i> , 2015, 51, 1675-1682.	2.8	28
178	Radiation dose does not influence anastomotic complications in patients with esophageal cancer treated with neoadjuvant chemoradiation and transhiatal esophagectomy. <i>Radiation Oncology</i> , 2015, 10, 59.	2.7	26
179	The effects of stimulation of the autonomic nervous system via perioperative nutrition on postoperative ileus and anastomotic leakage following colorectal surgery (SANICS II trial): a study protocol for a double-blind randomized controlled trial. <i>Trials</i> , 2015, 16, 20.	1.6	13
180	Does Extended Surgery Influence Health-Related Quality of Life in Patients With Rectal Cancer?. <i>Diseases of the Colon and Rectum</i> , 2015, 58, 179-185.	1.3	8

#	ARTICLE	IF	CITATIONS
181	Laparoscopic versus open gastrectomy for gastric cancer, a multicenter prospectively randomized controlled trial (LOGICA-trial). <i>BMC Cancer</i> , 2015, 15, 556.	2.6	92
182	Improving the Success Rate of Repeat Sentinel Node Biopsy in Recurrent Breast Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 529-535.	1.5	18
183	Repeat sentinel node biopsy should be considered in patients with locally recurrent breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015, 153, 549-556.	2.5	38
184	Routes for early enteral nutrition after esophagectomy. A systematic review. <i>Clinical Nutrition</i> , 2015, 34, 1-6.	5.0	118
185	Accuracy of Detecting Residual Disease After Cross Neoadjuvant Chemoradiotherapy for Esophageal Cancer (preSANO Trial): Rationale and Protocol. <i>JMIR Research Protocols</i> , 2015, 4, e79.	1.0	69
186	Diagnostic value of drain amylase for detecting intrathoracic leakage after esophagectomy. <i>World Journal of Gastroenterology</i> , 2015, 21, 9118.	3.3	29
187	Survival after pelvic exenteration for T4 rectal cancer. <i>British Journal of Surgery</i> , 2014, 102, 125-131.	0.3	53
188	Study protocol for the nutritional route in oesophageal resection trial: a single-arm feasibility trial (NUTRIENT trial). <i>BMJ Open</i> , 2014, 4, e004557-e004557.	1.9	14
189	Feasibility of reirradiation in the treatment of locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2014, 101, 1280-1289.	0.3	53
190	Lymph Node Retrieval During Esophagectomy With and Without Neoadjuvant Chemoradiotherapy. <i>Annals of Surgery</i> , 2014, 260, 786-793.	4.2	134
191	Reduction of Postoperative Ileus by Early Enteral Nutrition in Patients Undergoing Major Rectal Surgery. <i>Annals of Surgery</i> , 2014, 259, 649-655.	4.2	157
192	Anastomotic leakage and presacral abscess formation after locally advanced rectal cancer surgery: Incidence, risk factors and treatment. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1502-1509.	1.0	53
193	Abdominosacral resection: Long-term outcome in 86 patients with locally advanced or locally recurrent rectal cancer. <i>European Journal of Surgical Oncology</i> , 2014, 40, 699-705.	1.0	24
194	A Model to Predict Pathologic Complete Response of Axillary Lymph Nodes to Neoadjuvant Chemo(Immuno)Therapy in Patients With Clinically Node-Positive Breast Cancer. <i>Clinical Breast Cancer</i> , 2014, 14, 315-322.	2.4	44
195	Radiotherapy or surgery of the axilla after a positive sentinel node in breast cancer (EORTC Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj 5 Oncology, The, 2014, 15, 1303-1310.	10.7	1,356
196	Efficacy of six month neoadjuvant endocrine therapy in postmenopausal, hormone receptor-positive breast cancer patients â€œ A phase II trial. <i>European Journal of Cancer</i> , 2014, 50, 2190-2200.	2.8	67
197	The individual and combined effect of colorectal cancer and diabetes on health-related quality of life and sexual functioning: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2014, 22, 3071-3079.	2.2	15
198	Hospital of diagnosis and probability to receive a curative treatment for oesophageal cancer. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1338-1345.	1.0	22

#	ARTICLE	IF	CITATIONS
199	Detection of local recurrence following breast-conserving treatment in young women with early breast cancer: Optimization of long-term follow-up strategies. <i>Breast</i> , 2013, 22, 351-356.	2.2	11
200	Intraoperative radiotherapy and cytoreductive surgery with hyperthermic intraperitoneal chemotherapy. <i>Strahlentherapie Und Onkologie</i> , 2013, 189, 256-260.	2.0	11
201	Comparison of the sentinel node procedure between patients with multifocal and unifocal breast cancer in the EORTC 10981-22023 AMAROS Trial: Identification rate and nodal outcome. <i>European Journal of Cancer</i> , 2013, 49, 2093-2100.	2.8	37
202	Influence of Comorbidity and Age on 1-, 2-, and 3-Month Postoperative Mortality Rates in Gastrointestinal Cancer Patients. <i>Annals of Surgical Oncology</i> , 2013, 20, 371-380.	1.5	97
203	Quality of life of older rectal cancer patients is not impaired by a permanent stoma. <i>European Journal of Surgical Oncology</i> , 2013, 39, 164-170.	1.0	63
204	Local recurrence following breast-conserving treatment in women aged 40years or younger: Trends in risk and the impact on prognosis in a population-based cohort of 1143 patients. <i>European Journal of Cancer</i> , 2013, 49, 3093-3101.	2.8	92
205	Patterns and determinants of surgical management of screen detected breast cancer in the South-East Netherlands. <i>Breast</i> , 2013, 22, 713-717.	2.2	7
206	Sentinel Node and Recurrent Breast Cancer (SNARB): Results of a Nationwide Registration Study. <i>Annals of Surgical Oncology</i> , 2013, 20, 620-626.	1.5	55
207	Repeat sentinel node biopsy in patients with locally recurrent breast cancer: a systematic review and meta-analysis of the literature. <i>Breast Cancer Research and Treatment</i> , 2013, 138, 13-20.	2.5	88
208	Rising incidence, no change in survival and decreasing mortality from thyroid cancer in The Netherlands since 1989. <i>Endocrine-Related Cancer</i> , 2013, 20, 263-271.	3.1	43
209	No improvement in median survival for patients with metastatic gastric cancer despite increased use of chemotherapy. <i>Annals of Oncology</i> , 2013, 24, 3056-3060.	1.2	126
210	Strategies to reduce pulmonary complications after esophagectomy. <i>World Journal of Gastroenterology</i> , 2013, 19, 6509.	3.3	49
211	Radiotherapy or surgery of the axilla after a positive sentinel node in breast cancer patients: Final analysis of the EORTC AMAROS trial (10981/22023).. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA1001-LBA1001.	1.6	25
212	Radiotherapy or surgery of the axilla after a positive sentinel node in breast cancer patients: Final analysis of the EORTC AMAROS trial (10981/22023).. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA1001-LBA1001.	1.6	69
213	Early severe mediastinal bleeding after esophagectomy: a potentially lethal complication. <i>Journal of Thoracic Disease</i> , 2013, 5, E58-60.	1.4	2
214	Perineal Hernia Repair After Abdominoperineal Rectal Excision. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 90-95.	1.3	69
215	Patent blue staining as a method to improve lymph node detection in rectal cancer following neoadjuvant treatment. <i>European Journal of Surgical Oncology</i> , 2012, 38, 252-258.	1.0	10
216	Increased Resection Rates and Survival Among Patients Aged 75 Years and Older with Esophageal Cancer: A Dutch Nationwide Population-Based Study. <i>World Journal of Surgery</i> , 2012, 36, 2872-2878.	1.6	22

#	ARTICLE	IF	CITATIONS
217	Preoperative Chemoradiotherapy for Esophageal or Junctional Cancer. <i>New England Journal of Medicine</i> , 2012, 366, 2074-2084.	27.0	4,296
218	Acute cholecystitis in high risk surgical patients: percutaneous cholecystostomy versus laparoscopic cholecystectomy (CHOCOLATE trial): Study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 7.	1.6	97
219	Hormone Treatment without Surgery for Patients Aged 75 Years or Older with Operable Breast Cancer. <i>Indian Journal of Surgical Oncology</i> , 2012, 3, 50-56.	0.7	0
220	An abnormal screening mammogram causes more anxiety than a palpable lump in benign breast disease. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 253-258.	2.5	14
221	Combined anxiety and depressive symptoms before diagnosis of breast cancer. <i>Journal of Affective Disorders</i> , 2012, 136, 895-901.	4.1	48
222	Anxiety after an abnormal screening mammogram is a serious problem. <i>Breast</i> , 2012, 21, 83-88.	2.2	26
223	Lymphatic mapping after previous breast surgery. <i>Breast</i> , 2012, 21, 444-448.	2.2	25
224	Hormone Treatment without Surgery for Patients Aged 75 Years or Older with Operable Breast Cancer. <i>Annals of Surgical Oncology</i> , 2012, 19, 1185-1191.	1.5	32
225	Presence of symptoms and timing of surgery do not affect the prognosis of patients with primary metastatic breast cancer. <i>European Journal of Surgical Oncology</i> , 2011, 37, 883-889.	1.0	15
226	Are breast conservation and mastectomy equally effective in the treatment of young women with early breast cancer? Long-term results of a population-based cohort of 1,451 patients aged 40 years. <i>Breast Cancer Research and Treatment</i> , 2011, 127, 207-215.	2.5	72
227	Impact of concentration of oesophageal and gastric cardia cancer surgery on long-term population-based survival. <i>British Journal of Surgery</i> , 2011, 98, 956-963.	0.3	51
228	Half of breast cancer patients discontinue tamoxifen and any endocrine treatment before the end of the recommended treatment period of 5 years: a population-based analysis. <i>Breast Cancer Research and Treatment</i> , 2010, 122, 843-851.	2.5	112
229	Localization of non-palpable breast cancer using a radiolabelled titanium seed. <i>British Journal of Surgery</i> , 2010, 97, 1240-1245.	0.3	53
230	Neoadjuvant radiotherapy of primary irresectable unicentric Castleman's disease: a case report and review of the literature. <i>Radiation Oncology</i> , 2010, 5, 7.	2.7	40
231	Absence of Tumor Invasion into Pelvic Structures in Locally Recurrent Rectal Cancer: Prediction with Preoperative MR Imaging. <i>Radiology</i> , 2010, 256, 143-150.	7.3	68
232	Identification of residual breast tumour localization after neo-adjuvant chemotherapy using a radioactive 125 Iodine seed. <i>European Journal of Surgical Oncology</i> , 2010, 36, 164-169.	1.0	37
233	Staging and management of axillary lymph nodes in patients with local recurrence in the breast or chest wall after a previous negative sentinel node procedure. <i>European Journal of Surgical Oncology</i> , 2010, 36, 646-651.	1.0	29
234	Age-Related Variations in the Use of Axillary Staging May Explain the Increased Risk of Axillary Lymph Node Involvement in Older Women With Breast Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, e276-e277.	1.6	3

#	ARTICLE	IF	CITATIONS
235	Stage migration due to introduction of the sentinel node procedure: a population-based study. <i>Breast Cancer Research and Treatment</i> , 2009, 113, 173-179.	2.5	46
236	Neoadjuvant Radiochemotherapy Increases Matrix Metalloproteinase Activity in Healthy Tissue in Esophageal Cancer Patients. <i>Annals of Surgical Oncology</i> , 2009, 16, 1384-1389.	1.5	9
237	Local recurrence in rectal cancer can be predicted by histopathological factors. <i>European Journal of Surgical Oncology</i> , 2009, 35, 1071-1077.	1.0	79
238	The impact of postmastectomy radiotherapy on local control in patients with invasive lobular breast cancer. <i>Radiotherapy and Oncology</i> , 2009, 91, 49-53.	0.6	9
239	On the rising trends of incidence and prognosis for breast cancer patients diagnosed 1975â€“2004: a long-term population-based study in southeastern Netherlands. <i>Cancer Causes and Control</i> , 2008, 19, 97-106.	1.8	64
240	Omentoplasty in rectal cancer surgery prolongs post-operative ileus. <i>International Journal of Colorectal Disease</i> , 2008, 23, 165-169.	2.2	11
241	NEOadjuvant therapy monitoring with PET and CT in Esophageal Cancer (NEOPEC-trial). <i>BMC Medical Physics</i> , 2008, 8, 3.	2.4	13
242	A Highly Active and Tolerable Neoadjuvant Regimen Combining Paclitaxel, Carboplatin, 5-FU, and Radiation Therapy in Patients with Stage II and III Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 88-95.	1.5	20
243	Substantial increase in the use of adjuvant systemic treatment for early stage breast cancer reflects changes in guidelines in the period 1990â€“2006 in the southeastern Netherlands. <i>European Journal of Cancer</i> , 2008, 44, 1846-1854.	2.8	36
244	Preoperative radiochemotherapy is successful also in patients with locally advanced rectal cancer who have intrinsically high apoptotic tumours. <i>Annals of Oncology</i> , 2008, 19, 2026-2032.	1.2	16
245	Pre-Operative Staging with Positron Emission Tomography in Patients with Pelvic Recurrence of Rectal Cancer. <i>Digestive Surgery</i> , 2008, 25, 202-207.	1.2	20
246	Circumferential Margin Involvement Is the Crucial Prognostic Factor after Multimodality Treatment in Patients with Locally Advanced Rectal Carcinoma. <i>Clinical Cancer Research</i> , 2007, 13, 6617-6623.	7.0	141
247	A comparison of quality of life, disease impact and risk perception in women with invasive breast cancer and ductal carcinoma in situ. <i>European Journal of Cancer</i> , 2007, 43, 549-556.	2.8	81
248	Survival of elderly rectal cancer patients not improved: Analysis of population based data on the impact of TME surgery. <i>European Journal of Cancer</i> , 2007, 43, 2295-2300.	2.8	99
249	Clinical epidemiology of breast cancer in the elderly. <i>European Journal of Cancer</i> , 2007, 43, 2242-2252.	2.8	77
250	Survival after negative sentinel lymph node biopsy in breast cancer at least equivalent to after negative extensive axillary dissection. <i>European Journal of Surgical Oncology</i> , 2007, 33, 832-837.	1.0	30
251	The safety of breast-conserving therapy in patients with breast cancer aged â‰¥40 years. <i>Cancer</i> , 2007, 109, 1957-1964.	4.1	56
252	Margin status and the risk of local recurrence after breast-conserving treatment of lobular breast cancer. <i>Breast Cancer Research and Treatment</i> , 2007, 105, 63-68.	2.5	44

#	ARTICLE	IF	CITATIONS
253	Clinical management of women with metastatic breast cancer: a descriptive study according to age group. <i>BMC Cancer</i> , 2006, 6, 179.	2.6	114
254	Cardiac tamponade: an unusual, lifethreatening complication after transhiatal resection of the esophagus. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2006, 6, 238-239.	1.1	7
255	Papillary carcinoma in a thyroglossal duct. <i>Acta OncolÃ³gica</i> , 2006, 45, 332-334.	1.8	4
256	Less extensive treatment and inferior prognosis for breast cancer patient with comorbidity: A population-based study. <i>European Journal of Cancer</i> , 2005, 41, 779-785.	2.8	197
257	Treatment of locally advanced rectal cancer. <i>Surgical Oncology</i> , 2004, 13, 137-147.	1.6	14
258	Comparison of morbidity between axillary lymph node dissection and sentinel node biopsy. <i>European Journal of Surgical Oncology</i> , 2003, 29, 341-350.	1.0	251
259	The gut: the "motor" of multiple organ dysfunction syndrome?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 1999, 2, 399-404.	2.5	59
260	The gut: the "motor" of multiple organ dysfunction syndrome?. <i>Current Opinion in Critical Care</i> , 1999, 5, 126.	3.2	5
261	Elimination of Various Subpopulations of Macrophages and the Development of Multiple-Organ Dysfunction Syndrome in Mice. <i>Archives of Surgery</i> , 1997, 132, 533.	2.2	13
262	ORGAN DAMAGE IS PRECEDED BY CHANGES IN PROTEIN EXTRAVASATION IN AN EXPERIMENTAL MODEL OF MULTIPLE ORGAN DYSFUNCTION SYNDROME. <i>Shock</i> , 1997, 7, 98-104.	2.1	17
263	Experimental Multiple Organ Failure and Gut Dysfunction. <i>Update in Intensive Care and Emergency Medicine</i> , 1996, , 164-176.	0.6	0
264	Deficiency of complement factor C5 reduces early mortality but does not prevent organ damage in an animal model of multiple organ dysfunction syndrome. <i>Critical Care Medicine</i> , 1995, 23, 1686-1693.	0.9	17
265	Macrophage Elimination Increases Bacterial Translocation and Gut-Origin Septicemia but Attenuates Symptoms and Mortality Rate in a Model of Systemic Inflammation. <i>Annals of Surgery</i> , 1993, 218, 791-799.	4.2	62
266	Cytokine Patterns in Patients After Major Vascular Surgery, Hemorrhagic Shock, and Severe Blunt Trauma Relation with Subsequent Adult Respiratory Distress Syndrome and Multiple Organ Failure. <i>Annals of Surgery</i> , 1993, 218, 769-776.	4.2	575