

Paula Schmidt Azevedo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5192873/publications.pdf>

Version: 2024-02-01

118
papers

2,166
citations

279701

23
h-index

302012

39
g-index

123
all docs

123
docs citations

123
times ranked

3270
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Serum Myostatin Levels, Hospital Mortality, and Muscle Mass and Strength Following ST-Elevation Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2022, 31, 365-371.	0.2	5
2	Association between frailty and C-terminal agrin fragment with 3-month mortality following ST-elevation myocardial infarction. <i>Experimental Gerontology</i> , 2022, 158, 111658.	1.2	5
3	The Role of Extracellular Matrix in the Experimental Acute Aortic Regurgitation Model in Rats. <i>Heart Lung and Circulation</i> , 2022, , .	0.2	2
4	A��sai supplementation (<i>Euterpe oleracea</i> Mart.) attenuates cardiac remodeling after myocardial infarction in rats through different mechanistic pathways. <i>PLoS ONE</i> , 2022, 17, e0264854.	1.1	8
5	The role of glucose metabolism and insulin resistance in cardiac remodelling induced by cigarette smoke exposure. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 1314-1318.	1.6	9
6	Urea to albumin ratio is a predictor of mortality in patients with septic shock. <i>Clinical Nutrition ESPEN</i> , 2021, 42, 361-365.	0.5	5
7	Suplementa��o de Vitamina D Induz Remodela��o Card��aca em Ratos: Associa��o com a Prote��na de Intera��o com a Tiorredoxina e a Tiorredoxina. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 970-978.	0.3	4
8	Green Tea (<i>Camellia sinensis</i>) Extract Increased Topoisomerase II��, Improved Antioxidant Defense, and Attenuated Cardiac Remodeling in an Acute Doxorubicin Toxicity Model. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-10.	1.9	10
9	Influ��ncia do Consumo de Suco de Laranja (<i>Citrus Sinensis</i>) na Remodela��o Card��aca de Ratos Submetidos a Infarto do Mioc��rdio. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 1127-1136.	0.3	7
10	Current perspectives on defining and mitigating frailty in relation to critical illness. <i>Clinical Nutrition</i> , 2021, 40, 5430-5437.	2.3	3
11	Overcoming protein-energy malnutrition in older adults in the residential care setting: A narrative review of causes and interventions. <i>Ageing Research Reviews</i> , 2021, 70, 101401.	5.0	19
12	Pera orange (<i>Citrus sinensis</i>) and Moro orange (<i>Citrus sinensis</i> (L.) Osbeck) juices attenuate left ventricular dysfunction and oxidative stress and improve myocardial energy metabolism in acute doxorubicin-induced cardiotoxicity in rats. <i>Nutrition</i> , 2021, 91-92, 111350.	1.1	13
13	Meal timing and frequency implications in the development and prognosis of chronic kidney disease. <i>Nutrition</i> , 2021, 91-92, 111427.	1.1	0
14	The evident and the hidden factors of vitamin D status in older people during COVID-19 pandemic. <i>Nutrire</i> , 2021, 46, .	0.3	4
15	Insights Into Thiamine Supplementation in Patients With Septic Shock. <i>Frontiers in Medicine</i> , 2021, 8, 805199.	1.2	10
16	Orange Juice Attenuates Circulating miR-150-5p, miR-25-3p, and miR-451a in Healthy Smokers: A Randomized Crossover Study. <i>Frontiers in Nutrition</i> , 2021, 8, 775515.	1.6	5
17	Skipping breakfast concomitant with late-night dinner eating is associated with worse outcomes following ST-segment elevation myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2311-2313.	0.8	9
18	Identifying and managing frailty in a Brazil context. <i>JBIM Database of Systematic Reviews and Implementation Reports</i> , 2020, 18, 1.	1.7	2

#	ARTICLE	IF	CITATIONS
19	Dysphagia and tube feeding after stroke are associated with poorer functional and mortality outcomes. <i>Clinical Nutrition</i> , 2020, 39, 2786-2792.	2.3	36
20	<i>Spondias mombin</i> L. attenuates ventricular remodelling after myocardial infarction associated with oxidative stress and inflammatory modulation. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 7862-7872.	1.6	14
21	Comparison of morphometry and ventricular function of healthy and smoking young people. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 66.	0.7	6
22	<i>Euterpe Oleracea</i> Mart. (Açaí) Reduces Oxidative Stress and Improves Energetic Metabolism in Myocardial Ischemia-Reperfusion Injury in Rats. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 114, 78-86.	0.3	15
23	Evaluation of peptidylarginine deiminase 4 and PADI4 polymorphisms in sepsis-induced acute kidney injury. <i>Revista Da Associação Médica Brasileira</i> , 2020, 66, 1515-1520.	0.3	4
24	Embolic stroke of undetermined source (ESUS) cohort of Brazilian patients in a university hospital. <i>Arquivos De Neuro-Psiquiatria</i> , 2019, 77, 315-320.	0.3	2
25	Role of Thiamin in Health and Disease. <i>Nutrition in Clinical Practice</i> , 2019, 34, 558-564.	1.1	55
26	Protein Carbonyl, But Not Malondialdehyde, Is Associated With ICU Mortality in Patients With Septic Shock. <i>Journal of Intensive Care Medicine</i> , 2019, 34, 669-673.	1.3	8
27	<i>Euterpe oleracea</i> Mart. (Açaí) Supplementation Attenuates Acute Doxorubicin-Induced Cardiotoxicity in Rats. <i>Cellular Physiology and Biochemistry</i> , 2019, 53, 388-399.	1.1	18
28	Performance of cardiovascular risk scores in mortality prediction ten years after Acute Coronary Syndromes. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 1074-1079.	0.3	0
29	Adductor Pollicis Muscle Thickness and Obesity Are Associated with Poor Outcome after Stroke: A Cohort Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 1375-1380.	0.7	2
30	Protein carbonyl concentration as a biomarker for development and mortality in sepsis-induced acute kidney injury. <i>Bioscience Reports</i> , 2018, 38, .	1.1	11
31	Lipid damage is the best marker of oxidative injury during the cardiac remodeling process induced by tobacco smoke. <i>BMC Pharmacology & Toxicology</i> , 2018, 19, 74.	1.0	9
32	Zinc Supplementation Attenuates Cardiac Remodeling After Experimental Myocardial Infarction. <i>Cellular Physiology and Biochemistry</i> , 2018, 50, 353-362.	1.1	15
33	<i>Spondias mombin</i> supplementation attenuated cardiac remodelling process induced by tobacco smoke. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3996-4004.	1.6	8
34	Peptidylarginine deiminase 4 concentration, but not PADI4 polymorphisms, is associated with ICU mortality in septic shock patients. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 4732-4737.	1.6	23
35	Erythrocyte SOD1 activity, but not SOD1 polymorphisms, is associated with ICU mortality in patients with septic shock. <i>Free Radical Biology and Medicine</i> , 2018, 124, 199-204.	1.3	3
36	Goldman score, but not Detsky or Lee indices, predicts mortality 6 months after hip fracture. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 134.	0.8	12

#	ARTICLE	IF	CITATIONS
37	Cardiac Remodeling Induced by All-Trans Retinoic Acid is Detrimental in Normal Rats. Cellular Physiology and Biochemistry, 2017, 43, 1449-1459.	1.1	13
38	Phase angle is associated with the length of ICU stay in patients with non-ST elevation acute coronary syndrome. Nutrire, 2017, 42, .	0.3	4
39	Impact of coronary intensive care unit in treatment of myocardial infarction. Revista Da Associação Médica Brasileira, 2017, 63, 242-247.	0.3	2
40	Tomato (Lycopersicon esculentum) or lycopene supplementation attenuates ventricular remodeling after myocardial infarction through different mechanistic pathways. Journal of Nutritional Biochemistry, 2017, 46, 117-124.	1.9	41
41	Rosemary supplementation (Rosmarinus officinalis L.) attenuates cardiac remodeling after myocardial infarction in rats. PLoS ONE, 2017, 12, e0177521.	1.1	15
42	Thiamine as a metabolic resuscitator in septic shock: one size does not fit all. Journal of Thoracic Disease, 2016, 8, E471-E472.	0.6	8
43	Cardiac Remodeling: Concepts, Clinical Impact, Pathophysiological Mechanisms and Pharmacologic Treatment. Arquivos Brasileiros De Cardiologia, 2016, 106, 62-9.	0.3	233
44	Erythrocyte superoxide dismutase as a biomarker of septic acute kidney injury. Annals of Intensive Care, 2016, 6, 95.	2.2	21
45	Green tea (Cammellia sinensis) attenuates ventricular remodeling after experimental myocardial infarction. International Journal of Cardiology, 2016, 225, 147-153.	0.8	22
46	Pamidronate Attenuates Oxidative Stress and Energetic Metabolism Changes but Worsens Functional Outcomes in Acute Doxorubicin-Induced Cardiotoxicity in Rats. Cellular Physiology and Biochemistry, 2016, 40, 431-442.	1.1	10
47	Vitamin D role in smoking women and cardiac remodeling. Nutrire, 2016, 41, .	0.3	6
48	Endothelial Nogo-B regulates sphingolipid biosynthesis to promote pathological cardiac hypertrophy during chronic pressure overload. JCI Insight, 2016, 1, .	2.3	49
49	Pentoxifylline Attenuates Cardiac Remodeling Induced by Tobacco Smoke Exposure. Arquivos Brasileiros De Cardiologia, 2016, 106, 396-403.	0.3	9
50	Roles of the Taql and Bsml vitamin D receptor gene polymorphisms in hospital mortality of burn patients. Clinics, 2016, 71, 470-473.	0.6	1
51	Association between Functional Variables and Heart Failure after Myocardial Infarction in Rats. Arquivos Brasileiros De Cardiologia, 2016, 106, 105-12.	0.3	8
52	Tomato (Lycopersicon esculentum) Supplementation Induces Changes in Cardiac miRNA Expression, Reduces Oxidative Stress and Left Ventricular Mass, and Improves Diastolic Function. Nutrients, 2015, 7, 9640-9649.	1.7	12
53	Vitamin D serum levels are associated with handgrip strength but not with muscle mass or length of hospital stay after hip fracture. Nutrition, 2015, 31, 931-934.	1.1	31
54	Acute Doxorubicin-Induced Cardiotoxicity is Associated with Matrix Metalloproteinase-2 Alterations in Rats. Cellular Physiology and Biochemistry, 2015, 35, 1924-1933.	1.1	46

#	ARTICLE	IF	CITATIONS
55	Pamidronate Attenuates Diastolic Dysfunction Induced by Myocardial Infarction Associated with Changes in Geometric Patterning. <i>Cellular Physiology and Biochemistry</i> , 2015, 35, 259-269.	1.1	7
56	Obesity: A Growing Multifaceted Problem. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 105, 448-9.	0.3	5
57	The Role of Lipotoxicity in Smoke Cardiomyopathy. <i>PLoS ONE</i> , 2014, 9, e113739.	1.1	25
58	Left ventricular sphericity index predicts systolic dysfunction in rats with experimental aortic regurgitation. <i>Journal of Applied Physiology</i> , 2014, 116, 1259-1262.	1.2	6
59	Serum thiamine concentration and oxidative stress as predictors of mortality in patients with septic shock. <i>Journal of Critical Care</i> , 2014, 29, 249-252.	1.0	81
60	Vitamin D supplementation intensifies cardiac remodeling after experimental myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 176, 1225-1226.	0.8	7
61	Erythrocyte selenium concentration predicts intensive care unit and hospital mortality in patients with septic shock: a prospective observational study. <i>Critical Care</i> , 2014, 18, R92.	2.5	21
62	Vitamin D Induces Increased Systolic Arterial Pressure via Vascular Reactivity and Mechanical Properties. <i>PLoS ONE</i> , 2014, 9, e98895.	1.1	23
63	Impact of Different Obesity Assessment Methods after Acute Coronary Syndromes. <i>Arquivos Brasileiros De Cardiologia</i> , 2014, 103, 19-24.	0.3	5
64	Infarct Size as Predictor of Systolic Functional Recovery after Myocardial Infarction. <i>Arquivos Brasileiros De Cardiologia</i> , 2014, 102, 549-56.	0.3	5
65	Nutrition and Cardiology: An Interface not to be Ignored. <i>Arquivos Brasileiros De Cardiologia</i> , 2014, 103, 87-8.	0.3	2
66	Taurine attenuates cardiac remodeling after myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 168, 4925-4926.	0.8	10
67	Delayed rather than early exercise training attenuates ventricular remodeling after myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 170, e3-e4.	0.8	10
68	Cardiac remodeling induced by 13-cis retinoic acid treatment in acne patients. <i>International Journal of Cardiology</i> , 2013, 163, 68-71.	0.8	6
69	Waist circumference, but not body mass index, is a predictor of ventricular remodeling after anterior myocardial infarction. <i>Nutrition</i> , 2013, 29, 122-126.	1.1	13
70	Impact of the Length of Vitamin D Deficiency on Cardiac Remodeling. <i>Circulation: Heart Failure</i> , 2013, 6, 809-816.	1.6	59
71	Energy Metabolism in Cardiac Remodeling and Heart Failure. <i>Cardiology in Review</i> , 2013, 21, 135-140.	0.6	75
72	Mini Nutritional Assessment predicts gait status and mortality 6 months after hip fracture. <i>British Journal of Nutrition</i> , 2013, 109, 1657-1661.	1.2	59

#	ARTICLE	IF	CITATIONS
73	Effect of Beta-Carotene on Oxidative Stress and Expression of Cardiac Connexin 43. Arquivos Brasileiros De Cardiologia, 2013, 101, 233-9.	0.3	10
74	Smoking is Associated with Remodeling of Gap Junction in the Rat Heart: Smoker's Paradox Explanation?. Arquivos Brasileiros De Cardiologia, 2013, 100, 274-280.	0.3	9
75	Serum Metalloproteinases 2 and 9 as Predictors of Gait Status, Pressure Ulcer and Mortality after Hip Fracture. PLoS ONE, 2013, 8, e57424.	1.1	5
76	Mechanisms Involved in the Beneficial Effects of Spironolactone after Myocardial Infarction. PLoS ONE, 2013, 8, e76866.	1.1	5
77	Metalloproteinases-2 and -9 Predict Left Ventricular Remodeling after Myocardial Infarction. Arquivos Brasileiros De Cardiologia, 2013, 100, 315-21.	0.3	17
78	Periostin as a modulator of chronic cardiac remodeling after myocardial infarction. Clinics, 2013, 68, 1344-1349.	0.6	16
79	Impact of Ventricular Geometric Pattern on Cardiac Remodeling after Myocardial Infarction. Arquivos Brasileiros De Cardiologia, 2013, 100, 518-23.	0.3	3
80	Aldosterone is not Involved in the Ventricular Remodeling Process Induced by Tobacco Smoke Exposure. Cellular Physiology and Biochemistry, 2012, 30, 1191-1201.	1.1	6
81	Role of vitamin D in the cardiac remodeling induced by tobacco smoke exposure. International Journal of Cardiology, 2012, 155, 472-473.	0.8	15
82	Influence of AIN-93 diet on mortality and cardiac remodeling after myocardial infarction in rats. International Journal of Cardiology, 2012, 156, 265-269.	0.8	12
83	Predictors of Right Ventricle Dysfunction After Anterior Myocardial Infarction. Canadian Journal of Cardiology, 2012, 28, 438-442.	0.8	12
84	Handgrip strength predicts pressure ulcers in patients with hip fractures. Nutrition, 2012, 28, 874-878.	1.1	27
85	Atrophic Cardiac Remodeling Induced by Taurine Deficiency in Wistar Rats. PLoS ONE, 2012, 7, e41439.	1.1	17
86	Natural history of a giant abdominal lipoma. BMJ Case Reports, 2012, 2012, bcr0120125638-bcr0120125638.	0.2	0
87	Prevalence and predictors of ventricular remodeling after anterior myocardial infarction in the era of modern medical therapy. Medical Science Monitor, 2012, 18, CR276-CR281.	0.5	19
88	Early echocardiographic predictors of increased left ventricular end-diastolic pressure three months after myocardial infarction in rats. Medical Science Monitor, 2012, 18, BR253-BR258.	0.5	9
89	Cardiac Remodeling Induced by Smoking: Concepts, Relevance, and Potential Mechanisms. Inflammation and Allergy: Drug Targets, 2012, 11, 442-447.	1.8	22
90	Doxorubicin induces early left ventricular dysfunction and metalloproteinase activation in rats. FASEB Journal, 2012, 26, 1036.10.	0.2	0

#	ARTICLE	IF	CITATIONS
91	Pentoxifylline reduces myocardial oxidative stress induced by exposure to tobacco smoke. <i>FASEB Journal</i> , 2012, 26, 1133-3.	0.2	1
92	Critical infarct size to induce ventricular remodeling, cardiac dysfunction and heart failure in rats. <i>International Journal of Cardiology</i> , 2011, 151, 242-243.	0.8	35
93	Preditores ecocardiográficos de remodelação ventricular após o infarto agudo do miocárdio em ratos. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 97, 502-506.	0.3	7
94	Retinoic acid prevents ventricular remodeling induced by tobacco smoke exposure in rats. <i>Acta Cardiologica</i> , 2011, 66, 3-7.	0.3	16
95	Influence of different doses of retinoic acid on cardiac remodeling. <i>Nutrition</i> , 2011, 27, 824-828.	1.1	10
96	Parenteral branched-chain amino acids for hepatic encephalopathy. What is the grade of recommendation?. <i>Clinical Nutrition</i> , 2011, 30, 131-131.	2.3	2
97	Heart Failure After Myocardial Infarction: Clinical Implications and Treatment. <i>Clinical Cardiology</i> , 2011, 34, 410-414.	0.7	160
98	Tobacco Smoke Induces Ventricular Remodeling Associated with an Increase in NADPH Oxidase Activity. <i>Cellular Physiology and Biochemistry</i> , 2011, 27, 305-312.	1.1	38
99	Influence of Taurine on Cardiac Remodeling Induced by Tobacco Smoke Exposure. <i>Cellular Physiology and Biochemistry</i> , 2011, 27, 291-298.	1.1	15
100	Relevância do padrão de remodelamento ventricular no modelo de infarto do miocárdio em ratos. <i>Arquivos Brasileiros De Cardiologia</i> , 2010, 95, 635-639.	0.3	10
101	Padrão de remodelação e função ventricular em ratos expostos à fumaça do cigarro. <i>Arquivos Brasileiros De Cardiologia</i> , 2010, 94, 224-228.	0.3	13
102	Ventricular Remodeling Induced by Tissue Vitamin A Deficiency in Rats. <i>Cellular Physiology and Biochemistry</i> , 2010, 26, 395-402.	1.1	34
103	Tissue Vitamin A Insufficiency Results in Adverse Ventricular Remodeling after Experimental Myocardial Infarction. <i>Cellular Physiology and Biochemistry</i> , 2010, 26, 523-530.	1.1	36
104	Influence of lisinopril on cardiac remodeling induced by tobacco smoke exposure. <i>Medical Science Monitor</i> , 2010, 16, BR255-9.	0.5	8
105	Papel da lipoperoxidação na intensificação da remodelação causada pelo betacaroteno após o infarto. <i>Arquivos Brasileiros De Cardiologia</i> , 2009, 93, 34-38.	0.3	5
106	Efeitos da administração de beta-bloqueador na remodelação ventricular induzida pelo tabagismo em ratos. <i>Arquivos Brasileiros De Cardiologia</i> , 2009, 92, 479-483.	0.3	7
107	The Role of Oxidative Stress and Lipid Peroxidation in Ventricular Remodeling Induced by Tobacco Smoke Exposure after Myocardial Infarction. <i>Clinics</i> , 2009, 64, 691-697.	0.6	26
108	Heart failure due to right ventricular metastatic neuroendocrine tumor. <i>International Journal of Cardiology</i> , 2008, 126, e25-e26.	0.8	4

#	ARTICLE	IF	CITATIONS
109	Deficiência de tiamina como causa de cor pulmonale reversível. Arquivos Brasileiros De Cardiologia, 2008, 91, e7-9.	0.3	20
110	Exposure time and ventricular remodeling induced by tobacco smoke exposure in rats. Medical Science Monitor, 2008, 14, BR62-66.	0.5	9
111	Tobacco smoke-induced left ventricular remodelling is not associated with metalloproteinase-2 or -9 activation. European Journal of Heart Failure, 2007, 9, 1081-1085.	2.9	28
112	Efeitos do betacaroteno e do tabagismo sobre a remodelação cardíaca pós-infarto do miocárdio. Arquivos Brasileiros De Cardiologia, 2007, 89, 135-41, 151-7.	0.3	4
113	Comparação de diferentes métodos para medida do tamanho do infarto experimental crônico em Ratos. Arquivos Brasileiros De Cardiologia, 2007, 89, 93-98.	0.3	10
114	Myxedema Ascites with Elevated Serum CA 125 Concentration. American Journal of the Medical Sciences, 2006, 331, 103-104.	0.4	9
115	Î²-Carotene supplementation results in adverse ventricular remodeling after acute myocardial infarction. Nutrition, 2006, 22, 146-151.	1.1	8
116	Retinoic Acid Supplementation Attenuates Ventricular Remodeling after Myocardial Infarction in Rats. Journal of Nutrition, 2005, 135, 2326-2328.	1.3	42
117	Î²-Carotene Attenuates the Paradoxical Effect of Tobacco Smoke on the Mortality of Rats after Experimental Myocardial Infarction. Journal of Nutrition, 2005, 135, 2109-2113.	1.3	28
118	Association between pre-operative complications, comorbidities, and in-hospital mortality in a hip fracture cohort: a register study in a tertiary hospital in Brazil. International Orthopaedics, 0, , .	0.9	1