

# Jarosław D Kasprzak

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5196280/publications.pdf>

Version: 2024-02-01

125  
papers

1,206  
citations

516710

16  
h-index

454955

30  
g-index

125  
all docs

125  
docs citations

125  
times ranked

1618  
citing authors

#	ARTICLE	IF	CITATIONS
1	A systematic review of nonsynonymous single nucleotide polymorphisms in the renin-angiotensin-aldosterone system. <i>Cardiology Journal</i> , 2022, 29, 1020-1027.	1.2	2
2	Repetitive use of LEvosimendan in Ambulatory Heart Failure patients (LEIA-HF) - The rationale and study design. <i>Advances in Medical Sciences</i> , 2022, 67, 18-22.	2.1	7
3	Management of dyslipidemia in Poland: Interdisciplinary Expert Position Statement endorsed by the Polish Cardiac Society Working Group on Cardiovascular Pharmacotherapy. The Fourth Declaration of Sopot. <i>Cardiology Journal</i> , 2022, 29, 1-26.	1.2	4
4	Right Heart Pulmonary Circulation Unit Response to Exercise in Patients with Controlled Systemic Arterial Hypertension: Insights from the RIGHT Heart International NETWORK (RIGHT-NET). <i>Journal of Clinical Medicine</i> , 2022, 11, 451.	2.4	0
5	Vasodilator Strain Stress Echocardiography in Suspected Coronary Microvascular Angina. <i>Journal of Clinical Medicine</i> , 2022, 11, 711.	2.4	15
6	Left atrial volume changes during exercise stress echocardiography in heart failure and hypertrophic cardiomyopathy. <i>Hellenic Journal of Cardiology</i> , 2022, 67, 9-18.	1.0	6
7	An expert opinion of the Heart Failure Association of the Polish Cardiac Society on the 2021 European Society of Cardiology guidelines for the diagnosis and treatment of acute and chronic heart failure: Heart failure guidelines from a national perspective. <i>Kardiologia Polska</i> , 2022, 80, 239-246.	0.6	1
8	Complexity of changes in right ventricular morphology and function in patients undergoing cardiac surgery - 3D echocardiographic study. <i>Kardiologia Polska</i> , 2022, 80, 156-162.	0.6	1
9	Management of patients after heart valve interventions. Expert opinion of the Working Group on Valvular Heart Diseases, Working Group on Cardiac Surgery, and Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2022, 80, 386-402.	0.6	1
10	Pre-hospital treatment of patients with acute coronary syndrome: Recommendations for medical emergency teams. Expert position update 2022. <i>Cardiology Journal</i> , 2022, 29, 540-552.	1.2	3
11	Pulmonary Congestion During Exercise Stress Echocardiography in Ischemic and Heart Failure Patients. <i>Circulation: Cardiovascular Imaging</i> , 2022, 15, e013558.	2.6	10
12	Continuous hands-free monitoring of echocardiographic exercise test using probe fixation device. <i>Cardiology Journal</i> , 2022, , .	1.2	0
13	Age-Adjusted D-Dimer Levels May Improve Diagnostic Assessment for Pulmonary Embolism in COVID-19 Patients. <i>Journal of Clinical Medicine</i> , 2022, 11, 3298.	2.4	2
14	Impact of the COVID-19 Pandemic on Pulmonary Hypertension Patients: Insights from the BNP-PL National Database. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8423.	2.6	5
15	Feasibility and functional correlates of left atrial volume changes during stress echocardiography in chronic coronary syndromes. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 953-964.	1.5	9
16	Characteristics and outcomes of patients with chronic thromboembolic pulmonary hypertension in the era of modern therapeutic approaches: data from the Polish multicenter registry (BNP-PL). <i>Therapeutic Advances in Chronic Disease</i> , 2021, 12, 204062232110029.	2.5	21
17	Unique family clustering of anomalous left main coronary artery origin from the right sinus of Valsalva: a case for echocardiographic screening and genetic determination. <i>Kardiologia Polska</i> , 2021, 79, 344-345.	0.6	2
18	Polymorphism of Interleukin-1 Gene Cluster in Polish Patients with Acute Coronary Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 990.	2.4	3

#	ARTICLE	IF	CITATIONS
19	Long-term efficacy of dabigatran in heparin-induced thrombocytopenia (HIT) after off-pump coronary artery bypass surgery. <i>Kardiologia Polska</i> , 2021, 79, 479-481.	0.6	1
20	Impact of the COVID-19 pandemic on the performance of selected cardiac electrotherapy and electrophysiology procedures. <i>Kardiologia Polska</i> , 2021, 79, 452-454.	0.6	1
21	Feasibility of semi-recumbent bicycle exercise Doppler echocardiography for the evaluation of the right heart and pulmonary circulation unit in different clinical conditions: the RIGHT heart international NETWORK (RIGHT-NET). <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2151-2167.	1.5	6
22	Artificial Intelligence-Powered Measurement of Left Ventricular Ejection Fraction Using a Handheld Ultrasound Device. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 1120-1125.	1.5	18
23	Echocardiography during the COVID-19 pandemic, an impact of the vaccination program: a 2021 update of the expert opinion of the Working Group on Echocardiography of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2021, 79, 595-603.	0.6	3
24	Hospitalization and interventional procedures in cardiology departments covering a region with 2.5 million inhabitants during the SARS-CoV-2 pandemic. <i>Kardiologia Polska</i> , 2021, 79, 572-574.	0.6	0
25	Polish Multicenter Registry (Pol-LAS-SE registry). Stress echocardiography in low-gradient aortic stenosis in Poland: numbers, settings, results, complications, and clinical practice. <i>Kardiologia Polska</i> , 2021, 79, 517-524.	0.6	0
26	Comparison of coronary flow reserve feasibility in different stress echocardiography protocols: dobutamine, dipyridamole, exercise and rapid pacing. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 830-839.	0.4	2
27	Hemodynamic Heterogeneity of Reduced Cardiac Reserve Unmasked by Volumetric Exercise Echocardiography. <i>Journal of Clinical Medicine</i> , 2021, 10, 2906.	2.4	6
28	Coronary Flow, Left Ventricular Contractile and Heart Rate Reserve in Non-Ischemic Heart Failure. <i>Journal of Clinical Medicine</i> , 2021, 10, 3405.	2.4	10
29	N-Terminal Pro-Brain Natriuretic Peptide and Right Ventricular Diameter Are Related to Aspirin Resistance in Coronary Artery Disease Patients. <i>Medicina (Lithuania)</i> , 2021, 57, 706.	2.0	0
30	Age-changes in right ventricular function and pulmonary circulation coupling: from pediatric to adult stage in 1899 healthy subjects. The RIGHT Heart International NETWORK (RIGHT-NET). <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 3399-3411.	1.5	9
31	The impact of chronic alcohol overuse on heart function and prognosis: layer-specific longitudinal strain and mid-term outcome analysis. <i>Kardiologia Polska</i> , 2021, 79, 781-788.	0.6	2
32	Prognostic value of stress echocardiography assessed by the ABCDE protocol. <i>European Heart Journal</i> , 2021, 42, 3869-3878.	2.2	47
33	An expert opinion of the Polish Cardiac Society Working Group on Pulmonary Circulation and the Polish Society for Rheumatology on the diagnosis and treatment of pulmonary hypertension in patients with connective tissue disease. <i>Kardiologia Polska</i> , 2021, 79, 917-929.	0.6	3
34	Stress Echo 2030: The Novel ABCDE-(FGLPR) Protocol to Define the Future of Imaging. <i>Journal of Clinical Medicine</i> , 2021, 10, 3641.	2.4	33
35	Higher rate of aortic stenosis progression in patients with bicuspid versus tricuspid aortic valve – A single center experience. <i>Advances in Medical Sciences</i> , 2021, 66, 343-350.	2.1	1
36	Psoriasis and Atherosclerosis – Skin, Joints, and Cardiovascular Story of Two Plaques in Relation to the Treatment with Biologics. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10402.	4.1	8

#	ARTICLE	IF	CITATIONS
37	A multicentric quality-control study of exercise Doppler echocardiography of the right heart and the pulmonary circulation. The RIGHT Heart International NETWORK (RIGHT-NET). Cardiovascular Ultrasound, 2021, 19, 9.	1.6	7
38	Left atrial strain – a current clinical perspective. Kardiologia Polska, 2021, 79, 955-964.	0.6	20
39	The impact of the COVID-19 pandemic on the echocardiographic services and training in Poland. Kardiologia Polska, 2021, 79, 1136-1139.	0.6	1
40	Clinical Value of Stress Transaortic Flow Rate During Dobutamine Echocardiography in Reduced Left Ventricular Ejection Fraction, Low-Gradient Aortic Stenosis: A Multicenter Study. Circulation: Cardiovascular Imaging, 2021, 14, e012809.	2.6	5
41	Cancer and Infective Endocarditis: Characteristics and Prognostic Impact. Frontiers in Cardiovascular Medicine, 2021, 8, 766996.	2.4	9
42	First-in-man experience with real-time holographic mixed reality display of three-dimensional echocardiography during structural intervention: balloon mitral commissurotomy. European Heart Journal, 2020, 41, 801-801.	2.2	20
43	Lung Ultrasound and Pulmonary Congestion During Stress Echocardiography. JACC: Cardiovascular Imaging, 2020, 13, 2085-2095.	5.3	53
44	Cardiovascular risk factors among cancer patients qualified for systemic treatment. Analysis of a cardiovascular disease-free cohort from the Polish multicentre study ONCOECHO. Archives of Medical Science, 2020, 16, 1295-1303.	0.9	4
45	Reduced pulmonary vascular reserve during stress echocardiography in confirmed pulmonary hypertension and patients at risk of overt pulmonary hypertension. International Journal of Cardiovascular Imaging, 2020, 36, 1831-1843.	1.5	4
46	Cardiac remodeling after large ST-elevation myocardial infarction in the current therapeutic era. American Heart Journal, 2020, 223, 87-97.	2.7	17
47	Characterization of Patients with Pulmonary Arterial Hypertension: Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). Journal of Clinical Medicine, 2020, 9, 173.	2.4	38
48	Feasibility and value of two-dimensional volumetric stress echocardiography. Minerva Cardiology and Angiology, 2020, , .	0.7	4
49	Clinical application of stress echocardiography in valvular heart disease: an expert consensus of the Working Group on Valvular Heart Disease of the Polish Cardiac Society. Kardiologia Polska, 2020, 78, 632-641.	0.6	3
50	Levosimendan in the treatment of patients with acute cardiac conditions: an expert opinion of the Association of Intensive Cardiac Care of the Polish Cardiac Society. Kardiologia Polska, 2020, 78, 825-834.	0.6	7
51	Flow-mediated skin fluorescence: A novel method for the estimation of sleep apnea risk in healthy persons and cardiac patients. Cardiology Journal, 2020, , .	1.2	1
52	Management of valvular and structural heart diseases during the coronavirus disease 2019 pandemic: an expert opinion of the Working Group on Valvular Heart Diseases, the Working Group on Cardiac Surgery, and the Association of Cardiovascular Interventions of the Polish Cardiac Society. Kardiologia Polska, 2020, 78, 498-507.	0.6	5
53	The importance of detection and percutaneous closure of patent foramen ovale during the coronavirus disease 2019 pandemic. Authors' reply. Kardiologia Polska, 2020, 78, 616-617.	0.6	0
54	A coronary fistula in the apical region of the left ventricle as a rare cause of angina pectoris. Kardiologia Polska, 2020, 78, 340-341.	0.6	0

#	ARTICLE	IF	CITATIONS
55	Prevalence of hepatitis C virus infection in patients hospitalised for ischemic heart disease versus controls – PRO-CARDIO-C study. <i>Clinical and Experimental Hepatology</i> , 2019, 5, 118-122.	1.3	2
56	Functional, Anatomical, and Prognostic Correlates of Coronary Flow Velocity Reserve During Stress Echocardiography. <i>Journal of the American College of Cardiology</i> , 2019, 74, 2278-2291.	2.8	73
57	Right ventricular lead induced ventricular arrhythmia – A rare complication of cardiac resynchronization therapy. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12666.	1.1	4
58	Diagnostic utility of two-dimensional speckle tracking echocardiography to identify ischemic etiology of left ventricular systolic dysfunction. <i>Echocardiography</i> , 2019, 36, 702-706.	0.9	4
59	Personal mobile device-based pocket echocardiograph – The diagnostic value and clinical utility. <i>Advances in Medical Sciences</i> , 2019, 64, 157-161.	2.1	6
60	Percutaneous patent ductus arteriosus closure using intraprocedural mixed reality visualization of 3D computed tomography angiography data: first-in-man experience. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 839-839.	1.2	2
61	Transthoracic echocardiographic diagnosis of late-presentation Bland-White-Garland (ALCAPA) syndrome. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 306-306.	1.2	0
62	Recovery of regional systolic and diastolic myocardial function after acute myocardial infarction evaluated by two-dimensional speckle tracking echocardiography. <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 177-181.	1.2	10
63	Echocardiography in adults. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona Sudoł, Szopińska</i> , 2019, 19, 54-61.	1.2	2
64	Resistant hypertension: Renal denervation or pharmacovigilance? Insights from a renal denervation screening program. <i>Advances in Clinical and Experimental Medicine</i> , 2019, 28, 1525-1530.	1.4	1
65	Cardiotrophin as a prognostic factor in heart failure. <i>Minerva Cardioangiologica</i> , 2019, 67, 258-260.	1.2	2
66	Quantitative assessment of the rotation and twist of the left ventricle during dobutamine stress echocardiography: a comparison of patients with and without significant coronary artery disease. <i>Kardiologia Polska</i> , 2019, 77, 696-702.	0.6	2
67	Database of Pulmonary Hypertension in the Polish Population (BNP-PL): design of the registry. <i>Kardiologia Polska</i> , 2019, 77, 972-974.	0.6	18
68	Stress echocardiography. Part II: Stress echocardiography in conditions other than coronary heart disease. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona Sudoł, Szopińska</i> , 2019, 19, 49-53.	1.2	0
69	Stress echocardiography. Part I: Stress echocardiography in coronary heart disease. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona Sudoł, Szopińska</i> , 2019, 19, 45-48.	1.2	3
70	Pol-CDRIE registry – 1-year observational data on patients hospitalized due to cardiac device-related infective endocarditis in Polish referential cardiology centres. <i>Kardiologia Polska</i> , 2019, 77, 561-567.	0.6	6
71	Atrial septal defect type II and upper limb malformation in 40-year-old male as a manifestation of Holt-Oram syndrome. <i>Cardiology Journal</i> , 2019, 26, 302-303.	1.2	0
72	A questionnaire-based, multicenter registry of resistant and pseudo-resistant arterial. <i>Wiadomości Lekarskie</i> , 2019, 72, 1866-1871.	0.3	0

#	ARTICLE	IF	CITATIONS
73	Bicuspid aortic valve morphology and its impact on aortic diameters – A systematic review with meta-analysis and meta-regression. <i>Echocardiography</i> , 2018, 35, 667-677.	0.9	12
74	Incremental value of left atrial mechanical dispersion over <math>CHA_2DS_2-VASc</math> score in predicting risk of thrombus formation. <i>Echocardiography</i> , 2018, 35, 651-660.	0.9	14
75	The impact of the latest echocardiographic chamber quantification recommendations on the prediction of left atrial appendage thrombus presence by transthoracic echocardiography. <i>Acta Cardiologica</i> , 2018, 73, 91-95.	0.9	0
76	Quality control of B-lines analysis in stress Echo 2020. <i>Cardiovascular Ultrasound</i> , 2018, 16, 20.	1.6	11
77	Bicuspid aortic valve morphotype: are we closer to solving the mystery?. <i>Heart</i> , 2018, 104, 1891.1-1891.	2.9	1
78	Brief cardiovascular imaging with pocket-size ultrasound devices improves the accuracy of the initial assessment of suspected pulmonary embolism. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1595-1605.	1.5	10
79	Imaging the Right Heart-Pulmonary Circulation Unit. <i>Heart Failure Clinics</i> , 2018, 14, 361-376.	2.1	7
80	The Right Heart International Network (RIGHT-NET). <i>Heart Failure Clinics</i> , 2018, 14, 443-465.	2.1	15
81	Giant coronary sinus secondary to partial anomalous pulmonary venous connection with combined mitral valve disease. <i>Archives of Medical Science</i> , 2018, 14, 463-465.	0.9	0
82	Relative value of serum pregnancy-associated plasma protein A (PAPP-A) and GRACE score for a 1-year prognostication: A complement to calculation in patients with suspected acute coronary syndrome. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 1573-1580.	1.4	2
83	Conscious sedation during cryoballoon ablation of atrial fibrillation: a feasibility and safety study. <i>Minerva Cardiology and Angiology</i> , 2018, 66, 143-151.	0.7	2
84	Systolic longitudinal strain correlates with visual assessment of regional left ventricular function during dobutamine stress echocardiography and discriminates the segments with induced contractility impairment. <i>Echocardiography</i> , 2017, 34, 1020-1028.	0.9	2
85	Bedside screening with the use of pocket-size imaging device can be useful for ruling out carotid artery stenosis in patients scheduled for cardiac surgery. <i>Echocardiography</i> , 2017, 34, 716-722.	0.9	8
86	Quality control of regional wall motion analysis in stress Echo 2020. <i>International Journal of Cardiology</i> , 2017, 249, 479-485.	1.7	31
87	Intramural atrial haematoma as a complication of the percutaneous atrial septal defect closure. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 1185.	1.2	1
88	Cardiac safety of systemic therapy in breast cancer patients with high risk of atherosclerosis complications. <i>Future Oncology</i> , 2017, 13, 593-602.	2.4	4
89	Partial posteromedial papillary muscle rupture as an early complication after acute inferior ST-elevation myocardial infarction treated with primary percutaneous intervention. <i>Postępy W Kardiologii Interwencyjnej</i> , 2017, 2, 176-177.	0.2	0
90	The role of selected adipokines and ghrelin in the prognosis after myocardial infarction in a 12-month follow-up in the presence of metabolic syndrome. <i>Archives of Medical Science</i> , 2017, 4, 785-794.	0.9	11

#	ARTICLE	IF	CITATIONS
91	Variability of longitudinal strain in left ventricular segments supplied by non-stenosed coronary artery: insights from speckle tracking analysis of dobutamine stress echocardiograms in patients with high coronary risk profile. <i>Archives of Medical Science</i> , 2017, 1, 82-92.	0.9	13
92	Takotsubo cardiomyopathy in the case of 72-year-old teacher after work-related psychological stress. Evolution of left ventricular longitudinal strain â€“ Delayed but complete recovery in automated function imaging (AFI). <i>International Journal of Occupational Medicine and Environmental Health</i> , 2017, 30, 681-683.	1.3	1
93	Acute coronary syndrome as the first manifestation of Takayasuâ€™s disease. <i>Kardiologia Polska</i> , 2017, 75, 281-281.	0.6	0
94	Reduced-time myocardial perfusion study processed with â€œMyovation Evolutionâ€” assessment of diagnostic efficacy. <i>Nuclear Medicine Review</i> , 2017, 20, 95-100.	0.5	0
95	Circumflex Origin from Right Coronary Artery-The Anomaly That Should Not Be Omitted during Echocardiography-â€Crossed Aortaâ€and â€Bleb Signâ€Presentation after Stents Implantation. <i>Echocardiography</i> , 2016, 33, 659-660.	0.9	6
96	Bioabsorbable Intracoronary Matrix for Prevention of Ventricular Remodeling After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2016, 68, 715-723.	2.8	79
97	Circumferential strain of carotid arteries does not differ between patients with advanced coronary artery disease and group without coronary stenoses. <i>Advances in Medical Sciences</i> , 2016, 61, 203-206.	2.1	5
98	Left Atrial Dysfunction Assessed by Twoâ€Dimensional Speckle Tracking Echocardiography in Patients with Impaired Left Ventricular Ejection Fraction and Sleepâ€Disordered Breathing. <i>Echocardiography</i> , 2016, 33, 38-45.	0.9	4
99	Effect of the REG1 anticoagulation system versus bivalirudin on outcomes after percutaneous coronary intervention (REGULATE-PCI): a randomised clinical trial. <i>Lancet, The</i> , 2016, 387, 349-356.	13.7	109
100	Use of novel echocardiographic techniques to assess right ventricular geometry and function. <i>Kardiologia Polska</i> , 2016, 74, 507-522.	0.6	7
101	Changes in desmin expression in patients with cardiac diastolic dysfunction and preserved or reduced ejection fraction. <i>Advances in Medical Sciences</i> , 2015, 60, 148-155.	2.1	4
102	Delayed longitudinal myocardial function recovery after dobutamine challenge as a novel presentation of myocardial dysfunction in type 2 diabetic patients without angiographic coronary artery disease. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 676-83.	1.2	10
103	Giant Aneurysm of Aortic Right Coronary Sinus: Diagnostic Doubts Related to Presentation of Valsalva Sinus Aneurysm in Transthoracic Echocardiography. <i>Echocardiography</i> , 2015, 32, 1325-1326.	0.9	0
104	Prognostic Implications of Discordant Results of Myocardial Perfusion Single-Photon Emission Computed Tomography and Exercise ECG Test in Patients with Stable Angina. <i>Advances in Clinical and Experimental Medicine</i> , 2015, 24, 965-971.	1.4	4
105	The Aberrant Right Subclavian Artery (Arteria Lusoria): The Morphological and Clinical Aspects of One of the Most Important Variationsâ€”A Systematic Study of 141 Reports. <i>Scientific World Journal, The</i> , 2014, 2014, 1-6.	2.1	130
106	In-hospital daily insulin dose predicts long-term adverse outcome in patients with diabetes with STâ€elevation myocardial infarction treated with successful primary percutaneous angioplasty. <i>Archives of Medical Science</i> , 2014, 5, 913-919.	0.9	2
107	Ascending aortic dilatation as a late complication after implantation of a mechanical aortic valve performed 37 years earlier. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2014, 4, 437-440.	0.1	1
108	Anomalous circumflex origin from the right coronary artery forming â€bleb signâ€™ in transoesophageal echocardiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 932-932.	1.2	4

#	ARTICLE	IF	CITATIONS
109	Pocket-Size Imaging Devices Allow for Reliable Bedside Screening for Femoral Artery Access Site Complications. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 2753-2758.	1.5	9
110	Should we search for linear correlations between global strain parameters and ejection fraction?. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1301-1301.	1.2	9
111	Giant J-wave and Brugada-like pattern in a patient with severe hypothermia. <i>Acta Cardiologica</i> , 2014, 69, 66-67.	0.9	13
112	Transthoracic measurement of left coronary artery flow reserve improves the diagnostic value of routine dipyridamole-atropine stress echocardiogram. <i>Archives of Medical Science</i> , 2013, 5, 802-807.	0.9	3
113	Advanced peripheral arterial disease in a 59-year-old man with suspected acute coronary syndrome and normal coronary angiogram. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 3, 307-309.	0.2	0
114	Predictors of successful acetylsalicylic acid resistance suppression after percutaneous coronary revascularisation. <i>Kardiologia Polska</i> , 2013, 71, 1229-1236.	0.6	2
115	Breathless female patient claiming to be 8 months pregnant: what to expect. <i>European Journal of Echocardiography</i> , 2010, 11, E15-E15.	2.3	0
116	Assessment of Mitral Inflow During Standardized Valsalva Maneuver in Stratification of Diastolic Function. <i>Echocardiography</i> , 2007, 24, 464-471.	0.9	4
117	Clinical aspects of assessment of endothelial function. <i>Pharmacological Reports</i> , 2006, 58 Suppl, 33-40.	3.3	16
118	Real-time three-dimensional echocardiography: still a research tool or an imaging technique ready for daily routine practice? A pilot feasibility study in a tertiary cardiology centre. <i>Kardiologia Polska</i> , 2004, 61, 303-13; discussion 314-15.	0.6	2
119	A congenital complex including muscular interventricular septal aneurysm in an adult: case report and review of literature. <i>International Journal of Cardiovascular Imaging</i> , 2002, 18, 25-30.	0.6	4
120	Accurate accelerated 3-dimensional echocardiographic quantification of left ventricular function in unselected patients: a comparison with radionuclide angiography. <i>Acta Cardiologica</i> , 2002, 57, 42-4.	0.9	0
121	Echocardiographic identification of resting perfusion defects using bolus administration of Levovist and power contrast imaging. <i>Acta Cardiologica</i> , 2002, 57, 44-6.	0.9	0
122	Preliminary experience with diagnostic application of resting intravenous myocardial contrast echocardiography in suspected myocardial infarction. <i>Acta Cardiologica</i> , 2002, 57, 46-8.	0.9	0
123	Definition of Flow Parameters in Proximal Nonstenotic Coronary Arteries Using Transesophageal Doppler Echocardiography. <i>Echocardiography</i> , 2000, 17, 141-150.	0.9	20
124	Coronary anomalies diagnosed with transesophageal echocardiography: complementary clinical value in adults. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 89-95.	0.6	21
125	Early and long-term outcome of aortic valve replacement with homograft versus mechanical prosthesis-8-year follow-up study. <i>Clinical Cardiology</i> , 1997, 20, 843-848.	1.8	18