Dao Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5197696/publications.pdf Version: 2024-02-01



ΠλΟ ΖΗΛΝΟ

#	Article	IF	CITATIONS
1	Effect of the Dihedral Angle of Biaryl-Bridged Bis(<i>N</i> -Heterocylic Carbene) Ligands on Enantioselectivity in Pd-Catalyzed Asymmetric Aryl–Aryl Cross-Coupling. Organometallics, 2022, 41, 811-819.	2.3	2
2	Palladium Complexes Bearing Chiral bis(NHC) Chelating Ligands on a Spiro Scaffold: Synthesis, Characterization, and Their Application in the Oxidative Kinetic Resolution of Secondary Alcohols. Organometallics, 2020, 39, 605-613.	2.3	6
3	Fine Tuning of Chiral Bis(N-heterocyclic carbene) Palladium Catalysts for Asymmetric Suzuki–Miyaura Cross-Coupling Reactions: Exploring the Ligand Modification. Organometallics, 2020, 39, 1269-1280.	2.3	7
4	<i>N</i> , <i>N</i> ′-Bisaryl Substituted Chiral Linker-Bridged Bis(<i>N</i> -Heterocyclic Carbene) Palladium Complexes: Design, Synthesis, and Catalytic Properties. Organometallics, 2017, 36, 1372-1382.	2.3	13
5	Chiral linker-bridged bis-N-heterocyclic carbenes: design, synthesis, palladium complexes, and catalytic properties. Dalton Transactions, 2016, 45, 11699-11709.	3.3	16
6	BrÃ,nsted Base-Induced Rearrangement and Nucleophilic Addition of O/N-Functionalized NHCs and Relative Group 4 Metal Complexes for Ethylene Polymerization Catalysis. Organometallics, 2016, 35, 138-150.	2.3	11
7	N-heterocyclic carbene (NHC) complexes of group 4 transition metals. Chemical Society Reviews, 2015, 44, 1898-1921.	38.1	132
8	Palladium catalyzed asymmetric Suzuki–Miyaura coupling reactions to axially chiral biaryl compounds: Chiral ligands and recent advances. Coordination Chemistry Reviews, 2015, 286, 1-16.	18.8	235
9	Chiral 1,2-Cyclohexane-Bridged Bis-NHC Palladium Catalysts for Asymmetric Suzuki–Miyaura Coupling: Synthesis, Characterization, and Steric Effects on Enantiocontrol. Organometallics, 2014, 33, 876-884.	2.3	41
10	Synthesis, structural characterization and catalytic property of group 4 metal complexes bearing novel salalen-type ligands. Journal of Organometallic Chemistry, 2013, 741-742, 83-90.	1.8	13
11	Direct synthesis of cis-dihalido-bis(NHC) complex of nickel(ii) and catalytic application in olefin addition polymerization: Effect of halogen co-ligands and density functional theory study. Dalton Transactions, 2013, 42, 12020.	3.3	36
12	Trans-1,2-diphenylethylene bridged salicylaldiminato–isoindoline titanium(IV) chloride complexes: Synthesis, characterization and catalytic polymerization. Journal of Organometallic Chemistry, 2013, 724, 155-162.	1.8	5
13	trans-1,2-Diphenylethylene Linked Isoindoline-Salicylaldiminato Nickel(II) Halide Complexes: Synthesis, Structure, Dehydrogenation, and Catalytic Activity toward Olefin Homopolymerization. European Journal of Inorganic Chemistry, 2013, 2013, 2093-2101.	2.0	5
14	Synthesis, structure, and catalytic activity of palladium complexes with new chiral cyclohexane-1,2-based di-NHC-ligands. Journal of Organometallic Chemistry, 2012, 700, 223-229.	1.8	26
15	Synthesis, characterization and catalytic behaviors of water-soluble phosphine-sulfonato nickel methyl complexes bearing PEG-amine labile ligand. Journal of Organometallic Chemistry, 2010, 695, 903-908.	1.8	13
16	Macrocyclic hexanuclear zirconium(IV) complex bearing a bisaryloxyl N-heterocyclic-carbene ligand: Synthesis, structure, and catalytic properties. Inorganic Chemistry Communication, 2010, 13, 433-435.	3.9	14
17	Water-Soluble Complexes [(κ2-P,O-Phosphinesulfonato)PdMe(L)] and Their Catalytic Properties. Organometallics, 2009, 28, 4072-4078.	2.3	24
18	Titanium Complexes Bearing Bisaryloxy-N-heterocyclic Carbenes: Synthesis, Reactivity, and Ethylene Polymerization Study. Organometallics, 2009, 28, 499-505.	2.3	42

Dao Zhang

#	Article	IF	CITATIONS
19	Unexpected Binuclear Bis(phenolato) Titanium (IV) {[(L)Ti(Ph)]2(μ-OEt)2} Assisted by Carbonâ^'Oxygen Bond Cleavage and Alkali-Metal-Containing Titanium(III) Complexes [Ti(L)2·M(solv)2] (M = Li, Na, K; solv) Tj ET	Qq ⊉. ₿0.78	3431Ъ4 rgBT /(
20	Facile Formation of Hexacyclic [Al3O2Cl] Aluminum and Alkoxide-Bridged Titanium Complexes: Reactions of AlMe3 with [Ti(L)Cl2] [L = 2,2′-Methylenebis(6-tert-butyl-4-methylphenolato)]. European Journal of Inorganic Chemistry, 2007, 2007, 3077-3082.	2.0	19
21	Dinuclear Titanium(IV) Complexes Bearing Phenoxide-Tethered N-Heterocyclic Carbene Ligands withcisoid Conformation through Control of Hydrolysis. European Journal of Inorganic Chemistry, 2007, 2007, 4839-4845.	2.0	28
22	Zirconium complexes of the tridentate bis(aryloxide)-N-heterocyclic-carbene ligand: Chloride and alkyl functionalized derivatives. Journal of Organometallic Chemistry, 2007, 692, 234-242.	1.8	55
23	Deprotonation Attempts on Imidazolium Salt Tethered by Substituted Phenol and Construction of Its Magnesium Complex by Transmetalation. Organometallics, 2006, 25, 5506-5509.	2.3	73
24	Bimetallic nickel complexes of trimethyl phenyl linked salicylaldimine ligands: Synthesis, structure and their ethylene polymerization behaviors. Inorganic Chemistry Communication, 2006, 9, 1322-1325.	3.9	42
25	Mesoporous zeolite SBA-15 supported nickel diimine catalysts for ethylene polymerization. Science Bulletin, 2004, 49, 249-253.	1.7	22
26	Radical co-polymerization of diiminedibromidenickel(II)-functionalized olefin with styrene: synthesis of polymer-incorporated nickelII α-diimine catalysts for ethylene polymerization. Applied Catalysis A: General, 2004, 262, 13-18.	4.3	30
27	Micron-granula polyolefin with self-immobilized nickel and iron diimine catalysts bearing one or two allyl groups. Journal of Polymer Science Part A, 2004, 42, 1018-1024.	2.3	33
28	Self-immobilized titanium and zirconium catalysts with phenoxy-imine ligands for ethylene polymerization. X-ray crystal structure of bis(N-(3-tert-butylsalicylidene)-4â€2-allyloxyanilinato) zirconium (IV) dichloride. Applied Catalysis A: General, 2004, 262, 85-91.	4.3	39
29	Synthesis, Molecular Structures, and Norbornene Addition Polymerization Activity of the Neutral Nickel Catalysts Supported by β-Diketiminato [N, N], Ketiminato [N, O], and Schiff-Base [N, O] Ligands⊥. Organometallics, 2004, 23, 3270-3275.	2.3	125
30	Ethylene Polymerization by Self-Immobilized Neutral Nickel Catalysts Bearing Allyl Groups. European Journal of Inorganic Chemistry, 2003, 2003, 1570-1576.	2.0	46
31	Novel, Highly Active Binuclear 2,5-Disubstituted Amino-p-benzoquinoneâ^'Nickel(II) Ethylene Polymerization Catalysts. Organometallics, 2003, 22, 2851-2854.	2.3	137
32	Self-immobilized catalysts for ethylene polymerization: neutral, single-component salicylaldiminato phenyl nickel(ii) complexes bearing allyl substituentsElectronic supplementary information (ESI) available. Synthesis and spectroscopic data for 5, spectroscopic data for 1–4. See http://www.rsc.org/suppdata/cc/b1/b110258n/. Chemical Communications, 2002, , 574-575.	4.1	75