
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5200887/publications.pdf Version: 2024-02-01



DETED | NESTOD

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A Systematic Review of Apathy and Depression in Progressive Supranuclear Palsy. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 280-292. | 2.3 | 12 |
| 2 | Traumatic brain injury fast-forwards Alzheimer's pathology: evidence from amyloid positron emission tomorgraphy imaging. Journal of Neurology, 2022, 269, 873-884. | 3.6 | 19 |
| 3 | Support vector machine learning and diffusion-derived structural networks predict amyloid quantity and cognition in adults with Down's syndrome. Neurobiology of Aging, 2022, 115, 112-121. | 3.1 | 2 |
| 4 | Instant tissue field and magnetic susceptibility mapping from MRI raw phase using Laplacian enhanced deep neural networks. NeuroImage, 2022, 259, 119410. | 4.2 | 12 |
| 5 | The BDNFVal66Met SNP modulates the association between beta-amyloid and hippocampal disconnection in Alzheimer's disease. Molecular Psychiatry, 2021, 26, 614-628. | 7.9 | 61 |
| 6 | Measuring cerebral perfusion with [11C]-PiB R1 in Down syndrome: associations with amyloid burden and longitudinal cognitive decline. Brain Communications, 2021, 3, fcaa198. | 3.3 | 3 |
| 7 | What's "up� Impaired Spatial Preposition Processing in Posterior Cortical Atrophy. Frontiers in Human Neuroscience, 2021, 15, 731104. | 2.0 | 2 |
| 8 | 7T MR neurographyâ€ultrasound fusion for peripheral nerve imaging. Muscle and Nerve, 2020, 61, 521-526. | 2.2 | 6 |
| 9 | The upper cervical spinal cord in ALS assessed by cross-sectional and longitudinal 3T MRI. Scientific Reports, 2020, 10, 1783. | 3.3 | 7 |
| 10 | Sonographic and 3T-MRI-based evaluation of the tongue in ALS. NeuroImage: Clinical, 2020, 26, 102233. | 2.7 | 11 |
| 11 | A multiâ€contrast MRI approach to thalamus segmentation. Human Brain Mapping, 2020, 41, 2104-2120. | 3.6 | 4 |
| 12 | Prominent White Matter Involvement in Multiple System Atrophy of Cerebellar Type. Movement Disorders, 2020, 35, 816-824. | 3.9 | 15 |
| 13 | The concept of regularization: Resolving the problem of surface dyslexia in semantic variant primary progressive aphasia across different languages Neuropsychology, 2020, 34, 298-307. | 1.3 | 3 |
| 14 | Differential effects of Down's syndrome and Alzheimer's neuropathology on default mode connectivity. Human Brain Mapping, 2019, 40, 4551-4563. | 3.6 | 36 |
| 15 | Diffusion Tensor MRI to Distinguish Progressive Supranuclear Palsy from α-Synucleinopathies. Radiology, 2019, 293, 646-653. | 7.3 | 20 |
| 16 | The atrophy pattern in Alzheimer-related PPA is more widespread than that of the frontotemporal lobar degeneration associated variants. NeuroImage: Clinical, 2019, 24, 101994. | 2.7 | 18 |
| 17 | Delineating the topography of amyloid-associated cortical atrophy in Down syndrome. Neurobiology of Aging, 2019, 80, 196-202. | 3.1 | 8 |
| 18 | Neuroimaging biomarkers for clinical trials in atypical parkinsonian disorders: Proposal for a Neuroimaging Biomarker Utility System. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 301-309. | 2.4 | 30 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Toward <i>in vivo</i> determination of peripheral nervous system immune activity in amyotrophic lateral sclerosis. Muscle and Nerve, 2019, 59, 567-576. | 2.2 | 21 |
| 20 | Longitudinal trajectories of amyloid deposition, cortical thickness, and tau in Down syndrome: A deepâ€phenotyping case report. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 654-658. | 2.4 | 13 |
| 21 | Left frontal hub connectivity delays cognitive impairment in autosomal-dominant and sporadic Alzheimer's disease. Brain, 2018, 141, 1186-1200. | 7.6 | 83 |
| 22 | Prefrontal cortical thickness in motor neuron disease. NeuroImage: Clinical, 2018, 18, 648-655. | 2.7 | 11 |
| 23 | Design and first baseline data of the DZNE multicenter observational study on predementia Alzheimer's disease (DELCODE). Alzheimer's Research and Therapy, 2018, 10, 15. | 6.2 | 131 |
| 24 | Automated assessment of FDG-PET for differential diagnosis in patients with neurodegenerative disorders. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1557-1566. | 6.4 | 35 |
| 25 | Clinical utility of FDG-PET in amyotrophic lateral sclerosis and Huntington's disease. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1546-1556. | 6.4 | 24 |
| 26 | Clinical utility of FDG-PET for the clinical diagnosis in MCI. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1497-1508. | 6.4 | 61 |
| 27 | Differential involvement of forearm muscles in ALS does not relate to sonographic structural nerve alterations. Clinical Neurophysiology, 2018, 129, 1438-1443. | 1.5 | 9 |
| 28 | Peripheral nerve atrophy together with higher cerebrospinal fluid progranulin indicate axonal damage in amyotrophic lateral sclerosis. Muscle and Nerve, 2018, 57, 273-278. | 2.2 | 17 |
| 29 | P2â€455: STRUCTURAL INTEGRITY IN SUBJECTIVE COGNITIVE DECLINE, MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: RESULTS FROM THE DELCODE STUDY. Alzheimer's and Dementia, 2018, 14, P894. | 0.8 | 0 |
| 30 | ICâ€Pâ€155: STRUCTURAL INTEGRITY IN SUBJECTIVE COGNITIVE DECLINE, MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: RESULTS FROM THE DELCODE STUDY. Alzheimer's and Dementia, 2018, 14, P131. | 0.8 | 0 |
| 31 | ICâ€Pâ€163: MICROSTRUCTURAL CHANGES IN ALZHEIMER'S DISEASE, MILD COGNITIVE IMPAIRMENT, AND SUBJECTIVE COGNITIVE DECLINE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: A TBSS ANALYSIS OF DELCODE DATA. Alzheimer's and Dementia, 2018, 14, P137. | 0.8 | 0 |
| 32 | F1â€04â€02: ASSOCIATION BETWEEN NEURAL NOVELTY RESPONSES AND CSF BIOMARKERS OF ALZHEIMER'S DISEASE: ANATOMICAL SPECIFICITY AND DEPENDENCE ON ATROPHY. Alzheimer's and Dementia, 2018, 14, P206. | 0.8 | 0 |
| 33 | F4â€08â€04: SUBJECTIVE COGNITIVE DECLINE, AS MEASURED WITH A STRUCTURED INTERVIEW, IS RELATED TO AMYLOID PATHOLOGY IN COGNITIVELY HEALTHY OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P1396. | 0.8 | 0 |
| 34 | P1â€449: MAPPING AMYLOID DEPOSITION ON CORTICAL ATROPHY IN DOWN SYNDROME: A COMBINED BASELINE AND 2‥EAR LONGITUDINAL ANALYSIS. Alzheimer's and Dementia, 2018, 14, P487. | 0.8 | 0 |
| 35 | P2â€447: MICROSTRUCTURAL CHANGES IN ALZHEIMER'S DISEASE, MILD COGNITIVE IMPAIRMENT, AND SUBJECTIVE COGNITIVE DECLINE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: A TBSS ANALYSIS OF DELCODE DATA. Alzheimer's and Dementia, 2018, 14, P888. | 0.8 | 0 |
| 36 | CSF total tau levels are associated with hippocampal novelty irrespective of hippocampal volume. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 782-790. | 2.4 | 26 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | P1â€399: CORTICAL ATROPHY IN ADâ€RELATED PRIMARY PROGRESSIVE APHASIA AFFECTS THE ENTIRE LEFT HEMISPHERE LANGUAGE NETWORK. Alzheimer's and Dementia, 2018, 14, P455. | 0.8 | 0 |
| 38 | Significance of CSF NfL and tau in ALS. Journal of Neurology, 2018, 265, 2633-2645. | 3.6 | 45 |
| 39 | Clinical utility of FDG PET in Parkinson's disease and atypical parkinsonism associated with dementia. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1534-1545. | 6.4 | 86 |
| 40 | Diagnostic utility of 18F-Fluorodeoxyglucose positron emission tomography (FDC-PET) in asymptomatic subjects at increased risk for Alzheimer's disease. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1487-1496. | 6.4 | 35 |
| 41 | European Association of Nuclear Medicine and European Academy of Neurology recommendations for the use of brain ¹⁸ Fâ€fluorodeoxyglucose positron emission tomography in neurodegenerative cognitive impairment and dementia: Delphi consensus. European Journal of Neurology, 2018, 25, 1201-1217. | 3.3 | 153 |
| 42 | Quantitative Susceptibility MRI to Detect Brain Iron in Amyotrophic Lateral Sclerosis. Radiology, 2018, 289, 195-203. | 7.3 | 61 |
| 43 | Clinical utility of FDG-PET for the differential diagnosis among the main forms of dementia. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1509-1525. | 6.4 | 81 |
| 44 | Diagnostic utility of FDG-PET in the differential diagnosis between different forms of primary progressive aphasia. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1526-1533. | 6.4 | 28 |
| 45 | The European DTI Study on Dementia — A multicenter DTI and MRI study on Alzheimer's disease and Mild Cognitive Impairment. NeuroImage, 2017, 144, 305-308. | 4.2 | 33 |
| 46 | Consensus classification of posterior cortical atrophy. Alzheimer's and Dementia, 2017, 13, 870-884. | 0.8 | 423 |
| 47 | The Down syndrome brain in the presence and absence of fibrillar β-amyloidosis. Neurobiology of Aging, 2017, 53, 11-19. | 3.1 | 50 |
| 48 | Brain-predicted age in Down syndrome is associated with beta amyloid deposition and cognitive decline. Neurobiology of Aging, 2017, 56, 41-49. | 3.1 | 109 |
| 49 | The need for harmonisation and innovation of neuropsychological assessment in neurodegenerative dementias in Europe: consensus document of the Joint Program for Neurodegenerative Diseases Working Group. Alzheimer's Research and Therapy, 2017, 9, 27. | 6.2 | 66 |
| 50 | Which ante mortem clinical features predict progressive supranuclear palsy pathology?. Movement Disorders, 2017, 32, 995-1005. | 3.9 | 121 |
| 51 | Semantic word category processing in semantic dementia and posterior cortical atrophy. Cortex, 2017, 93, 92-106. | 2.4 | 20 |
| 52 | Clinical diagnosis of progressive supranuclear palsy: The movement disorder society criteria. Movement Disorders, 2017, 32, 853-864. | 3.9 | 1,402 |
| 53 | Mutations in the vesicular trafficking protein annexin A11 are associated with amyotrophic lateral sclerosis. Science Translational Medicine, 2017, 9, . | 12.4 | 129 |
| 54 | Beyond clinical syndromes in primary progressive aphasia. Neurology, 2017, 88, 2244-2245. | 1.1 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----------|-----------|
| 55 | Can MRI Visual Assessment Differentiate the Variants of Primary-Progressive Aphasia?. American Journal of Neuroradiology, 2017, 38, 954-960. | 2.4 | 25 |
| 56 | Reply:. American Journal of Neuroradiology, 2017, 38, E64-E64. | 2.4 | 0 |
| 57 | Tau plasma levels in subjective cognitive decline: Results from the DELCODE study. Scientific Reports, 2017, 7, 9529. | 3.3 | 27 |
| 58 | Data-driven classification of patients with primary progressive aphasia. Brain and Language, 2017, 174, 86-93. | 1.6 | 49 |
| 59 | [P2–074]: MODELING OF HIDDEN CAUSES FOR DYNAMIC CHANGES IN STRUCTURAL INTEGRITY AND COGNITION IN SUBJECTIVE COGNITIVE DECLINE: A DELCODE PROJECT. Alzheimer's and Dementia, 2017, 13, P634. | 0.8 | 0 |
| 60 | The whole-brain pattern of magnetic susceptibility perturbations in Parkinson's disease. Brain, 2017, 140, 118-131. | 7.6 | 154 |
| 61 | [ICâ€Pâ€080]: USEFULNESS AND STABILITY OF MULTICENTER DIFFUSION TENSOR IMAGING AS AN EARLY MARKE FOR SUBJECTIVE COGNITIVE DECLINE AND AMNESTIC MILD COGNITIVE IMPAIRMENT: FIRST RESULTS FROM THE PROSPECTIVE DZNE DELCODE STUDY. Alzheimer's and Dementia, 2017, 13, P66. | .R 0.8 | 2 |
| 62 | [P2–390]: LOCAL AND GLOBAL RESTING STATE ALTERATIONS IN DIFFERENT STAGES DURING THE DEVELOPMENT OF ALZHEIMER'S DISEASE AS DEMONSTRATED IN THE DZNE DELCODE COHORT. Alzheimer's and Dementia, 2017, 13, P779. | 0.8 | 1 |
| 63 | [P3â€"393]: ROBUST AUTOMATED DETECTION OF SUBJECTIVE COGNITIVE DECLINE AND PRODROMAL ALZHEIMER'S DISEASE BASED ON MULTICENTER RESTINGâ€STATE FUNCTIONAL CONNECTIVITY: RESULTS FROM THE DZNE DELCODE STUDY. Alzheimer's and Dementia, 2017, 13, P1112. | 0.8 | 0 |
| 64 | [P1–122]: WHAT IS MEMORABLE IS CONSERVED ACROSS HEALTHY AGING, EARLY ALZHEIMER'S DISEASE, AND NEURAL NETWORKS. Alzheimer's and Dementia, 2017, 13, P287. | 0.8 | 2 |
| 65 | [P4–248]: QUALITY ASSURANCE IN DELCODE: A MULTI ENTER NEUROIMAGING STUDY. Alzheimer's and Dementia, 2017, 13, P1372. | 0.8 | 0 |
| 66 | Dementia of the personality. Medical Journal of Australia, 2017, 207, 286-287. | 1.7 | 0 |
| 67 | Quantifying disease progression in amyotrophic lateral sclerosis using peripheral nerve sonography. Muscle and Nerve, 2016, 54, 391-397. | 2.2 | 40 |
| 68 | High-resolution characterisation of the aging brain using simultaneous quantitative susceptibility mapping (QSM) and R2* measurements at 7 T. NeuroImage, 2016, 138, 43-63. | 4.2 | 101 |
| 69 | Structural and diffusion imaging versus clinical assessment to monitor amyotrophic lateral sclerosis. NeuroImage: Clinical, 2016, 11, 408-414. | 2.7 | 51 |
| 70 | <i>In Vivo</i> MRI Mapping of Brain Iron Deposition across the Adult Lifespan. Journal of Neuroscience, 2016, 36, 364-374. | 3.6 | 217 |
| 71 | The pattern of amyloid accumulation in the brains of adults with Down syndrome. Alzheimer's and Dementia, 2016, 12, 538-545. | 0.8 | 136 |
| 72 | Bedside assessment of cognition. , 2016, , 105-112. | | 0 |

Bedside assessment of cognition. , 2016, , 105-112. 72

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Basal Forebrain and Hippocampus as Predictors of Conversion to Alzheimer's Disease in Patients with Mild Cognitive Impairment – A Multicenter DTI and Volumetry Study. Journal of Alzheimer's Disease, 2015, 48, 197-204. | 2.6 | 56 |
| 74 | SECT and MAST: new tests to assess grammatical abilities in primary progressive aphasia. Aphasiology, 2015, 29, 1135-1151. | 2.2 | 12 |
| 75 | Hereditary diffuse leukoencephalopathy with spheroids (HDLS) with a novel CSF1R mutation and spinal cord involvement. Journal of the Neurological Sciences, 2015, 358, 515-517. | 0.6 | 12 |
| 76 | Peripheral nerve ultrasound in amyotrophic lateral sclerosis phenotypes. Muscle and Nerve, 2015, 51, 669-675. | 2.2 | 55 |
| 77 | Diffusion tensor imaging in Alzheimer's disease: insights into the limbic-diencephalic network and methodological considerations. Frontiers in Aging Neuroscience, 2014, 6, 266. | 3.4 | 96 |
| 78 | Central white matter degeneration in bulbar- and limb-onset amyotrophic lateral sclerosis. Journal of Neurology, 2014, 261, 1961-1967. | 3.6 | 30 |
| 79 | Hippocampal degeneration in patients with amyotrophic lateral sclerosis. Neurobiology of Aging, 2014, 35, 2639-2645. | 3.1 | 62 |
| 80 | Comparing voxel-based iterative sensitivity and voxel-based morphometry to detect abnormalities in T2-weighted MRI. Neurolmage, 2014, 100, 379-384. | 4.2 | 1 |
| 81 | A New Fast Accurate Nonlinear Medical Image Registration Program Including Surface Preserving Regularization. IEEE Transactions on Medical Imaging, 2014, 33, 2118-2127. | 8.9 | 16 |
| 82 | Logopenic, mixed, or Alzheimer-related aphasia?. Neurology, 2014, 82, 1127-1131. | 1.1 | 60 |
| 83 | CADASIL presenting with a behavioural variant frontotemporal dementia phenotype. Journal of Clinical Neuroscience, 2014, 21, 165-167. | 1.5 | 3 |
| 84 | Diffusion tensor magnetic resonance imaging for single subject diagnosis in neurodegenerative diseases. Brain, 2013, 136, 2253-2261. | 7.6 | 60 |
| 85 | The C9ORF72 expansion mutation is a common cause of ALS+/â^'FTD in Europe and has a single founder. European Journal of Human Genetics, 2013, 21, 102-108. | 2.8 | 201 |
| 86 | Degenerator tau/TDP-43: rise of the machines. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 945-945. | 1.9 | 1 |
| 87 | A Brief History of Voxel-Based Grey Matter Analysis in Alzheimer's Disease. Journal of Alzheimer's Disease, 2013, 38, 647-659. | 2.6 | 27 |
| 88 | In Vivo Quantitative Susceptibility Mapping (QSM) in Alzheimer's Disease. PLoS ONE, 2013, 8, e81093. | 2.5 | 235 |
| 89 | VBM with viscous fluid registration of gray matter segments in SPM. Frontiers in Aging Neuroscience, 2013, 5, 30. | 3.4 | 5 |
| 90 | The Safety, Tolerability, Pharmacokinetics and Cognitive Effects of GSK239512, a Selective Histamine H ₃ Receptor Antagonist in Patients with Mild to Moderate Alzheimer's Disease: A Preliminary Investigation. Current Alzheimer Research, 2013, 10, 240-251. | 1.4 | 64 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Abnormalities of connected speech in semantic dementia vs Alzheimer's disease. Aphasiology, 2012, 26, 847-866. | 2.2 | 87 |
| 92 | Abnormalities of connected speech in the non-semantic variants of primary progressive aphasia. Aphasiology, 2012, 26, 1219-1237. | 2.2 | 38 |
| 93 | <scp>EFNS</scp> task force: the use of neuroimaging in the diagnosis of dementia. European Journal of Neurology, 2012, 19, 1487-1501. | 3.3 | 112 |
| 94 | Reversal of abnormal eating and drinking behaviour in a frontotemporal lobar degeneration patient using low-dose topiramate: Table 1. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 349-350. | 1.9 | 18 |
| 95 | The relationship of topographical memory performance to regional neurodegeneration in Alzheimer's disease. Frontiers in Aging Neuroscience, 2012, 4, 17. | 3.4 | 47 |
| 96 | Primary progressive aphasia. Neurology, 2012, 78, 1670-1677. | 1.1 | 201 |
| 97 | Diffusion Tensor Metrics as Biomarkers in Alzheimer's Disease. PLoS ONE, 2012, 7, e49072. | 2.5 | 101 |
| 98 | MRI detection of tissue pathology beyond atrophy in Alzheimer's disease: Introducing T2-VBM. NeuroImage, 2011, 56, 1946-1953. | 4.2 | 28 |
| 99 | Hippocampal dysfunction in patients with mild cognitive impairment: A functional neuroimaging study of a visuospatial paired associates learning task. Neuropsychologia, 2011, 49, 2060-2070. | 1.6 | 142 |
| 100 | Profiles of recent autobiographical memory retrieval in semantic dementia, behavioural-variant frontotemporal dementia, and Alzheimer's disease. Neuropsychologia, 2011, 49, 2694-2702. | 1.6 | 178 |
| 101 | Attenuation Correction Methods Suitable for Brain Imaging with a PET/MRI Scanner: A Comparison of Tissue Atlas and Template Attenuation Map Approaches. Journal of Nuclear Medicine, 2011, 52, 1142-1149. | 5.0 | 74 |
| 102 | Atrophy, hypometabolism and white matter abnormalities in semantic dementia tell a coherent story. Brain, 2011, 134, 2025-2035. | 7.6 | 185 |
| 103 | Magnetoencephalography of frontotemporal dementia: spatiotemporally localized changes during semantic decisions. Brain, 2011, 134, 2513-2522. | 7.6 | 25 |
| 104 | Clinical comparison of progressive aphasia associated with Alzheimer versus FTD-spectrum pathology. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 254-260. | 1.9 | 25 |
| 105 | Lost and Found: Bespoke Memory Testing for Alzheimer's Disease and Semantic Dementia. Journal of Alzheimer's Disease, 2010, 21, 1347-1365. | 2.6 | 78 |
| 106 | The Word Processing Deficit in Semantic Dementia: All Categories Are Equal, but Some Categories Are More Equal than Others. Journal of Cognitive Neuroscience, 2010, 22, 2027-2041. | 2.3 | 84 |
| 107 | Semantic dementia: demography, familial factors and survival in a consecutive series of 100 cases. Brain, 2010, 133, 300-306. | 7.6 | 246 |
| 108 | What the left and right anterior fusiform gyri tell us about semantic memory. Brain, 2010, 133, 3256-3268. | 7.6 | 377 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Absolute diffusivities define the landscape of white matter degeneration in Alzheimer's disease. Brain, 2010, 133, 529-539. | 7.6 | 359 |
| 110 | Dementia in Lewy body syndromes. Neurology, 2010, 74, 872-873. | 1.1 | 1 |
| 111 | How preserved is episodic memory in behavioral variant frontotemporal dementia?. Neurology, 2010, 74, 472-479. | 1.1 | 180 |
| 112 | Focal posterior cingulate atrophy in incipient Alzheimer's disease. Neurobiology of Aging, 2010, 31, 25-33. | 3.1 | 135 |
| 113 | Registration accuracy for VBM studies varies according to region and degenerative disease grouping. NeuroImage, 2010, 49, 2205-2215. | 4.2 | 66 |
| 114 | Disturbances of higher cerebral function. , 2010, , 4786-4795. | | 0 |
| 115 | Understanding social dysfunction in the behavioural variant of frontotemporal dementia: the role of emotion and sarcasm processing. Brain, 2009, 132, 592-603. | 7.6 | 219 |
| 116 | Transient epileptic amnesia: regional brain atrophy and its relationship to memory deficits. Brain, 2009, 132, 357-368. | 7.6 | 116 |
| 117 | Combined magnetic resonance imaging and positron emission tomography brain imaging in behavioural variant frontotemporal degeneration: refining the clinical phenotype. Brain, 2009, 132, 2566-2578. | 7.6 | 106 |
| 118 | Atrophy patterns in histologic vs clinical groupings of frontotemporal lobar degeneration. Neurology, 2009, 72, 1653-1660. | 1.1 | 96 |
| 119 | Characteristics of abnormal eating behaviours in frontotemporal lobar degeneration: a cross-cultural survey. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 1413-1414. | 1.9 | 30 |
| 120 | Determinants of survival in behavioral variant frontotemporal dementia. Neurology, 2009, 73, 1656-1661. | 1.1 | 88 |
| 121 | Outcome in subgroups of mild cognitive impairment (MCI) is highly predictable using a simple algorithm. Journal of Neurology, 2009, 256, 1500-1509. | 3.6 | 84 |
| 122 | Comparative Reliability of Total Intracranial Volume Estimation Methods and the Influence of Atrophy in a Longitudinal Semantic Dementia Cohort. Journal of Neuroimaging, 2009, 19, 37-46. | 2.0 | 82 |
| 123 | The impact of skull-stripping and radio-frequency bias correction on grey-matter segmentation for voxel-based morphometry. NeuroImage, 2008, 39, 1654-1665. | 4.2 | 95 |
| 124 | Impact of inconsistent resolution on VBM studies. NeuroImage, 2008, 40, 1711-1717. | 4.2 | 13 |
| 125 | Predicting Rapid Clinical Progression in Amnestic Mild Cognitive Impairment. Dementia and Geriatric Cognitive Disorders, 2008, 25, 170-177. | 1.5 | 62 |
| 126 | Measuring progression in frontotemporal dementia. Neurology, 2008, 70, 2046-2052. | 1.1 | 56 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Memory Complaints in Mild Cognitive Impairment, Worried Well, and Semantic Dementia Patients. Alzheimer Disease and Associated Disorders, 2008, 22, 227-235. | 1.3 | 34 |
| 128 | The Lewy body, the hallucination, the atrophy and the physiology. Brain, 2007, 130, e81-e81. | 7.6 | 7 |
| 129 | Dopamine transporter brain imaging—can it improve the differential diagnosis of dementia with Lewy bodies?. Nature Clinical Practice Neurology, 2007, 3, 602-603. | 2.5 | 3 |
| 130 | Behavioural variant Frontotemporal Dementia: Not all it seems?. Neurocase, 2007, 13, 237-247. | 0.6 | 51 |
| 131 | Nuclear imaging can predict pathologic diagnosis in progressive nonfluent aphasia. Neurology, 2007, 68, 238-239. | 1.1 | 50 |
| 132 | Don't forget cortical Lewy bodies. Journal of Clinical Neuroscience, 2007, 14, 296. | 1.5 | 1 |
| 133 | Focal cortical presentations of Alzheimer's disease. Brain, 2007, 130, 2636-2645. | 7.6 | 510 |
| 134 | Where do you know what you know? The representation of semantic knowledge in the human brain. Nature Reviews Neuroscience, 2007, 8, 976-987. | 10.2 | 2,168 |
| 135 | Semantic dementia and fluent primary progressive aphasia: two sides of the same coin?. Brain, 2006, 129, 3066-3080. | 7.6 | 208 |
| 136 | Declarative memory impairments in Alzheimer's disease and semantic dementia. NeuroImage, 2006, 30, 1010-1020. | 4.2 | 343 |
| 137 | Mild cognitive impairment: applicability of research criteria in a memory clinic and characterization of cognitive profile. Psychological Medicine, 2006, 36, 507-515. | 4.5 | 112 |
| 138 | Regional cerebral blood flow change in a case of Alzheimer's disease with musical hallucinations. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 236-239. | 3.2 | 24 |
| 139 | Clinical, imaging and pathological correlates of a hereditary deficit in verb and action processing. Brain, 2006, 129, 321-332. | 7.6 | 116 |
| 140 | Correlation of visual hallucinations with occipital rCBF changes by donepezil in DLB. Neurology, 2006, 66, 935-937. | 1.1 | 67 |
| 141 | Methylphenidate (â€~Ritalin') can Ameliorate Abnormal Risk-Taking Behavior in the Frontal Variant of Frontotemporal Dementia. Neuropsychopharmacology, 2006, 31, 651-658. | 5.4 | 123 |
| 142 | Neural correlates of semantic and behavioural deficits in frontotemporal dementia. NeuroImage, 2005, 24, 1042-1051. | 4.2 | 166 |
| 143 | DISORDERS OF MEMORY. , 2004, , 43-57. | | 0 |
| 144 | Similar early clinical presentations in familial and non-familial frontotemporal dementia. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 1743-1745. | 1.9 | 25 |

| # | Article | IF | CITATIONS |
|-----|---|-----------|---------------------|
| 145 | Advances in the early detection of Alzheimer's disease. Nature Medicine, 2004, 10, S34-S41. | 30.7 | 401 |
| 146 | Paroxetine does not improve symptoms and impairs cognition in frontotemporal dementia: a double-blind randomized controlled trial. Psychopharmacology, 2004, 172, 400-408. | 3.1 | 185 |
| 147 | Pseudo-neglect in Huntington's disease correlates with decreased angular gyrus density. NeuroReport, 2004, 15, 1061-1064. | 1.2 | 12 |
| 148 | Limbic hypometabolism in Alzheimer's disease and mild cognitive impairment. Annals of Neurology, 2003, 54, 343-351. | 5.3 | 369 |
| 149 | Retrosplenial cortex (BA 29/30) hypometabolism in mild cognitive impairment (prodromal Alzheimer's) Tj ETQ | q110.78 | 4314 rgBT /(195 |
| 150 | The topography of metabolic deficits in posterior cortical atrophy (the visual variant of Alzheimer's) Tj ETQq0 0 0 | rgBT /Ove | rlqçk 10 Tf 5 |
| 151 | A Case of Unilateral Neglect in Huntington's Disease. Neurocase, 2003, 9, 261-273. | 0.6 | 14 |
| 152 | Progressive non-fluent aphasia is associated with hypometabolism centred on the left anterior insula. Brain, 2003, 126, 2406-2418. | 7.6 | 299 |
| 153 | Advances in early diagnosis and differentiation of the dementias. , 2003, , 262-288. | | 0 |
| 154 | Memory consolidation and the hippocampus: further evidence from studies of autobiographical memory in semantic dementia and frontal variant frontotemporal dementia. Neuropsychologia, 2002, 40, 633-654. | 1.6 | 107 |
| 155 | Non-Alzheimer Dementias. Seminars in Neurology, 2000, 20, 439-446. | 1.4 | 22 |
| 156 | Proximal myotonic myopathy: a report of a kindred. Journal of Clinical Neuroscience, 1998, 5, 218-220. | 1.5 | 1 |
| 157 | Hospitalisation for adverse events related to drug therapy: incidence, avoidability and costs. Medical Journal of Australia, 1996, 164, 659-662. | 1.7 | 138 |
| 158 | Vitamin B 12 myeloneuropathy precipitated by nitrous oxide anaesthesia. Medical Journal of Australia, 1996, 165, 174-174. | 1.7 | 11 |
| 159 | Neuroimaging and other investigative findings. , 0, , 134-160. | | 2 |