

Ashok Malla

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5202261/publications.pdf>

Version: 2024-02-01

146
papers

3,967
citations

156536

32
h-index

175968

55
g-index

152
all docs

152
docs citations

152
times ranked

4079
citing authors

#	ARTICLE	IF	CITATIONS
1	First-Episode Psychosis: Psychopathology, Quality of Life, and Functional Outcome. <i>Schizophrenia Bulletin</i> , 2005, 31, 650-671.	2.3	206
2	Predictors of rate and time to remission in first-episode psychosis: a two-year outcome study. <i>Psychological Medicine</i> , 2006, 36, 649.	2.7	195
3	Integrated (one-stop shop) youth health care: best available evidence and future directions. <i>Medical Journal of Australia</i> , 2017, 207, S5-S18.	0.8	173
4	From early intervention in psychosis to youth mental health reform: a review of the evolution and transformation of mental health services for young people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 319-326.	1.6	139
5	A Canadian Programme for Early Intervention in Non-Affective Psychotic Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 407-413.	1.3	133
6	Youth Mental Health Should Be a Top Priority for Health Care in Canada. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 216-222.	0.9	124
7	Early Intervention for Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 356-364.	0.5	120
8	Psychological and psychosocial interventions for negative symptoms in psychosis: Systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017, 210, 324-332.	1.7	114
9	Testing Definitions of Symptom Remission in First-Episode Psychosis for Prediction of Functional Outcome at 2 Years. <i>Schizophrenia Bulletin</i> , 2010, 36, 1001-1008.	2.3	105
10	Preferences of Young Adults With First-Episode Psychosis for Receiving Specialized Mental Health Services Using Technology: A Survey Study. <i>JMIR Mental Health</i> , 2015, 2, e18.	1.7	104
11	Service Engagement in First-Episode Psychosis: Current Issues and Future Directions. <i>Canadian Journal of Psychiatry</i> , 2015, 60, 341-345.	0.9	88
12	The Relative Contribution of Cognition and Symptomatic Remission to Functional Outcome Following Treatment of a First Episode of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e566-e572.	1.1	83
13	Determinants of help-seeking and system related components of delay in the treatment of first-episode psychosis†. <i>Schizophrenia Research</i> , 2007, 96, 206-214.	1.1	79
14	“Mental illness is like any other medical illness”: a critical examination of the statement and its impact on patient care and society. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 147-150.	1.4	70
15	Cognitive insight and verbal memory in first episode of psychosis. <i>European Psychiatry</i> , 2008, 23, 368-374.	0.1	69
16	Canadian response to need for transformation of youth mental health services: ACCESS Open Minds (Esprits ouverts). <i>Microbial Biotechnology</i> , 2019, 13, 697-706.	0.9	67
17	Comparing three-year extension of early intervention service to regular care following two years of early intervention service in first-episode psychosis: a randomized single blind clinical trial. <i>World Psychiatry</i> , 2017, 16, 278-286.	4.8	66
18	A community intervention for early identification of First Episode Psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 337-344.	1.6	62

#	ARTICLE	IF	CITATIONS
19	Global research priorities for youth mental health. <i>Microbial Biotechnology</i> , 2020, 14, 3-13.	0.9	60
20	A Comparison Study of Multiple Measures of Adherence to Antipsychotic Medication in First-Episode Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 64-67.	0.7	55
21	Early Intervention for Psychosis in Canada. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 186-194.	0.9	50
22	Benefits of Enriched Intervention Compared with Standard Care for Patients with Recent-Onset Psychosis: A Metaanalytic Approach. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 464-472.	0.9	49
23	A Multisite Canadian Study of Outcome of First-Episode Psychosis Treated in Publicly Funded Early Intervention Services. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 563-571.	0.9	47
24	A Qualitative Study of Experiences with and Perceptions regarding Long-Acting Injectable Antipsychotics: Part II – Physician Perspectives. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 23-29.	0.9	47
25	Disengagement in immigrant groups receiving services for a first episode of psychosis. <i>Schizophrenia Research</i> , 2018, 193, 399-405.	1.1	46
26	Cognitive markers of short-term clinical outcome in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 297-304.	1.7	44
27	A Qualitative Study of Experiences with and Perceptions regarding Long-Acting Injectable Antipsychotics: Part I – Patient Perspectives. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 14-22.	0.9	43
28	Long-Acting Injectable Antipsychotics: Recommendations for Clinicians. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 30-35.	0.9	42
29	Early Intervention in Psychosis in Young People: A Population and Public Health Perspective. <i>American Journal of Public Health</i> , 2019, 109, S181-S184.	1.5	41
30	A five-year randomized parallel and blinded clinical trial of an extended specialized early intervention vs. regular care in the early phase of psychotic disorders: study protocol. <i>BMC Psychiatry</i> , 2015, 15, 22.	1.1	39
31	The Influence of Perceived Social Support on Medication Adherence in First-Episode Psychosis. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 59-65.	0.9	34
32	Association of Pre-onset Subthreshold Psychotic Symptoms With Longitudinal Outcomes During Treatment of a First Episode of Psychosis. <i>JAMA Psychiatry</i> , 2019, 76, 61.	6.0	33
33	Cannabis use and anticipatory pleasure as reported by subjects with early psychosis and community controls. <i>Schizophrenia Research</i> , 2012, 137, 39-44.	1.1	32
34	Association of a risk allele of ANK3 with cognitive performance and cortical thickness in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 31-39.	1.4	32
35	A 12-month outcome study of insight and symptom change in first-episode psychosis. <i>Microbial Biotechnology</i> , 2010, 4, 79-88.	0.9	31
36	Meanings of well-being from the perspectives of youth recently diagnosed with psychosis. <i>Journal of Mental Health</i> , 2014, 23, 25-30.	1.0	31

#	ARTICLE	IF	CITATIONS
37	Subjective experiences of illness recovery in individuals treated for first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1069-1077.	1.6	31
38	Comparison of clinical outcomes following 2 years of treatment of first-episode psychosis in urban early intervention services in Canada and India. <i>British Journal of Psychiatry</i> , 2020, 217, 514-520.	1.7	31
39	TCF4 gene polymorphism and cognitive performance in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2014, 152, 124-129.	1.1	30
40	Understanding the impact of persistent symptoms in schizophrenia: Cross-sectional findings from the Pattern study. <i>Schizophrenia Research</i> , 2015, 169, 234-240.	1.1	29
41	Polygenic Risk Score associated with specific symptom dimensions in first-episode psychosis. <i>Schizophrenia Research</i> , 2017, 184, 116-121.	1.1	29
42	A NEET distinction: youths not in employment, education or training follow different pathways to illness and care in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1401-1411.	1.6	27
43	A comparison of two novel antipsychotics in first episode non-affective psychosis: one-year outcome on symptoms, motor side effects and cognition. <i>Psychiatry Research</i> , 2004, 129, 159-169.	1.7	26
44	Understanding the course of persistent symptoms in schizophrenia: Longitudinal findings from the pattern study. <i>Psychiatry Research</i> , 2018, 267, 56-62.	1.7	26
45	The reality of at risk mental state services: a response to recent criticisms. <i>Psychological Medicine</i> , 2021, 51, 212-218.	2.7	26
46	Short duration of untreated psychosis enhances negative symptom remission in extended early intervention service for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 65-76.	2.2	25
47	Well-Being and Engagement in Valued Activities: Experiences of Young People with Psychosis. <i>OTJR Occupation, Participation and Health</i> , 2013, 33, 190-197.	0.4	24
48	Adolescent vs. adult onset of a first episode psychosis: Impact on remission of positive and negative symptoms. <i>Schizophrenia Research</i> , 2016, 174, 183-188.	1.1	24
49	A controlled evaluation of a targeted early case detection intervention for reducing delay in treatment of first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1711-1718.	1.6	21
50	Pathways to functional outcomes following a first episode of psychosis: The roles of premorbid adjustment, verbal memory and symptom remission. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 793-803.	1.3	21
51	Caught in the "NEET Trap": The Intersection Between Vocational Inactivity and Disengagement From an Early Intervention Service for Psychosis. <i>Psychiatric Services</i> , 2019, 70, 302-308.	1.1	21
52	Context and contact: a comparison of patient and family engagement with early intervention services for psychosis in India and Canada. <i>Psychological Medicine</i> , 2022, 52, 1538-1547.	2.7	21
53	Adaptation of a Digital Health Innovation to Prevent Relapse and Support Recovery in Youth Receiving Services for First-Episode Psychosis: Results From the Horyzons-Canada Phase 1 Study. <i>JMIR Formative Research</i> , 2020, 4, e19887.	0.7	21
54	Cultural and Contextual Adaptation of an eHealth Intervention for Youth Receiving Services for First-Episode Psychosis: Adaptation Framework and Protocol for Horyzons-Canada Phase 1. <i>JMIR Research Protocols</i> , 2018, 7, e100.	0.5	21

#	ARTICLE	IF	CITATIONS
55	Real-life assessment of aripiprazole monthly (Abilify Maintena) in schizophrenia: a Canadian naturalistic non-interventional prospective cohort study. <i>BMC Psychiatry</i> , 2019, 19, 114.	1.1	20
56	Sex Differences in Verbal Memory Predict Functioning Through Negative Symptoms in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 1587-1595.	2.3	20
57	What Is the Place of Clozapine in the Treatment of Early Psychosis in Canada?. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 109-114.	0.9	19
58	Duration of active psychosis and first-episode psychosis negative symptoms. <i>Microbial Biotechnology</i> , 2017, 11, 63-71.	0.9	19
59	Comparing cognitive clusters across first- and multiple-episode of psychosis. <i>Psychiatry Research</i> , 2018, 269, 707-718.	1.7	19
60	An Epidemiological Study of Electroconvulsive Therapy: Rate and Diagnosis. <i>Canadian Journal of Psychiatry</i> , 1986, 31, 824-830.	0.9	18
61	Therapeutic effectiveness and tolerability of aripiprazole as initial choice of treatment in first episode psychosis in an early intervention service: A one-year outcome study. <i>Schizophrenia Research</i> , 2016, 174, 120-125.	1.1	17
62	Neuroanatomical and Symptomatic Sex Differences in Individuals at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2017, 8, 291.	1.3	17
63	Impact of symptom resolution on medication adherence in first episode psychosis. <i>Psychiatry Research</i> , 2012, 196, 45-51.	1.7	16
64	Clinical and functional implications of a history of childhood ADHD in first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 165, 128-133.	1.1	16
65	Source retrieval is not properly differentiated from object retrieval in early schizophrenia: An fMRI study using virtual reality. <i>NeuroImage: Clinical</i> , 2015, 7, 336-346.	1.4	16
66	Longitudinal trajectory of clinical insight and covariation with cortical thickness in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2017, 86, 46-54.	1.5	16
67	Is Treating Patients with First-Episode Psychosis Cost-Effective?. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 3-8.	0.9	15
68	Relapse Risk Assessment in Early Phase Psychosis: The Search for a Reliable and Valid Tool. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 655-658.	0.9	15
69	Predictors of "all-cause discontinuation" of initial oral antipsychotic medication in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 201, 287-293.	1.1	15
70	A longitudinal study of cognitive insight and cortical thickness in first-episode psychosis. <i>Schizophrenia Research</i> , 2018, 193, 251-260.	1.1	15
71	Transforming youth mental health services in a large urban centre: ACCESS Open Minds Edmonton. <i>Microbial Biotechnology</i> , 2019, 13, 14-19.	0.9	15
72	Psychotic disorders comorbid with attention-deficit hyperactivity disorder: an important knowledge gap. <i>Canadian Journal of Psychiatry</i> , 2015, 60, S48-52.	0.9	15

#	ARTICLE	IF	CITATIONS
73	Predictors of cognition in first episode psychosis. <i>Schizophrenia Research</i> , 2014, 152, 164-169.	1.1	14
74	Eskasoni First Nation's transformation of youth mental healthcare: Partnership between a Mi'kmaq community and the ACCESS Open Minds research project in implementing innovative practice and service evaluation. <i>Microbial Biotechnology</i> , 2019, 13, 42-47.	0.9	14
75	Social Determinants of Health and Preclinical Glycemic Control in Newly Diagnosed First-Episode Psychosis Patients. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 547-556.	0.9	13
76	Improving youth mental wellness services in an Indigenous context in Ulukhaktok, Northwest Territories: ACCESS Open Minds Project. <i>Microbial Biotechnology</i> , 2019, 13, 35-41.	0.9	13
77	Improving mental health services for homeless youth in downtown Montreal, Canada: Partnership between a local network and ACCESS Esprits ouverts (Open Minds), a National Services Transformation Research Initiative. <i>Microbial Biotechnology</i> , 2019, 13, 20-28.	0.9	13
78	ACCESS Open Minds at the University of Alberta: Transforming student mental health services in a large Canadian postsecondary educational institution. <i>Microbial Biotechnology</i> , 2019, 13, 56-64.	0.9	13
79	Transcending false dichotomies and diagnostic silos to reduce disease burden in mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1095-1103.	1.6	13
80	Electroencephalographic Abnormalities and 5-Year Outcome in First-Episode Psychosis. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 285-288.	0.9	12
81	Description, evaluation and scalability potential of a model for rapid access to early intervention for psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 1222-1228.	0.9	12
82	Transforming youth mental health care in a semi-urban and rural region of Canada: A service description of ACCESS Open Minds Chatham-Kent. <i>Microbial Biotechnology</i> , 2019, 13, 48-55.	0.9	12
83	Sex Differences in Clinical and Functional Outcomes among Patients Treated in an Early Intervention Service for Psychotic Disorders: An Observational Study. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 070674371985406.	0.9	12
84	Progress of negative symptoms over the initial 5 years of a first episode of psychosis. <i>Psychological Medicine</i> , 2019, 49, 66-74.	2.7	12
85	Changes in Depressive Symptoms and Changes in Lifestyle-Related Indicators: A 1-Year Follow-Up Study Among Adults With Type 2 Diabetes in Quebec. <i>Canadian Journal of Diabetes</i> , 2013, 37, 243-248.	0.4	11
86	A Model of Mental Health Care Involving Trained Lay Health Workers for Treatment of Major Mental Disorders Among Youth in a Conflict-Ridden, Low-Middle Income Environment: Part I Adaptation and Implementation. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 621-629.	0.9	11
87	Whose responsibility? Part 1 of 2: A scale to assess how stakeholders apportion responsibilities for addressing the needs of persons with mental health problems. <i>International Journal of Mental Health Systems</i> , 2022, 16, 1.	1.1	11
88	Shared Decision Making in a Youth Mental Health Service Design and Research Project: Insights From the Pan-Canadian ACCESS Open Minds Network. <i>Patient</i> , 2020, 13, 653-666.	1.1	10
89	A polymorphism in the glutamate metabotropic receptor 7 is associated with cognitive deficits in the early phases of psychosis. <i>Schizophrenia Research</i> , 2022, 249, 56-62.	1.1	10
90	Meeting the challenges of the new frontier of youth mental health care. <i>World Psychiatry</i> , 2022, 21, 78-79.	4.8	10

#	ARTICLE	IF	CITATIONS
91	The effect of brexpiprazole in adult outpatients with early-episode schizophrenia. <i>International Clinical Psychopharmacology</i> , 2016, 31, 307-314.	0.9	9
92	Baby or bathwater? Referrals of "non-cases" in a targeted early identification intervention for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 757-761.	1.6	9
93	Outcome in patients converting to psychosis following a treated clinical high risk state. <i>Microbial Biotechnology</i> , 2018, 12, 715-719.	0.9	9
94	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , 2020, 7, 378-380.	3.7	9
95	Dynamic Interplay Between Insight and Persistent Negative Symptoms in First Episode of Psychosis: A Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 211-219.	2.3	9
96	Transforming child and youth mental health care: ACCESS Open Minds New Brunswick in the rural Francophone region of the Acadian Peninsula. <i>Microbial Biotechnology</i> , 2019, 13, 29-34.	0.9	8
97	Economic Evaluation of Extended Early Intervention Service vs Regular Care Following 2 Years of Early Intervention: Secondary Analysis of a Randomized Controlled Trial. <i>Schizophrenia Bulletin</i> , 2021, 47, 465-473.	2.3	8
98	Reducing Duration of Untreated Psychosis: The Neglected Dimension of Early Intervention Services. <i>American Journal of Psychiatry</i> , 2022, 179, 259-261.	4.0	8
99	Mode of Entry to an Early Intervention Service for Psychotic Disorders: Determinants and Impact on Outcome. <i>Psychiatric Services</i> , 2013, 64, 1166-1169.	1.1	7
100	Do reward-processing deficits in schizophrenia-spectrum disorders promote cannabis use? An investigation of physiological response to natural rewards and drug cues. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 339-347.	1.4	7
101	Advances and challenges in early intervention in psychosis. <i>World Psychiatry</i> , 2017, 16, 274-275.	4.8	7
102	Engagement in specialized early intervention services for psychosis as an interplay between personal agency and critical structures: A qualitative study. <i>International Journal of Nursing Studies</i> , 2020, 108, 103583.	2.5	7
103	The New Wave of Youth Mental Health Services: Time for Reflection and Caution. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 616-620.	0.9	7
104	Weight Cycling and Depressive Symptoms in Diabetes: A Community-Based Study of Adults with Type 2 Diabetes Mellitus in Quebec. <i>Canadian Journal of Diabetes</i> , 2014, 38, 456-460.	0.4	6
105	Cognitive capacity similarly predicts insight into symptoms in first- and multiple-episode psychosis. <i>Schizophrenia Research</i> , 2019, 206, 236-243.	1.1	6
106	The value of early intervention in creating the new mental health system: Response to Allison et al. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 667-669.	1.3	6
107	Altered hippocampal centrality and dynamic anatomical covariance of intracortical microstructure in first episode psychosis. <i>Hippocampus</i> , 2020, 30, 1058-1072.	0.9	6
108	Understanding sex differences in cognitive insight across first-and-multiple episode psychosis. <i>Schizophrenia Research</i> , 2020, 218, 276-282.	1.1	6

#	ARTICLE	IF	CITATIONS
109	Suicidality Over the First 5 Years of Psychosis: Does Extending Early Intervention Have Benefits?. Canadian Journal of Psychiatry, 2021, 66, 468-476.	0.9	6
110	Unfinished business: Functional outcomes in a randomized controlled trial of a three-year extension of early intervention versus regular care following two years of early intervention for psychosis. Acta Psychiatrica Scandinavica, 2022, 145, 86-99.	2.2	6
111	An observational study of antipsychotic medication discontinuation in first-episode psychosis: clinical and functional outcomes. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1329-1340.	1.6	6
112	The promises and challenges of early intervention in psychotic disorders. World Psychiatry, 2008, 7, 157-158.	4.8	5
113	Does an integrated outreach intervention targeting multiple stages of early psychosis improve the identification of individuals at clinical high risk?. Microbial Biotechnology, 2019, 13, 989-992.	0.9	5
114	A Promising Route Towards Improvement of Homeless Young People's Access to Mental Health Services: The Creation and Evolution of an Outreach Service Network in Montreal. Community Mental Health Journal, 2020, 56, 258-270.	1.1	5
115	The Case for Cautious Interpretation and Replication: Lead-Time Bias as a Potential Explanation for the Link Between Duration of Untreated Psychosis and Outcome. American Journal of Psychiatry, 2020, 177, 1180-1181.	4.0	5
116	Posttraumatic growth and recovery following a first episode of psychosis: a narrative review of two concepts. Psychosis, 2020, 12, 285-294.	0.4	5
117	Delusional content at initial presentation to a catchment-based early intervention service for psychosis. British Journal of Psychiatry, 2021, 218, 217-223.	1.7	5
118	Bipolar disorder risk gene FOXO6 modulates negative symptoms in schizophrenia: a neuroimaging genetics study. Journal of Psychiatry and Neuroscience, 2017, 42, 172-180.	1.4	4
119	Testing the Effectiveness of Implementing a Model of Mental Healthcare Involving Trained Lay Health Workers in Treating Major Mental Disorders Among Youth in a Conflict-Ridden, Low-Middle Income Environment: Part II Results. Canadian Journal of Psychiatry, 2019, 64, 630-637.	0.9	4
120	Socioeconomic deprivation and blood lipids in first-episode psychosis patients with minimal antipsychotic exposure: Implications for cardiovascular risk. Schizophrenia Research, 2020, 216, 111-117.	1.1	4
121	Early Stabilization of Weight Changes Following Treatment With Olanzapine, Risperidone, and Aripiprazole. Journal of Clinical Psychiatry, 2019, 80, .	1.1	4
122	Medial temporal lobe and basal ganglia volume trajectories in persistent negative symptoms following a first episode of psychosis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 117, 110551.	2.5	4
123	The impact of caregiver familiarity with mental disorders on timing of intervention in first-episode psychosis. Microbial Biotechnology, 2015, 9, 388-396.	0.9	3
124	Opportunities for Suicide Risk Reduction. Psychiatric Services, 2015, 66, 109-109.	1.1	3
125	Investigating subjective cognitive complaints in psychosis: Introducing the brief scale to Investigate cognition in schizophrenia (SSTICS-Brief). Cognitive Neuropsychiatry, 2020, 25, 190-200.	0.7	3
126	Youth Mental Health Services: Promoting Wellness or Treating Mental Illness?. Canadian Journal of Psychiatry, 2020, 65, 531-535.	0.9	3

#	ARTICLE	IF	CITATIONS
127	Demographic and Clinical Presentations of Youth using Enhanced Mental Health Services in Six Indigenous Communities from the ACCESS Open Minds Network. Canadian Journal of Psychiatry, 2022, 67, 179-191.	0.9	3
128	Severe childhood trauma and emotion recognition in males and females with first-episode psychosis. Microbial Biotechnology, 2023, 17, 149-158.	0.9	3
129	The Role of Cognition in Outcome in Schizophrenia and Related Disorders. Canadian Journal of Psychiatry, 2014, 59, 3-4.	0.9	2
130	Fidelity scales, performance measures and early intervention in psychosis services. Microbial Biotechnology, 2019, 13, 342-344.	0.9	2
131	Service provider perceptions of posttraumatic growth experienced by service users receiving treatment for a first episode of psychosis. International Journal of Mental Health, 2020, 49, 271-279.	0.5	2
132	Adapting, updating and translating the Social Functioning Scale to assess social, recreational and independent functioning among youth with psychosis in diverse sociocultural contexts. Microbial Biotechnology, 2021, , .	0.9	2
133	The effects of childhood adversity on treatment delays and its components in first-episode psychosis. Psychiatry Research, 2022, 308, 114341.	1.7	2
134	Whose responsibility? Part 2 of 2: views of patients, families, and clinicians about responsibilities for addressing the needs of persons with mental health problems in Chennai, India and Montreal, Canada. International Journal of Mental Health Systems, 2022, 16, 2.	1.1	2
135	Normal-range verbal memory in the first-episode of psychosis: Clinical and functional outcomes across 24 months and impact of estimated verbal memory decrement. Schizophrenia Research, 2022, 246, 75-84.	1.1	2
136	Foreword: The real world of implementing early intervention services for young people, their families and their communities. Microbial Biotechnology, 2019, 13, 5-7.	0.9	1
137	Patient satisfaction with random assignment to extended early intervention for psychosis vs regular care: Relationship with service engagement. Microbial Biotechnology, 2021, 15, 746-750.	0.9	1
138	Young Adults' Perspectives on Factors Related to Relapse After First-Episode Psychosis: Qualitative Focus Group Study. Psychiatric Services, 2022, 73, 1380-1388.	1.1	1
139	Persistent negative symptoms in schizophrenia: survey of Canadian psychiatrists. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2013, 10, 69-72.	0.2	0
140	Response to Comment on Schmitz et al. Recurrent Subthreshold Depression in Type 2 Diabetes: An Important Risk Factor for Poor Health Outcomes. Diabetes Care 2014;37:970-978. Diabetes Care, 2014, 37, e146-e147.	4.3	0
141	Authors' reply. British Journal of Psychiatry, 2017, 211, 116-117.	1.7	0
142	Look Before You Leap: Representativeness of Those Completing Self-Reports in Early Psychosis Research. Canadian Journal of Psychiatry, 2020, 65, 56-58.	0.9	0
143	Cover Image, Volume 30, Issue 10. Hippocampus, 2020, 30, C1.	0.9	0
144	Author response - Exit exceptionalism: mental disease is like any other medical disease. Journal of Psychiatry and Neuroscience, 2015, 40, E36-E37.	1.4	0

#	ARTICLE	IF	CITATIONS
145	Persistent negative symptoms in schizophrenia: survey of Canadian psychiatrists. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2013, 10, 69-72.	0.2	0
146	A longitudinal qualitative follow-up study of post-traumatic growth among service users who experienced positive change following a first episode of psychosis. Psychosis, 0, , 1-12.	0.4	0