

# Frank Melzner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5212073/publications.pdf>

Version: 2024-02-01

78  
papers

6,419  
citations

87888

38  
h-index

69250

77  
g-index

81  
all docs

81  
docs citations

81  
times ranked

4913  
citing authors

#	ARTICLE	IF	CITATIONS
1	Physiological basis for high CO <sub>2</sub> tolerance in marine ectothermic animals: pre-adaptation through lifestyle and ontogeny?. <i>Biogeosciences</i> , 2009, 6, 2313-2331.	3.3	544
2	Future ocean acidification will be amplified by hypoxia in coastal habitats. <i>Marine Biology</i> , 2013, 160, 1875-1888.	1.5	423
3	Food availability outweighs ocean acidification effects in juvenile <i>Mytilus edulis</i> : laboratory and field experiments. <i>Global Change Biology</i> , 2013, 19, 1017-1027.	9.5	379
4	The Baltic Sea as a time machine for the future coastal ocean. <i>Science Advances</i> , 2018, 4, eaar8195.	10.3	339
5	Food Supply and Seawater pCO <sub>2</sub> Impact Calcification and Internal Shell Dissolution in the Blue Mussel <i>Mytilus edulis</i> . <i>PLoS ONE</i> , 2011, 6, e24223.	2.5	319
6	Calcifying invertebrates succeed in a naturally CO <sub>2</sub> -rich coastal habitat but are threatened by high levels of future acidification. <i>Biogeosciences</i> , 2010, 7, 3879-3891.	3.3	301
7	CO <sub>2</sub> induced seawater acidification impacts sea urchin larval development I: Elevated metabolic rates decrease scope for growth and induce developmental delay. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2011, 160, 331-340.	1.8	275
8	Long-term and trans-life-cycle effects of exposure to ocean acidification in the green sea urchin <i>Strongylocentrotus droebachiensis</i> . <i>Marine Biology</i> , 2013, 160, 1835-1843.	1.5	266
9	Moderate seawater acidification does not elicit long-term metabolic depression in the blue mussel <i>Mytilus edulis</i> . <i>Marine Biology</i> , 2010, 157, 2667-2676.	1.5	257
10	Acidified seawater impacts sea urchin larvae pH regulatory systems relevant for calcification. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 18192-18197.	7.1	217
11	Resource allocation and extracellular acid-base status in the sea urchin <i>Strongylocentrotus droebachiensis</i> in response to CO <sub>2</sub> induced seawater acidification. <i>Aquatic Toxicology</i> , 2012, 110-111, 194-207.	4.0	172
12	Swimming performance in Atlantic Cod ( <i>Gadus morhua</i> ) following long-term (4-12 months) acclimation to elevated seawater PCO <sub>2</sub> . <i>Aquatic Toxicology</i> , 2009, 92, 30-37.	4.0	136
13	Impacts of seawater acidification on mantle gene expression patterns of the Baltic Sea blue mussel: implications for shell formation and energy metabolism. <i>Marine Biology</i> , 2013, 160, 1845-1861.	1.5	134
14	Massively Parallel RNA Sequencing Identifies a Complex Immune Gene Repertoire in the lophotrochozoan <i>Mytilus edulis</i> . <i>PLoS ONE</i> , 2012, 7, e33091.	2.5	133
15	Digestion in sea urchin larvae impaired under ocean acidification. <i>Nature Climate Change</i> , 2013, 3, 1044-1049.	18.8	126
16	CO <sub>2</sub> induced seawater acidification impacts sea urchin larval development II: Gene expression patterns in pluteus larvae. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2011, 160, 320-330.	1.8	123
17	Naturally acidified habitat selects for ocean acidification-tolerant mussels. <i>Science Advances</i> , 2017, 3, e1602411.	10.3	115
18	Growth and calcification in the cephalopod <i>Sepia officinalis</i> under elevated seawater pCO <sub>2</sub> . <i>Marine Ecology - Progress Series</i> , 2008, 373, 303-309.	1.9	113

#	ARTICLE	IF	CITATIONS
19	Acid–base regulatory ability of the cephalopod ( <i>Sepia officinalis</i> ) in response to environmental hypercapnia. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2010, 180, 323-335.	1.5	102
20	Sour times: seawater acidification effects on growth, feeding behaviour and acid–base status of <i>Asterias rubens</i> and <i>Carcinus maenas</i> . <i>Marine Ecology - Progress Series</i> , 2012, 459, 85-98.	1.9	94
21	Impact of seawater carbonate chemistry on the calcification of marine bivalves. <i>Biogeosciences</i> , 2015, 12, 4209-4220.	3.3	93
22	Cuttlebone calcification increases during exposure to elevated seawater pCO <sub>2</sub> in the cephalopod <i>Sepia officinalis</i> . <i>Marine Biology</i> , 2010, 157, 1653-1663.	1.5	89
23	Mussel larvae modify calcifying fluid carbonate chemistry to promote calcification. <i>Nature Communications</i> , 2017, 8, 1709.	12.8	78
24	Ocean Acidification and Coastal Marine Invertebrates: Tracking CO <sub>2</sub> Effects from Seawater to the Cell. <i>Annual Review of Marine Science</i> , 2020, 12, 499-523.	11.6	76
25	CO <sub>2</sub> -driven seawater acidification differentially affects development and molecular plasticity along life history of fish ( <i>Oryzias latipes</i> ). <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2013, 165, 119-130.	1.8	71
26	Biophysical and Population Genetic Models Predict the Presence of ‘Phantom’ Stepping Stones Connecting Mid-Atlantic Ridge Vent Ecosystems. <i>Current Biology</i> , 2016, 26, 2257-2267.	3.9	69
27	Abiotic conditions in cephalopod ( <i>Sepia officinalis</i> ) eggs: embryonic development at low pH and high pCO <sub>2</sub> . <i>Marine Biology</i> , 2009, 156, 515-519.	1.5	67
28	Elevated seawater Pco <sub>2</sub> differentially affects branchial acid-base transporters over the course of development in the cephalopod <i>Sepia officinalis</i> . <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 300, R1100-R1114.	1.8	67
29	Deciphering mollusc shell production: the roles of genetic mechanisms through to ecology, aquaculture and biomimetics. <i>Biological Reviews</i> , 2020, 95, 1812-1837.	10.4	63
30	Combining hydrodynamic modelling with genetics: can passive larval drift shape the genetic structure of Baltic <i>Mytilus</i> populations?. <i>Molecular Ecology</i> , 2017, 26, 2765-2782.	3.9	56
31	Conditions of <i>Mytilus edulis</i> extracellular body fluids and shell composition in a pH–treatment experiment: Acid–base status, trace elements and <sup>11</sup> B. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, .	2.5	48
32	High Calcification Costs Limit Mussel Growth at Low Salinity. <i>Frontiers in Marine Science</i> , 2018, 5, .	2.5	48
33	Role of blood-oxygen transport in thermal tolerance of the cuttlefish, <i>Sepia officinalis</i> . <i>Integrative and Comparative Biology</i> , 2007, 47, 645-655.	2.0	46
34	Effects of elevated seawater p CO <sub>2</sub> on gene expression patterns in the gills of the green crab, <i>Carcinus maenas</i> . <i>BMC Genomics</i> , 2011, 12, 488.	2.8	46
35	A shell regeneration assay to identify biomineralization candidate genes in mytilid mussels. <i>Marine Genomics</i> , 2016, 27, 57-67.	1.1	46
36	Critical temperatures in the cephalopod <i>Sepia officinalis</i> investigated using in vivo <sup>31</sup> P NMR spectroscopy. <i>Journal of Experimental Biology</i> , 2006, 209, 891-906.	1.7	45

#	ARTICLE	IF	CITATIONS
37	Ocean acidification and temperature rise: effects on calcification during early development of the cuttlefish <i>Sepia officinalis</i> . <i>Marine Biology</i> , 2013, 160, 2007-2022.	1.5	45
38	Maintenance of coelomic fluid pH in sea urchins exposed to elevated CO <sub>2</sub> : the role of body cavity epithelia and stereom dissolution. <i>Marine Biology</i> , 2013, 160, 2631-2645.	1.5	38
39	Temperature-dependent oxygen extraction from the ventilatory current and the costs of ventilation in the cephalopod <i>Sepia officinalis</i> . <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2006, 176, 607-621.	1.5	37
40	Multiple Loci Are Associated with Dilated Cardiomyopathy in Irish Wolfhounds. <i>PLoS ONE</i> , 2012, 7, e36691.	2.5	37
41	Ammonium excretion and oxygen respiration of tropical copepods and euphausiids exposed to oxygen minimum zone conditions. <i>Biogeosciences</i> , 2016, 13, 2241-2255.	3.3	37
42	Expression of calcification-related ion transporters during blue mussel larval development. <i>Ecology and Evolution</i> , 2019, 9, 7157-7172.	1.9	37
43	Localization of ion-regulatory epithelia in embryos and hatchlings of two cephalopods. <i>Cell and Tissue Research</i> , 2010, 339, 571-583.	2.9	32
44	Juvenile sea stars exposed to acidification decrease feeding and growth with no acclimation potential. <i>Marine Ecology - Progress Series</i> , 2014, 509, 227-239.	1.9	30
45	Calcium mobilisation following shell damage in the Pacific oyster, <i>Crassostrea gigas</i> . <i>Marine Genomics</i> , 2016, 27, 75-83.	1.1	28
46	New insights into ion regulation of cephalopod molluscs: a role of epidermal ionocytes in acid-base regulation during embryogenesis. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 301, R1700-R1709.	1.8	27
47	Water column biogeochemistry of oxygen minimum zones in the eastern tropical North Atlantic and eastern tropical South Pacific oceans. <i>Biogeosciences</i> , 2016, 13, 3585-3606.	3.3	27
48	Mussels with Meat: Bivalve Tissue-Shell Radiocarbon Age Differences and Archaeological Implications. <i>Radiocarbon</i> , 2012, 54, 953-965.	1.8	24
49	The squat lobster <i>Pleuroncodes monodon</i> tolerates anoxic "dead zone" conditions off Peru. <i>Marine Biology</i> , 2015, 162, 1913-1921.	1.5	24
50	Using the critical salinity ( <i>S</i> crit) concept to predict invasion potential of the anemone <i>Diadumene lineata</i> in the Baltic Sea. <i>Marine Biology</i> , 2016, 163, 1.	1.5	24
51	Calcification in a marginal sea "influence of seawater [Ca <sup>2+</sup> and Mg <sup>2+</sup> ] and carbonate chemistry on bivalve shell formation. <i>Biogeosciences</i> , 2018, 15, 1469-1482.	3.3	24
52	<i>In vivo</i> characterization of bivalve larval shells: a confocal Raman microscopy study. <i>Journal of the Royal Society Interface</i> , 2018, 15, 20170723.	3.4	22
53	Contribution of changes in opal productivity and nutrient distribution in the coastal upwelling systems to Late Pliocene/Early Pleistocene climate cooling. <i>Climate of the Past</i> , 2012, 8, 1435-1445.	3.4	21
54	Influence of Temperature, Hypercapnia, and Development on the Relative Expression of Different Hemocyanin Isoforms in the Common Cuttlefish <i>Sepia officinalis</i> . <i>Journal of Experimental Zoology</i> , 2012, 317, 511-523.	1.2	21

#	ARTICLE	IF	CITATIONS
55	Simulated leakage of high pCO <sub>2</sub> water negatively impacts bivalve dominated infaunal communities from the Western Baltic Sea. <i>Scientific Reports</i> , 2016, 6, 31447.	3.3	21
56	Elevated pCO <sub>2</sub> drives lower growth and yet increased calcification in the early life history of the cuttlefish <i>Sepia officinalis</i> (Mollusca: Cephalopoda). <i>ICES Journal of Marine Science</i> , 2016, 73, 970-980.	2.5	21
57	Intra-population variability of ocean acidification impacts on the physiology of Baltic blue mussels ( <i>Mytilus edulis</i> ): integrating tissue and organism response. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2017, 187, 529-543.	1.5	21
58	Allometry of thermal limitation in the cephalopod <i>Sepia officinalis</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2007, 146, 149-154.	1.8	20
59	Estimating recent growth in the cuttlefish <i>Sepia officinalis</i> : are nucleic acid-based indicators for growth and condition the method of choice?. <i>Journal of Experimental Marine Biology and Ecology</i> , 2005, 317, 37-51.	1.5	16
60	Salinity dependence of recruitment success of the sea star <i>Asterias rubens</i> in the brackish western Baltic Sea. <i>Helgoland Marine Research</i> , 2015, 69, 169-175.	1.3	16
61	Proteomic investigation of the blue mussel larval shell organic matrix. <i>Journal of Structural Biology</i> , 2019, 208, 107385.	2.8	16
62	Establishing Functional Relationships between Abiotic Environment, Macrophyte Coverage, Resource Gradients and the Distribution of <i>Mytilus trossulus</i> in a Brackish Non-Tidal Environment. <i>PLoS ONE</i> , 2015, 10, e0136949.	2.5	16
63	Cyclic thermal fluctuations can be burden or relief for an ectotherm depending on fluctuations' average and amplitude. <i>Functional Ecology</i> , 2021, 35, 2483-2496.	3.6	15
64	Trans-life cycle acclimation to experimental ocean acidification affects gastric pH homeostasis and larval recruitment in the sea star <i>Asterias rubens</i> . <i>Acta Physiologica</i> , 2018, 224, e13075.	3.8	14
65	Transcriptomic analysis of shell repair and biomineralization in the blue mussel, <i>Mytilus edulis</i> . <i>BMC Genomics</i> , 2021, 22, 437.	2.8	14
66	Intracellular pH regulation in mantle epithelial cells of the Pacific oyster, <i>Crassostrea gigas</i> . <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2020, 190, 691-700.	1.5	12
67	Simultaneous recording of filtration and respiration in marine organisms in response to short-term environmental variability. <i>Limnology and Oceanography: Methods</i> , 2021, 19, 196-209.	2.0	12
68	Comparative de novo assembly and annotation of mantle tissue transcriptomes from the <i>Mytilus edulis</i> species complex ( <i>M. edulis</i> , <i>M. galloprovincialis</i> , <i>M. trossulus</i> ). <i>Marine Genomics</i> , 2020, 51, 100700.	1.1	11
69	Nutrient utilisation and weathering inputs in the Peruvian upwelling region since the Little Ice Age. <i>Climate of the Past</i> , 2015, 11, 187-202.	3.4	10
70	Decoupling salinity and carbonate chemistry: low calcium ion concentration rather than salinity limits calcification in Baltic Sea mussels. <i>Biogeosciences</i> , 2021, 18, 2573-2590.	3.3	10
71	Coordination between ventilatory pressure oscillations and venous return in the cephalopod <i>Sepia officinalis</i> under control conditions, spontaneous exercise and recovery. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2006, 177, 1-17.	1.5	9
72	Ocean winter warming induced starvation of predator and prey. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20200970.	2.6	9

#	ARTICLE	IF	CITATIONS
73	Capacity for Cellular Osmoregulation Defines Critical Salinity of Marine Invertebrates at Low Salinity. <i>Frontiers in Marine Science</i> , 0, 9, .	2.5	9
74	Salinity Driven Selection and Local Adaptation in Baltic Sea Mytilid Mussels. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	8
75	A sea urchin Na <sup>+</sup> K <sup>+</sup> 2Cl <sup>-</sup> cotransporter is involved in the maintenance of calcification-relevant cytoplasmic cords in <i>Strongylocentrotus droebachiensis</i> larvae. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2015, 187, 184-192.	1.8	6
76	Skeletal integrity of a marine keystone predator ( <i>Asterias rubens</i> ) threatened by ocean acidification. <i>Journal of Experimental Marine Biology and Ecology</i> , 2020, 526, 151335.	1.5	5
77	The silent loss of cell physiology hampers marine biosciences. <i>PLoS Biology</i> , 2022, 20, e3001641.	5.6	5
78	Symposium on "Climate Change and Molluscan Ecophysiology" at the 79th Annual Meeting of the American Malacological Society. <i>American Malacological Bulletin</i> , 2015, 33, 121-126.	0.2	0